QUANTUM SECURITY INTELLIGENCE

Security & Post-Quantum Readiness Audit Report

go-algorand @ e46aea5466a1 · Algorand Foundation — public repository (passive review)

Organization	QSI
Report date	2026-11-06 16:16 UTC
Report version	1
Audit run	96d950eb-cb91-4272-91ed-00709f332206 · Document audit · 2026-11-06 16:16 UTC
Analyzer engine	qsi-engine 1.3.0
Risk profile	Crypto exchange, custodian or wallet
Content SHA-256	`6d145d52c9c066144e055074447ebfbd4d0fe3daaa4654cbf36de67ea6eb5165`
Signature key (Ed25519, SHA-256 fingerprint; the signature is the separate file report.sig.json)	`5b3cf9c9bd0fa54447e2b5dfa7a6bab569bd0c666fa46949599e5c348d17083e`

Contents

1. Executive summary
2. Scope and boundaries
3. Methodology
4. Assets examined and not examined
5. Architecture overview
6. Overall security posture
7. Findings by severity
8. Detailed findings
9. Evidence
10. Post-quantum assessment
11. Limitations and assumptions
12. Remediation plan
13. Priorities for 30, 60 and 90 days
14. Verification after remediation
15. Tools used
16. Sources and normative documents
17. Appendices

This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.

Executive summary

22	0	1	11	3
Findings in total	Critical	High	Medium	Low

Classification	Count
Confirmed technical vulnerability	0
Known vulnerable component	14
Confirmed configuration error	1
Potential cryptographic risk	0
Long-term post-quantum risk	7
Improvement recommendation	0
Insufficient data	0

Top 5

ID	Severity	Detailed findings	Priority score
QSI-2026-19631	High	Possible hard-coded secret in logging/telemetryConfig.go preliminary	47.1
QSI-2026-19630	Medium	Quantum-vulnerable RSA key (2048-bit) in installer/rpm/RPM-GPG-KEY-Algorand	50.3
QSI-2026-19635	Medium	github.com/labstack/echo/v4 v4.16.1 is affected by GHSA-246p-cpwv-v3jq (CVE-2026-118653, GO-2026-6872)	44.2
QSI-2026-19636	Medium	github.com/labstack/echo/v4 v4.16.1 is affected by GHSA-99jh-6h7p-pp36 (CVE-2026-118651, GO-2026-6875)	44.2
QSI-2026-19642	Medium	github.com/pion/dtls/v2 v2.2.12 is affected by GHSA-9f3f-wv7r-qc8r (CVE-2026-26014, GO-2026-4479)	44.2

Mosca's inequality (x + y > z): x = 10, y = 5, z = 8 → migration would finish too late under this scenario. z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Post-quantum maturity: Level 2 of 4 — post-quantum in use outside the critical paths. Next step: Extend post-quantum protection to the critical roles that stay classical, starting with what can be recorded today (wrapped keys, channel key exchange).

Scope and boundaries

Mode: Document audit

Repository: https://github.com/algorand/go-algorand @ e46aea5466a1152af6e08f83555ed16cfcd89f49 — evidence links open the lines at this commit.

Supplied inputs

1160 files, 10256158 bytes in total, 1 redaction(s); the per-file SHA-256 list is in appendix C.

Methodology

The audit was performed by the QSI engine 1.3.0. Each analyzer emits facts (rule, parameters, evidence); finding texts are generated from the rule catalog. Methodology sources are listed under "Sources and normative documents".

Prioritization uses an explainable weighted model (severity, exploitability, exposure, confidentiality/integrity/availability impact weighted by the "Crypto exchange, custodian or wallet" profile, asset criticality, urgency, ease of remediation) with a confidence multiplier. CVSS v3.1 is applied only to technical vulnerabilities with a defined vector. Long-term quantum risks use Mosca's inequality; their severity is capped at Medium and they are never presented as exploitable vulnerabilities.

Finding classes: confirmed technical vulnerability; known vulnerable component (a dependency version named in an advisory; whether the affected code is reachable is assessed separately, and a component confirmed by review becomes a vulnerability); confirmed configuration error; potential cryptographic risk; long-term post-quantum risk; improvement recommendation; insufficient data. Heuristic findings are marked preliminary; analyst decisions are shown next to the findings.

Coverage of checks

Area	Status	Count	Examples
source_code	checked	1152	agreement/abstractions.go: 335 lines scanned with 16 rule patterns and 267 registry patterns; agreement/actions.go: 569 lines scanned with 16 rule patterns and 267 registry patterns; agreement/actiontype_string.go: 39 lines scanned with 16 rule patterns and 267 registry patterns
dependencies	checked	6	cmd/partitiontest_linter/go.mod: 4 dependencies parsed (4 pinned); go.mod: 185 dependencies parsed (185 pinned); tools/block-generator/go.mod: 166 dependencies parsed (166 pinned)
certificates_and_keys	checked	1	installer/rpm/RPM-GPG-KEY-Algorand: certificates/keys parsed
entropy	checked	1	random-number generation: 1152 code files read with 537 macro definitions from the tree; 0 ineffective guard(s), 0 weak random-bytes provider(s), 0 weak key-generation site(s)
osv_advisories	checked	1	193 pinned packages queried at OSV.dev; 10 affected

Long lists are grouped here; the full per-file list is in the JSON report, signed with the same key.

Assets examined and not examined

Supplied inputs: 1161 (input files: C)

Architecture overview

Static review of the source tree go-algorand at e46aea5466a1152af6e08f83555ed16cfcd89f49. 1160 files analysed; of 3096 files, 1393 are test, fuzzing, benchmark or example code and were left out, 542 are not read by any analyzer, 1 exceed the per-file limit and 0 did not fit the total limit. Files no analyzer reads include: .aptly.conf, .claude/skills/combine-dependabot-prs/SKILL.md, .claude/skills/promote-vfuture/SKILL.md, .claude/skills/spec-consensus-param/SKILL.md, .codecov.yml. 64 files in build-output or dependency-cache directories (.git, .hg, .venv, __pycache__, build, dist, node_modules, target, vendor, venv) were not read. No requests were sent to the owner's systems.

Overall security posture


70
Indicative posture index (0–100)

33.4%
Quantum-vulnerable share of inventory

305
Cryptographic inventory

Derived from findings in scope (confirmed and potential issues weighted by severity). Indicative only; not comparable across differently scoped audits.

Findings by severity



ID	Detailed findings	Classification	Severity	Confidence
QSI-2026-19631	Possible hard-coded secret in logging/telemetryConfig.go	Confirmed configuration error	High	Medium, preliminary
QSI-2026-19630	Quantum-vulnerable RSA key (2048-bit) in installer/rpm/RPM-GPG-KEY-Algorand	Long-term post-quantum risk	Medium	High
QSI-2026-19635	github.com/labstack/echo/v4 v4.16.1 is affected by GHSA-246p-cpwv-v3jq (CVE-2026-118653, GO-2026-6872)	Known vulnerable component	Medium	Medium
QSI-2026-19636	github.com/labstack/echo/v4 v4.16.1 is affected by GHSA-99jh-6h7p-pp36 (CVE-2026-118651, GO-2026-6875)	Known vulnerable component	Medium	Medium
QSI-2026-19642	github.com/pion/dtls/v2 v2.2.12 is affected by GHSA-9f3f-wv7r-qc8r (CVE-2026-26014, GO-2026-4479)	Known vulnerable component	Medium	Medium
QSI-2026-19643	github.com/pion/stun v0.6.1 is affected by GHSA-34rh-wp3j-6cxc (CVE-2026-54909)	Known vulnerable component	Medium	Medium
QSI-2026-19627	Quantum-vulnerable X25519: key wrapping and data encryption at rest (1 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-19628	Quantum-vulnerable ECDSA: transaction and message signing (26 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-19625	Quantum-vulnerable Ed25519: role not determined (19 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-19626	Quantum-vulnerable X25519: role not determined (12 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-19629	Quantum-vulnerable ECDH: role not determined (4 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-19632	Quantum-vulnerable RSA: role not determined (1 file(s))	Long-term post-quantum risk	Medium	Medium, preliminary
QSI-2026-19637	github.com/libp2p/go-libp2p-kad-dht v0.38.0 is affected by GO-2024-3218 (CVE-2023-26248) (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-19638	golang.org/x/crypto v0.57.0 is affected by GO-2026-5932 (no severity rating)	Known vulnerable component	Low	Low, preliminary

QSI-2026-19644	golang.org/x/net v0.60.0 is affected by GO-2026-6860 (CVE-2026-78661) (no severity rating)	Known vulnerable component	Low	Low, preliminary
QSI-2026-19639	github.com/ipld/go-ipld-prime v0.22.0 is affected by GHSA-w239-58x2-q8p5 (CVE-2026-42328, GO-2026-5684)	Known vulnerable component	Info	Medium, preliminary
QSI-2026-19640	github.com/klauspost/compress v1.18.0 is affected by GHSA-259r-337f-4rfw (CVE-2026-63209, GO-2026-5841)	Known vulnerable component	Info	Medium, preliminary
QSI-2026-19633	github.com/aws/aws-sdk-go v1.34.0 is affected by GO-2022-0635 (CVE-2020-8912) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-19634	github.com/aws/aws-sdk-go v1.34.0 is affected by GO-2022-0646 (CVE-2020-8911) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-19641	github.com/klauspost/compress v1.18.0 is affected by GO-2026-6865 (CVE-2026-116591) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-19645	golang.org/x/net v0.60.0 is affected by GO-2026-6866 (CVE-2026-97045) (no severity rating)	Known vulnerable component	Info	Low, preliminary
QSI-2026-19646	github.com/klauspost/compress v1.18.7 is affected by GO-2026-6865 (CVE-2026-116591) (no severity rating)	Known vulnerable component	Info	Low, preliminary

Detailed findings

QSI-2026-19631 · CODE-HARDCODED-SECRET

High

Possible hard-coded secret in logging/telemetryConfig.go

Confirmed configuration error | Confidence: Medium | preliminary — requires further verification

1 secret-like value(s) of type generic_assignment (first at line 35). Values were redacted by QSI.

Affected asset	file:logging/telemetryConfig.go
Data source	logging/telemetryConfig.go
Detection method	Regular-expression matching of language-specific API patterns.
Analyzer	source_code 1.3.0 · 2026-11-06 16:16 UTC
Priority score	47.1 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Credentials in source code leak through repositories, builds and logs.

REPRODUCTION STEPS

```
Open line 35 in the supplied file logging/telemetryConfig.go and inspect the quoted lines (see evidence).
```

EVIDENCE

file_excerpt · logging/telemetryConfig.go · line 35 · SHA-256 7b816d3ae2740f85… · File f596ff0f741d638f…

```
35 | var defaultTelemetryPassword = "[REDACTED]"
```

LIMITATIONS OF THE CHECK

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Move secrets to a secrets manager/environment; rotate the exposed values.

RETEST PROCEDURE

Re-scan the source and review the call sites listed in the evidence.

OWASP Application Security Verification Standard

QSI-2026-19630 · KEY-QV-PUBLIC

Medium

Quantum-vulnerable RSA key (2048-bit) in installer/rpm/RPM-GPG-KEY-Algorand

Long-term post-quantum risk | Confidence: High

A RSA 2048-bit public key was found (line 1).

Affected asset	file:installer/rpm/RPM-GPG-KEY-Algorand#line 1
Data source	installer/rpm/RPM-GPG-KEY-Algorand
Detection method	Public key parsing.
Analyzer	certificates 1.3.0 · 2026-11-06 16:16 UTC

Priority score	50.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk once a CRQC exists; for key exchange, recorded traffic could be decrypted retroactively.

REPRODUCTION STEPS

```
Open line 1 in the supplied file installer/rpm/RPM-GPG-KEY-Algorand and inspect the quoted lines (see evidence).
```

EVIDENCE

key · installer/rpm/RPM-GPG-KEY-Algorand · line 1 · SHA-256 99f8a76d7955bc1c... · File da73bea9d17be736...

```
OpenPGP primary key: algorithm ID 1 (RSA) 2048-bit
```

key · installer/rpm/RPM-GPG-KEY-Algorand · line 1 · SHA-256 a744425426415d58... · File da73bea9d17be736...

```
OpenPGP subkey: algorithm ID 1 (RSA) 2048-bit
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability.

RECOMMENDATION

Inventory and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it..

RETEST PROCEDURE

Re-audit after migration.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards

QSI-2026-19635 · DEP-KNOWN-ADVISORY

Medium

github.com/labstack/echo/v4 v4.16.1 is affected by GHSA-246p-cpwv-v3jq (CVE-2026-118653, GO-2026-6872)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-246p-cpwv-v3jq (CVE-2026-118653, GO-2026-6872) for Go package github.com/labstack/echo/v4 at version v4.16.1: Echo has Rate Limiter Bypass via Spoofed X-Forwarded-For Header in Default Configuration. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Go/github.com/labstack/echo/v4@v4.16.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 16:16 UTC
Priority score	44.2 / 100 (Crypto exchange, custodian or wallet)

CVSS v3.1	5.3 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-246p-cpwv-v3jq
```

EVIDENCE

tool_output · OSV.dev GHSA-246p-cpwv-v3jq · line 37 · SHA-256 155528c0a1c25237…


```
{"id": "GHSA-246p-cpwv-v3jq", "aliases": ["CVE-2026-118653", "GO-2026-6872"], "modified":
"2026-11-05T23:26:14.796992232Z", "summary": "Echo has Rate Limiter Bypass via Spoofed X-Forwarded-
For Header in Default Configuration", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/
PR:N/UI:N/S:U/C:N/I:L/A:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-246p-cpwv-v3jq

QSI-2026-19636 · DEP-KNOWN-ADVISORY

Medium

github.com/labstack/echo/v4 v4.16.1 is affected by GHSA-99jh-6h7p-pp36 (CVE-2026-118651, GO-2026-6875)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-99jh-6h7p-pp36 (CVE-2026-118651, GO-2026-6875) for Go package github.com/labstack/echo/v4 at version v4.16.1: Echo: Reverse Proxy Forwards Attacker-Supplied X-Real-IP to Upstream by Default. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Go/github.com/labstack/echo/v4@v4.16.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 16:16 UTC
Priority score	44.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	5.3 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-99jh-6h7p-pp36
```

EVIDENCE

tool_output · OSV.dev GHSA-99jh-6h7p-pp36 · line 37 · SHA-256 e73925195a680d39...


```
{"id": "GHSA-99jh-6h7p-pp36", "aliases": ["CVE-2026-118651", "GO-2026-6875"], "modified": "2026-11-05T23:25:35.191121662Z", "summary": "Echo: Reverse Proxy Forwards Attacker-Supplied X-Real-IP to Upstream by Default", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-99jh-6h7p-pp36

QSI-2026-19642 · DEP-KNOWN-ADVISORY

Medium

github.com/pion/dtls/v2 v2.2.12 is affected by GHSA-9f3f-wv7r-qc8r (CVE-2026-26014, GO-2026-4479)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-9f3f-wv7r-qc8r (CVE-2026-26014, GO-2026-4479) for Go package github.com/pion/dtls/v2 at version v2.2.12: Pion DTLS's usage of random nonce generation with AES GCM ciphers risks leaking the authentication key. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Go/github.com/pion/dtls/v2@v2.2.12
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 16:16 UTC
Priority score	44.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	5.9 — CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-9f3f-wv7r-qc8r
```

EVIDENCE

tool_output · OSV.dev GHSA-9f3f-wv7r-qc8r · line 141 · SHA-256 7eb37c2b6ca00b8a...


```
{"id": "GHSA-9f3f-wv7r-qc8r", "aliases": ["CVE-2026-26014", "GO-2026-4479"], "modified":
"2026-09-10T03:50:34.689023565Z", "summary": "Pion DTLS's usage of random nonce generation with AES
GCM ciphers risks leaking the authentication key", "severity": [{"type": "CVSS_V3", "score":
"CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-9f3f-wv7r-qc8r

QSI-2026-19643 · DEP-KNOWN-ADVISORY

Medium

github.com/pion/stun v0.6.1 is affected by GHSA-34rh-wp3j-6cxc (CVE-2026-54909)

Known vulnerable component | Confidence: Medium

OSV.dev reports GHSA-34rh-wp3j-6cxc (CVE-2026-54909) for Go package github.com/pion/stun at version v0.6.1: Pion STUN vulnerable to remote denial of service via panic while parsing a malformed XOR-MAPPED-ADDRESS attribute. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Go/github.com/pion/stun@v0.6.1
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 16:16 UTC
Priority score	44.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	5.3 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-34rh-wp3j-6cxc
```

EVIDENCE

tool_output · OSV.dev GHSA-34rh-wp3j-6cxc · line 153 · SHA-256 25b88eee7863898f...


```
{"id": "GHSA-34rh-wp3j-6cxc", "aliases": ["CVE-2026-54909", "GO-2026-6163"], "modified":
"2026-09-10T03:50:51.344851444Z", "summary": "Pion STUN vulnerable to remote denial of service via
```

```
panic while parsing a malformed XOR-MAPPED-ADDRESS attribute", "severity": [{"type": "CVSS_V3",
"score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Upgrade to a fixed version (none published yet; see the advisory for mitigations).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-34rh-wp3j-6cxc

QSI-2026-19627 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable X25519: key wrapping and data encryption at rest (1 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

1 reference(s) to X25519 across 1 file(s), e.g. crypto/libsodium-fork/src/libsodium/crypto_box/crypto_box_seal.c:32. Role, judged from paths, function names and nearby code: key wrapping and data encryption at rest. Keys or data encrypted to these public keys are stored: anyone who copies them now decrypts them once a CRQC exists (harvest now, decrypt later).

Affected asset	source-code:X25519:key_wrapping
Data source	crypto/libsodium-fork/src/libsodium/crypto_box/crypto_box_seal.c
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 16:16 UTC
Priority score	36.9 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open crypto/libsodium-fork/src/libsodium/crypto_box/crypto_box_seal.c:32 and inspect the quoted
lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · crypto/libsodium-fork/src/libsodium/crypto_box/crypto_box_seal.c · line 32 · SHA-256 7639098c5e359f82… · File c9bed6c747a4c644…

```
31 |
32 |     if (crypto_box_keypair(epk, esk) != 0) {
33 |         return -1; /* LCOV_EXCL_LINE */
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Wrap keys with ML-KEM or a hybrid KEM (X25519 + ML-KEM-768) and re-wrap the stored keys; data that may already have been copied needs its own assessment.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-19628 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable ECDSA: transaction and message signing (26 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

96 reference(s) to ECDSA across 26 file(s), e.g. crypto/secp256k1/curve.go:33. Role, judged from paths, function names and nearby code: transaction and message signing. A CRQC derives the private key from a public key that is already known (on chain after the first spend, in reused addresses): funds and approvals controlled by these keys need a migration path.

Affected asset	source-code:ECDSA:transaction_signing
Data source	crypto/secp256k1/curve.go
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 16:16 UTC
Priority score	35.6 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open crypto/secp256k1/curve.go:33 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · crypto/secp256k1/curve.go · line 33 · SHA-256 0efb6d1753fc3c98… · File b063240f68384b18…

```
32 |
33 | package secp256k1
34 |
```

file_excerpt · crypto/secp256k1/dummy.go · line 14 · SHA-256 a93bed01956bdb2d... · File 862d31d1bfb603b5...

```
13 |
14 | package secp256k1
15 |
```

file_excerpt · crypto/secp256k1/dummy.go · line 17 · SHA-256 ad5aa81a776fd75d... · File 862d31d1bfb603b5...

```
16 | import (
17 | _ "github.com/algorand/go-algorand/crypto/secp256k1/libsecp256k1/include"
18 | _ "github.com/algorand/go-algorand/crypto/secp256k1/libsecp256k1/src"
```

file_excerpt · crypto/secp256k1/dummy.go · line 18 · SHA-256 30eca17768087ba8... · File 862d31d1bfb603b5...

```
17 | _ "github.com/algorand/go-algorand/crypto/secp256k1/libsecp256k1/include"
18 | _ "github.com/algorand/go-algorand/crypto/secp256k1/libsecp256k1/src"
19 | _ "github.com/algorand/go-algorand/crypto/secp256k1/libsecp256k1/src/modules/recovery"
```

file_excerpt · crypto/secp256k1/ext.h · line 53 · SHA-256 051aeb46545f89d7... · File 78e5c31f2095b51c...

```
52 | ) {
53 | secp256k1_ecdsa_signature sig;
54 | secp256k1_pubkey pubkey;
```

file_excerpt · crypto/secp256k1/ext.h · line 56 · SHA-256 b6c5991701d9a948... · File 78e5c31f2095b51c...

```
55 |
56 | if (!secp256k1_ecdsa_signature_parse_compact(ctx, &sig, sigdata)) {
57 |         return 0;
```

file_excerpt · crypto/secp256k1/ext.h · line 62 · SHA-256 4304b95e08cf7b88... · File 78e5c31f2095b51c...

```
61 | }
62 | return secp256k1_ecdsa_verify(ctx, &sig, msgdata, &pubkey);
63 | }
```

file_excerpt · crypto/secp256k1/libsecp256k1/contrib/lax_der_parsing.c · line 8 · SHA-256 d8fa0de7aecc6613... · File 2a1cdc8e8f30fd06...

```
 7 | #include <string.h>
 8 | #include <secp256k1.h>
 9 |
```

file_excerpt · crypto/secp256k1/libsecp256k1/contrib/lax_der_parsing.c · line 12 · SHA-256 f7cc1f35d372c550... · File 2a1cdc8e8f30fd06...

```
11 |
12 | int ecdsa_signature_parse_der_lax(const secp256k1_context* ctx, secp256k1_ecdsa_signature*
sig, const unsigned char *input, size_t inputlen) {
13 |     size_t rpos, rlen, spos, slen;
```

file_excerpt · crypto/secp256k1/libsecp256k1/contrib/lax_der_parsing.c · line 20 · SHA-256 d8262388bcb8acbc... · File 2a1cdc8e8f30fd06...

```
19 |     /* Hack to initialize sig with a correctly-parsed but invalid signature. */
20 |     secp256k1_ecdsa_signature_parse_compact(ctx, sig, tmpsig);
21 |
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-19625 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable Ed25519: role not determined (19 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

253 reference(s) to Ed25519 across 19 file(s), e.g. crypto/batchverifier.c:16. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:Ed25519:general
Data source	crypto/batchverifier.c
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 16:16 UTC
Priority score	34.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open crypto/batchverifier.c:16 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · crypto/batchverifier.c · line 16 · SHA-256 7fbf57fc364fb19e… · File 749e07446e090ef3…

```
   15 |         mpos += mlen[i];
   16 |         publicKeys2D[i] = &publicKeys1D[i*crypto_sign_ed25519_PUBLICKEYBYTES];
   17 |         signatures2D[i] = &signatures1D[i*crypto_sign_ed25519_BYTES];
```

file_excerpt · crypto/batchverifier.c · line 17 · SHA-256 4cd9d116a43d62ad... · File 749e07446e090ef3...

```
   16 |         publicKeys2D[i] = &publicKeys1D[i*crypto_sign_ed25519_PUBLICKEYBYTES];
   17 |         signatures2D[i] = &signatures1D[i*crypto_sign_ed25519_BYTES];
   18 |     }
```

file_excerpt · crypto/batchverifier.c · line 19 · SHA-256 344fa4a497b1d60a... · File 749e07446e090ef3...

```
   18 |     }
   19 |     return crypto_sign_ed25519_open_batch(messages2D, mlen, publicKeys2D, signatures2D, num,
valid);
   20 | }
```

file_excerpt · crypto/batchverifier.go · line 190 · SHA-256 ea7b3f3856f686d8... · File 7430c9479111eed2...

```
  189 | for i := range b.messages {
  190 |         failed[i] = !ed25519Verify(ed25519PublicKey(b.publicKeys[i]),
HashRep(b.messages[i]), ed25519Signature(b.signatures[i]))
  191 |         if failed[i] {
```

file_excerpt · crypto/curve25519.go · line 69 · SHA-256 afa83fc8ebb8e513... · File 4af08e9988afd957...

```
   68 | // Check sizes of structs
   69 | _ = [C.crypto_sign_ed25519_BYTES]byte(ed25519Signature{})
   70 | _ = [C.crypto_sign_ed25519_PUBLICKEYBYTES]byte(ed25519PublicKey{})
```

file_excerpt · crypto/curve25519.go · line 70 · SHA-256 018e47a51afd8118... · File 4af08e9988afd957...

```
   69 | _ = [C.crypto_sign_ed25519_BYTES]byte(ed25519Signature{})
   70 | _ = [C.crypto_sign_ed25519_PUBLICKEYBYTES]byte(ed25519PublicKey{})
   71 | _ = [C.crypto_sign_ed25519_SECRETKEYBYTES]byte(ed25519PrivateKey{})
```

file_excerpt · crypto/curve25519.go · line 71 · SHA-256 fc27b1df9511398d... · File 4af08e9988afd957...

```
   70 | _ = [C.crypto_sign_ed25519_PUBLICKEYBYTES]byte(ed25519PublicKey{})
   71 | _ = [C.crypto_sign_ed25519_SECRETKEYBYTES]byte(ed25519PrivateKey{})
   72 | _ = [C.crypto_sign_ed25519_SEEDBYTES]byte(ed25519Seed{})
```

file_excerpt · crypto/include/sodium.h · line 42 · SHA-256 d7fb5f017dd4fc7f... · File 02fe3eddf4b03ec4...

```
   41 | #include "sodium/crypto_sign.h"
   42 | #include "sodium/crypto_sign_ed25519.h"
   43 | #include "sodium/crypto_stream.h"
```

file_excerpt · crypto/include/sodium/crypto_sign.h · line 13 · SHA-256 2c5c152c49d891d9... · File 3b93f7a9edeec30e...

```
   12 |
   13 | #include "crypto_sign_ed25519.h"
   14 | #include "export.h"
```

file_excerpt · crypto/include/sodium/crypto_sign.h · line 28 · SHA-256 758b21d19d70a17b... · File 3b93f7a9edeec30e...

```
   27 |
   28 | #define crypto_sign_BYTES crypto_sign_ed25519_BYTES
   29 | SODIUM_EXPORT
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-19626 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable X25519: role not determined (12 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

21 reference(s) to X25519 across 12 file(s), e.g. crypto/include/sodium.h:34. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:X25519:general
Data source	crypto/include/sodium.h
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 16:16 UTC
Priority score	34.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open crypto/include/sodium.h:34 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · crypto/include/sodium.h · line 34 · SHA-256 1309d78496f4478e… · File 02fe3eddf4b03ec4…

```
33 | #include "sodium/crypto_pwhash_argon2i.h"
34 | #include "sodium/crypto_scalarmult.h"
35 | #include "sodium/crypto_scalarmult_curve25519.h"
```

file_excerpt · crypto/include/sodium/crypto_box.h · line 57 · SHA-256 1e27fc2ee2b495c0… · File dbb765369328122a…

```
56 | SODIUM_EXPORT
57 | int crypto_box_keypair(unsigned char *pk, unsigned char *sk)
58 |             __attribute__ ((nonnull));
```

file_excerpt · crypto/include/sodium/crypto_kx.h · line 42 · SHA-256 293662ab6df380d9… · File b590d661674331ab…

```
41 | SODIUM_EXPORT
42 | int crypto_kx_keypair(unsigned char pk[crypto_kx_PUBLICKEYBYTES],
43 |                       unsigned char sk[crypto_kx_SECRETKEYBYTES])
```

file_excerpt · crypto/include/sodium/crypto_scalarmult.h · line 26 · SHA-256 8745fe4e6cb7f4eb… · File d71e80d4492e5e92…

```
25 | SODIUM_EXPORT
26 | int crypto_scalarmult_base(unsigned char *q, const unsigned char *n)
27 |             __attribute__ ((nonnull));
```

file_excerpt · crypto/include/sodium/crypto_scalarmult.h · line 38 · SHA-256 c96703b3a6085f03… · File d71e80d4492e5e92…

```
37 | SODIUM_EXPORT
38 | int crypto_scalarmult(unsigned char *q, const unsigned char *n,
39 |                       const unsigned char *p)
```

file_excerpt · crypto/libsodium-fork/src/libsodium/crypto_box/crypto_box.c · line 72 · SHA-256 c0013e4cf7927fd7… · File 8741972f4f816baa…

```
71 | int
72 | crypto_box_keypair(unsigned char *pk, unsigned char *sk)
73 | {
```

file_excerpt · crypto/libsodium-fork/src/libsodium/crypto_kx/crypto_kx.c · line 7 · SHA-256 b83e11b5df3ca674… · File c48d3aceab62c58c…

```
 6 | #include "crypto_kx.h"
 7 | #include "crypto_scalarmult.h"
 8 | #include "private/common.h"
```

file_excerpt · crypto/libsodium-fork/src/libsodium/crypto_kx/crypto_kx.c · line 19 · SHA-256 e7a0f139312c3eac… · File c48d3aceab62c58c…

```
18 |                       seed, crypto_kx_SEEDBYTES, NULL, 0);
19 |     return crypto_scalarmult_base(pk, sk);
20 | }
```

file_excerpt · crypto/libsodium-fork/src/libsodium/crypto_kx/crypto_kx.c · line 23 · SHA-256 5383dc5a21d6f55f… · File c48d3aceab62c58c…

```
22 | int
23 | crypto_kx_keypair(unsigned char pk[crypto_kx_PUBLICKEYBYTES],
24 |                   unsigned char sk[crypto_kx_SECRETKEYBYTES])
```

file_excerpt · crypto/libsodium-fork/src/libsodium/crypto_scalarmult/crypto_scalarmult.c · line 2 · SHA-256 9e041e272488a8a0… · File 3aa1ce5272c4d77a…

```
 1 |
 2 | #include "crypto_scalarmult.h"
 3 |
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability.

Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-19629 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable ECDH: role not determined (4 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

7 reference(s) to ECDH across 4 file(s), e.g. crypto/secp256k1/libsecp256k1/include/secp256k1_ecdh.h:20. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:ECDH:general
Data source	crypto/secp256k1/libsecp256k1/include/secp256k1_ecdh.h
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 16:16 UTC
Priority score	34.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open crypto/secp256k1/libsecp256k1/include/secp256k1_ecdh.h:20 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · crypto/secp256k1/libsecp256k1/include/secp256k1_ecdh.h · line 20 · SHA-256 7bd6ded8d3e8bdd2… · File ff74451e3e574dd1…

```
19 |  */
20 | SECP256K1_API SECP256K1_WARN_UNUSED_RESULT int secp256k1_ecdh(
21 |   const secp256k1_context* ctx,
```

file_excerpt · crypto/secp256k1/libsecp256k1/src/java/org/bitcoin/NativeSecp256k1.java · line 381 · SHA-256 4a76b0ce27748a15… · File 62319d94a74ee487…

```
  380 |         try {
  381 |           retByteArray = secp256k1_ecdh(byteBuff, Secp256k1Context.getContext(),
pubkey.length);
  382 |         } finally {
```

file_excerpt · crypto/secp256k1/libsecp256k1/src/java/org/bitcoin/NativeSecp256k1.java · line 444 · SHA-256 52bb0a81453030eb… · File 62319d94a74ee487…

```
  443 |
  444 |     private static native byte[][] secp256k1_ecdh(ByteBuffer byteBuff, long context, int
inputLen);
  445 |
```

file_excerpt · crypto/secp256k1/libsecp256k1/src/java/org_bitcoin_NativeSecp256k1.c · line 6 · SHA-256 784f99e7ba1dbc2b… · File ccae1fb58044f050…

```
    5 | #include "include/secp256k1.h"
    6 | #include "include/secp256k1_ecdh.h"
    7 | #include "include/secp256k1_recovery.h"
```

file_excerpt · crypto/secp256k1/libsecp256k1/src/java/org_bitcoin_NativeSecp256k1.c · line 352 · SHA-256 02bddc556cf14d4d… · File ccae1fb58044f050…

```
  351 |   if (ret) {
  352 |     ret = secp256k1_ecdh(
  353 |       ctx,
```

file_excerpt · crypto/secp256k1/libsecp256k1/src/modules/ecdh/main_impl.h · line 10 · SHA-256 4f4e28aaaf190882… · File e4fcec40b57ce3bb…

```
    9 |
   10 | #include "include/secp256k1_ecdh.h"
   11 | #include "ecmult_const_impl.h"
```

file_excerpt · crypto/secp256k1/libsecp256k1/src/modules/ecdh/main_impl.h · line 13 · SHA-256 f443a95be4ed06fa… · File e4fcec40b57ce3bb…

```
   12 |
   13 | int secp256k1_ecdh(const secp256k1_context* ctx, unsigned char *result, const
secp256k1_pubkey *point, const unsigned char *scalar) {
   14 |     int ret = 0;
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-19632 · CODE-QV-ASYMMETRIC

Medium

Quantum-vulnerable RSA: role not determined (1 file(s))

Long-term post-quantum risk | Confidence: Medium | preliminary — requires further verification

1 reference(s) to RSA across 1 file(s), e.g. tools/network/dnssec/testHarness.go:22. Role, judged from paths, function names and nearby code: role not determined. The code does not show what the keys protect; review decides the priority.

Affected asset	source-code:RSA:general
Data source	tools/network/dnssec/testHarness.go
Detection method	Regular-expression matching of crypto API patterns; the role comes from words in paths, enclosing function names and the lines around the matches.
Analyzer	source_code 1.3.0 · 2026-11-06 16:16 UTC
Priority score	34.2 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable
Mosca's inequality (x + y > z)	x=10.0, y=5.0, z=8.0 → migration would finish too late under this scenario

POTENTIAL IMPACT

Long-term risk depends on what the algorithm protects: signatures (authenticity until migration) or key exchange/encryption (retroactive decryption of recorded data).

REPRODUCTION STEPS

```
Open tools/network/dnssec/testHarness.go:22 and inspect the quoted lines; the evidence lists further files.
```

EVIDENCE

file_excerpt · tools/network/dnssec/testHarness.go · line 22 · SHA-256 824218641afe5125… · File 05775c6dd3d524fc…

```
21 | "crypto"
22 | "crypto/rsa"
23 | "fmt"
```

LIMITATIONS OF THE CHECK

This is a forward-looking risk that depends on the arrival of a cryptographically relevant quantum computer (CRQC). No such computer is publicly known to exist today; the timeline is uncertain. It is not a present-day exploitable vulnerability. Heuristic pattern match on source text without data-flow analysis. The usage context (security-relevant or not) must be confirmed manually; treat as preliminary.

RECOMMENDATION

Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility.

RETEST PROCEDURE

Re-run the inventory after refactoring.

P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997); NIST IR 8547 — Transition to Post-Quantum Cryptography Standards; M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018)

QSI-2026-19637 · DEP-ADVISORY-UNRATED

Low

github.com/libp2p/go-libp2p-kad-dht v0.38.0 is affected by GO-2024-3218 (CVE-2023-26248) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2024-3218 (CVE-2023-26248) for Go package github.com/libp2p/go-libp2p-kad-dht at version v0.38.0: Content Censorship in the InterPlanetary File System (IPFS) via Kademlia DHT abuse in github.com/libp2p/go-libp2p-kad-dht. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Go/github.com/libp2p/go-libp2p-kad-dht@v0.38.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 16:16 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2024-3218
```

EVIDENCE

tool_output · OSV.dev GO-2024-3218 · line 39 · SHA-256 78f9da1b356c08be...


```
{"id": "GO-2024-3218", "aliases": ["CVE-2023-26248", "GHSA-mqr9-hjr8-2m9w"], "modified":
"2026-07-01T14:59:24.616695200Z", "summary": "Content Censorship in the InterPlanetary File System
(IPFS) via Kademlia DHT abuse in github.com/libp2p/go-libp2p-kad-dht", "severity": null,
"declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (none published yet; see the advisory for mitigations) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2024-3218

QSI-2026-19638 · DEP-ADVISORY-UNRATED

Low

golang.org/x/crypto v0.57.0 is affected by GO-2026-5932 (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-5932 for Go package golang.org/x/crypto at version v0.57.0: The golang.org/x/crypto/openpgp package is unmaintained, unsafe by design, and has known security issues. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The advisory names no affected functions, so reachability was not determined.

Affected asset	dependency:Go/golang.org/x/crypto@v0.57.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 16:16 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-5932
```

EVIDENCE

tool_output · OSV.dev GO-2026-5932 · line 59 · SHA-256 79b7a13fb7767fba...


```
{"id": "GO-2026-5932", "aliases": [], "modified": "2026-11-02T22:15:06.677088389Z", "summary": "The golang.org/x/crypto/openpgp package is unmaintained, unsafe by design, and has known security issues", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.58.1-0.20261009181718-2f1f834330b2) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-5932

QSI-2026-19644 · DEP-ADVISORY-UNRATED

Low

golang.org/x/net v0.60.0 is affected by GO-2026-6860 (CVE-2026-78661) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6860 (CVE-2026-78661) for Go package golang.org/x/net at version v0.60.0: Avoid quadratic complexity when coalescing text nodes in html in golang.org/x/net. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. The audited code names golang.org/x/net/html.Parse: the affected code may be reachable.

Affected asset	dependency:Go/golang.org/x/net@v0.60.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 16:16 UTC
Priority score	20.3 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6860
```

EVIDENCE

tool_output · OSV.dev GO-2026-6860 · line 187 · SHA-256 1f106c45371219ba...


```
{"id": "GO-2026-6860", "aliases": ["CVE-2026-78661"], "modified": "2026-10-27T21:30:04.890809062Z",
"summary": "Avoid quadratic complexity when coalescing text nodes in html in golang.org/x/net",
"severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.62.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6860

QSI-2026-19639 · DEP-KNOWN-ADVISORY

Info

github.com/ipld/go-ipld-prime v0.22.0 is affected by GHSA-w239-58x2-q8p5 (CVE-2026-42328, GO-2026-5684)

Known vulnerable component | Confidence: Medium | preliminary — requires further verification

OSV.dev reports GHSA-w239-58x2-q8p5 (CVE-2026-42328, GO-2026-5684) for Go package github.com/ipld/go-ipld-prime at version v0.22.0: go-ipld-prime's DAG-CBOR and DAG-JSON decoders have unbounded recursion depth. None of the affected functions (github.com/ipld/go-ipld-prime/codec/dagcbor.Decode, github.com/ipld/go-ipld-prime/codec/dagjson.Decode) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/github.com/ipld/go-ipld-prime@v0.22.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 16:16 UTC
Priority score	29.9 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	6.2 — CVSS:3.1/AV:L/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-w239-58x2-q8p5
```

EVIDENCE

tool_output · OSV.dev GHSA-w239-58x2-q8p5 · line 98 · SHA-256 b44ed07f6b649876…


```
{"id": "GHSA-w239-58x2-q8p5", "aliases": ["CVE-2026-42328", "GO-2026-5684"], "modified": "2026-09-10T03:51:07.104837244Z", "summary": "go-ipld-prime's DAG-CBOR and DAG-JSON decoders have unbounded recursion depth", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:L/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Upgrade to a fixed version (0.23.0).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-w239-58x2-q8p5

QSI-2026-19640 · DEP-KNOWN-ADVISORY

Info

github.com/klauspost/compress v1.18.0 is affected by GHSA-259r-337f-4rfw (CVE-2026-63209, GO-2026-5841)

Known vulnerable component | Confidence: Medium | preliminary — requires further verification

OSV.dev reports GHSA-259r-337f-4rfw (CVE-2026-63209, GO-2026-5841) for Go package github.com/klauspost/compress at version v1.18.0: Compress/s2: Integer Overflow or Wraparound and Out-of-bounds Write in compress. None of the affected functions (github.com/klauspost/compress/s2.NewDict) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/github.com/klauspost/compress@v1.18.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 16:16 UTC
Priority score	29.9 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	7.5 — CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

POTENTIAL IMPACT

Depends on whether the vulnerable code path is reachable in your application.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GHSA-259r-337f-4rfw
```

EVIDENCE

tool_output · OSV.dev GHSA-259r-337f-4rfw · line 104 · SHA-256 b415f1a2f3e95468…


```
{"id": "GHSA-259r-337f-4rfw", "aliases": ["CVE-2026-63209", "GO-2026-5841"], "modified": "2026-10-20T14:45:03.782718646Z", "summary": "Compress/s2: Integer Overflow or Wraparound and Out-of-bounds Write in compress", "severity": [{"type": "CVSS_V3", "score": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"}], "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Upgrade to a fixed version (1.18.7).

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GHSA-259r-337f-4rfw

QSI-2026-19633 · DEP-ADVISORY-UNRATED

Info

github.com/aws/aws-sdk-go v1.34.0 is affected by GO-2022-0635 (CVE-2020-8912) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2022-0635 (CVE-2020-8912) for Go package github.com/aws/aws-sdk-go at version v1.34.0: In-band key negotiation issue in AWS S3 Crypto SDK for golang in github.com/aws/aws-sdk-go. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (github.com/aws/aws-sdk-go/service/s3/s3crypto.NewDecryptionClient, github.com/aws/aws-sdk-go/service/s3/s3crypto.NewEncryptionClient) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/github.com/aws/aws-sdk-go@v1.34.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 16:16 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2022-0635
```

EVIDENCE

tool_output · OSV.dev GO-2022-0635 · line 19 · SHA-256 d352230690501c33…


```
{"id": "GO-2022-0635", "aliases": ["CVE-2020-8912", "GHSA-7f33-f4f5-xwgw"], "modified":
"2026-02-04T02:41:58.893164Z", "summary": "In-band key negotiation issue in AWS S3 Crypto SDK for
golang in github.com/aws/aws-sdk-go", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (none published yet; see the advisory for mitigations) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2022-0635

QSI-2026-19634 · DEP-ADVISORY-UNRATED

Info

github.com/aws/aws-sdk-go v1.34.0 is affected by GO-2022-0646 (CVE-2020-8911) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2022-0646 (CVE-2020-8911) for Go package github.com/aws/aws-sdk-go at version v1.34.0: CBC padding oracle issue in AWS S3 Crypto SDK for golang in github.com/aws/aws-sdk-go. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (github.com/aws/aws-sdk-go/service/s3/s3crypto.NewDecryptionClient, github.com/aws/aws-sdk-go/service/s3/s3crypto.NewEncryptionClient) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/github.com/aws/aws-sdk-go@v1.34.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 16:16 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2022-0646
```

EVIDENCE

tool_output · OSV.dev GO-2022-0646 · line 19 · SHA-256 0b50371b3e3532b7...


```
{"id": "GO-2022-0646", "aliases": ["CVE-2020-8911", "GHSA-f5pg-7wfw-84q9"], "modified":
"2026-02-04T02:16:32.066930Z", "summary": "CBC padding oracle issue in AWS S3 Crypto SDK for golang
in github.com/aws/aws-sdk-go", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (none published yet; see the advisory for mitigations) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2022-0646

QSI-2026-19641 · DEP-ADVISORY-UNRATED

Info

github.com/klauspost/compress v1.18.0 is affected by GO-2026-6865 (CVE-2026-116591) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6865 (CVE-2026-116591) for Go package github.com/klauspost/compress at version v1.18.0: Panic on two-block frames in github.com/klauspost/compress. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (github.com/klauspost/compress/fse.Compress, github.com/klauspost/compress/fse.Decompress, github.com/klauspost/compress/fse.Scratch.readNCount, github.com/klauspost/compress/fse.Scratch.validateNorm, github.com/klauspost/compress/huff0.Compress1X, github.com/klauspost/compress/huff0.Compress4X …) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/github.com/klauspost/compress@v1.18.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 16:16 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6865
```

EVIDENCE

tool_output · OSV.dev GO-2026-6865 · line 104 · SHA-256 0b28910de38174fa…


```
{"id": "GO-2026-6865", "aliases": ["CVE-2026-116591", "GHSA-fpmh-frq8-7rj8"], "modified":
"2026-11-05T23:15:14.472777299Z", "summary": "Panic on two-block frames in github.com/klauspost/
compress", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (1.20.2) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6865

QSI-2026-19645 · DEP-ADVISORY-UNRATED

Info

golang.org/x/net v0.60.0 is affected by GO-2026-6866 (CVE-2026-97045) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6866 (CVE-2026-97045) for Go package golang.org/x/net at version v0.60.0: Check all ancestor namespace transitions when rendering raw text in html in golang.org/x/net. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (golang.org/x/net/html.Render, golang.org/x/net/html.childTextNodesAreLiteral) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/golang.org/x/net@v0.60.0
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 16:16 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6866
```

EVIDENCE

tool_output · OSV.dev GO-2026-6866 · line 187 · SHA-256 102267a016bc5eef...


```
{"id": "GO-2026-6866", "aliases": ["CVE-2026-97045"], "modified": "2026-10-27T21:45:08.978077289Z",
"summary": "Check all ancestor namespace transitions when rendering raw text in html in golang.org/
x/net", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (0.62.0) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6866

QSI-2026-19646 · DEP-ADVISORY-UNRATED

Info

github.com/klauspost/compress v1.18.7 is affected by GO-2026-6865 (CVE-2026-116591) (no severity rating)

Known vulnerable component | Confidence: Low | preliminary — requires further verification

OSV.dev reports GO-2026-6865 (CVE-2026-116591) for Go package github.com/klauspost/compress at version v1.18.7: Panic on two-block frames in github.com/klauspost/compress. The advisory carries neither a CVSS vector nor a database severity, so QSI rates it low and preliminary until it is triaged. None of the affected functions (github.com/klauspost/compress/fse.Compress, github.com/klauspost/compress/fse.Decompress, github.com/klauspost/compress/fse.Scratch.readNCount, github.com/klauspost/compress/fse.Scratch.validateNorm, github.com/klauspost/compress/huff0.Compress1X, github.com/klauspost/compress/huff0.Compress4X …) is named in the audited code: the advisory does not apply unless they are reached indirectly (traits, macros, other dependencies).

Affected asset	dependency:Go/github.com/klauspost/compress@v1.18.7
Data source	OSV.dev
Detection method	OSV.dev querybatch API lookup of the exact declared version.
Analyzer	dependencies 1.3.0 · 2026-11-06 16:16 UTC
Priority score	17.8 / 100 (Crypto exchange, custodian or wallet)
CVSS v3.1	not applicable

POTENTIAL IMPACT

Unknown without triage: read the advisory and check whether the affected code is reachable in your build.

REPRODUCTION STEPS

```
curl -s https://api.osv.dev/v1/vulns/GO-2026-6865
```

EVIDENCE

tool_output · OSV.dev GO-2026-6865 · line 11 · SHA-256 0b28910de38174fa…


```
{"id": "GO-2026-6865", "aliases": ["CVE-2026-116591", "GHSA-fpmh-frq8-7rj8"], "modified":
"2026-11-05T23:15:14.472777299Z", "summary": "Panic on two-block frames in github.com/klauspost/
compress", "severity": null, "declared_in_manifest": true}
```


LIMITATIONS OF THE CHECK

Advisory data comes from OSV.dev at the recorded time. The advisory has no severity rating. Reachability is judged from names, not a call graph: the affected functions the advisory lists against the identifiers in the audited product code, a Cargo feature it says is off by default against the audited manifests, the platforms it lists against the declared Rust targets. Indirect calls (traits, macros, other dependencies) are not followed. A Go function counts only in a file that also names its package (a method: its type); unexported functions only through the exported ones.

RECOMMENDATION

Triage the advisory; upgrade to a fixed version (1.20.2) if it applies.

RETEST PROCEDURE

Re-run the dependency scan after upgrading.

OSV advisory GO-2026-6865

Evidence

ID	Type	Data source	SHA-256
QSI-2026-19631	file_excerpt	logging/telemetryConfig.go (line 35)	7b816d3ae2740f85ab1dd0753c2d64809d1455a1106315eb63dafd
QSI-2026-19630	key	installer/rpm/RPM-GPG-KEY-Algorand (line 1)	99f8a76d7955bc1cad612c6fe14ee442ba2c3ba5655096eda02d83
QSI-2026-19630	key	installer/rpm/RPM-GPG-KEY-Algorand (line 1)	a744425426415d58dbeef862a6f1d8bcf6b00820639c8784270363
QSI-2026-19635	tool_output	OSV.dev GHSA-246p-cpwv-v3jq (line 37)	155528c0a1c25237da1ea48e611838aaeb8218a372fcee25c536b7
QSI-2026-19636	tool_output	OSV.dev GHSA-99jh-6h7p-pp36 (line 37)	e73925195a680d3902a1a2e7fe897faa454885abde43edcb5242ca
QSI-2026-19642	tool_output	OSV.dev GHSA-9f3f-wv7r-qc8r (line 141)	7eb37c2b6ca00b8aa0dcef0d206b61e27e7a6d7ba19c5355106435
QSI-2026-19643	tool_output	OSV.dev GHSA-34rh-wp3j-6cxc (line 153)	25b88eee7863898f5def9a554b94bf4f6ddbae56da03d4abd189bf
QSI-2026-19627	file_excerpt	crypto/libsodium-fork/src/libsodium/crypto_box/crypto_box_seal.c (line 32)	7639098c5e359f826c9a3a9916473df34aeaeacbae782ff962a91a
QSI-2026-19628	file_excerpt	crypto/secp256k1/curve.go (line 33)	0efb6d1753fc3c985dc73870733075bc0601bec436a8c4ba906dee
QSI-2026-19628	file_excerpt	crypto/secp256k1/dummy.go (line 14)	a93bed01956bdb2d2574be6d038986d6fb6c1ff3f632d0d1036a9d
QSI-2026-19628	file_excerpt	crypto/secp256k1/dummy.go (line 17)	ad5aa81a776fd75d6e130c0cd9e86f0b320496ff3156c30801f6ad
QSI-2026-19628	file_excerpt	crypto/secp256k1/dummy.go (line 18)	30eca17768087ba85bf85824b1323b4173075618dad12bf4edb7ae
QSI-2026-19628	file_excerpt	crypto/secp256k1/ext.h (line 53)	051aeb46545f89d7e8f0c1bbb9a3520d04efa2a9f1f9f72ddaa5ec
QSI-2026-19628	file_excerpt	crypto/secp256k1/ext.h (line 56)	b6c5991701d9a948b642bc9c59b3ea64395decd9753d88bf512c1f
QSI-2026-19628	file_excerpt	crypto/secp256k1/ext.h (line 62)	4304b95e08cf7b885d19684c7c080b3924f2ce38be0b7f423b127c
QSI-2026-19628	file_excerpt	crypto/secp256k1/libsecp256k1/contrib/lax_der_parsing.c (line 8)	d8fa0de7aecc6613c84d2ca894169b7de7607d7849fe578dca238a
QSI-2026-19628	file_excerpt	crypto/secp256k1/libsecp256k1/contrib/lax_der_parsing.c (line 12)	f7cc1f35d372c550d69cc9ae6dbeaef5c715147934a596093393ff

QSI-2026-19628	file_excerpt	crypto/secp256k1/libsecp256k1/contrib/lax_der_parsing.c (line 20)	d8262388bcb8acbc6152fed7b7d97a4b161dc411e4574e9fcfb7f1
QSI-2026-19625	file_excerpt	crypto/batchverifier.c (line 16)	7fbf57fc364fb19eb48e721897377a04950422f3d574e94e5ff3a1
QSI-2026-19625	file_excerpt	crypto/batchverifier.c (line 17)	4cd9d116a43d62adec6c381495333af76ead39f89d22ed041c970d
QSI-2026-19625	file_excerpt	crypto/batchverifier.c (line 19)	344fa4a497b1d60ae81e5280a14389035441d40a200529fe47aaf2
QSI-2026-19625	file_excerpt	crypto/batchverifier.go (line 190)	ea7b3f3856f686d87f900664c6a29a955a057c21c978ddf5c2041b
QSI-2026-19625	file_excerpt	crypto/curve25519.go (line 69)	afa83fc8ebb8e5135433796dea825b5c4b8b2870b5130df75ad84c
QSI-2026-19625	file_excerpt	crypto/curve25519.go (line 70)	018e47a51afd81189b3c00e21ce83960e6c346043742c6ccb5480c
QSI-2026-19625	file_excerpt	crypto/curve25519.go (line 71)	fc27b1df9511398d88f72d691b2ea37f60117fb5676662d56714c0
QSI-2026-19625	file_excerpt	crypto/include/sodium.h (line 42)	d7fb5f017dd4fc7fac7bb375353fafd5c14911dcd8f590f64eba84
QSI-2026-19625	file_excerpt	crypto/include/sodium/crypto_sign.h (line 13)	2c5c152c49d891d97fb78d1f37f1dba5780476cbd4fc91abbc7716
QSI-2026-19625	file_excerpt	crypto/include/sodium/crypto_sign.h (line 28)	758b21d19d70a17bfeead26b376bb0046d245252bc35354d6b239f
QSI-2026-19626	file_excerpt	crypto/include/sodium.h (line 34)	1309d78496f4478e5aad9c0b0a2ff383888c6e5db2568d5c032018
QSI-2026-19626	file_excerpt	crypto/include/sodium/crypto_box.h (line 57)	1e27fc2ee2b495c03ffc60eb0aec55dd21579565e536b07d573984
QSI-2026-19626	file_excerpt	crypto/include/sodium/crypto_kx.h (line 42)	293662ab6df380d996d32badde3bebe43c337a3b9eccbe4ef68ea6
QSI-2026-19626	file_excerpt	crypto/include/sodium/crypto_scalarmult.h (line 26)	8745fe4e6cb7f4eb08a32034eccd5d299356701aff7f413232ceb8
QSI-2026-19626	file_excerpt	crypto/include/sodium/crypto_scalarmult.h (line 38)	c96703b3a6085f03abf077edaa807e6258886f4a50e0078d268cd8
QSI-2026-19626	file_excerpt	crypto/libsodium-fork/src/libsodium/crypto_box/crypto_box.c (line 72)	c0013e4cf7927fd70e25378a8286496ad969d4b79b00df8c55a6e5
QSI-2026-19626	file_excerpt	crypto/libsodium-fork/src/libsodium/crypto_kx/crypto_kx.c (line 7)	b83e11b5df3ca6749d82125bb5fd506677971c2838c5fa944770ca
QSI-2026-19626	file_excerpt	crypto/libsodium-fork/src/libsodium/crypto_kx/crypto_kx.c (line 19)	e7a0f139312c3eacae72fffe977326fc3f794ebf892a4122f800b7
QSI-2026-19626	file_excerpt	crypto/libsodium-fork/src/libsodium/crypto_kx/crypto_kx.c (line 23)	5383dc5a21d6f55f1471d2781d4cf72a3ddd9273156da5e2c116be

QSI-2026-19626	file_excerpt	crypto/libsodium-fork/src/libsodium/crypto_scalarmult/crypto_scalarmult.c (line 2)	9e041e272488a8a0e015c3ed4d2f88cc794e4a4624edd654c3479f
QSI-2026-19629	file_excerpt	crypto/secp256k1/libsecp256k1/include/secp256k1_ecdh.h (line 20)	7bd6ded8d3e8bdd26a80745ab082f8e2b2bc76aba765e7c5371b4a
QSI-2026-19629	file_excerpt	crypto/secp256k1/libsecp256k1/src/java/org/bitcoin/NativeSecp256k1.java (line 381)	4a76b0ce27748a15ca0e3e6b2cb0a15274c7f0223f35a07f4f936d
QSI-2026-19629	file_excerpt	crypto/secp256k1/libsecp256k1/src/java/org/bitcoin/NativeSecp256k1.java (line 444)	52bb0a81453030eb358a05efe7baf739a9f100114325d74964bb5d
QSI-2026-19629	file_excerpt	crypto/secp256k1/libsecp256k1/src/java/org_bitcoin_NativeSecp256k1.c (line 6)	784f99e7ba1dbc2b27f568c918afd301e67b538fc3a902c7c7bb36
QSI-2026-19629	file_excerpt	crypto/secp256k1/libsecp256k1/src/java/org_bitcoin_NativeSecp256k1.c (line 352)	02bddc556cf14d4de17abde58b6d40be5bea351f497d70f02d7e8d
QSI-2026-19629	file_excerpt	crypto/secp256k1/libsecp256k1/src/modules/ecdh/main_impl.h (line 10)	4f4e28aaaf190882449bce7f9351d198fc68226dc29e2747a0e704
QSI-2026-19629	file_excerpt	crypto/secp256k1/libsecp256k1/src/modules/ecdh/main_impl.h (line 13)	f443a95be4ed06fa46d362a64da496bd6eac33c4572a5ae8c10940
QSI-2026-19632	file_excerpt	tools/network/dnssec/testHarness.go (line 22)	824218641afe5125959cff6bf8001fa964d81c801cf155ea4e5977
QSI-2026-19637	tool_output	OSV.dev GO-2024-3218 (line 39)	78f9da1b356c08bee7ef24aa1bfb035506cd473a70773029d64f3f
QSI-2026-19638	tool_output	OSV.dev GO-2026-5932 (line 59)	79b7a13fb7767fbace049b5199d913b96ffabce881fc497fd2222d
QSI-2026-19644	tool_output	OSV.dev GO-2026-6860 (line 187)	1f106c45371219bac0158f7ce44e57c439f50f0c32898616d1563f
QSI-2026-19639	tool_output	OSV.dev GHSA-w239-58x2-q8p5 (line 98)	b44ed07f6b64987651ff3895cb0a445f799c9895da4ab3dbb4b467
QSI-2026-19640	tool_output	OSV.dev GHSA-259r-337f-4rfw (line 104)	b415f1a2f3e954680bf032db6b47454a035b6a2af6b7a5a152588c
QSI-2026-19633	tool_output	OSV.dev GO-2022-0635 (line 19)	d352230690501c3365a82d0d1228c54072b67fb8cd2c7dcb18f30e
QSI-2026-19634	tool_output	OSV.dev GO-2022-0646 (line 19)	0b50371b3e3532b7898cbcffed92e00b995bf8a26a80eb19412cc9

QSI-2026-19641	tool_output	OSV.dev GO-2026-6865 (line 104)	0b28910de38174fa37f4effdc4bf67a0c4fde17b0041a6b33f42cf
QSI-2026-19645	tool_output	OSV.dev GO-2026-6866 (line 187)	102267a016bc5eef7979a90b1ddd2288ff36b09ab6fa040c808e62
QSI-2026-19646	tool_output	OSV.dev GO-2026-6865 (line 11)	0b28910de38174fa37f4effdc4bf67a0c4fde17b0041a6b33f42cf

Post-quantum assessment

	Key establishment (x = how long data must stay confidential; harvest now, decrypt later)	Signatures (x = how long signatures/ keys must stay trusted)
Data/key lifetime x	10	10
Migration time y	5	5
Assumed years to CRQC z	8 (early)	8
x + y − z	7 → migration would finish too late under this scenario	7 → migration would finish too late under this scenario

Planning assumptions: x for key establishment, x for signatures, y are the defaults of the risk profile “Crypto exchange, custodian or wallet”, not the client's figures; with the client's actual lifetimes the verdict can change.

Post-quantum maturity: Level 2 of 4 — post-quantum in use outside the critical paths

- In use: FN-DSA — data/transactions/logic/doc.go
- In use: FN-DSA — data/transactions/logic/opcodes.go
- Present, not wired: FN-DSA — crypto/falconWrapper.go
- Classical only — key wrapping and data encryption at rest: X25519 (1 file(s))

Next step: Extend post-quantum protection to the critical roles that stay classical, starting with what can be recorded today (wrapped keys, channel key exchange).

Levels: 0 none; 1 present, not wired; 2 in use outside the critical paths; 3 hybrid in a critical path; 4 post-quantum by default in the critical paths (root of trust, key wrapping, channel key exchange). Judged from code and manifests.

What the quantum-vulnerable algorithms do

Role	Algorithms (files)	ID	First step
key wrapping and data encryption at rest	X25519 (1)	QSI-2026-19627	Wrap keys with ML-KEM or a hybrid KEM (X25519 + ML-KEM-768) and re-wrap the stored keys; data that may already have been copied needs its own assessment
transaction and message signing	ECDSA (26)	QSI-2026-19628	Follow each chain's post-quantum roadmap, avoid public-key reuse, and keep signers ready to add post-quantum signature schemes as chains adopt them
role not determined	Ed25519 (19), X25519 (12), ECDH (4), RSA (1)	QSI-2026-19625, QSI-2026-19626, QSI-2026-19629, QSI-2026-19632	Classify each usage, record data lifetimes, and plan migration to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it; introduce an abstraction layer for crypto-agility

Roles are judged from file paths, function names and the code around each match; review confirms them. Root-of-trust keys and wrapped keys come first: they are hard to replace or can be recorded today.

z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Quantum status	Count
reduced margin (Grover), approved	141
Grover: acceptable to NIST, below ECCG/ANSSI guidance	56
n/a	3
post-quantum	3
vulnerable (Shor)	102

Detailed findings: QSI-2026-19630, QSI-2026-19627, QSI-2026-19628, QSI-2026-19625, QSI-2026-19626, QSI-2026-19629, QSI-2026-19632

PQC readiness questionnaire

No readiness questionnaire was completed for this project.

Quantum algorithms relevant to this inventory

Quantum algorithm	Effect	Inventoried algorithms (rows)	What it means for this audit
Shor's algorithm — factoring Q1: quantum computation offline, classical access to the victim	breaks	RSA (3)	Breaks RSA at every key length: a longer modulus only raises the cost polynomially. Plan migration to ML-KEM (or a hybrid) for key establishment and ML-DSA / SLH-DSA for signatures; start with keys protecting data that must stay confidential for years (harvest now, decrypt later) and with long-lived signatures.
Shor's algorithm — elliptic-curve discrete logarithms Q1: quantum computation offline, classical access to the victim	breaks	ECDH (4), ECDSA (41), Ed25519 (32), X25519 (22)	Elliptic-curve keys are expected to fall before RSA keys of comparable classical strength. On blockchains, coins whose public key is already on chain (reused addresses, pay-to-public-key and Taproot outputs) are exposed first; plan the move to post-quantum signatures and avoid key reuse in the meantime.

Grover's algorithm — key search and preimages Q1: quantum computation offline, classical access to the victim	weakens (larger keys restore the margin)	AES-256 (3), Argon2 (21), BLAKE2 (33), ChaCha20-Poly1305 (28), HKDF (1), HMAC (6), Keccak-256 (2), PBKDF2 (2), Poly1305 (21), Poseidon (5), SHA-2 (25), SHA-3 (2), SHAKE (1), XSalsa20-Poly1305 (43), scrypt (4)	Not a break. 256-bit keys (AES-256, ChaCha20) keep a comfortable margin; AES-128 meets NIST category 1, while some authorities ask for 256-bit keys in quantum-resistant contexts (see the AES-128 entry). Prefer 256-bit keys for long-lived data; 256-bit hashes need no change for preimage resistance.
Brassard–Høyer–Tapp — collision search Q1: quantum computation offline, classical access to the victim	weakens (larger keys restore the margin)	BLAKE2 (33), Keccak-256 (2), Poseidon (5), SHA-2 (25), SHA-3 (2), SHAKE (1)	256-bit hashes (SHA-256, SHA3-256) remain adequate for collision resistance; 160-bit hashes are already weak classically (SHA-1 collisions are practical). Use 384/512-bit hashes where NIST categories 4–5 are required.
Quantum lattice sieving Q1: quantum computation offline, classical access to the victim	included in standard parameters	FN-DSA (3)	No change for ML-KEM or ML-DSA at the standard parameter sets. A 2024 claim of a polynomial-time quantum LWE algorithm was withdrawn after a bug was found (see claims).

Effects: breaks — replace the algorithm; weakens — larger keys or outputs restore the margin; included in standard parameters — no action at standard parameter sets; only with superposition queries — not applicable to ordinary deployments.

Limitations and assumptions

- This report presents automated and documented analysis results for the stated scope. It is not a legal opinion, a certification or an attestation of compliance with any standard.
- z is a planning assumption chosen per risk profile, not a prediction. A cryptographically relevant quantum computer is not publicly known to exist today.

Remediation plan

QSI-2026-19631 · P1 · 30 days root-cause fix

Rotate and remove secrets found in logging/telemetryConfig.go.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible compatibility impact on old clients.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Secret scanner reports no secrets; old values revoked.

QSI-2026-19635 · P2 · 30 days root-cause fix

Upgrade github.com/labstack/echo/v4 to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-246p-cpwv-v3jq (CVE-2026-118653, GO-2026-6872).

QSI-2026-19636 · P2 · 30 days root-cause fix

Upgrade github.com/labstack/echo/v4 to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-99jh-6h7p-pp36 (CVE-2026-118651, GO-2026-6875).

QSI-2026-19642 · P2 · 30 days root-cause fix

Upgrade github.com/pion/dtls/v2 to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-9f3f-wv7r-qc8r (CVE-2026-26014, GO-2026-4479).

QSI-2026-19643 · P2 · 30 days root-cause fix

Upgrade github.com/pion/stun to a fixed version (none published yet; see the advisory for mitigations).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-34rh-wp3j-6cxc (CVE-2026-54909).

QSI-2026-19639 · P2 · 30 days root-cause fix

Upgrade github.com/ipld/go-ipld-prime to a fixed version (0.23.0).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-w239-58x2-q8p5 (CVE-2026-42328, GO-2026-5684).

QSI-2026-19640 · P2 · 30 days root-cause fix

Upgrade github.com/klauspost/compress to a fixed version (1.18.7).

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.

Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GHSA-259r-337f-4rfw (CVE-2026-63209, GO-2026-5841).

QSI-2026-19637 · P3 · 60 days

root-cause fix

Triage GO-2024-3218 (CVE-2023-26248); upgrade github.com/libp2p/go-libp2p-kad-dht to a fixed version (none published yet; see the advisory for mitigations) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2024-3218 (CVE-2023-26248), or the triage is recorded.

QSI-2026-19638 · P3 · 60 days

root-cause fix

Triage GO-2026-5932; upgrade golang.org/x/crypto to a fixed version (0.58.1-0.20261009181718-2f1f834330b2) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-5932, or the triage is recorded.

QSI-2026-19644 · P3 · 60 days

root-cause fix

Triage GO-2026-6860 (CVE-2026-78661); upgrade golang.org/x/net to a fixed version (0.62.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.

Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6860 (CVE-2026-78661), or the triage is recorded.

QSI-2026-19633 · P3 · 60 days root-cause fix

Triage GO-2022-0635 (CVE-2020-8912); upgrade github.com/aws/aws-sdk-go to a fixed version (none published yet; see the advisory for mitigations) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2022-0635 (CVE-2020-8912), or the triage is recorded.

QSI-2026-19634 · P3 · 60 days root-cause fix

Triage GO-2022-0646 (CVE-2020-8911); upgrade github.com/aws/aws-sdk-go to a fixed version (none published yet; see the advisory for mitigations) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2022-0646 (CVE-2020-8911), or the triage is recorded.

QSI-2026-19641 · P3 · 60 days root-cause fix

Triage GO-2026-6865 (CVE-2026-116591); upgrade github.com/klauspost/compress to a fixed version (1.20.2) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	

	Dependency scan no longer reports GO-2026-6865 (CVE-2026-116591), or the triage is recorded.

QSI-2026-19645 · P3 · 60 days root-cause fix

Triage GO-2026-6866 (CVE-2026-97045); upgrade golang.org/x/net to a fixed version (0.62.0) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6866 (CVE-2026-97045), or the triage is recorded.

QSI-2026-19646 · P3 · 60 days root-cause fix

Triage GO-2026-6865 (CVE-2026-116591); upgrade github.com/klauspost/compress to a fixed version (1.20.2) if it applies.

Rationale	Eliminates the root cause described in the finding.
Expected outcome	The weakness is no longer present on re-test.
Complexity	low
Dependencies	Change window and owner approval.
Side effects	Possible API changes.
Tests before change	Reproduce the finding using the documented steps.
Tests after change	Re-run the retest procedure from the finding.
Closure criteria	Dependency scan no longer reports GO-2026-6865 (CVE-2026-116591), or the triage is recorded.

QSI-2026-19630 · P3 · 90 days short-term risk reduction

Add RSA usages at file:installer/rpm/RPM-GPG-KEY-Algorand to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-19627 · P3 · 90 days short-term risk reduction

Add X25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-19628 · P3 · 90 days short-term risk reduction

Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-19625 · P3 · 90 days short-term risk reduction

Add Ed25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-19626 · P3 · 90 days short-term risk reduction

Add X25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-19629 · P3 · 90 days short-term risk reduction

Add ECDH usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-19632 · P3 · 90 days short-term risk reduction

Add RSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).

Rationale	Migration cannot be planned without knowing where and why the algorithm is used.
Expected outcome	Every usage has an owner, a lifetime and a migration path.
Complexity	medium
Dependencies	Access to system owners.
Side effects	None (documentation and design work).
Tests before change	Confirm the inventory entry matches the deployed configuration.
Tests after change	Inventory review signed off by the system owner.
Closure criteria	Inventory entry with owner, lifetime and target algorithm exists.

QSI-2026-19630 · P4 · 90 days root-cause fix

Plan migration of RSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it. (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it. or a hybrid scheme in use.

QSI-2026-19627 · P4 · 90 days root-cause fix

Plan migration of X25519 to Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH or a hybrid scheme in use.

QSI-2026-19628 · P4 · 90 days root-cause fix

Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	

	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-19625 · P4 · 90 days

root-cause fix

Plan migration of Ed25519 to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

QSI-2026-19626 · P4 · 90 days

root-cause fix

Plan migration of X25519 to Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH or a hybrid scheme in use.

QSI-2026-19629 · P4 · 90 days

root-cause fix

Plan migration of ECDH to Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.

Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH or a hybrid scheme in use.

QSI-2026-19632 · P4 · 90 days

root-cause fix

Plan migration of RSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.

Rationale	Removes dependence on a quantum-vulnerable public-key primitive.
Expected outcome	The asset uses a NIST-standardized post-quantum or hybrid algorithm.
Complexity	high
Dependencies	Library/protocol support (e.g. OpenSSL ≥ 3.5, HSM firmware), interoperability with peers.
Side effects	Larger keys/signatures, possible performance and compatibility impact.
Tests before change	Interoperability tests in a staging environment.
Tests after change	Verify the negotiated/used algorithm on the production asset.
Closure criteria	Re-audit shows ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/ composite form where the ecosystem supports it or a hybrid scheme in use.

Priorities for 30, 60 and 90 days

30 days

Priority	ID	Action	Type
P1	QSI-2026-19631	Rotate and remove secrets found in logging/telemetryConfig.go.	root-cause fix
P2	QSI-2026-19635	Upgrade github.com/labstack/echo/v4 to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-19636	Upgrade github.com/labstack/echo/v4 to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-19642	Upgrade github.com/pion/dtls/v2 to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-19643	Upgrade github.com/pion/stun to a fixed version (none published yet; see the advisory for mitigations).	root-cause fix
P2	QSI-2026-19639	Upgrade github.com/ipld/go-ipld-prime to a fixed version (0.23.0).	root-cause fix
P2	QSI-2026-19640	Upgrade github.com/klauspost/compress to a fixed version (1.18.7).	root-cause fix

60 days

Priority	ID	Action	Type
P3	QSI-2026-19637	Triage GO-2024-3218 (CVE-2023-26248); upgrade github.com/libp2p/go-libp2p-kad-dht to a fixed version (none published yet; see the advisory for mitigations) if it applies.	root-cause fix
P3	QSI-2026-19638	Triage GO-2026-5932; upgrade golang.org/x/crypto to a fixed version (0.58.1-0.20261009181718-2f1f834330b2) if it applies.	root-cause fix
P3	QSI-2026-19644	Triage GO-2026-6860 (CVE-2026-78661); upgrade golang.org/x/net to a fixed version (0.62.0) if it applies.	root-cause fix
P3	QSI-2026-19633	Triage GO-2022-0635 (CVE-2020-8912); upgrade github.com/aws/aws-sdk-go to a fixed version (none published yet; see the advisory for mitigations) if it applies.	root-cause fix
P3	QSI-2026-19634	Triage GO-2022-0646 (CVE-2020-8911); upgrade github.com/aws/aws-sdk-go to a fixed version (none published yet; see the advisory for mitigations) if it applies.	root-cause fix
P3	QSI-2026-19641	Triage GO-2026-6865 (CVE-2026-116591); upgrade github.com/klauspost/compress to a fixed version (1.20.2) if it applies.	root-cause fix
P3	QSI-2026-19645	Triage GO-2026-6866 (CVE-2026-97045); upgrade golang.org/x/net to a fixed version (0.62.0) if it applies.	root-cause fix

P3	QSI-2026-19646	Triage GO-2026-6865 (CVE-2026-116591); upgrade github.com/klauspost/compress to a fixed version (1.20.2) if it applies.	root-cause fix

90 days

Priority	ID	Action	Type
P3	QSI-2026-19630	Add RSA usages at file:installer/rpm/RPM-GPG-KEY-Algorand to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-19627	Add X25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-19628	Add ECDSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-19625	Add Ed25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-19626	Add X25519 usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-19629	Add ECDH usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P3	QSI-2026-19632	Add RSA usages at source code to the cryptographic inventory with an owner and a data-lifetime estimate; design for crypto-agility (algorithm identifiers, configurable providers).	short-term risk reduction
P4	QSI-2026-19630	Plan migration of RSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it. (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-19627	Plan migration of X25519 to Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-19628	Plan migration of ECDSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-19625	Plan migration of Ed25519 to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-19626	Plan migration of X25519 to Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix

P4	QSI-2026-19629	Plan migration of ECDH to Hybrid key establishment with ML-KEM (FIPS 203), e.g. X25519MLKEM768 in TLS 1.3 or mlkem768x25519-sha256 in SSH (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix
P4	QSI-2026-19632	Plan migration of RSA to ML-DSA (FIPS 204) or SLH-DSA (FIPS 205), in a hybrid/composite form where the ecosystem supports it (or a hybrid scheme) once supported by your libraries, protocols and counterparties.	root-cause fix

Verification after remediation

ID	Retest procedure
QSI-2026-19631	Re-scan the source and review the call sites listed in the evidence.
QSI-2026-19630	Re-audit after migration.
QSI-2026-19635	Re-run the dependency scan after upgrading.
QSI-2026-19636	Re-run the dependency scan after upgrading.
QSI-2026-19642	Re-run the dependency scan after upgrading.
QSI-2026-19643	Re-run the dependency scan after upgrading.
QSI-2026-19627	Re-run the inventory after refactoring.
QSI-2026-19628	Re-run the inventory after refactoring.
QSI-2026-19625	Re-run the inventory after refactoring.
QSI-2026-19626	Re-run the inventory after refactoring.
QSI-2026-19629	Re-run the inventory after refactoring.
QSI-2026-19632	Re-run the inventory after refactoring.
QSI-2026-19637	Re-run the dependency scan after upgrading.
QSI-2026-19638	Re-run the dependency scan after upgrading.
QSI-2026-19644	Re-run the dependency scan after upgrading.
QSI-2026-19639	Re-run the dependency scan after upgrading.
QSI-2026-19640	Re-run the dependency scan after upgrading.
QSI-2026-19633	Re-run the dependency scan after upgrading.
QSI-2026-19634	Re-run the dependency scan after upgrading.
QSI-2026-19641	Re-run the dependency scan after upgrading.
QSI-2026-19645	Re-run the dependency scan after upgrading.
QSI-2026-19646	Re-run the dependency scan after upgrading.

Tools used

Tool	Version
blockchain	1.0.0
certificates	1.2.0
chain_map	1.0.0
configs	1.1.0
dependencies	1.3.0
inventory_document	1.1.0
solidity	1.3.0
source_code	1.4.0
tls_code	1.1.0
tls_live	1.0.0
qsi-engine	1.3.0
OSV.dev API	v1

Sources and normative documents

Reviewed: 2026-10-13

1. A. Becker, L. Ducas, N. Gama, T. Laarhoven — New directions in nearest neighbor searching with applications to lattice sieving (SODA 2016; IACR ePrint 2015/1128) — IACR ePrint. https://eprint.iacr.org/2015/1128 (peer-reviewed article: classical sieving in 2^{0.292n + o(n)})
2. A. Chailloux, J. Loyer — Lattice sieving via quantum random walks (ASIACRYPT 2021; IACR ePrint 2021/570) — IACR ePrint. https://eprint.iacr.org/2021/570 (peer-reviewed article: 2^{0.2570d + o(d)}, previously 2^{0.2653d + o(d)} (Laarhoven))
3. A. Chailloux, M. Naya-Plasencia, A. Schrottenloher — An Efficient Quantum Collision Search Algorithm and Implications on Symmetric Cryptography (ASIACRYPT 2017; IACR ePrint 2017/847) — IACR ePrint. https://eprint.iacr.org/2017/847 (peer-reviewed article: Õ(2^{2n/5}) time, O(n) qubits, Õ(2^{n/5}) classical memory)
4. C. Chevignard, P.-A. Fouque, A. Schrottenloher — Reducing the Number of Qubits in Quantum Discrete Logarithms on Elliptic Curves (IACR ePrint 2026/280) — IACR ePrint. https://eprint.iacr.org/2026/280 (revision of a EUROCRYPT 2026 paper: 3.12n + o(n) qubits; for n = 256, 1193 qubits and 22 runs of 2^38.98 Toffoli gates)
5. C. Gidney — How to factor 2048 bit RSA integers with less than a million noisy qubits (arXiv:2505.15917) — arXiv. https://arxiv.org/abs/2505.15917 (preprint (2025-05-21): < 1 million noisy qubits, < 1 week, 0.1% gate error, 1 µs surface-code cycle)
6. C. Gidney, M. Ekerå — How to factor 2048 bit RSA integers in 8 hours using 20 million noisy qubits (Quantum 5, 433) — Quantum. https://doi.org/10.22331/q-2021-04-15-433 (peer-reviewed article (2021): 10^-3 gate error, 1 µs cycle, 10 µs reaction time)
7. C. Zalka — Grover's quantum searching algorithm is optimal (Phys. Rev. A 60, 2746, 1999; arXiv:quant-ph/9711070) — APS. https://doi.org/10.1103/PhysRevA.60.2746 (peer-reviewed article: optimal for any success probability; parallel search gains no more than splitting the space)
8. CRYSTALS-Kyber — Algorithm Specifications and Supporting Documentation (round 3, 2021-08-04) — CRYSTALS team. https://pq-crystals.org/kyber/data/kyber-specification-round3-20210804.pdf (NIST round-3 submission: core-SVP cost 2^{0.292β} classical, 2^{0.265β} quantum; Kyber768 166 quantum bits)
9. Common Vulnerability Scoring System v3.1: Specification Document — FIRST. https://www.first.org/cvss/v3.1/specification-document (final)
10. D. J. Bernstein — Cost analysis of hash collisions: Will quantum computers make SHARCS obsolete? (2009) — cr.yp.to. https://cr.yp.to/hash/collisioncost-20090823.pdf (paper dated 2009-08-23)
11. D. Litinski — How to compute a 256-bit elliptic curve private key with only 50 million Toffoli gates (arXiv:2306.08585) — arXiv. https://arxiv.org/abs/2306.08585 (preprint (2023-06-14): 6000 modules × 1152 physical qubits, one key per 10 minutes under its architecture assumptions)
12. FIPS 203 — Module-Lattice-Based Key-Encapsulation Mechanism Standard (ML-KEM) — NIST. https://csrc.nist.gov/pubs/fips/203/final (final (August 2024))
13. FIPS 204 — Module-Lattice-Based Digital Signature Standard (ML-DSA) — NIST. https://csrc.nist.gov/pubs/fips/204/final (final (August 2024))
14. FIPS 205 — Stateless Hash-Based Digital Signature Standard (SLH-DSA) — NIST. https://csrc.nist.gov/pubs/fips/205/final (final (August 2024))
15. G. Brassard, P. Høyer, A. Tapp — Quantum Algorithm for the Collision Problem (LATIN '98; arXiv:quant-ph/9705002) — Springer / arXiv. https://arxiv.org/abs/quant-ph/9705002 (peer-reviewed article: collisions of r-to-one functions in O((N/r)^{1/3}) expected evaluations)
16. J. Proos, C. Zalka — Shor's discrete logarithm quantum algorithm for elliptic curves (Quantum Inf. Comput. 3(4), 2003; arXiv:quant-ph/0301141) — Quantum Information & Computation. https://doi.org/10.26421/QIC3.4-3 (peer-reviewed article)
17. L. K. Grover — A fast quantum mechanical algorithm for database search (STOC 1996) — ACM. https://doi.org/10.1145/237814.237866 (peer-reviewed article)
18. M. Amy et al. — Estimating the cost of generic quantum pre-image attacks on SHA-2 and SHA-3 (SAC 2016; arXiv:1603.09383) — Springer / arXiv. https://arxiv.org/abs/1603.09383 (peer-reviewed article: SHA-256 about 2^153.8 surface-code cycles on 2^12.6 logical qubits; SHA3-256 about 2^146.5 cycles on 2^20)
19. M. Cain et al. — Shor's algorithm is possible with as few as 10,000 reconfigurable atomic qubits (arXiv:2603.28627) — arXiv. https://arxiv.org/abs/2603.28627 (preprint (2026-03-30): P-256 in a few days with 26,000 physical neutral-atom qubits; RSA-2048 one to two orders of magnitude longer)
20. M. Mosca — Cybersecurity in an Era with Quantum Computers: Will We Be Ready? (IEEE Security & Privacy, 2018) — IEEE. https://doi.org/10.1109/MSP.2018.3761723 (peer-reviewed article; source of the x + y > z migration inequality)

21. M. Roetteler, M. Naehrig, K. Svore, K. Lauter — Quantum resource estimates for computing elliptic curve discrete logarithms (ASIACRYPT 2017) — IACR / arXiv. https://arxiv.org/abs/1706.06752 (peer-reviewed article: at most 9n + 2⌈log2 n⌉ + 10 qubits and 448 n^3 log2 n + 4090 n^3 Toffoli gates)
22. NIST IR 8547 — Transition to Post-Quantum Cryptography Standards — NIST. https://csrc.nist.gov/pubs/ir/8547/final (final (2026-10-27; the initial public draft of November 2024 is obsoleted). Tables 2 and 4: ECDSA, EdDSA and RSA signatures, finite-field and elliptic-curve DH and MQV, and RSA key establishment are deprecated after 2030 and disallowed after 2035 at every key size — the draft deprecated only the 112-bit level. A composite (hybrid) key establishment stays FIPS 140-validatable while one input comes from an approved scheme. Repeats the federal deadlines of OMB M-26-15: post-quantum key establishment by 2030-12-31 and signatures by 2031-12-31 for high value assets and high impact systems)
23. NIST — Post-Quantum Cryptography Standardization: Evaluation Criteria, Security (Call for Proposals, Section 4.A.5) — NIST. https://csrc.nist.gov/Projects/Post-Quantum-Cryptography/Post-Quantum-Cryptography-Standardization/Evaluation-Criteria/Security-(Evaluation-Criteria) (security categories: AES-128 key search 2^170/MAXDEPTH quantum gates, AES-192 2^233/MAXDEPTH, AES-256 2^298/MAXDEPTH; MAXDEPTH 2^40–2^96)
24. OSV advisory GHSA-246p-cpwv-v3jq — OSV.dev. https://osv.dev/vulnerability/GHSA-246p-cpwv-v3jq (modified 2026-11-05T23:26:14.796992232Z)
25. OSV advisory GHSA-259r-337f-4rfw — OSV.dev. https://osv.dev/vulnerability/GHSA-259r-337f-4rfw (modified 2026-10-20T14:45:03.782718646Z)
26. OSV advisory GHSA-34rh-wp3j-6cxc — OSV.dev. https://osv.dev/vulnerability/GHSA-34rh-wp3j-6cxc (modified 2026-09-10T03:50:51.344851444Z)
27. OSV advisory GHSA-99jh-6h7p-pp36 — OSV.dev. https://osv.dev/vulnerability/GHSA-99jh-6h7p-pp36 (modified 2026-11-05T23:25:35.191121662Z)
28. OSV advisory GHSA-9f3f-wv7r-qc8r — OSV.dev. https://osv.dev/vulnerability/GHSA-9f3f-wv7r-qc8r (modified 2026-09-10T03:50:34.689023565Z)
29. OSV advisory GHSA-w239-58x2-q8p5 — OSV.dev. https://osv.dev/vulnerability/GHSA-w239-58x2-q8p5 (modified 2026-09-10T03:51:07.104837244Z)
30. OSV advisory GO-2022-0635 — OSV.dev. https://osv.dev/vulnerability/GO-2022-0635 (modified 2026-02-04T02:41:58.893164Z)
31. OSV advisory GO-2022-0646 — OSV.dev. https://osv.dev/vulnerability/GO-2022-0646 (modified 2026-02-04T02:16:32.066930Z)
32. OSV advisory GO-2024-3218 — OSV.dev. https://osv.dev/vulnerability/GO-2024-3218 (modified 2026-07-01T14:59:24.616695200Z)
33. OSV advisory GO-2026-5932 — OSV.dev. https://osv.dev/vulnerability/GO-2026-5932 (modified 2026-11-02T22:15:06.677088389Z)
34. OSV advisory GO-2026-6860 — OSV.dev. https://osv.dev/vulnerability/GO-2026-6860 (modified 2026-10-27T21:30:04.890809062Z)
35. OSV advisory GO-2026-6865 — OSV.dev. https://osv.dev/vulnerability/GO-2026-6865 (modified 2026-11-05T23:15:14.472777299Z)
36. OSV advisory GO-2026-6866 — OSV.dev. https://osv.dev/vulnerability/GO-2026-6866 (modified 2026-10-27T21:45:08.978077289Z)
37. OWASP Application Security Verification Standard — OWASP. https://owasp.org/www-project-application-security-verification-standard/ (living standard — check the project page for the current version)
38. P. W. Shor — Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer (SIAM J. Comput., 1997) — SIAM. https://doi.org/10.1137/S0097539795293172 (peer-reviewed article)
39. R. Babbush et al. — Securing Elliptic Curve Cryptocurrencies against Quantum Vulnerabilities: Resource Estimates and Mitigations (arXiv:2603.28846) — arXiv. https://arxiv.org/abs/2603.28846 (preprint (2026-03-30, v2 2026-04-15): 256-bit ECDLP with < 1200 logical qubits and < 90 M Toffoli gates (or < 1450 and < 70 M); < 500,000 physical qubits at 10^-3 error, minutes)
40. S. Jaques, M. Naehrig, M. Roetteler, F. Virdia — Implementing Grover oracles for quantum key search on AES and LowMC (EUROCRYPT 2020; arXiv:1910.01700) — Springer / arXiv. https://arxiv.org/abs/1910.01700 (peer-reviewed article: lower cost estimates for the AES key searches that define the NIST categories)

Appendices

A. Cryptographic inventory

Algorithm	Parameter	Quantum status	Classical status	Count	Locations	Examples
AES-256		reduced margin (Grover), approved	acceptable	3	3	crypto/include/sodium/crypto_aead_aes256gcm.h; crypto/libsodium-fork/src/libsodium/crypto_aead/aes256gcm/aesni/aead_aes256gcm_aesni.c; crypto/libsodium-fork/src/libsodium/include/sodium/crypto_aead_aes256gcm.h
Argon2		reduced margin (Grover), approved	acceptable	21	21	crypto/include/sodium.h:32; crypto/include/sodium/crypto_pwhash.h:104; crypto/include/sodium/crypto_pwhash_argon2i.h
ChaCha20-Poly1305	ChaCha20-Poly1305	reduced margin (Grover), approved	acceptable	11	11	crypto/include/sodium.h:9; crypto/include/sodium/crypto_aead_chacha20poly1305.h:1; crypto/include/sodium/crypto_aead_xchacha20poly1305.h:1
ChaCha20-Poly1305		reduced margin (Grover), approved	acceptable	17	17	crypto/include/sodium/crypto_secretbox_xchacha20poly1305.h; crypto/include/sodium/crypto_stream_chacha20.h; crypto/include/sodium/crypto_stream_xchacha20.h
HKDF		reduced margin (Grover), approved	acceptable	1	1	daemon/kmd/wallet/driver/sqlite_crypto.go:241
HMAC	HMAC-SHA-256	reduced margin (Grover), approved	acceptable	3	3	crypto/include/sodium/crypto_auth_hmacsha256.h; crypto/libsodium-fork/src/libsodium/crypto_auth/hmacsha256/auth_hmacsha256.c; crypto/libsodium-fork/src/libsodium/include/sodium/crypto_auth_hmacsha256.h
HMAC	HMAC-SHA-512	reduced margin (Grover), approved	acceptable	3	3	crypto/include/sodium/crypto_auth_hmacsha512.h; crypto/libsodium-fork/src/libsodium/crypto_auth/hmacsha512/auth_hmacsha512.c; crypto/libsodium-fork/src/libsodium/include/sodium/crypto_auth_hmacsha512.h
PBKDF2		reduced margin (Grover), approved	acceptable	2	2	crypto/libsodium-fork/src/libsodium/crypto_pwhash/scryptsalsa208sha256/pbkdf2-sha256.c; crypto/libsodium-fork/src/libsodium/crypto_pwhash/scryptsalsa208sha256/pbkdf2-sha256.h
Poly1305		reduced margin (Grover), approved	acceptable	21	21	crypto/include/sodium.h:31; crypto/include/sodium/crypto_onetimeauth.h:6; crypto/include/sodium/crypto_onetimeauth_poly1305.h:1

SHA-2	SHA-512	reduced margin (Grover), approved	acceptable	12	12	cmd/goal/application.go:21; crypto/hashes.go:21; crypto/include/sodium/crypto_hash_sha512.h
XSalsa20-Poly1305	XSalsa20-Poly1305	reduced margin (Grover), approved	acceptable	26	26	crypto/include/sodium.h:36; crypto/include/sodium/crypto_box_curve25519xsalsa20poly1305.h:5; crypto/include/sodium/crypto_secretbox.h:1
XSalsa20-Poly1305		reduced margin (Grover), approved	acceptable	17	17	crypto/include/sodium/crypto_core_salsa20.h; crypto/include/sodium/crypto_stream_salsa20.h; crypto/include/sodium/randombytes_salsa20_random.h
scrypt		reduced margin (Grover), approved	acceptable	4	4	crypto/libsodium-fork/src/libsodium/crypto_pwhash/scryptsalsa208sha256/crypto_scrypt-common.c; crypto/libsodium-fork/src/libsodium/crypto_pwhash/scryptsalsa208sha256/crypto_scrypt.h; crypto/libsodium-fork/src/libsodium/crypto_pwhash/scryptsalsa208sha256/scrypt_platform.c
BLAKE2		Grover: acceptable to NIST, below ECCG/ANSSI guidance	acceptable	33	33	crypto/include/sodium.h:22; crypto/include/sodium/crypto_generichash.h:54; crypto/include/sodium/crypto_generichash_blake2b.h
Keccak-256	Keccak-256	Grover: acceptable to NIST, below ECCG/ANSSI guidance	acceptable	2	2	data/transactions/logic/crypto.go:142; data/transactions/logic/doc.go:44
Poseidon		Grover: acceptable to NIST, below ECCG/ANSSI guidance	acceptable	5	5	data/transactions/logic/crypto.go:32; data/transactions/logic/doc.go:73; data/transactions/logic/fields.go:932
SHA-2	SHA-256	Grover: acceptable to NIST, below ECCG/ANSSI guidance	acceptable	13	13	crypto/hashes.go:20; crypto/include/sodium/crypto_hash_sha256.h; crypto/libsodium-fork/src/libsodium/crypto_hash/sha256/cp/hash_sha256_cp.c:61

SHA-3		Grover: acceptable to NIST, below ECCG/ ANSSI guidance	acceptable	2	2	crypto/stateproof/coinGenerator.go:23; data/ transactions/logic/crypto.go:24
SHAKE		Grover: acceptable to NIST, below ECCG/ ANSSI guidance	acceptable	1	1	crypto/stateproof/coinGenerator.go:78
Crypto library golang.org/ x/crypto (Go x/crypto)	v0.57.0	n/a	acceptable	3	3	go.mod:59; tools/block-generator/ go.mod:166; tools/debug/algodump/ go.mod:145
FN-DSA		post-quantum	acceptable	3	3	crypto/falconWrapper.go:22; data/ transactions/logic/doc.go:50; data/ transactions/logic/opcodes.go:860
ECDH		vulnerable (Shor)	acceptable	4	4	crypto/secp256k1/libsecp256k1/include/ secp256k1_ecdh.h:20; crypto/secp256k1/ libsecp256k1/src/java/org/bitcoin/ NativeSecp256k1.java:381; crypto/ secp256k1/libsecp256k1/src/java/ org_bitcoin_NativeSecp256k1.c:6
ECDSA	secp256k1	vulnerable (Shor)	acceptable	21	21	crypto/secp256k1/curve.go:33; crypto/ secp256k1/dummy.go:14; crypto/secp256k1/ libsecp256k1/contrib/lax_der_parsing.c:8
ECDSA		vulnerable (Shor)	acceptable	17	17	crypto/secp256k1/ext.h:53; crypto/ secp256k1/libsecp256k1/contrib/ lax_der_parsing.c:12; crypto/secp256k1/ libsecp256k1/contrib/lax_der_parsing.h:82
ECDSA	P-256	vulnerable (Shor)	acceptable	3	3	data/transactions/logic/crypto.go:363; data/ transactions/logic/fields.go:769; data/ transactions/logic/opcodes.go:69
Ed25519	Ed25519	vulnerable (Shor)	acceptable	32	32	crypto/batchverifier.c:16; crypto/ batchverifier.go:190; crypto/ curve25519.go:69
RSA	2048-bit	vulnerable (Shor)	acceptable	2	2	installer/rpm/RPM-GPG-KEY-Algorand (line 1)
RSA		vulnerable (Shor)	acceptable	1	1	tools/network/dnssec/testHarness.go:22

X25519		vulnerable (Shor)	acceptable	7	7	crypto/curve25519.go; crypto/include/sodium/crypto_scalarmult_curve25519.h; crypto/libsodium-fork/src/libsodium/crypto_scalarmult/curve25519/sandy2x/curve25519_sandy2x.c
X25519	X25519	vulnerable (Shor)	acceptable	15	15	crypto/include/sodium.h:34; crypto/include/sodium/crypto_box.h:57; crypto/include/sodium/crypto_kx.h:42

Long lists are grouped here; the full per-file list is in the JSON report, signed with the same key.

B. JSON

qsi.report/1 · SHA-256 6d145d52c9c066144e055074447ebfbd4d0fe3daaa4654cbf36de67ea6eb5165

C. Input files

File	Size	SHA-256
agreement/abstractions.go	13820	1b1550948621a587563fa9f64b9a89261a631e14b3bc11188d0d8cf17675a0
agreement/actions.go	17401	51a5d195e2a9848249c06b09929e878d0bee8924c6ec965fd150290877e9ab
agreement/actiontype_string.go	1126	fac0b616090792ec426f2d1e525f65614c3a6da88af3474513236df3e9f452
agreement/actor.go	4330	7ef6665a9e6e9b564c0c37fb172fe7ce17ac3d6df9200776741eda78523ae7
agreement/agreeInstall.go	1052	f23a492c0622bc473cbebe3243e8f5029ff3ed79d6d5df166652ccbcaeb703
agreement/agreementtest/keyManager.go	2130	7f0c82235ba4ead401aae79343cdd7a6a108a55944c344376b85ddbb3284a8
agreement/agreementtest/simulate.go	5162	d0521b338f0f73c4a99bef572befbca8ceff69de55cffa176893dd2f561d8e
agreement/asyncVoteVerifier.go	7382	3fc5534ea06ae1040a15211caff80c0e03dedc6c217ace1bc76d23ad430bc8
agreement/autopsy.go	12956	006dff76c5e7cd455c1b9b37793d86df0abbeaec4294df3087a6cb2ecf31e3
agreement/bundle.go	10740	4d60f2b0a57dd3e280aa843b58a625a1ed3fc544f88968004d5467a194bbc0
agreement/cadaver.go	4957	c85cf3ab5ecb12bee1487d2a6d46217190715b790ea9393ca15c3bb6e44ecc
agreement/certificate.go	2563	d4cefbe49774f94fa73dff6162c71d4b04e8d0876b22d391b1ffcb15be223b
agreement/coservice.go	2125	b8de70aa739533a2ae2808c065787b7c94b5f1f03f8a65a890ed02a344fb3d
agreement/coservicetype_string.go	972	2f7ae2fd053f3ad175b4ed3a8db53b9a4e614a0dbc3e67932650225a20e959
agreement/credentialArrivalHistory.go	2669	a1987d520b4a99c0f591e6ddc24c75d762f6073350c1002e2c943a51f2f0e3
agreement/cryptoRequestContext.go	5364	a1b5650ac27bce38ab3de61225b2aa0ba0331b82f802df27ffdfc2a0fbfd58
agreement/cryptoVerifier.go	12870	2854e9d325d85ca041da1211e41aabfca11f3e7a706eafd6d6ccae0763c3b7
agreement/demux.go	15519	638df6ee6517c5adc5a5be69cbfcc4dee439d991aaf8faf7e39fdbb7c56306
agreement/doc.go	2026	49efaf893e51d40a4106082a095e38ba0eb13639e0923596dedf1e22980c45
agreement/dynamicFilterTimeoutParams.go	2118	95fe5f23ae9be5d3a8c78a8ead9bf026e8eae1616590c3ac1d950ac0394b08
agreement/errors.go	1613	d24d791681af1ce042e9c8d04376b6e48ba524692638e756ed1b45df70a3d0

agreement/events.go	30191	3cbf3b9bb4b84529ce994bc3bcab3ea1e4ea7501346bf0356e9a09f8455341
agreement/eventtype_string.go	2359	f198833b6643f64eaa899ae1a3206d13069eca92c5542aebb59b5d6770274f
agreement/gossip/network.go	6312	11eefe549a42dc38d86825097910689df33a493a9e256c9e539606eca56102
agreement/listener.go	2547	ca252257205e05033dc4591d7377fd25d6f42fa0f7ceeafa727b3374c2a0db
agreement/message.go	3647	862476d9ee78b722f305a14dc5895373c11c2c49e0fb03e9dc0cb4ddd4d15e
agreement/msgp_gen.go	297170	1f06b6bf747a8fff86f4eb01416f152e1ec3b6d0fd7fcd331ed0f6490b8379
agreement/params.go	1025	09358375a8545bd5d4552d2d3d2e79e9abc69d2fb2e194c8a246d9bbc7cb3e
agreement/persistence.go	12397	9b9243129b1cdf9d090db4ffddceb32d086443c89610583e78ace9648053dc
agreement/player.go	28876	e1c6f0ad5fca758c81ffc6c3bf1fa0c749ddb5907f9d31f559869393581b3d
agreement/playerContract.go	3081	de4f0d4ca1c632675d19bec6bc1248f5a81d70b9c4a964b0aefab6da3cf1aa
agreement/proposal.go	13400	139e69cbb11bcf962617dcbec247642df917297b0fe87e34d661595725ae48
agreement/proposalManager.go	12500	72ff01cafb98b2bf8e505d3db9326610ac985e5f804e3bba2f726786cec11b
agreement/proposalManagerContract.go	1723	706e46846f2be0d40056098b96672ab99bc4880294531475302ef7c9cbefc1
agreement/proposalStore.go	14688	8f4d00157543cb3655d5963d4d90fbc4d0e222f098fc3c8ead2f9cb6ed257a
agreement/proposalStoreContract.go	984	6d0a356cad41d56f53b1ba4667522e4de3816ceac15b833fc51abf5009ba43
agreement/proposalTable.go	1493	7b6eb3ec188c5b11f519481da62f99dbfbbd4568e3638688ee0c7103e6a60c
agreement/proposalTracker.go	9220	dd5c6f8c088db3c43d1d2f23a8f99719c07bafc98e6bca9771011344d8977a
agreement/proposalTrackerContract.go	5067	c2bcca9fb29ebf56f5701c03eaf248ad4d4dc9f71cef15980970c4c93eed2a
agreement/pseudonode.go	22377	68c1e90741fdc7b2ed461b89709ff22ef954c329dda8447f2835b58de94310
agreement/router.go	11430	d94ad156aea7a656066a04f305d349080439329a232e40aef3b8d016d6c333
agreement/selector.go	3542	ad5be0ba02e57f5f35ea147dcb340a7f46b053548a59b417c5ab02334823b0
agreement/service.go	9353	6661731350d476fa7060cfe16f361c76c5cd69830ce2882ae74e1d80b4e00f
agreement/sort.go	3219	a1a7e60e733fc3c1fa380681f0303a1ad44c74d0943640eacedd44c2351e48
agreement/statemachinetag_string.go	1062	3a5ad08ec9b1f228ef555f78a6711676576dfa3de53a946758331dafdfbfbe
agreement/trace.go	17381	29864d10fa08971dcabaecdd8663985d4bf564aeae2a7339e3a9c38f68f575
agreement/traceTime.go	8313	d2bd10d8a957fedaddbd569291e230a030464f9575b8cd35abdcd16a95ce46
agreement/types.go	5287	a0390b1d48016dd547b309acbbf89e64e2823abf4bf63710930b3dc37e7d54
agreement/vote.go	10531	c104578980fc2c6d13e68fc183a96c1e86a7cbb6640d0900f6fad73c78c1ce
agreement/voteAggregator.go	11525	f4a4161f604356ede37f8fc63e538763af4f95b0e31cef4ae199b71fe35a03
agreement/voteAggregatorContract.go	2239	28c911b84d6d371349f470397efe8c05a70a7b69e28d6b6da2260ddfc02502
agreement/voteAuxiliary.go	6541	5fdb764c3839edeb3ab7d75dd8ea54588aeac89308ae020b59da130e3b4e81
agreement/voteAuxiliaryContract.go	1306	e6d48875e85a90e900cb31d9289be8fb82683f13516653a60a2d2a47cf4376
agreement/voteTracker.go	13995	25cf918c15647ad689dd2e749451d0bcb9364d1ebd2e28d911f905d71d8409

agreement/voteTrackerContract.go	4617	b6f797372f218dff68992262295b823360dccbaa9b43c4750d5ba42814f2f8
catchup/catchpointService.go	34534	c1034353cb53880c809037590cfe7208cdccba8581fbb0dc40fe650bfdc0ce
catchup/classBasedPeerSelector.go	6176	ac9df7ef4c2bde7ad26cdc19316e6d572747f4eb836603ac3d7957945b0b49
catchup/ledgerFetcher.go	8451	548c8c6edaff25d28deed0166714fd4b64fd187dc2a89f1f924a2810e86bf4
catchup/peerSelector.go	22469	2fbad12a7d5d646ec22e007748fe13e8766ff696aea57da45d6883ea257ed0
catchup/service.go	39149	c8c1fa245284c940173a3880e9d2df97466c7105c43978366bc05a3ada5117
catchup/universalFetcher.go	13039	6f9ff9cfb2cf3265b3f0e47fd3ed300c6ddba7dd5071e163cae2acc6610a10
cmd/algocfg/getCommand.go	2148	752985ed26559a4a15e0e19311841b11f6efc0ebcb1b986f52dbef250eeac7
cmd/algocfg/main.go	1388	4e23af7bfdfdd896a8381e7909416d87136a9a87b56f8043640ed578f28ce9
cmd/algocfg/profileCommand.go	8479	53485a2283b3d90711944b5fea950ed578f0946537166780250317d132d063
cmd/algocfg/report.go	1084	6702ac8ad269dcd38d86f21b9683f107918b03cdb0d49f1e4181f4a60c840b
cmd/algocfg/resetCommand.go	2760	e0b45b8fd39563b6a64a6a218ab88757117b6d4683127123e5c25187a27de0
cmd/algocfg/setCommand.go	3754	5c7de87f8b43607d6a974a3c9e4299f500ddbc0a39c129641b26a99e8599e6
cmd/algod/main.go	17243	3b598b502a42ae4a77dcbfdab5efc1029f5cd1ca5c7c337397b2eb8609f28b
cmd/algofix/deadlock.go	2242	33f880b1c6fce5476e99a659a592e14e47f5c169121e3045a0f2feaa750d5d
cmd/algofix/doc.go	1426	a0a8131a9d77fa4273df0608cd1a4f7e7e89ba1cb14fac8dee2febf3dcddb1
cmd/algofix/fix.go	12835	fab15ef63cbd9870b9884894a181ed1cea281c009e59e981a077853a71ed4e
cmd/algofix/main.go	5886	79d868771d380065689e38e25cea544dbec76f5815ba6637fb8bd3e90a48d4
cmd/algoh/blockWatcher.go	4432	2d2802152f660786545cb325f0ce94d800f44201b020549554524cde351836
cmd/algoh/blockstats.go	2367	290a2268863b8ce266b984741a181664bce319842e47f812e21562616a4883
cmd/algoh/client.go	1161	af3f41f119356e4feb8cf44b453bc1565ea6fda814b372f6b4f49831508ceb
cmd/algoh/deadman.go	4177	bdd3f98ce5fddc8449358259d20ca5d8b599d6bb37e21c0168defcb1cb96f0
cmd/algoh/eventsender.go	1021	0f6673c67b4cd4acfa2f76ba0e1e830bcb0725a4f21e4731c86799f1b9dbfe
cmd/algoh/main.go	13915	2b5b01190a90f2c9a25733c685f8a537b5f21de44026eecb5f2d4830713783
cmd/algoh/mockClient.go	3458	e81b0d56ce52b1f2f78e73398ec28c326adda2d12aee49ff4a4490bb5ca37f
cmd/algokey/common.go	3738	45851572dd57f009871f5f4a0ce6eae57dd86dc37516a8f84f87af5a4e83ee
cmd/algokey/export.go	1775	609e5f4636d8d08559eab22845a53f6af3c7204f00aab409e32850cb81237f
cmd/algokey/generate.go	1817	1a2d9bd599fdba8307adc94d507ec1160da482b0cc32521b6aa699f95a5708
cmd/algokey/import.go	1685	0f8b49d83e779dc216867174d3bbdff46e1af2b858a707c319d537d261b79b
cmd/algokey/keyreg.go	9082	36d8f3fccdf0ae89c68833670ed885a58b0972dd7b431e1f6f5a6fa6a35a8b
cmd/algokey/main.go	1968	b2644062abb594f442b95dc93a0dd576f4b57aa7f09f3449416783de726ebd
cmd/algokey/msgp_gen.go	6512	3c8f004483ee2364332a0b30e9885ce38bc21187fdb6394acecdd67bd6ea6c
cmd/algokey/multisig.go	6126	346b9c060f28412299100d1797bfee0dc2388f68385a6881fd1fffcaf403ed

cmd/algokey/part.go	6957	46fc9e21b15cb6320d5afc257c74a38798a9ac79b714cc592cd9cf6542f5e1
cmd/algokey/salted.go	15013	2f414774253e92425a8ce51ad4ce44f6c7370e04e0ca055109ff18d81d8c04
cmd/algokey/salted_key.go	3682	22caed4572f0c1b8ab70928c31b10987b39bdae85385857d89cb32ae799eb2
cmd/algokey/salted_scheme.go	7409	93f80c8b3c1528084472308be07274529963a14d2f06a4e4542c9c894c6f73
cmd/algokey/sign.go	2690	f190dd847f22ae44418bfac31d54c3b43c8624bd05d7bb1bb89e4e4baa056f
cmd/algons/commands.go	1212	57fcbb7040fa0a2a29c7a0f273844b10d73414fe45a8bd27b92adafcb2b2ab
cmd/algons/dnsCmd.go	16087	0bc8fd171c43bdce49fa5476885de1de1188fc85d3f66103c9e4ab0ecd3074
cmd/algons/dnsaddrCmd.go	6822	ff81a9bced1709109334b896b37503d67b50fe456c705e59daa4200451985c
cmd/algorelay/commands.go	1640	99384a266a0db3b37e6d22961fb45c8995939ffd64b1b0735d51e4074a9c8d
cmd/algorelay/eb/eb.go	1111	d76c884ffd099167d5ed884c96592d693fb4c3be799686b8a201d13cb19b2a
cmd/algorelay/relayCmd.go	19496	5709bb3b4820ecf9dfb6457080137f8c94d868e47f572ecabefb03053630b7
cmd/buildtools/commands.go	1486	d28e34aa588d8c5e655688085107d921a88a050989fc2090be8ba315a82ce9
cmd/buildtools/genesis.go	9759	4395cb1d16e91b6b833d99b60ef014aafa642f2c761144f8ad1e7dff809b7f
cmd/catchpointdump/commands.go	3333	f490c1fa1294f97b8e293cfec752677fc6500ee8c5aedff6c6fcd39f031cdb
cmd/catchpointdump/database.go	6906	c8b1589519d8e68d300bc4fdc97bc6bc82baec0b60013763a90b0526b58e87
cmd/catchpointdump/file.go	26885	a1bdb458bb7324492ad9c3ad771ad407626f66a1d79924138bee3e4cd0fa03
cmd/catchpointdump/info.go	9664	a6c530e41680da76e077261a85386ee61de51bc0f10fac664b353d85f38fee
cmd/catchpointdump/net.go	12519	12bfe2f5cd52055d365b502ecb74b83178a14301a0f5d6d829727e04ed0d98
cmd/catchupsrv/download.go	6266	1db3102951d5dec2864c56606362a513cdb36072c59b282abad81241bae3c3
cmd/catchupsrv/main.go	4162	edac94439d7fbe4eeb9edf4cf5e8ae53419190acb96f4e9083e932e79669f4
cmd/catchupsrv/tarblocks.go	5403	58380dd435b474c14a022e18a1663afa2f46fecbf6f2ed38fdfbcdf69b2433
cmd/dbgen/main.go	2573	b79fd472329fbfa831a19ec37be841d89e85a8c6c8d68b191e4058f5049aea
cmd/diagcfg/main.go	1429	3e01323d714cad0aa513d87ec1fb53bc5f56db5783550644b73f7e3d3c9d2a
cmd/diagcfg/messages.go	1520	d094fe754536a61f1852f5fd4f3694ce9b12a0e95d37ed87b5ed7f1f40fa5e
cmd/diagcfg/metric.go	3613	d8bfdea52cd7a29c0bbd24af0be9de52944984a02b4a7d68cb749beac27a09
cmd/diagcfg/telemetry.go	5642	7f9e576ee1de5d234d828311d856deeeeb09efcef40a6e6c919ead86970703
cmd/dispenser/server.go	6432	e9ea7e573a273e71b8bf59c0c0bf0b0a7817cb5bb298830d870147c03b1677
cmd/genesis/newgenesis.go	2242	09e8359babb6f8578a810cd5c48679a2fff1c10e331bc9d007d30d4910c9b8
cmd/goal/account.go	61819	f43c6b298eb75aa7cdc555955be64dd72af72fed74da2c78abf8af4f280a92
cmd/goal/accountsList.go	7803	82d2ee00666b6c35effb2d5e0015387cc1e76d2ef0a1718763a4df304c5010
cmd/goal/application.go	55358	166313aafdc25fbc3f91424486fc980ca51f1c5255f561abe1182ec56f7319
cmd/goal/asset.go	29760	503087ffde87373b3eed8b89ec019242ca87db57dfde9d29a02603730ca01a
cmd/goal/box.go	5287	009c362d0565596119166ecd4a9e7ffc55525459876b2938d31fd1330056f8

cmd/goal/bundledGenesisInject.go	77754	c05ab12b7922194eef355a9dc3031889ff3f96bb423da9d67ee4f8aae5b015
cmd/goal/clerk.go	46423	812cb2c650c3d05c1ed0844551a7a310a11ee7cd088c24195736d7279e882d
cmd/goal/commands.go	15572	f02bd777b2d4745bf9c30b96525f4806243ed87a0bd7e2dd8e92e3da2b7a20
cmd/goal/common.go	3466	bda3b9ad4def95fd62cd023b3d71732280897511a771213fe0b6f36e0e8eee
cmd/goal/completion.go	1620	306f241272c0800f821d1b685989b1bf4bed6ad8b9233ffd17304376451f60
cmd/goal/formatting.go	5301	9c9d02473917821cb69c2786ae7d1f30f0724c2e914dc4779cb896d833989b
cmd/goal/inspect.go	5663	0a4909cd8c70114adc79719b4c184f6e683541563a8cf5b0ca014197e1c771
cmd/goal/kmd.go	3106	efdc23b52c86dae8289c3c53ef4bff9e8325f87f685d1417d91d3bd9526a70
cmd/goal/ledger.go	3854	b30ec97b18eb2ad3031cd06e29e10f5097a1ce858a38e8f99cdf2d0ad1d983
cmd/goal/messages.go	14950	0dd028adbdbdde5da54c1e7744f2793c10234078e748f706ad735710d3cb58
cmd/goal/multisig.go	11972	4e74e6613e10fed650c2993594024fe18ef16cddb79c2220b69ecc0278db9e
cmd/goal/network.go	12075	858a3875a325960bb79a8a580eee73d12049b0e3d02ff40ec61c8b78ea9c54
cmd/goal/node.go	23849	0e09d24d216ad4e1e5e87ab450409816a7e163529f3dea22538109e040e910
cmd/goal/p2pid.go	2242	9be82fd3cadeed8271738928835bc33754fec23594976a97975f6a2c9eb168
cmd/goal/tealsign.go	7971	9ad98f63e89de1ad0ef5467d894450303ee9d97fb598a8cda043b3a9857c9c
cmd/goal/wallet.go	8316	56b17730b7f6db396b0cb3efc13e6eb47ccaee474c5af86338553841e2803e
cmd/incorporate/incorporate.go	7721	cdba7033ab5a585027276355497db9a3b9b44ddff613398302855e885ade47
cmd/kmd/codes/codes.go	1109	fef14b0c3fa8a6f3669cd93cdc568ef73f923557a0c17541c0e9af48031f6d
cmd/kmd/main.go	4079	f79844ee6423a53a7717e6fff5ecbbfc8edd464aef8bcebea73542712b7cb1
cmd/kmd/mlock_darwin.go	919	9b5f78ec6f6ab2091401f64f02fa85978ad3c63664bd467c0859f90693d97a
cmd/kmd/mlock_linux.go	1126	1a30e990b12668720266ffdeea188b797d60b09376ebce15e74e7afbf11501
cmd/kmd/mlock_windows.go	1167	a57d6943db8a230d24cd8c771c87b8452d673c7e687f422b6b290968f9bdc8
cmd/loadgenerator/config.go	2560	0dfa5a2c1450da23337d326125b3b6d73b3ae7fb7ba4c1f8c45b32af247c91
cmd/loadgenerator/main.go	9176	a4618d67482cd481b32236c02345adfe7f9e0a397b7a3658b9e4c919a500a8
cmd/msgpacktool/main.go	2758	a21977e153e6e71c817bc0ee9213fb2cfb87ab772c9adbe15656796bbbb4ff
cmd/netdummy/main.go	1825	fa5883ed00f6a9b914ecd050d434440bac90e541b1ed47c380366918252de9
cmd/netgoal/commands.go	1789	da2276492bea7480fd3c51ce815a7b0af226fdc285d00cd35112afa987f734
cmd/netgoal/generate.go	18976	78cd257ed54a1274f887b7be8529ea044501b3a43fb3579223e6789c8fc743
cmd/netgoal/messages.go	980	ddc63b57e0e05cafee7212f2c48fbbd4c50f673fb87fb41015ff9b01e95d8d
cmd/netgoal/network.go	7891	9bdf7a15fc1bf665e2db18ea02bcf1642d27b507ca12d58d3fccd552a1b3ed
cmd/netgoal/recipe.go	950	e32c8c67906294f7e7c5ff5dca07e2cbd21842c7a91746be9bee4bbe420f0e
cmd/nodecfg/apply.go	5441	ddc378a059ca80824b6b18298568b50eb0eb80bfae3bf03268a080c85d270b
cmd/nodecfg/commands.go	1719	fd0d1e554244ebdbd2cdf5ea4cecf0e55f2d524e84a63735c8b30a69b8f738

cmd/nodecfg/download.go	2594	1588fd5f2a0e7350f8f2fb02340a5d0741346e23afa552d664052e437e885a
cmd/nodecfg/get.go	2481	1685c86a188f72dd0d6f11f95f40ea5e104a56260be47c7772d7e230b9a174
cmd/nodecfg/untar.go	3538	d8c7e611d6962774fd3cead2b6c58b591f1ab449be543c039933a66e751e99
cmd/opdoc/opdoc.go	18051	fbe713e20f16714568ec0aee21a9609a4a596d32fd8ca65de7ace27881d3d7
cmd/opdoc/tmLanguage.go	7185	20cc4ad97970fe705b7362e475bf8331899b0b2d14dcbc5be71c7d7de41893
cmd/partitiontest_linter/go.mod	277	9d3f529cd8bc1354e89448e5d92dadf7c3d9b48a1b72a08f744363c059de0c
cmd/partitiontest_linter/linter.go	4745	7a836c5e54c052d3606cd2127149ae8f20a989e48dbd13671f128a6a2f40d8
cmd/pingpong/commands.go	1139	caee55f6719cc4bbcee1c70faff75a38f6c2a5ca2a470678b1e11d380a0eb4
cmd/pingpong/runCmd.go	17291	cda9cd0b4b8ba248d1ba60f03f780a96a22976887799eda2a4d738b49e758f
cmd/pingpong/teal_programs.go	3604	e9af3d34d64107f76bfc97107285953450fae6f82e6da2a07ffc5b143ebd0e
cmd/updater/commands.go	1453	4b64a13afe7c73164ccad750c2aa43b4e7cd0e83f2148b2bcba1706553e073
cmd/updater/sendCmd.go	1951	696fdedd961d73455d120031edc4ac44fbf6c52308bf551be4cbe033d86456
cmd/updater/toolsCmd.go	2390	d77c5692fd3e482b5181d4e3713e61ec36feb9c4456af71a175c67c4f13e99
cmd/updater/util.go	896	3e572a018992b20a5bc9ccf7dcb595de2c056870f8ded9463022e28209a6f6
cmd/updater/versionCmd.go	4305	e3e44617d1194d3f7b3d8ac30aaf1f9ce9778d093fd9462877122635ea543f
cmd/util/cmd.go	4075	6ca5adacd6c29f760c5d0a7c0d35af21d3177eef688baf847df208b302e979
cmd/util/datadir/datadir.go	2764	4a546820eed493effa229775694716ea822616670fb2c54118e501512ed353
cmd/util/datadir/messages.go	1063	47d7cbd0c4e4cc0dcd3ab595e82ef99a03b15c5f864a86a4b761c54f9104d0
cmd/util/datadir/report.go	1209	eb1c321c7807945bc51e7166f45717a58346a96da9efa444ae685a7f78595d
config/bounds/bounds.go	6946	67ae12682638a050467b8e3aa083ad5964b7b601fe65c185a4932ebdf4c29e
config/buildvars.go	1716	92e65fe77f59a348cad22819da17db123e10fe06b721fc242a4db166cf01a9
config/config.go	13885	99dd6f813d087fcc081ae922828fd553f52fe047e3706d71b3aacdb3899126
config/consensus.go	66799	5bf3f6a4d45f8a0a16e077a926ff5076800bff41441f30890dd1febbde8970
config/defaultsGenerator/defaultsGenerator.go	6866	550038bbf55b4f66950cca1078706edb32ddc6aafdc8aa943c2c8fadcdd4cb
config/dnsbootstrap.go	6440	efcb3756109ff29cd03668ce321ce01b8366e1ebf17e05d60aa2cb699eb2f4
config/keyfile.go	3700	944393304285b3860d416e0e329356be6693532d97502a5c904719a3d1f903
config/localTemplate.go	59403	edb46e8303c6e2ff6c98b8fe5859d6565de1e9206e25b3c6755aa97fa9bc26
config/local_defaults.go	8748	53a2153bbe799e88ef033b74b347e7b52faf3fc90298173c9fd23f66a22c1b
config/migrate.go	11168	473dbdd29e877c96424cec94fedf8b6b9e2ab910cf15ef96c8c8c8b638f672
config/version.go	3871	a83495addfe80c4480a80c8526ad7aed0210d69c8ca1c1740a9557c2a6f40c
crypto/batchverifier.c	991	749e07446e090ef31ef2370343a8384274938d59be70a2bfe4431c3791cd01
crypto/batchverifier.go	8708	7430c9479111eed282ba68ba6551678f8d39d42717fd21b57d9dcfbdb03551

crypto/cryptoerror.go	1396	2de90212164d64d5f1d5c83b03a61882c4ee8d503a2129d5534a78c455a0e7
crypto/curve25519.go	11276	4af08e9988afd9575d5d69faac5727ab3649531dfd923ecbb28ff71dd3606f
crypto/digest.go	1476	15fbd5f0a14deb4e952caf042c933004cdb9a9fc1d9d1eac58ab270dfeea5f
crypto/falconWrapper.go	11123	4b8df2f298a7f1b90158056e50d28548f69da83e36740279d9109c266db6e5
crypto/gobatchverifier.go	7019	208ff6fb1547cff0901629b3e6baf4c79560866221b1fcbe3aa5d4aa7d0309
crypto/hashes.go	4445	8c0661b5004bda25bb3ba27f939417eb2a5a77892401499b8f16814a550d27
crypto/include/sodium.h	2582	02fe3eddf4b03ec47415ecb8e0a502e603c323fbacddb2c2025576cd59a10e
crypto/include/sodium/core.h	391	692c9a03eb49591a3ccacbef293f473c619cc86ef5dd4776a6e2e4321426fb
crypto/include/sodium/crypto_aead_aes256gcm.h	7980	b45d4a101a1b08db991ecfac2c19d2c5c404667e65a2337487b8d8580e7020
crypto/include/sodium/crypto_aead_chacha20poly1305.h	8782	829054e89c68f98c660c5f5cc65318e2fda345a888a0c337534a338bc96ee7
crypto/include/sodium/crypto_aead_xchacha20poly1305.h	4848	2e3467ee81b0a4a2edd36eafa2efe68f6d92562fba5871381c574b1195b54d
crypto/include/sodium/crypto_auth.h	1131	18e3b4387bf3ef4683020e67272ea0af0e85be8b904e8b9ea1a6471baa539b
crypto/include/sodium/crypto_auth_hmacsha256.h	2121	a583c3ec325ef74cbcaa3d472521c47f7ee34193a0313a22b3cc8170659928
crypto/include/sodium/crypto_auth_hmacsha512.h	2108	48115502c7ab894af5731820a130ebca95005e24a7a5bb25cd20b680d3a3a9
crypto/include/sodium/crypto_auth_hmacsha512256.h	2031	13537acc947f539a36a005c306164b164287be4937352a42330f969bfeaa11
crypto/include/sodium/crypto_box.h	6763	dbb765369328122ad2e4bbe58d9bc0df705481e17369f4fdfb339ed0cdf13f
crypto/include/sodium/crypto_box_curve25519xchacha20poly1305.h	7903	b344debbbde7e9027bd7667c90ad2bab38522db4d5fb8db30d916bcb6e0f1d
crypto/include/sodium/crypto_box_curve25519xsalsa20poly1305.h	4676	df8ec2022c04b2959482e2a1838503443a8432f65a5ddd700ec1bff7cb45af
crypto/include/sodium/crypto_core_ed25519.h	2372	895b552e30c5585705a16868cb4f71660c4931e4cb79b7ee902dc3389709af
crypto/include/sodium/crypto_core_hchacha20.h	816	d2a265946fab3fddb8ee4b7ee6b3fb34b6526efa6ba45c6609c7e395ed302f
crypto/include/sodium/crypto_core_hsalsa20.h	804	5f9d48c0cdfcb8ce86a0e65cfa490cac0e9cacbca4aa864926593c691f69be
crypto/include/sodium/crypto_core_salsa20.h	792	614992c472e5c2bad2ba8d90a4b6d9023db3774847e3541d5c87ad4cb59d69
crypto/include/sodium/crypto_core_salsa2012.h	816	1fce6f1b2a28c7764ba7ed99fefabefa2cbca688ce86e2574cc08ae235c8c3
crypto/include/sodium/crypto_core_salsa208.h	968	f5f40276f7f06f3478750037c56b8e29b1717588b75bd1a3769ccc54f73a70
crypto/include/sodium/crypto_generichash.h	2492	89326c1af0eb23640509d4a63856a90a6cc34f36ad7d5e65ecf962a0a51782

crypto/include/sodium/crypto_generichash_blake2b.h	3960	85ee5ceb160ca0ccb12a33cb67811de37a987ce07b0e65b890a174979f564b
crypto/include/sodium/crypto_hash.h	898	4e3a0ca71f173dd56a6b114201c7f481a7094d381be6997fa1e0443b9fe023
crypto/include/sodium/crypto_hash_sha256.h	1486	c2e01ef92d04de38d817599f0f25189cea06e6f9d094c02b60b5dac6e3f029
crypto/include/sodium/crypto_hash_sha512.h	1490	51f5abaa6e44006ee59e3ef94aba28263f103e10da76b106ad8f7d10ff3dd7
crypto/include/sodium/crypto_kdf.h	1308	09901e619b1909e1802ace8f1e8b9ceb2218fd49c4ee430126802df7ff4025
crypto/include/sodium/crypto_kdf_blake2b.h	1071	2f0739ea610fb5c9ad8c453d84fac1d09e187f67096c70887f22c32a750e92
crypto/include/sodium/crypto_kx.h	2201	b590d661674331aba7dade467ee902e1b61d0fe875bfc3780bd41b9e91dce3
crypto/include/sodium/crypto_onetimeauth.h	1897	dc60366896142461c994a8a72896ac8a10999fa2b58ccfdbcd0fc465f07a96
crypto/include/sodium/crypto_onetimeauth_poly1305.h	2183	d93ebefda0df2d67fdab0200910d7fed970c20a710b0c221a1843722b3e998
crypto/include/sodium/crypto_pwhash.h	4966	e529cb84849008caf0dd2f3f1bac6808a0be9c963f9d2814f59badeda85d0c
crypto/include/sodium/crypto_pwhash_argon2i.h	3919	50a6b40ea240dd5f3b01198437ab56afabd050733ffa4d3dae5a90367e2e30
crypto/include/sodium/crypto_pwhash_argon2id.h	3981	15fe59b3b5b7ef6562b446f39d28ec4d97de06c662005f0d9aad6788d61b81
crypto/include/sodium/crypto_pwhash_scryptsalsa208sha256.h	4688	5104ba3a227b676f0f8d3f0978d882b9d7ac683bf43c1d8995d6003e2ffe8e
crypto/include/sodium/crypto_scalarmult.h	1167	d71e80d4492e5e92ccc9208557aee63b86363bc2de1eed056b01c0ae0ea7fd
crypto/include/sodium/crypto_scalarmult_curve25519.h	1081	f36d70d3691c358d3624b166b74071c79873a44d1115363c28af604d1dd1eb
crypto/include/sodium/crypto_scalarmult_ed25519.h	1389	ad50ed9c3a66304d5c2585935ac2bc9b2236345e314027d187c7b0a15d6f42
crypto/include/sodium/crypto_secretbox.h	3286	5871a0f6da4264f36d610170bf4304d8837d9ca54e85b3586f7b33a3856f3f
crypto/include/sodium/crypto_secretbox_xchacha20poly1305.h	2832	bfc3f3ac1dc931b5c65a5ae29857a8343b7597ac4e36bdad017b5034ecc3dd
crypto/include/sodium/crypto_secretbox_xsalsa20poly1305.h	2410	a54a6ca892819f3a8baa91fa847685bf4cf2259a9467f1117ac7ae3268ca9b
crypto/include/sodium/crypto_secretstream_xchacha20poly1305.h	3832	84f514317b7feb33b644b2c3fc45b9f012dd5cbda98aeb8086ec8f6d702985
crypto/include/sodium/crypto_shorthash.h	954	9a555d7608952c028e9fcbd3b959949c959b1aa22309e7f94c358603469bc2
crypto/include/sodium/crypto_shorthash_siphash24.h	1224	ab9cdc35b0077ae108c926aa57f6221d47fd2ce0f0b2cb87665d0ee885d2d7
crypto/include/sodium/crypto_sign.h	3350	3b93f7a9edeec30e8ff7256a1d73638fc3a44f53478cfe7306bf9c01ac61ea
crypto/include/sodium/crypto_sign_ed25519.h	4300	5ec51cce0b8082e0af4c5bea491ab4dcaeba5650f59305649944e048a5dc48
crypto/include/sodium/crypto_sign_edwards25519sha512batch.h	2056	0d4e4b174a6f09a41e0c8bd23009cf5c2bb81af304cfced2d8fbf00b553816

crypto/include/sodium/crypto_stream.h	1606	ae8d27cabc066b6e369e0a4d04f0aea1aced45145d8e176a21bdcf359c4001
crypto/include/sodium/crypto_stream_chacha20.h	3672	e6f0ef6cb1199bac25096f715fd9290e073c8a9e0fc03066699fed0fb80061
crypto/include/sodium/crypto_stream_salsa20.h	1836	cf1c051d837eaea3b102c63683394e415d2d9ee2f885ba105312af7e13db03
crypto/include/sodium/crypto_stream_salsa2012.h	1532	bc65adc00270a7e18bd5acf3141c252bddb82a4628388299349ab94f9784bd
crypto/include/sodium/crypto_stream_salsa208.h	1731	5430b7f5a934a75ee4f5c8e9ed9ddc3cec7dd1032ac8bec35c7188da5d738f
crypto/include/sodium/crypto_stream_xchacha20.h	1875	dcaafd5679d02460b24fe877946458ff454f4e9d35c8e1f8f1f1b48d54c966
crypto/include/sodium/crypto_stream_xsalsa20.h	1856	de812c7463a2ca0f4db6c6edb671277777f0aaccff85d86a471c7da932a09b
crypto/include/sodium/crypto_verify_16.h	419	d3b4fbea4b6d2bf23a9a079939a181625be76a006af129732af86bf4b54445
crypto/include/sodium/crypto_verify_32.h	419	6ea1ea855b691a2b08510afe74f893d4ff44e40b14501d774d1a73dd79ad4e
crypto/include/sodium/crypto_verify_64.h	419	9736126e6d38864b7c2aa0edf0075e3f6b1fe485a060067ce8c06afb340171
crypto/include/sodium/crypto_vrf.h	2132	644222b198d4e3565a750c4fa522bf3ca0800c8313def00fbcb4fd5a1db6e9
crypto/include/sodium/crypto_vrf_ietfdraft03.h	4200	b966fef7b111eb6fd061c3c20426b62b52189114ba098351c0e975cefbda69
crypto/include/sodium/export.h	1347	acc6ee537f831d535b0607be90f05150103765b7ca82170fd61a85bd5e6f73
crypto/include/sodium/randombytes.h	1847	41bf6745f8343b39a48861e9128bbff39ddd7f784d3e8c59a8fcbc55c6511c
crypto/include/sodium/randombytes_salsa20_random.h	290	9d4dc30d99085bd9057fc01dd568e1bd1e7699d5dfa185bf630cd8f43e0ed9
crypto/include/sodium/randombytes_sysrandom.h	282	cdcc193ee76bb69626b7cb63b105db2f83796b7c365c9f4e42193fa9e654bf
crypto/include/sodium/runtime.h	889	5f618794bfa316c338bc166ffd21f00e5711a0ebf94aaa19440c88b0c94be0
crypto/include/sodium/utils.h	6316	d2aa29188313663ee4a6864b41023a22985024a520b9addbdafb453023a671
crypto/include/sodium/version.h	509	1b6524c23b8580157dce7ecc1e339f6cefd4e8b0c00c4265a5bd6ae8357c99
crypto/libsodium-fork/builds/msvc/resource.h	387	564ceb99be50ffe51b1189e56c1f79fd2b2425ee07eefcee078e72e8944d2a
crypto/libsodium-fork/builds/msvc/version.h	508	9bc31dd330e3e9619fcab1c051d855139adce2bcdab1669a981b7fb3e04e61
crypto/libsodium-fork/packaging/dotnet-core/prepare.py	9485	76866e81b048e6b6262e973461a833baef2ef93ed087b3372f2b8c47bf7d31
crypto/libsodium-fork/regen-msvc/regen-msvc.py	4843	8bd509609e111b135a62e3f477066aa6c851c28de9d5bd8509f57cd932525b
crypto/libsodium-fork/src/libsodium/crypto_aead/aes256gcm/aesni/aead_aes256gcm_aesni.c	41636	e93e067e60b6e65e3b516a179515decbfcf86d6b0af905688d071fe8b24c33

crypto/libsodium-fork/src/libsodium/crypto_aead/chacha20poly1305/sodium/aead_chacha20poly1305.c	14254	1d88a62bd4c28dd9d36974dc13981a2c19978ccaa7add04cfb486cc86ca3e4
crypto/libsodium-fork/src/libsodium/crypto_aead/xchacha20poly1305/sodium/aead_xchacha20poly1305.c	9406	26b35c0c0d49676817b3935cadc30e9f9e2c814f16916ea177767e78e5b1ea
crypto/libsodium-fork/src/libsodium/crypto_auth/crypto_auth.c	775	0949551db403830e60d0526a2074a12c9cdfc4772ea9706a6ed1e205b676d4
crypto/libsodium-fork/src/libsodium/crypto_auth/hmacsha256/auth_hmacsha256.c	2947	b4074f8ee81ad6a3fe98ae144ecd6c68f61706ae297c2f78470c519a162fd9
crypto/libsodium-fork/src/libsodium/crypto_auth/hmacsha512/auth_hmacsha512.c	2953	804e3d9bf2e20d7d866a3fa1213fecf07c526a1d2a3d0adc0e94e546019e9b
crypto/libsodium-fork/src/libsodium/crypto_auth/hmacsha512256/auth_hmacsha512256.c	2523	fd57c37bd05aa9f188e87ac30bdef3b267d3698887c40ee16f0f9496463311
crypto/libsodium-fork/src/libsodium/crypto_box/crypto_box.c	2383	8741972f4f816baaf1b7409cd6412b06f85b8d02ee9aef9161522f5591b509
crypto/libsodium-fork/src/libsodium/crypto_box/crypto_box_easy.c	3676	a71a822831333a2c8a1780ad224861e0aa4bf665520c9e9428f323adfc90b0
crypto/libsodium-fork/src/libsodium/crypto_box/crypto_box_seal.c	1973	c9bed6c747a4c6446813a1a82edf3f4a995e11a8f9bf59c38a055d55200dd9
crypto/libsodium-fork/src/libsodium/crypto_box/curve25519xchacha20poly1305/box_curve25519xchacha20poly1305.c	6514	f7933b5b3d45003d6e1d3aac14b5eef62f8fa044d1819153937eaf70562583
crypto/libsodium-fork/src/libsodium/crypto_box/curve25519xchacha20poly1305/box_seal_curve25519xchacha20poly1305.c	3052	d72af55e9f5003a372b5d2bfa8dfe3ad76bc595ea683f6243d8f45b29ff48b
crypto/libsodium-fork/src/libsodium/crypto_box/curve25519xsalsa20poly1305/box_curve25519xsalsa20poly1305.c	4576	64cec48c8189d560eb1400eedbaf591c2f40b31be258d6e4c3db09283deb1a
crypto/libsodium-fork/src/libsodium/crypto_core/ed25519/core_ed25519.c	5513	2a9992c98b30c165a74680a03b1ce7b3bf1793b3b67e9ef819c3286b92bb94
crypto/libsodium-fork/src/libsodium/crypto_core/ed25519/ref10/ed25519_ref10.c	77395	3a050a80c509aab6d4f8339015a93e58a38156ded42f83c857f55d67196a96
crypto/libsodium-fork/src/libsodium/crypto_core/ed25519/ref10/fe_25_5/base.h	85502	4b55044010ee8b7270b5b58f3d064e1a5798966f3ecd317f287cb2ff61751f
crypto/libsodium-fork/src/libsodium/crypto_core/ed25519/ref10/fe_25_5/base2.h	2579	2ee371b7a19b20d076a93b47e06b0d8d7305a6e4501b7002ae16572aa19a25
crypto/libsodium-fork/src/libsodium/crypto_core/ed25519/ref10/fe_25_5/base_ge25519.h	454	a829687160df579095392f286dcdfa1cbb84787f52a64fe63c9232d8aa9c9e

crypto/libsodium-fork/src/libsodium/crypto_core/ed25519/ref10/fe_25_5/constants.h	702	2ca8e949a77cc004cb618c50de87c35d8b72907283e4c87d885ac75a808032
crypto/libsodium-fork/src/libsodium/crypto_core/ed25519/ref10/fe_25_5/fe.h	5787	6fde442ea8b8a6f252948168ceb9f203abfd48f4e00c3cdd4070e26a4e28ef
crypto/libsodium-fork/src/libsodium/crypto_core/ed25519/ref10/fe_51/base.h	75894	ed3ae74d98c89ac5a3aebada53e7ddb22d00c1968b7838d04a10665b4e6518
crypto/libsodium-fork/src/libsodium/crypto_core/ed25519/ref10/fe_51/base2.h	2280	0e6cecfa1747abd6f7a09d6119b33cd435fb4b88ed3811bc002d81ccccfbd2
crypto/libsodium-fork/src/libsodium/crypto_core/ed25519/ref10/fe_51/base_ge25519.h	396	a1cb63ed860fb9df7ca1de754c67f29a01d24d90d7962e59c47bf70748dc9b
crypto/libsodium-fork/src/libsodium/crypto_core/ed25519/ref10/fe_51/constants.h	648	b690418b3a630d8fc2f2f3c3c471ea7bbcbaad13dd32aa3af3bd150fbc8470
crypto/libsodium-fork/src/libsodium/crypto_core/ed25519/ref10/fe_51/fe.h	2473	a96a476b0a0615636b5867e8a80f1f18c1084fd6d59a7967203a54bf090082
crypto/libsodium-fork/src/libsodium/crypto_core/hchacha20/core_hchacha20.c	2232	9c891c646f9e6ec20d0597464d5d987512697a3d5b00051ad9ed67501ebdec
crypto/libsodium-fork/src/libsodium/crypto_core/hsalsa20/core_hsalsa20.c	408	ecb3514e479cc993366542f9efe71de9aafd8f439cf9223f4ab0d97e9b9762
crypto/libsodium-fork/src/libsodium/crypto_core/hsalsa20/ref2/core_hsalsa20_ref2.c	2571	d9fdd18eeaaf6964ecb30eee30314a32abd10360c660af253cdab83826026a
crypto/libsodium-fork/src/libsodium/crypto_core/salsa/ref/core_salsa_ref.c	4812	64335b1e24b96e48b7b7791c2bb3165aa366e47da9d0f74f846c491b5b7098
crypto/libsodium-fork/src/libsodium/crypto_generichash/blake2b/generichash_blake2.c	1216	dc60a6a9b7f2f668853596a547282ca47eb6b1a978a8906d93ce4d103e6bad
crypto/libsodium-fork/src/libsodium/crypto_generichash/blake2b/ref/blake2.h	4543	cea6d217a1abb7058dbbafcf931fa65fe41a0a688d4b6b3a4e10ec972988f9
crypto/libsodium-fork/src/libsodium/crypto_generichash/blake2b/ref/blake2b-compress-avx2.c	1160	14a070b5b301f7dd023075c2929fb88697b83a438eedbdab11ec1369941563
crypto/libsodium-fork/src/libsodium/crypto_generichash/blake2b/ref/blake2b-compress-avx2.h	6103	d37dfeaf843ff7b264390dae4138cc8f976d859740b65cfed62ec5b604e535
crypto/libsodium-fork/src/libsodium/crypto_generichash/blake2b/ref/blake2b-compress-ref.c	3002	7fd2ce5d123c9fdd71decb105156d69f91ceaff7437bcd81486a5b3f9ce7d1
crypto/libsodium-fork/src/libsodium/crypto_generichash/blake2b/ref/blake2b-compress-sse41.c	2593	4f3de0b056a86ef2090ebf5a1db98238df56c607fa7cfaee8aa4f3359e6cb6

crypto/libsodium-fork/src/libsodium/crypto_generichash/blake2b/ref/blake2b-compress-sse41.h	6719	5a020c1492aef02727826f64056cf8725f79c30cd8aa7fb43f287ce1578f11
crypto/libsodium-fork/src/libsodium/crypto_generichash/blake2b/ref/blake2b-compress-ssse3.c	2930	2507623162b653296bca9feff58d4c0e67c8f2d3fda7babf6698beb0eb9fad
crypto/libsodium-fork/src/libsodium/crypto_generichash/blake2b/ref/blake2b-compress-ssse3.h	6718	09c9c525c9505247fc2425d0cbe10d32805c91e06c3d4309f76be2f89a6348
crypto/libsodium-fork/src/libsodium/crypto_generichash/blake2b/ref/blake2b-load-avx2.h	12895	d610f6ded2f16d9832ec71ba9bfd2954a779cb9117d1e5a4510436d8ff1c44
crypto/libsodium-fork/src/libsodium/crypto_generichash/blake2b/ref/blake2b-load-sse2.h	5594	daa18d55dfaf3c9a29e7bf390ea0f92aaf291aa0d315d912ae0082fd61e0fe
crypto/libsodium-fork/src/libsodium/crypto_generichash/blake2b/ref/blake2b-load-sse41.h	10060	89a96cf99ea570e450f608c509c52f11cb9775de17d201ab0cc57805202a3a
crypto/libsodium-fork/src/libsodium/crypto_generichash/blake2b/ref/blake2b-ref.c	11817	b712bc4f00a81ecec8fef02825506334983fa99e549107dc175ff1f48e3b17
crypto/libsodium-fork/src/libsodium/crypto_generichash/blake2b/ref/generichash_blake2b.c	3977	6c6bb63b0c9944c215af776e7325489c087e49bc513bccf8e1a518db0b7fed
crypto/libsodium-fork/src/libsodium/crypto_generichash/crypto_generichash.c	2037	dc974ba3ab8ffcbd2684df7a842ad79d641a3c47e6f3a033fc4876fe12f1fb
crypto/libsodium-fork/src/libsodium/crypto_hash/crypto_hash.c	323	bdc3db640637230f93fa859bc2715ec5905d911d32817b2fdf3bbf787b98d2
crypto/libsodium-fork/src/libsodium/crypto_hash/sha256/cp/hash_sha256_cp.c	7939	1835e9e6e071d2d82a80d33359f3c90ab3a24bfd633e96f1b1536e3780838e
crypto/libsodium-fork/src/libsodium/crypto_hash/sha256/hash_sha256.c	205	27966cb51a4f2ccf00d226bbed169dca16246cbbed82fbfc2ca18f9b998295
crypto/libsodium-fork/src/libsodium/crypto_hash/sha512/cp/hash_sha512_cp.c	9407	60f428ee3d3b124b45055b31aa93c2a71f86dcc37110f7fd103baa276fc7ee
crypto/libsodium-fork/src/libsodium/crypto_hash/sha512/hash_sha512.c	205	fca3b25c288cff440005ac36c4247f8df5ff3d38117e260eae8366d78178b6
crypto/libsodium-fork/src/libsodium/crypto_kdf/blake2b/kdf_blake2b.c	1635	802fe22def270bacd8166a17a99259cb538c5e24a90efde0c266c487b3e83c
crypto/libsodium-fork/src/libsodium/crypto_kdf/crypto_kdf.c	931	0279ed40772be2c0f8c03e134026ccd8da2d1c3f756e9cab4d978d68dfaca2
crypto/libsodium-fork/src/libsodium/crypto_kx/crypto_kx.c	4379	c48d3aceab62c58ce5f8a9e57c347d698b65e0181ad026dd75c279d4a02b3f

crypto/libsodium-fork/src/libsodium/crypto_onetimeauth/crypto_onetimeauth.c	1691	f9ccd6b3801c5819855a24bc3a0ad3ed4a9f397d59286fd4b9cff206305171
crypto/libsodium-fork/src/libsodium/crypto_onetimeauth/poly1305/donna/poly1305_donna.c	3494	ccbfba9202f7f7e318043bc9eb518277fadd171082202f85676a8f800287bf
crypto/libsodium-fork/src/libsodium/crypto_onetimeauth/poly1305/donna/poly1305_donna.h	293	fe81733c21c22b47b8217627d40709e0d2f96fbfa385f2346ce697b7cebdd8
crypto/libsodium-fork/src/libsodium/crypto_onetimeauth/poly1305/donna/poly1305_donna32.h	6729	40536f083dfaa6c969e71cb941669e863b7c6a34321b1804421fea8b1af646
crypto/libsodium-fork/src/libsodium/crypto_onetimeauth/poly1305/donna/poly1305_donna64.h	5235	03f93315a9a06be40cf8da8845f4d11595521481b1ff757344b1c2e5336ca7
crypto/libsodium-fork/src/libsodium/crypto_onetimeauth/poly1305/onetimeauth_poly1305.c	2464	0bbd1eec53c47abe43246962c8e655f7c159d152205b107c09d189e8d92792
crypto/libsodium-fork/src/libsodium/crypto_onetimeauth/poly1305/onetimeauth_poly1305.h	1016	7481732850bbe2cfbf6034581dfb8ab17b9005d2d22afdb030319072d637d1
crypto/libsodium-fork/src/libsodium/crypto_onetimeauth/poly1305/sse2/poly1305_sse2.c	31319	058d06d9dac94916e76c70f8d34e2a2deab17056fa237a39bea530b81785e7
crypto/libsodium-fork/src/libsodium/crypto_onetimeauth/poly1305/sse2/poly1305_sse2.h	289	689ac732de5fbf2f1552306e76e2edaa55057512599a3e1dce32b84ebfb6de
crypto/libsodium-fork/src/libsodium/crypto_pwhash/argon2/argon2-core.c	15615	6fff070f8f439e386f4a5d62065131b91dea3205bf217f610c2b73f242c69a
crypto/libsodium-fork/src/libsodium/crypto_pwhash/argon2/argon2-core.h	10216	de8d5f5a2c0fd3c57f941ed72bf625f2d54afb3db09a6fe19ba1120c276568
crypto/libsodium-fork/src/libsodium/crypto_pwhash/argon2/argon2-encoding.c	10254	9cee75b62668cab99398f595b9a571d3136fd6bc35e60679d9cfba25ccad25
crypto/libsodium-fork/src/libsodium/crypto_pwhash/argon2/argon2-encoding.h	1064	932ff34acb1861ba418b85ad69c66a214b2cb62bf941cf9eb8220b8f9aaa1e
crypto/libsodium-fork/src/libsodium/crypto_pwhash/argon2/argon2-fill-block-avx2.c	8023	8192730e7e3c335d3a1924893b832e83832a3e87c7a26615bd4ae964d45090
crypto/libsodium-fork/src/libsodium/crypto_pwhash/argon2/argon2-fill-block-avx512f.c	8208	1ee75ff725441be5c6f493f14ab3e14e427fd2bd33c27a2ac2bc3e84c80caa
crypto/libsodium-fork/src/libsodium/crypto_pwhash/argon2/argon2-fill-block-ref.c	8576	5fbbace0055d92056cdcd7621a9694de1ef7046542f710e1a478c04b0ab423

crypto/libsodium-fork/src/libsodium/crypto_pwhash/argon2/argon2-fill-block-ssse3.c	7943	b57e67f3c976bbfec062815b1ce0b3afc796c1bd80fea3868c60119c083408
crypto/libsodium-fork/src/libsodium/crypto_pwhash/argon2/argon2.c	8063	3621714cd3677ecd346819a1e2e8b3e446a1465a5f35c2a8da1a5deae43587
crypto/libsodium-fork/src/libsodium/crypto_pwhash/argon2/argon2.h	11085	ffc82383ad8ad1aaff540975379dbba370e7bd40c23cdf3260aab8cb4922d4
crypto/libsodium-fork/src/libsodium/crypto_pwhash/argon2/blake2b-long.c	3137	37f1b01973dd484e009346bc46d7eb16e74d2f9b5186c29f2d8df4a1d286ef
crypto/libsodium-fork/src/libsodium/crypto_pwhash/argon2/blake2b-long.h	151	541220c3cd78acb15a80398a4b732e3ed7cf4b8fac531fb99c574b97ef8265
crypto/libsodium-fork/src/libsodium/crypto_pwhash/argon2/blamka-round-avx2.h	5847	abcfd03ed9a4d26ca96fe493925019f21cd44fb22738385e09aa554ba3d21f
crypto/libsodium-fork/src/libsodium/crypto_pwhash/argon2/blamka-round-avx512f.h	4569	256cd0cad160e7c30ee9243a5e796566645a708f8ae1e52d32fa24efc78d0f
crypto/libsodium-fork/src/libsodium/crypto_pwhash/argon2/blamka-round-ref.h	1555	619594355542219396a9545b4ee4afbb7eae8493784fb9aca01a72e3cd9021
crypto/libsodium-fork/src/libsodium/crypto_pwhash/argon2/blamka-round-ssse3.h	5451	60b0f267e9b16ae6af9017b1d1ce6977eecaef7b8894444fadd0b670d1624f
crypto/libsodium-fork/src/libsodium/crypto_pwhash/argon2/pwhash_argon2i.c	7970	3bd2226d68477e867c3c955c7673a9db9d643f202b48cf01ed589a37485bf3
crypto/libsodium-fork/src/libsodium/crypto_pwhash/argon2/pwhash_argon2id.c	6382	378829c702b6d957e3ee0c694e62e623e98840e2925f3c3e0289402f4f3a31
crypto/libsodium-fork/src/libsodium/crypto_pwhash/crypto_pwhash.c	4779	318a2d22a9f50f16fffccb7c61b61a578a7f608ea49cd87baa8ab5013fde79
crypto/libsodium-fork/src/libsodium/crypto_pwhash/scryptsalsa208sha256/crypto_scrypt-common.c	7069	93de04c2711f75a886ad362ed6867782c4cfce611f468b71fb779ac377d563
crypto/libsodium-fork/src/libsodium/crypto_pwhash/scryptsalsa208sha256/crypto_scrypt.h	4130	6de9449b535cd5ee647138178c6e0b26f18052bc1061dd0861efc1614cc6db
crypto/libsodium-fork/src/libsodium/crypto_pwhash/scryptsalsa208sha256/nosse/pwhash_scryptsalsa208sha256_nosse.c	10502	8893227b3aee1407b2b21614b162f484ad565c65ecb8b6c3d9e11041c10191
crypto/libsodium-fork/src/libsodium/crypto_pwhash/scryptsalsa208sha256/pbkdf2-sha256.c	3534	21a4267540c36c52ddada2dbd733e361f566ff41eca2594311b87f56bc93ff
crypto/libsodium-fork/src/libsodium/crypto_pwhash/scryptsalsa208sha256/pbkdf2-sha256.h	1870	98e99b1ac7599d8acde7cc2a76f6b342ac1803278ddc65850100c2a13fd581

crypto/libsodium-fork/src/libsodium/crypto_pwhash/scryptsalsa208sha256/pwhash_scryptsalsa208sha256.c	8658	2c5df00871269c03c01f765d55b7c26fa3cc4af958668af9534ab2f97e12a8
crypto/libsodium-fork/src/libsodium/crypto_pwhash/scryptsalsa208sha256/scrypt_platform.c	2862	2e6822a7217899484f1c7d02d35568696818daddbfc8c82f905a9ce551f58f
crypto/libsodium-fork/src/libsodium/crypto_pwhash/scryptsalsa208sha256/sse/pwhash_scryptsalsa208sha256_sse.c	12450	cfc8111717193a4d450220753e2a44674b2465691d21d3afb0c45b98dd619d
crypto/libsodium-fork/src/libsodium/crypto_scalarmult/crypto_scalarmult.c	579	3aa1ce5272c4d77a0b03791becff2949a82db8c590dc10a423802984cbc08e
crypto/libsodium-fork/src/libsodium/crypto_scalarmult/curve25519/ref10/x25519_ref10.c	5809	43c5c77e287775cc576a6ef64a6f669169ef8aecf8fb4fff791e5607137c61
crypto/libsodium-fork/src/libsodium/crypto_scalarmult/curve25519/ref10/x25519_ref10.h	249	b9d6e13c9065f7f6f5d9fbff21f28bbc4956967b9bde802df172194702a05a
crypto/libsodium-fork/src/libsodium/crypto_scalarmult/curve25519/sandy2x/consts_namespace.h	906	7d2dd849708eafd885e6b72f38094a78bb75b13fbf581663b4882399b61ea5
crypto/libsodium-fork/src/libsodium/crypto_scalarmult/curve25519/sandy2x/curve25519_sandy2x.c	2555	b71a538b73766b07313cf982af1fefdec0be8592b993624d872d21d74fa8dc
crypto/libsodium-fork/src/libsodium/crypto_scalarmult/curve25519/sandy2x/curve25519_sandy2x.h	225	3cd4f3ecc9f202e64c88a134452e4a23d1ce67b404935b73ed50280b328658
crypto/libsodium-fork/src/libsodium/crypto_scalarmult/curve25519/sandy2x/fe.h	550	2274ea02748ade547d39084c2f5b41cd7f068ec2b648d2bf7dd6a55b07299a
crypto/libsodium-fork/src/libsodium/crypto_scalarmult/curve25519/sandy2x/fe51.h	614	034410eea5c360bdb5ed5e2258e4d260363cececf00bbdad78369ca0e44635
crypto/libsodium-fork/src/libsodium/crypto_scalarmult/curve25519/sandy2x/fe51_invert.c	1482	572e6a03f0f172c6d3f78ae9ad8df4e3b28215074220bf146fd707db3acaba
crypto/libsodium-fork/src/libsodium/crypto_scalarmult/curve25519/sandy2x/fe51_namespace.h	753	74b2538f5ce69a87716264c763de047f31308a6e5a7cd912925b6ecd1b619a
crypto/libsodium-fork/src/libsodium/crypto_scalarmult/curve25519/sandy2x/fe_frombytes_sandy2x.c	1790	5bc870db6fcd8b2f52bde8b0a5a47e799ca361b1eaac98190c0258c81a5b10
crypto/libsodium-fork/src/libsodium/crypto_scalarmult/curve25519/sandy2x/ladder.h	231	d4fddfc1d132c0b00ae8b50624c74de133e156dc498628eedcdb87a2c1c18f

crypto/libsodium-fork/src/libsodium/crypto_scalarmult/curve25519/sandy2x/ladder_base.h	256	4fb8a727d842fd44a660e677d9487045c6f0a1bd07f8d117c55c3b9a57e90e
crypto/libsodium-fork/src/libsodium/crypto_scalarmult/curve25519/sandy2x/ladder_base_namespace.h	253	5d81a455988ec7b3ba673de0f027db4d5a54b634416dcb7df96a707898ed42
crypto/libsodium-fork/src/libsodium/crypto_scalarmult/curve25519/sandy2x/ladder_namespace.h	218	3389364a25ea0a948f0fabe97635aff03cdb5f9d59fc21a1ae1c55c18aa968
crypto/libsodium-fork/src/libsodium/crypto_scalarmult/curve25519/scalarmult_curve25519.c	1427	64f473f5069dcb892b196019475f31f571ba46ac79ba31047010c2c506dafb
crypto/libsodium-fork/src/libsodium/crypto_scalarmult/curve25519/scalarmult_curve25519.h	341	c887fe855f943cb70a0967bba811f9ac97d254f213930d96e9fb2ffdc71015
crypto/libsodium-fork/src/libsodium/crypto_scalarmult/ed25519/ref10/scalarmult_ed25519_ref10.c	2721	813a32242f69796468f434b3bca15d8abb8c2406f426945651ffbaec6b1cf7
crypto/libsodium-fork/src/libsodium/crypto_secretbox/crypto_secretbox.c	1295	7c9a3e3a11e709094c3c5fbdf0851810427dbca514c69bb22aabd97c148731
crypto/libsodium-fork/src/libsodium/crypto_secretbox/crypto_secretbox_easy.c	4915	6ff8e9d9420c898c99631d484a562abc5042c7ef6b5559e6765097449200f2
crypto/libsodium-fork/src/libsodium/crypto_secretbox/xchacha20poly1305/secretbox_xchacha20poly1305.c	6343	495923b6fc551cc10e667ebf031776a1ae3744d1445e1ffac0dfa767b4fd1a
crypto/libsodium-fork/src/libsodium/crypto_secretbox/xsalsa20poly1305/secretbox_xsalsa20poly1305.c	2252	58d45fe808876822dd31820190dfe94da3a0c17d7451c1e66190d321f0d2ab
crypto/libsodium-fork/src/libsodium/crypto_secretstream/xchacha20poly1305/secretstream_xchacha20poly1305.c	11380	b9bd13b46d0d0332c69069d3f829fcf30d267e584a998a6379f8a89b9b3ffb
crypto/libsodium-fork/src/libsodium/crypto_shorthash/crypto_shorthash.c	629	b4f5e2bd83496b9ef0c5334c104f9c6a4e2dc1b8f46dc12a5de01c3de3900f
crypto/libsodium-fork/src/libsodium/crypto_shorthash/siphash24/ref/shorthash_siphash24_ref.c	1697	04f3d382837c2589d3959ff44351b716e55c16a886297aefcda0b77b272d57
crypto/libsodium-fork/src/libsodium/crypto_shorthash/siphash24/ref/shorthash_siphash_ref.h	606	51548a9d39274f75b1a0054d8b0318cd5f1ecb6d24b58e1e3a0c2fcf248b7f
crypto/libsodium-fork/src/libsodium/crypto_shorthash/siphash24/ref/shorthash_siphashx24_ref.c	1781	3df5a0a7b46d0f69be027879c8fa3ffb0be0b6b54e687fb24d2ef1b0121f2d
crypto/libsodium-fork/src/libsodium/crypto_shorthash/siphash24/shorthash_siphash24.c	238	72465eaaa527e9d42b2d6dd645069b64e30402de973cc972f114688c85ef7c

crypto/libsodium-fork/src/libsodium/crypto_shorthash/siphash24/shorthash_siphashx24.c	242	48cb227728cdae63b7dfe0246f8c6d7e998f4dfe57f53fd492a4157ffbca1f
crypto/libsodium-fork/src/libsodium/crypto_sign/crypto_sign.c	3040	a00bb94a7a5e64b4c921a6c26925a613c88617c4cf8e888896a825b9f03b03
crypto/libsodium-fork/src/libsodium/crypto_sign/ed25519/ref10/batch.c	9715	9a2f278687786ef804509eb43702f366ee6fefed5039f23da2e1e1b5bbd6e0
crypto/libsodium-fork/src/libsodium/crypto_sign/ed25519/ref10/keypair.c	1978	ef0d2cde816c39e4fd6d61a37e33fbbcd7192c78430477a763dada8822a319
crypto/libsodium-fork/src/libsodium/crypto_sign/ed25519/ref10/obsolete.c	3432	3bb6cf66cb5fde743980aeba0c1acbfd12c178168df68d804c5b49839c0084
crypto/libsodium-fork/src/libsodium/crypto_sign/ed25519/ref10/open.c	2638	2b345bf78695844262832eb14d0655da3a815024db0d437791142ee3b34b06
crypto/libsodium-fork/src/libsodium/crypto_sign/ed25519/ref10/open_bv_compat.c	3477	c2c3e9f3b936efb008f6dcb0082856776e6c8a3133f1935e44b7c7e7a5195b
crypto/libsodium-fork/src/libsodium/crypto_sign/ed25519/ref10/sign.c	4356	39333c0e1652f3990c3e1e578a3c01d6d1d555e21458c4acb8b71accb2b1b9
crypto/libsodium-fork/src/libsodium/crypto_sign/ed25519/ref10/sign_ed25519_ref10.h	1584	b25e3c08b5ff1cfae1e93c33aa13dac240f950f9715ef7dc05050f96b65b44
crypto/libsodium-fork/src/libsodium/crypto_sign/ed25519/sign_ed25519.c	2663	a0403685845114f8e84c0196cdd42699477e07121cd916d2f35472a2c70a69
crypto/libsodium-fork/src/libsodium/crypto_stream/chacha20/dolbeau/chacha20_dolbeau-avx2.c	4615	c35913b69aab652192e7f5a5fb05e01c6b86ce0432e3bc3aabfc9714308994
crypto/libsodium-fork/src/libsodium/crypto_stream/chacha20/dolbeau/chacha20_dolbeau-avx2.h	199	4bc87ed826dbf7beadd2b41c01bf6e7fb846ff941cd6e1c8da870310ec8aaa
crypto/libsodium-fork/src/libsodium/crypto_stream/chacha20/dolbeau/chacha20_dolbeau-ssse3.c	4423	729df4cd33f1b6c54d420084c4bc8cac39da500a14651936a7b593c9c69e41
crypto/libsodium-fork/src/libsodium/crypto_stream/chacha20/dolbeau/chacha20_dolbeau-ssse3.h	200	26c77341fe9573788065f4ac77a2bd92bc55bab093c61518728ddc4abfd388
crypto/libsodium-fork/src/libsodium/crypto_stream/chacha20/dolbeau/u0.h	2872	19cf10cdd56122220d38647df58b5f7e331a75a00e2fa4d178225184b3fd7d
crypto/libsodium-fork/src/libsodium/crypto_stream/chacha20/dolbeau/u1.h	3168	455c1d8d854e274488f7b5b7659ad13c9ca5c3f28bad3f16e9be646abaf1d3
crypto/libsodium-fork/src/libsodium/crypto_stream/chacha20/dolbeau/u4.h	6574	b073331f5da9350214bcc6cd0905315b6af6a94245244cc628195f7ca43056
crypto/libsodium-fork/src/libsodium/crypto_stream/chacha20/dolbeau/u8.h	18061	020fda6dff06db8646bd973fd8d6c7a66b78af1774fbe1639b20b01225dcab

crypto/libsodium-fork/src/libsodium/crypto_stream/chacha20/ref/chacha20_ref.c	8466	a93ebb4cc15c590798cb095d48ed39eb5d8929fda7904ce148908485e38914
crypto/libsodium-fork/src/libsodium/crypto_stream/chacha20/ref/chacha20_ref.h	190	04942a791be36ecd42568d9ee34b751f4ff8a02d919fa8b16e1a6e604d2467
crypto/libsodium-fork/src/libsodium/crypto_stream/chacha20/stream_chacha20.c	5623	119f02db875d0b293631b3756884f659fb3c80754ac79857876e8d0cecff9c
crypto/libsodium-fork/src/libsodium/crypto_stream/chacha20/stream_chacha20.h	947	91848ca3f4b7badcf29aa8b03d3179a20e4ff4d4662f64d42612a2b0a9a367
crypto/libsodium-fork/src/libsodium/crypto_stream/crypto_stream.c	919	c22d3728361f741eb89c220d0f2289168e1cf4ccc129f4bf6f6858dc209184
crypto/libsodium-fork/src/libsodium/crypto_stream/salsa20/ref/salsa20_ref.c	2665	e47d9a29430d6ee4d2f7789e309984bf98997b3e5e7665f4efb006b705d50f
crypto/libsodium-fork/src/libsodium/crypto_stream/salsa20/ref/salsa20_ref.h	186	6ae5115492511b18007b3561562d83b09248a8f34f86318813ced358ee7622
crypto/libsodium-fork/src/libsodium/crypto_stream/salsa20/stream_salsa20.c	2770	3c61a4a21512fca10a7555acb99c76d2e1992777994930fd8bd49265935ba8
crypto/libsodium-fork/src/libsodium/crypto_stream/salsa20/stream_salsa20.h	532	c726237642e7c269fabbc2442f2ce008b0de9a2cf90469758853d78f27a1ee
crypto/libsodium-fork/src/libsodium/crypto_stream/salsa20/xmm6/salsa20_xmm6.c	852	c3c8230ca99c8b79182ef706d22b32f9b47656884a80cd5e92effb6569ddde
crypto/libsodium-fork/src/libsodium/crypto_stream/salsa20/xmm6/salsa20_xmm6.h	187	b56e570bfa5e15910a3b2c4fcc5999b7b8ac5f754e5f70bcb9ed938c211ac0
crypto/libsodium-fork/src/libsodium/crypto_stream/salsa20/xmm6int/salsa20_xmm6int-avx2.c	3296	ca3783de60a965a6f41b2c4759a9218864a01ba3585dfe345343924e255644
crypto/libsodium-fork/src/libsodium/crypto_stream/salsa20/xmm6int/salsa20_xmm6int-avx2.h	195	bfbc9a2d6513fdab5ede6dc8cec1f2f6a555a08aefef7e0b1b18c1017793c7
crypto/libsodium-fork/src/libsodium/crypto_stream/salsa20/xmm6int/salsa20_xmm6int-sse2.c	3023	51a4af9211dcb908ca1b0368e54c0b3bdda4b1076f672d5f06773961c0b05d
crypto/libsodium-fork/src/libsodium/crypto_stream/salsa20/xmm6int/salsa20_xmm6int-sse2.h	195	839d059a0ba385066a969bf582e1f9d9969d825b5d8debe778937de4e5de8b
crypto/libsodium-fork/src/libsodium/crypto_stream/salsa20/xmm6int/u0.h	6879	5d0f8743a38dee11ff160fc6a2f30c976548edb7479c17040d0e43865b8f10
crypto/libsodium-fork/src/libsodium/crypto_stream/salsa20/xmm6int/u1.h	6814	f35de0b5967c7f1ce03700f4f2d23783b34441216036aa745b9707305d4e6e
crypto/libsodium-fork/src/libsodium/crypto_stream/salsa20/xmm6int/u4.h	19408	3bf51e537e7fa8ffe3db2dedf87c990ae7d6e90cfc1aa1ca666807ba7a6549

crypto/libsodium-fork/src/libsodium/crypto_stream/salsa20/xmm6int/u8.h	18674	f06f540318841dcf94483aabf2511da791ba1d6a68d1f42665ced9a54d9d67
crypto/libsodium-fork/src/libsodium/crypto_stream/salsa2012/ref/stream_salsa2012_ref.c	2370	20cc0512f97f70bcf65561e9bef9f0b042ab49640c443d7e9d454d2401ca16
crypto/libsodium-fork/src/libsodium/crypto_stream/salsa2012/stream_salsa2012.c	520	2aaba5e9e9c6db319ff14e5dea314e911cfb10298430d202d66cea3f33b484
crypto/libsodium-fork/src/libsodium/crypto_stream/salsa208/ref/stream_salsa208_ref.c	2359	b9cddcf73aaef798b5c5359d7e629b1859fd8885ddd5b7889977ab17af74b9
crypto/libsodium-fork/src/libsodium/crypto_stream/salsa208/stream_salsa208.c	510	0e8ff1ff21298538da4ec94d6edfdd541f7ee97a421956a8323eafb5ba85e6
crypto/libsodium-fork/src/libsodium/crypto_stream/xchacha20/stream_xchacha20.c	1969	db04ab9c17b43330c0c109ca8c545e7cc9cae106b6313ca6b04cf80c113558
crypto/libsodium-fork/src/libsodium/crypto_stream/xsalsa20/stream_xsalsa20.c	1692	0c3d8b9b45ee606ac9b7a4b651347e72b2f629e6d17e513c7a7aa161058c4a
crypto/libsodium-fork/src/libsodium/crypto_verify/sodium/verify.c	2296	2af44fcbde7abb7aacba6629689d19fea98b8dda19fd7d53c3186c077ee97e
crypto/libsodium-fork/src/libsodium/crypto_vrf/crypto_vrf.c	1725	46a3714d0cacb35ca103795be060844805305bf4af46073fd7f2383b042320
crypto/libsodium-fork/src/libsodium/crypto_vrf/ietfdraft03/convert.c	4374	0c5f5aa53637c8cdfc46eff6998bf11f1497238013414f17eef97b0302e6c8
crypto/libsodium-fork/src/libsodium/crypto_vrf/ietfdraft03/keypair.c	1401	a4af749c3c5bade4d249e37673a9461b5f7e556986fa6a4d1921f401aa8794
crypto/libsodium-fork/src/libsodium/crypto_vrf/ietfdraft03/prove.c	6366	d173b9b8b14baca3d6228fe34b6f1f54dd2df647ad54a3b8479157fcbcfa5b
crypto/libsodium-fork/src/libsodium/crypto_vrf/ietfdraft03/verify.c	7732	2d23eff2ec13d93cc3de6478f9d99b2f50b5bf59b6d0db9fc29ec04f47b060
crypto/libsodium-fork/src/libsodium/crypto_vrf/ietfdraft03/vrf.c	1605	999f0301c08eee4d3e12e0faf4d52969d9eea5e6df58865252f029239b26c8
crypto/libsodium-fork/src/libsodium/crypto_vrf/ietfdraft03/vrf_ietfdraft03.h	1903	793c9fc7251173a25928eff2cf3cce58ded524b79741e67ae972f0002d2f5d
crypto/libsodium-fork/src/libsodium/include/sodium.h	2582	02fe3eddf4b03ec47415ecb8e0a502e603c323fbacddb2c2025576cd59a10e
crypto/libsodium-fork/src/libsodium/include/sodium/core.h	391	692c9a03eb49591a3ccacbef293f473c619cc86ef5dd4776a6e2e4321426fb
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_aead_aes256gcm.h	7980	b45d4a101a1b08db991ecfac2c19d2c5c404667e65a2337487b8d8580e7020
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_aead_chacha20poly1305.h	8782	829054e89c68f98c660c5f5cc65318e2fda345a888a0c337534a338bc96ee7

crypto/libsodium-fork/src/libsodium/include/sodium/crypto_aead_xchacha20poly1305.h	4848	2e3467ee81b0a4a2edd36eafa2efe68f6d92562fba5871381c574b1195b54d
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_auth.h	1131	18e3b4387bf3ef4683020e67272ea0af0e85be8b904e8b9ea1a6471baa539b
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_auth_hmacsha256.h	2121	a583c3ec325ef74cbcaa3d472521c47f7ee34193a0313a22b3cc8170659928
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_auth_hmacsha512.h	2108	48115502c7ab894af5731820a130ebca95005e24a7a5bb25cd20b680d3a3a9
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_auth_hmacsha512256.h	2031	13537acc947f539a36a005c306164b164287be4937352a42330f969bfeaa11
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_box.h	6763	dbb765369328122ad2e4bbe58d9bc0df705481e17369f4fdfb339ed0cdf13f
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_box_curve25519xchacha20poly1305.h	7903	b344debbbde7e9027bd7667c90ad2bab38522db4d5fb8db30d916bcb6e0f1d
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_box_curve25519xsalsa20poly1305.h	4676	df8ec2022c04b2959482e2a1838503443a8432f65a5ddd700ec1bff7cb45af
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_core_ed25519.h	2372	895b552e30c5585705a16868cb4f71660c4931e4cb79b7ee902dc3389709af
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_core_hchacha20.h	816	d2a265946fab3fddb8ee4b7ee6b3fb34b6526efa6ba45c6609c7e395ed302f
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_core_hsalsa20.h	804	5f9d48c0cdfcb8ce86a0e65cfa490cac0e9cacbca4aa864926593c691f69be
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_core_salsa20.h	792	614992c472e5c2bad2ba8d90a4b6d9023db3774847e3541d5c87ad4cb59d69
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_core_salsa2012.h	816	1fce6f1b2a28c7764ba7ed99fefabefa2cbca688ce86e2574cc08ae235c8c3
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_core_salsa208.h	968	f5f40276f7f06f3478750037c56b8e29b1717588b75bd1a3769ccc54f73a70
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_generichash.h	2492	89326c1af0eb23640509d4a63856a90a6cc34f36ad7d5e65ecf962a0a51782
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_generichash_blake2b.h	3960	85ee5ceb160ca0ccb12a33cb67811de37a987ce07b0e65b890a174979f564b
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_hash.h	898	4e3a0ca71f173dd56a6b114201c7f481a7094d381be6997fa1e0443b9fe023
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_hash_sha256.h	1486	c2e01ef92d04de38d817599f0f25189cea06e6f9d094c02b60b5dac6e3f029
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_hash_sha512.h	1490	51f5abaa6e44006ee59e3ef94aba28263f103e10da76b106ad8f7d10ff3dd7
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_kdf.h	1308	09901e619b1909e1802ace8f1e8b9ceb2218fd49c4ee430126802df7ff4025

crypto/libsodium-fork/src/libsodium/include/sodium/crypto_kdf_blake2b.h	1071	2f0739ea610fb5c9ad8c453d84fac1d09e187f67096c70887f22c32a750e92
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_kx.h	2201	b590d661674331aba7dade467ee902e1b61d0fe875bfc3780bd41b9e91dce3
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_onetimeauth.h	1897	dc60366896142461c994a8a72896ac8a10999fa2b58ccfdbcd0fc465f07a96
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_onetimeauth_poly1305.h	2183	d93ebefda0df2d67fdab0200910d7fed970c20a710b0c221a1843722b3e998
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_pwhash.h	4966	e529cb84849008caf0dd2f3f1bac6808a0be9c963f9d2814f59badeda85d0c
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_pwhash_argon2i.h	3919	50a6b40ea240dd5f3b01198437ab56afabd050733ffa4d3dae5a90367e2e30
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_pwhash_argon2id.h	3981	15fe59b3b5b7ef6562b446f39d28ec4d97de06c662005f0d9aad6788d61b81
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_pwhash_scryptsalsa208sha256.h	4688	5104ba3a227b676f0f8d3f0978d882b9d7ac683bf43c1d8995d6003e2ffe8e
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_scalarmult.h	1167	d71e80d4492e5e92ccc9208557aee63b86363bc2de1eed056b01c0ae0ea7fd
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_scalarmult_curve25519.h	1081	f36d70d3691c358d3624b166b74071c79873a44d1115363c28af604d1dd1eb
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_scalarmult_ed25519.h	1389	ad50ed9c3a66304d5c2585935ac2bc9b2236345e314027d187c7b0a15d6f42
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_secretbox.h	3286	5871a0f6da4264f36d610170bf4304d8837d9ca54e85b3586f7b33a3856f3f
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_secretbox_xchacha20poly1305.h	2832	bfc3f3ac1dc931b5c65a5ae29857a8343b7597ac4e36bdad017b5034ecc3dd
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_secretbox_xsalsa20poly1305.h	2410	a54a6ca892819f3a8baa91fa847685bf4cf2259a9467f1117ac7ae3268ca9b
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_secretstream_xchacha20poly1305.h	3832	84f514317b7feb33b644b2c3fc45b9f012dd5cbda98aeb8086ec8f6d702985
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_shorthash.h	954	9a555d7608952c028e9fcbd3b959949c959b1aa22309e7f94c358603469bc2
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_shorthash_siphash24.h	1224	ab9cdc35b0077ae108c926aa57f6221d47fd2ce0f0b2cb87665d0ee885d2d7
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_sign.h	4441	4738fecec706dc70d2ec2b3b95523c1f3671e860a8dc81872e88a4cfd8ebb2
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_sign_ed25519.h	4948	351489c2d0f7be7b0f132a820be6b7768b6d62eb9dcee834f973c33dd5c0dc

crypto/libsodium-fork/src/libsodium/include/sodium/crypto_sign_edwards25519sha512batch.h	2056	0d4e4b174a6f09a41e0c8bd23009cf5c2bb81af304cfced2d8fbf00b553816
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_stream.h	1606	ae8d27cabc066b6e369e0a4d04f0aea1aced45145d8e176a21bdcf359c4001
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_stream_chacha20.h	3672	e6f0ef6cb1199bac25096f715fd9290e073c8a9e0fc03066699fed0fb80061
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_stream_salsa20.h	1836	cf1c051d837eaea3b102c63683394e415d2d9ee2f885ba105312af7e13db03
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_stream_salsa2012.h	1532	bc65adc00270a7e18bd5acf3141c252bddb82a4628388299349ab94f9784bd
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_stream_salsa208.h	1731	5430b7f5a934a75ee4f5c8e9ed9ddc3cec7dd1032ac8bec35c7188da5d738f
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_stream_xchacha20.h	1875	dcaafd5679d02460b24fe877946458ff454f4e9d35c8e1f8f1f1b48d54c966
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_stream_xsalsa20.h	1856	de812c7463a2ca0f4db6c6edb671277777f0aaccff85d86a471c7da932a09b
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_verify_16.h	419	d3b4fbea4b6d2bf23a9a079939a181625be76a006af129732af86bf4b54445
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_verify_32.h	419	6ea1ea855b691a2b08510afe74f893d4ff44e40b14501d774d1a73dd79ad4e
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_verify_64.h	419	9736126e6d38864b7c2aa0edf0075e3f6b1fe485a060067ce8c06afb340171
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_vrf.h	2132	644222b198d4e3565a750c4fa522bf3ca0800c8313def00fbcb4fd5a1db6e9
crypto/libsodium-fork/src/libsodium/include/sodium/crypto_vrf_ietfdraft03.h	4200	b966fef7b111eb6fd061c3c20426b62b52189114ba098351c0e975cefbda69
crypto/libsodium-fork/src/libsodium/include/sodium/export.h	1347	acc6ee537f831d535b0607be90f05150103765b7ca82170fd61a85bd5e6f73
crypto/libsodium-fork/src/libsodium/include/sodium/private/chacha20_ietf_ext.h	632	116e6f97313959c5c45eadeb1722b52f5ec0f38ad57ef1177b3eae4d57d3fa
crypto/libsodium-fork/src/libsodium/include/sodium/private/common.h	6202	605781eed060b01d418c24605cda664a6e3139d6541ec2536dfd5ba3d1360a
crypto/libsodium-fork/src/libsodium/include/sodium/private/ed25519_ref10.h	3876	53feea7573f8cf747460be2304366c7195ba578726289ae3cbd9d4c69e131e
crypto/libsodium-fork/src/libsodium/include/sodium/private/ed25519_ref10_fe_25_5.h	30154	7f1522d3286253add4d09c61df2fb4e96d4b4b8bc50db57c5ecadc0c10dae3
crypto/libsodium-fork/src/libsodium/include/sodium/private/ed25519_ref10_fe_51.h	10968	4b9c0513603135de0f8f9a64632bb71f9dd4cb6a0cdf82907c8bcdc9e3398e
crypto/libsodium-fork/src/libsodium/include/sodium/private/ed25519_ref10_sc_25_5.h	19587	dcb600432bd1c9d7d33c9740702d6746645cab04f5d7f8dd8bf11eabe2ba3e

crypto/libsodium-fork/src/libsodium/include/sodium/private/ed25519_ref10_sc_51.h	13608	74ca64251b2406f84f23d04418e376eb7cab69a89648d99171f9e78d2d5bf0
crypto/libsodium-fork/src/libsodium/include/sodium/private/implementations.h	433	c97f3bed15f648a925023527d25d4130774d0a15354cfb5184b20dbc5f7e32
crypto/libsodium-fork/src/libsodium/include/sodium/private/mutex.h	115	ee045978cbd074c695e8e0b4ec074b84e768c9557c8b4d69ebccc0710bbc42
crypto/libsodium-fork/src/libsodium/include/sodium/private/sse2_64_32.h	1119	cb456bfe3b22c8bf1062a8e579ed1f15bdff724a23c8313531a1a46dd2a284
crypto/libsodium-fork/src/libsodium/include/sodium/randombytes.h	1847	41bf6745f8343b39a48861e9128bbff39ddd7f784d3e8c59a8fcbc55c6511c
crypto/libsodium-fork/src/libsodium/include/sodium/randombytes_nativeclient.h	331	5294db1b305c72be8d3ba604cf3539c3a5f6fe3c390dcec4603a83d55c258c
crypto/libsodium-fork/src/libsodium/include/sodium/randombytes_salsa20_random.h	290	9d4dc30d99085bd9057fc01dd568e1bd1e7699d5dfa185bf630cd8f43e0ed9
crypto/libsodium-fork/src/libsodium/include/sodium/randombytes_sysrandom.h	282	cdcc193ee76bb69626b7cb63b105db2f83796b7c365c9f4e42193fa9e654bf
crypto/libsodium-fork/src/libsodium/include/sodium/runtime.h	889	5f618794bfa316c338bc166ffd21f00e5711a0ebf94aaa19440c88b0c94be0
crypto/libsodium-fork/src/libsodium/include/sodium/utils.h	6316	d2aa29188313663ee4a6864b41023a22985024a520b9addbdafb453023a671
crypto/libsodium-fork/src/libsodium/randombytes/nativeclient/randombytes_nativeclient.c	1497	82f30aa6a82f766140c99e9a56e575094ee8fd3a2daf26300d08e5a88a6ec1
crypto/libsodium-fork/src/libsodium/randombytes/randombytes.c	5068	004a69a257dc7acfb3c6fca839337e5f08da5bd864d9968ccc9a4768ca7baa
crypto/libsodium-fork/src/libsodium/randombytes/salsa20/randombytes_salsa20_random.c	13791	5567c7f0ecd8b0718740ea31ccf01c4d6e5fabe3eafe055553a9d944620003
crypto/libsodium-fork/src/libsodium/randombytes/sysrandom/randombytes_sysrandom.c	9563	4af43eb1a171a90a1d984d3ce0e5586cd3a9a22c6192f04686455aa665a2db
crypto/libsodium-fork/src/libsodium/sodium/codecs.c	9296	f2d9d92e607a47209199e29358d20179982ea64a3ef130caf0b8cefd0f98fd
crypto/libsodium-fork/src/libsodium/sodium/core.c	4119	69d7126c668759b332bee5d504b7e70008a7c900edd36e299bbcb9002a407e
crypto/libsodium-fork/src/libsodium/sodium/runtime.c	7561	42f94fc144cec1dd2019f8dc3db10460d38c60a11bc62c0f518719ea698a5d
crypto/libsodium-fork/src/libsodium/sodium/utils.c	20621	69a8c1cb091bb658fb21b8bd701b3b07f71a2bbf24d18a10d6ad61a3171f1b
crypto/libsodium-fork/src/libsodium/sodium/version.c	381	f156b71249e77d49a3d31b8cd76fe8251da2df20a851c2e2ba919788478938
crypto/memcpy_chk_windows.c	1168	e90507b20f22f1a159865b0e7887da046fd925f4bee91b5f78fb2b4e388956

crypto/merklearray/array.go	1482	eaca58c72e404afb1989370087e3a83dcc30c184541404fb188cb304e30b5e
crypto/merklearray/layer.go	2409	85a4fb1c6b6b727ef3e6e71f4db0c84d6e2463b2b528826ee473705e8b41fa
crypto/merklearray/merkle.go	12005	0e2aafa981b0be02c8abc17e034b88826dc0726cacf21c142c9f9b3a0bd3da
crypto/merklearray/msgp_gen.go	16950	41f3f33d7c61ac54b4731fed5dec516e889e65e971f1165b0884f9b60a032f
crypto/merklearray/partial.go	3536	b15b715ae726e2f70ec51c271d550b4dd2a50bb86f8e456f3c3c9d3a405d70
crypto/merklearray/proof.go	6947	269950e9e8feb23e31655a1f0050af5bea3137e6fce9c41f082e822da53647
crypto/merklearray/vectorCommitmentArray.go	2781	6263cdb47990c092c56d943f7db8728ec42aa32b38c28c0365599c0c820f90
crypto/merklearray/worker.go	3019	310ba10587426de36afe4f28b664120ce09c2de77b6461f3c6ea142b02c3fd
crypto/merklesignature/committablePublicKeys.go	3241	4f39b507f32dcdd3be423157b543c579a8a5f72cadac40af5b3be201bb04bd
crypto/merklesignature/const.go	1973	75b1a36c8413da45f310942c853de55f78029bc1949394e62569c1294fb3e8
crypto/merklesignature/keysBuilder.go	2788	f6e7530011cdec65272987f1a8f7a1d8788445103f62131c1060379e4082b1
crypto/merklesignature/merkleSignatureScheme.go	11316	08e4aa43d5dd8be562e6a66fda314b75c454742f16cadc1257a5655af1f4d5
crypto/merklesignature/msgp_gen.go	19578	517f8261510462dbd411efdf38a1a80444a1047d5dae856511fa46ee549098
crypto/merklesignature/persistentMerkleSignatureScheme.go	5656	00a27d902c39edb60ec8b0b1c3f3bdd6cc6df16761470402777b06ef019894
crypto/merklesignature/posdivs.go	1888	a1ae3da6b74ccd009e7521ff0851b6e43dcee0262c80fc950768a0611181d5
crypto/merkletrie/bitset.go	1548	99df01fce905cc2a1c7df00cec683d04e08706ea4ef3b0625f8f535c3c3f23
crypto/merkletrie/cache.go	27892	931378d2dba9fcea7e9f1b5a8311c349c04eef4d98d7e76a08847bfe033718
crypto/merkletrie/committer.go	1810	573e0e9da6be1cd73087bb6c936129ce70477b8f24859eeaea640036a9e31f
crypto/merkletrie/node.go	12338	68bdbfc46560d5786d6fb3c5f6ae676f381b73c7edde8fb1c22787331d0061
crypto/merkletrie/trie.go	9488	6c6f834ac570420942a5c2677f04b2fd69428931283bd40a0f6c4eb7447d99
crypto/msgp_gen.go	115932	ba99f6f3ce4be0ff5b06f50827e443ce850a93c710d9e2bf5eff69bd70f782
crypto/multisig.go	10705	cfb4fb885d69fd7d79f9e10479031685f2175cfed9c34935c9f5f8fda4a424
crypto/onetimesig.go	18316	cf2cacfdcaa47f1c7ce6bac0aa160315d6a08acc93fd5f72b9da198984c907
crypto/onetimesigpersist.go	6503	34ec6ad0b10f32096919536511f7979f190694ee509df014c850ab99a735ef
crypto/passphrase/errors.go	1021	12e79a6a94ce327df882b14cac881d450ea80935d6f3b03232139a7ede83e1
crypto/passphrase/passphrase.go	5780	47314d9fcdb40fb2ee95d527405ad9566c5ba8e1e43a35cc76cc950d355070
crypto/passphrase/wordlist.go	14385	66585b146537e9d7519e847e0363286723d5b1f5baea37620f9df6ebab6ecf
crypto/rand.go	2814	713d5b688ff5d075f82680d66bff13f06b57925450ae5e1449e2703b9dc11a
crypto/secp256k1/curve.go	9853	b063240f68384b1866a94eb3ab2e538b359ef82b4e23cac6cc653d0c037e72
crypto/secp256k1/dummy.go	795	862d31d1bfb603b50f926137d2628dc78ee90ca49c0004a16ba616489be6f8

crypto/secp256k1/ext.h	4944	78e5c31f2095b51c15939229f16e37c4ce91f01b5c107914d16a5084b5dd0a
crypto/secp256k1/libsecp256k1/contrib/dummy.go	222	16f550b65021d0c6152ead9c3fa5856a88051c7f0763db608a7c0bd91d0049
crypto/secp256k1/libsecp256k1/contrib/lax_der_parsing.c	3610	2a1cdc8e8f30fd064e1a619505d6d53c130462a40bf2da95575791b91e6416
crypto/secp256k1/libsecp256k1/contrib/lax_der_parsing.h	3909	87ccaf0a5afa711e4e52dcd5345473172531a6ab30c926822c4aa7afffdde2
crypto/secp256k1/libsecp256k1/contrib/lax_der_privatekey_parsing.c	5114	8677deadbd09d46deb4778751424f9e87b6ad24730e2dc3ec1f9bd681e13bf
crypto/secp256k1/libsecp256k1/contrib/lax_der_privatekey_parsing.h	3724	a4d226896ac58aa8820f1b2e0a59809bf9d677c991398947b0479d898354eb
crypto/secp256k1/libsecp256k1/dummy.go	227	cdb4abf1a72d78c8c3693b7c082a2ad337f47ff6a1cdda53bbec2101d550ac
crypto/secp256k1/libsecp256k1/include/dummy.go	222	b99aae51ae07e09b9fc71e4a23e280f29dab7e0cfbde6b5a90274213500d3c
crypto/secp256k1/libsecp256k1/include/secp256k1.h	25517	72d78cac2a6879f5f02728dcd25d3ac1e0844681a3a6d7c5d63192fcf49f32
crypto/secp256k1/libsecp256k1/include/secp256k1_ecdh.h	1014	ff74451e3e574dd144ba97f1ee3a13453a6e748ad61ae7c33f52bc856d3ad6
crypto/secp256k1/libsecp256k1/include/secp256k1_recovery.h	4700	2bc4be0ea9862c81e4ad750c3c378e31b4cc7ac3f0d792a6f9b360f252a165
crypto/secp256k1/libsecp256k1/src/basic-config.h	944	5d04f98036331e50780355edb2918f5670d185e1ae1d48fb99a59ffb66c79b
crypto/secp256k1/libsecp256k1/src/dummy.go	218	6dceb0ba565e9a40ae1db7d5c3c73e3173465443738f068d91cbcc64175d1d
crypto/secp256k1/libsecp256k1/src/ecdsa.h	1172	c2793ab52944a53bf3b757044b82284188cce3dbabb0a2caabbbd2703a1c1e
crypto/secp256k1/libsecp256k1/src/ecdsa_impl.h	10391	51fc7601310420e0ce45a3288b9da75e2c836952fda7e8a4e846766a4cf303
crypto/secp256k1/libsecp256k1/src/eckey.h	1208	c6d283eb8dc8ea1605a575cc3a5b260503cb5eb38dfb827a44460c458592d4
crypto/secp256k1/libsecp256k1/src/eckey_impl.h	3178	dccf81e7bbea7d0fcd8c9e0ccb67a8f3f4f367d99dae77f051f07ce833e4fa
crypto/secp256k1/libsecp256k1/src/ecmult.h	1481	b51aa0fc049aebb3551237a7f3319fb2243db69ceebfec13dddc8cf6052c4f
crypto/secp256k1/libsecp256k1/src/ecmult_const.h	581	d0dd163e84cb20622011cd101fa6c86ac14fda3b7a3e876b269843da1412de
crypto/secp256k1/libsecp256k1/src/ecmult_const_impl.h	8952	50daaa382564652294204450a768a2069b979551dd763495fe2db455bf8288
crypto/secp256k1/libsecp256k1/src/ecmult_gen.h	2277	f86ab1735935c4afce8624c76f5d992957c8402c7be9462518d54138925bc6
crypto/secp256k1/libsecp256k1/src/ecmult_gen_impl.h	8359	583ab67aeb185053f9c8e03fdbb7a35bc4a824fa9bd48b135fdb4d8207000b

crypto/secp256k1/libsecp256k1/src/ecmult_impl.h	14095	5aae6a84dc4377eb29918d22d79f58128e71dda40462cb8a54d400adfa0492
crypto/secp256k1/libsecp256k1/src/field.h	6436	78cb7e3926533c1a283350de00c4e6746cf14e83254bfbc48accf5e0ecfa16
crypto/secp256k1/libsecp256k1/src/field_10x26.h	1909	20f5aac948d71f7cd3ba4995bf8a89169dd8da6d8f3e66bc32d182b76b3e1a
crypto/secp256k1/libsecp256k1/src/field_10x26_impl.h	45369	2ef5eb5ecf0a077007f55b4f36cbda9518c0b4d9b43ba7932f291ea7822160
crypto/secp256k1/libsecp256k1/src/field_5x52.h	1711	38fa9dd9652ec5984f6058553ed8e8787c1b09632fc0ec15ce0fe194aa5acc
crypto/secp256k1/libsecp256k1/src/field_5x52_asm_impl.h	13127	a4f00e3724a687ac3bcb3d355fe7c40b0b5d010ee41527614bfe49365fa894
crypto/secp256k1/libsecp256k1/src/field_5x52_impl.h	14622	5c84d099502ebebd984df35702aecbca14101ba7185e136029a12d27b75163
crypto/secp256k1/libsecp256k1/src/field_5x52_int128_impl.h	9190	ad30ee7c7094b09aba014194a17a31e4b6f85caf54919850c9b840b32421d3
crypto/secp256k1/libsecp256k1/src/field_impl.h	8758	564ca40bfb3a31d8cd8a8af283785d60de32edfe96e316d9f2547b00f6f4fa
crypto/secp256k1/libsecp256k1/src/gen_context.c	2356	e963c01c681fefed967f48975a7b5391b15beec428a845c490985fcf433678
crypto/secp256k1/libsecp256k1/src/group.h	7862	c79a73b99d94faea040c6e4b7b75c8875fcc6388df90de9ffcc208cb404d2d
crypto/secp256k1/libsecp256k1/src/group_impl.h	27525	4f5dfb6b1132d574acdebc64b827abc69c3940ea8cb14935bf33be783b63e6
crypto/secp256k1/libsecp256k1/src/hash.h	1712	ec9eb940dc53db3fa04e504c69858afa52d803de7c1f2861a62798d6c1e431
crypto/secp256k1/libsecp256k1/src/hash_impl.h	12674	9c1f484cb00e95d0cc4377be8df02827569037c6ff7ec16434c041b4801035
crypto/secp256k1/libsecp256k1/src/java/org/bitcoin/NativeSecp256k1.java	15756	62319d94a74ee487cdffad7d64807bdcad349ce9ef1c615065cc5ab5ef9f68
crypto/secp256k1/libsecp256k1/src/java/org/bitcoin/NativeSecp256k1Util.java	1543	cdf53b4214a284c2f370e4e79442a2ea38c05b968e30c036f2ec717157e60b
crypto/secp256k1/libsecp256k1/src/java/org/bitcoin/Secp256k1Context.java	1551	361eae8a47d1c1906eb9dc90e1196cc9a0f9841caca95ad2e133a5cafe596a
crypto/secp256k1/libsecp256k1/src/java/org_bitcoin_NativeSecp256k1.c	12137	ccae1fb58044f0509367b42bd2017f04b28e871e9e65b24288d4369658ff00
crypto/secp256k1/libsecp256k1/src/java/org_bitcoin_NativeSecp256k1.h	3733	b7f97adade72e1a87e5f8e1caa6b0c6bd08456ccd27074d5fe0d7930296e16
crypto/secp256k1/libsecp256k1/src/java/org_bitcoin_Secp256k1Context.c	404	05bf610a3f3a7ccf8a4b066e83454dee40c2a33fe18d3e615bdbc636bba243
crypto/secp256k1/libsecp256k1/src/java/org_bitcoin_Secp256k1Context.h	538	46286b5df55c15a8506adb3ae002a5d4f86e74f359f89dd2038588c7b7ae5b
crypto/secp256k1/libsecp256k1/src/modules/dummy.go	221	d994866892f4824b8a03cfc9450a230decebcea4c145ea3f4e9aadcbd74d0c

crypto/secp256k1/libsecp256k1/src/modules/ecdh/dummy.go	219	4c94be241bcb1292c3bd99b5a019f40361856a0cbcb4b943e0d587f685ccbc
crypto/secp256k1/libsecp256k1/src/modules/ecdh/main_impl.h	1893	e4fcec40b57ce3bb847afd359a3b6745a829f6aa4063a89cb00202e7846c5c
crypto/secp256k1/libsecp256k1/src/modules/recovery/dummy.go	223	946a3d88ff5cb66ea762088a46589ad5390d036e7da42390df0611a3111924
crypto/secp256k1/libsecp256k1/src/modules/recovery/main_impl.h	7194	462f8fb1995505a759fe5c89f9df0007ad568101a6b881383694ba3a5a355b
crypto/secp256k1/libsecp256k1/src/num.h	2788	94351cc1bc831d9acb2ef2c832408890d71ec0c5fb74a944bc119e4055935d
crypto/secp256k1/libsecp256k1/src/num_gmp.h	599	a4d8ab9abd0454447201476e87a104c2780c02485ef0a36270edd8cde01fe7
crypto/secp256k1/libsecp256k1/src/num_gmp_impl.h	8376	3862a06bfd520676ae15b32355a5638b07f4f7c0208e0c3c2ad5ee9e603159
crypto/secp256k1/libsecp256k1/src/num_impl.h	667	6d5dd7469f03c6f07b10f5fb1e48f5c0e62cd650e6861853ad796ea0ebb71c
crypto/secp256k1/libsecp256k1/src/scalar.h	4763	01ca47e9a3282f408c348359869b875f8911f95ced20a6be426dd972159aca
crypto/secp256k1/libsecp256k1/src/scalar_4x64.h	766	b46b7c8c57e7eddd53116832cc2476f130474423abd23ecfe775cb166888ad
crypto/secp256k1/libsecp256k1/src/scalar_4x64_impl.h	30690	bf640aaab778b3218c2f62bfcbe952ef57d1e0227367ca9a99df007f4087b7
crypto/secp256k1/libsecp256k1/src/scalar_8x32.h	690	7b94e8e4c7f1d3303a90dfe52ceb5367bc54daf12c7ee5209e875e85cc0417
crypto/secp256k1/libsecp256k1/src/scalar_8x32_impl.h	26859	fbfc380e50f71b2bcc55b72060b4e05dac656b28ace208630dd242c530198f
crypto/secp256k1/libsecp256k1/src/scalar_impl.h	13142	5f7b5be78ccf84d1d3b8a17d098705dc81c1f7b34cda3f4854302b3f689240
crypto/secp256k1/libsecp256k1/src/scalar_low.h	554	9158754d4b9a55e0eab6b8e47d548489e2ba580e7058d875ab2c5c6d65a6d5
crypto/secp256k1/libsecp256k1/src/scalar_low_impl.h	3719	a3baf7ac8b87a81f0d4ad950e9254419293760c992e8a47ff3893db0b12550
crypto/secp256k1/libsecp256k1/src/secp256k1.c	18950	802d66def212632f417606012d69a64d1afed2ad2828dab92211c9667ff392
crypto/secp256k1/libsecp256k1/src/util.h	2870	807dd2dffa646cf7b780769c69df2aba2c1462e48301fc00b61738743d0853
crypto/secp256k1/panic_cb.go	643	7ecfb8748933b0a208b21ef1f3427e18cf6045a1bcabce66a6b3095d94022e
crypto/secp256k1/scalar_mult_cgo.go	1441	02878eb3f9025efa2f697ca6e2bfa4647a332416517cd773c2c4422bde785d
crypto/secp256k1/scalar_mult_nocgo.go	424	e4e9da8a93e85fdbb2f064baff88d7373907b7062cf1e3e79ee9cc04243ed8
crypto/secp256k1/secp256.go	5746	92062d35457868c143478b46419083079dcff1c3a462093d4b1e445ea338a3
crypto/sig_scheme.go	3537	5942b04a8d7a8323107714e66b02005e0cc3a021f30a503afc48c059e5c0b6
crypto/stateproof/coinGenerator.go	4735	5f7fb2801d9c4fc68c13182267fb73e941d0c50055cb39e2d0de3d0adb1db5

crypto/stateproof/committableSignatureSlot.go	3749	f08b2ab8b76e3fa1bc3e206de29a0132e0c0b402758daf7a57a74c29859c63
crypto/stateproof/const.go	1862	5f582473d246551f27ca005eb946af9fa88fec96b1cf3e91ede5286d09406e
crypto/stateproof/msgp_gen.go	32473	22aa837d7ae6497e72e33419d000371f1de629d8d41ae393d4196d432165b2
crypto/stateproof/prover.go	8395	562afe0a595c2f228ae7bab142379779564f43ab1c6cd5e8d444443d2347b8
crypto/stateproof/structs.go	3757	1df713a6067276c01170f363239a978fbe11cb0d3f0badd17c97ff43ec5279
crypto/stateproof/verifier.go	6331	eb152039a947f552af189f2f177b13f92d5a0db182d5df36aa5322f2307a44
crypto/stateproof/weights.go	6934	03c13257bf553c33f9a7ac5bfd3a011ad0ad531eaec7f5ce0232612dc3fba1
crypto/statetrie/nibbles/nibbles.go	4443	0a1e3d5fa8df4bfc8ac876fdcc156f6902e6128d548c10786ff9e532ca0de3
crypto/util.go	3507	6ed01eff1ce79b24b964c51d5a6d24839a324bfdd087003dcfcd5f803da001
crypto/vrf.go	5954	7197b1fa7f9c8f5dc8c9a01d9b53b1bf98d58fd4863ae50aa901cb70f29aac
daemon/algod/api/client/encoding.go	1377	5b38b47e6b244e943b4cd3945e32cbd0fde29a9d2d495b1e381494ff36ce0a
daemon/algod/api/client/restClient.go	35171	d9266846cbeff427159d384cee93d053a7a21ee11d47c8e964429c3065c2a3
daemon/algod/api/jsoncanon.py	126	a148a8af0bc6fc66b68dcac58a2f8f1dcf4e322911d33e9ae8d55f39263525
daemon/algod/api/server/common/handlers.go	6106	ed74f9227593f98d3aa017ce94883c75c537d9c79dcb8cac939de2ff96c688
daemon/algod/api/server/common/metrics.go	1787	a0313d52fea997d63d4fa3eb260613abd117d6a9292ae71bd20ab5d1134bcb
daemon/algod/api/server/common/responses.go	1206	f6c75123b27a9c14624accbe845f1cae597b52c9edcef0be20eeb0f67ed1db
daemon/algod/api/server/common/routes.go	1611	033632126fdb16bf6e99b35d0c7246338fe2543e896e07da414e32986a6acf
daemon/algod/api/server/json.go	2040	3e7006098749070b4e7ea1ab87a5e2a1ed87532cdf1fe6587f2871bea02207
daemon/algod/api/server/lib/common.go	2176	c1b8f8945929c320a6cb66bc77061186a921c28b714702569bdacfaccfc0f0
daemon/algod/api/server/lib/middlewares/auth.go	3620	504849e742664c98c0f9d530733c4ac8637937cd33b094848090a2c7d0ea1f
daemon/algod/api/server/lib/middlewares/connectionLimiter.go	1495	2d182cbd1e09b4245a157295358ffd51e622523d9396e70b26664decf9280e
daemon/algod/api/server/lib/middlewares/cors.go	1692	38d7fb621e663ff3bac30a5c666f32ecc4eee34b8bdc70ce9a4da89f72beee
daemon/algod/api/server/lib/middlewares/logger.go	1913	cbd7810891c558e858b68c3600f229b481bb40910c0fc9a3116db6869d5afb
daemon/algod/api/server/router.go	6479	467323ebf6a1dde071b201e4159ea6a36932af81ef8e1068e91cbb616710b3
daemon/algod/api/server/v1/handlers/errors.go	867	089bd83bb6f5398c62d59b8c2d7d80ddfc9aa20f41c630a2664b586a963212
daemon/algod/api/server/v1/handlers/handlers.go	1166	552012c03a8a9377c2ab7a8fa0d2e75b9304109a288ed875fe7494ad97b99e
daemon/algod/api/server/v1/routes/routes.go	3510	d0985f88bbc6a138534d73a66cb0365c747fe509eb5c950de16e50fb350b37

daemon/algod/api/server/v2/account.go	16523	373616572a16598182249659c37e6237313672e2e30afff5103496563e90c7
daemon/algod/api/server/v2/errors.go	3705	379954b2bd69377a9d0c652d692eed631b195b3d3f970a9e6351052553177c
daemon/algod/api/server/v2/generated/data/routes.go	3884	5a34ddffc2ed77825faaa62f8eaa0942efd00b698ed10ccea0d5c1bf34f93e
daemon/algod/api/server/v2/generated/experimental/routes.go	3756	0c4b210467e2c1965162aabcabdb81e997098bd879c6b2027bb46313e58fe1
daemon/algod/api/server/v2/generated/model/types.go	75515	3624709af89d89063ecd024aaef04974229aa48540d89be3556d29a5b180b5
daemon/algod/api/server/v2/generated/nonparticipating/private/routes.go	8063	4c9b13080edbd30cdf9d64a6618b5422259a2a1d50a3174b863e68b9dbcf06
daemon/algod/api/server/v2/generated/nonparticipating/public/routes.go	41075	de98ef2aa12ef3fec97c7c056018087f5a4fa6034b5d226af89944474bfe9b
daemon/algod/api/server/v2/generated/participating/private/routes.go	10416	e51a3a7f88192a6dd503f449d30423d3ab653373d9623bd58355a9189d6a0b
daemon/algod/api/server/v2/generated/participating/public/routes.go	8260	5aff7e1d88ab06afb8fd7f0341afba2c1b05d072df7cd6f033c210406dfb00
daemon/algod/api/server/v2/handlers.go	91719	c9a9e8e22f1421a55860e8e7ef783b72534becee08e81f59169cf1dd931d6a
daemon/algod/api/server/v2/utils.go	21289	40c7adb1426da23158f167f5adf9beac67932a2e1417bb708f2df9e5c5dc11
daemon/algod/api/swagger.go	1008	a1c856c574407875fb75fca467275a1587ad742cebc267b0d152df58e90645
daemon/algod/deadlockLogger.go	2992	f13d257345dc1264e0d2d66c3fa5cb4a620f11772288df24e7a26cf9428c15
daemon/algod/server.go	15896	f0afbff322a53c89f9095dc868bab960d8c50b6d6337f31fac6b07d740152f
daemon/kmd/api/api.go	5871	da2ff74e1f4f1abc6b24967e1df9ddb2ed4887e725dba5268fd9fceec56cb6
daemon/kmd/api/cors.go	2452	0a0795fda3bb15892bbb635a1d8e8ace87edfbda26f91ac3a4a35c0d321711
daemon/kmd/api/v1/auth.go	1883	c464b079ea4f8d65157980c17029b4b47a5a9451b0cd8db2e8f882ac1b102b
daemon/kmd/api/v1/errors.go	1052	0b38ac9c61cb5a8aa360e8d149d85b507b2470d5d5a4a858a5e1c8595d7e48
daemon/kmd/api/v1/handlers.go	40012	94fe5b7d87568f346e9ae7af145a2ca70a334cc03f9b025089df646afe9f85
daemon/kmd/client/client.go	1391	6434f0b3044d0e7f7bfd26723343cf4147fafe8476e7ec53f19fb12ca6b8f8
daemon/kmd/client/requests.go	4218	db9b860e205a0d2268f34a918214bebee8901cabe223f42fcd8c81954ccdda
daemon/kmd/client/wrappers.go	8693	4d512162291f7a49e8a9e998198215f97dff8329c07efa74e021a24bf4fc4e
daemon/kmd/config/config.go	4542	9c60106bbd2f097170818dd288b52e340a829d2200d5127b2399021fcb2cd7
daemon/kmd/config/errors.go	975	10a5b77f4ddc41dbacf1ef1cadb1f5910d1b233f744cea4df2adc38b363562
daemon/kmd/kmd.go	3058	2ca24fa0b762283cccc52b8307d3730ca97d08141f3b2a3ff0cc162e8cd124
daemon/kmd/lib/kmdapi/bundledSpecInject.go	317723	3132c5d23736771c5161cb0db1c6369e7be579f7d0659b693ee302999fe1a9
daemon/kmd/lib/kmdapi/common.go	2160	30cb1b98d4a9a4f1ffcc7e491753110d7bc9889d4406ed19f617aeb3eb03fd
daemon/kmd/lib/kmdapi/genSwaggerWrappers.py	1605	fffc946a2c2b2334b6787b8198bf49ebc1a55bc8ffc76a8716deb4b04fc18f

daemon/kmd/lib/kmdapi/requests.go	9080	9ed5663de3f1a99cb9b70ca06c61be0abed67a25feeb9f018f6062a25353e4
daemon/kmd/lib/kmdapi/responses.go	10204	ca01a98acbbdcb6b25055596ae3e8375c012cc582b2b298263906992d31b8a
daemon/kmd/server/errors.go	1361	be0b9462b8425625d533fe19400b6f7c132100221be4fc341281c2813a8958
daemon/kmd/server/server.go	8028	187817b6bafb472ceb1c2be6a5b18e89d63065de582bf9cc3b893e3d714994
daemon/kmd/session/auth.go	7114	80b8aeb8adfedce73602a8a6f58ecc4d0cab20d07606519147e4c68028e169
daemon/kmd/session/session.go	2019	28c55ca33a59a23fe014f07bd1cc0384d1a4f4bce3d019935f553c865f9d1d
daemon/kmd/wallet/driver/driver.go	3744	f8311c7fb2aaeed7ff3081d9416e52d60e2c889942af6513cdc52c602ee6f3
daemon/kmd/wallet/driver/ledger.go	15027	d9761feec00fce265e6d5a6cdd33cf8ef57748b3b648380c9b2e5d086c7b4d
daemon/kmd/wallet/driver/ledger_errors.go	862	66d0e497394fab8d937bbf307e7e32d2c1e077e2acf85032a2dba4bd55f856
daemon/kmd/wallet/driver/ledger_hid.go	6061	c763f5c87facc799b512062aa8658dfef825812893da2e8ee2ac339f0e24ed
daemon/kmd/wallet/driver/ledger_hid_darwin.go	1852	073541eeb3cd3d4ead3ef45dac2a8f9ccb4062061d2291181d1e9d1bf52fc9
daemon/kmd/wallet/driver/ledger_hid_other.go	1093	41913deeec5ca0cffa801b8f5da59f0b1a3e6ff808d4d23ea1f5300c6111a1
daemon/kmd/wallet/driver/sqlite.go	38438	5513cab28950ab0348cea2d4d34f78acc7a051a180fdfb8496689fde52aac5
daemon/kmd/wallet/driver/sqlite_crypto.go	7700	44294523c9c099b672a6a58d0fdd6541b87adf0dd0e75c0a5dabee218ba2e6
daemon/kmd/wallet/driver/sqlite_errors.go	2735	7f152efddddf23f3f654f23e3dec043b4f6afda48d97834ac702eb88069ad7
daemon/kmd/wallet/driver/util.go	927	a13165cf5353a69a27f0619cf6e9c28ae919f67a8ee26607caae8d612c630a
daemon/kmd/wallet/wallet.go	3032	5ecade542e2793231258492f04f28d9f3942303502973fc81aa8c64d0e90e6
data/account/account.go	6236	e757cf11815708789ef0e1bdf4c96f71b61785e05eacac4412f3866be418be
data/account/msgp_gen.go	7881	eb96e1d26609e9c324a477c8c7f098f57b551d1f31f542886806eba5aa3fec
data/account/partInstall.go	3504	e27a2671c5055c3571a046733039504aa354f79cb7e70744ed458b8365cd24
data/account/participation.go	11610	ee4bb7f2260180d48333edb10ab1379a934bb2a86704fd581a8b7aa3b6162a
data/account/participationRegistry.go	45264	6772924540f1e939a2a108451c3313e09e591e957cd2d1b71bbfdfeccc39fa
data/account/registeryDbOps.go	8519	95e7fd46295be4e7d8857af89d910bb70e973b38b9aa410195ed8a90a70a04
data/account/rootInstall.go	1065	f608742efacd1481a80874aa8e458b960bf0f2cb496f41b99c2baed369a053
data/account/votingRows.go	13725	75fd53d081921bdcfe5fd9b819aab41d66dd5642fccd16013060cc14a4a778
data/accountManager.go	8004	70eb604f48cdf98a02a5f865ab594582ae672397eb50c48d4c57f879404d70
data/appRateLimiter.go	11575	e3bd6ccafbd9348bdd8bf0701ed5d46c1acdcdac27817b3320c1e18b3089d0
data/basics/address.go	3968	65df2c36dd59fc3c390f5d236765e3ae1abc820fc0bfc6c06ee77bdf9f6d88
data/basics/fraction.go	2207	5852768828d9d17896490dc85d43aa1353d8a0c36aed8f4d10975ca51a91c2
data/basics/msgp_gen.go	121493	bc18c81473da65eb5fe422166ea8ef07569e1d0d1f14894b2c72d449ff4dc7
data/basics/overflow.go	8375	42e1e64458df8bd5f4ca098c8b059023ea7e5f470320dc677fac04755d66bd
data/basics/salted_address.go	3211	3d56909ccfe03e41e2ec51497a129983a0e7acd752ce6dae040b63a52a4479

data/basics/serr.go	4511	580d9c27f9ca6db67813e0d17e81650bf1cb58d7541de52e5b10141b25e26d
data/basics/sort.go	2762	a019064f5b772b22167e3c8b553a19d6347c5cd91c66744781c0a56bfc1ca1
data/basics/stateProofParticipant.go	3366	fc8b229a08471522a60e9553797768f60b9da2bf9dc0ee3b9624c783d1bff2
data/basics/teal.go	6588	74330d98f25e2bbf60fe111b36eea09cc31ba7317f300d7dc5fe9bf75a58f4
data/basics/units.go	7015	cd0ca652f3e5baaf47a940f9d7116b19761afa0d50bcfbd688890a8f41353a
data/basics/userBalance.go	25306	ed3b9d19d0c3ee2c3aa725013a2095ae87717c09b330909573af795d3ea699
data/bookkeeping/block.go	38675	107d9d868be1d70cde10d5625229d950765e984fb759b51d685a6e593a423a
data/bookkeeping/genesis.go	10268	687d41ae67852df4f49004be7fd739c6fede86ca1a5f77890ffb7de079a639
data/bookkeeping/lightBlockHeader.go	3453	bf28bd1671897b9da6ebb9cd8409412fc15c682e5a2c79346feb0f40149111
data/bookkeeping/msgp_gen.go	100355	926131f073e89d3aca52321f8e0a9d7a96baa22e53a0d363d0bf3c306f55c5
data/bookkeeping/prettyprinting.go	1535	05657932d50de6f47c01d9bd4fdf8eed142a0e817a5f80573c77b7c90f2340
data/bookkeeping/txn_merkle.go	4907	05d6a71f062d705a492719a9c1022c5e9b0f35ed6738e2cf55e5ee91eae410
data/committee/committee.go	2221	4af886d15c8a0559617df8bf0b13cd5fd46d3ba706aa8c8c369be0f4caf8bb
data/committee/credential.go	8198	d741b2c3e42c1b5f52751b8120afca5207a1388d46b44d0b4f41240e73a04a
data/committee/msgp_gen.go	12658	e75508092b4a4d188e092dff26fb006c128ae1e9c6f0cc8cb9bd34caf9a8d5
data/datatest/fabricateLedger.go	2125	9c2605be3f5a6304adadf496f23436064a84e78a27d1248132bc81184e856a
data/datatest/impls.go	4993	cf0d584db79509249408089d85fb1b2b4d1434ba681b9a7c37dfee146ba5dd
data/hashable/message.go	1163	853c5686d8d510c4a30a06b979f2da30e46f96d21289d91fcc9a53760b3bd3
data/hashable/msgp_gen.go	2740	033958012557c6b50422690a4d256fa452a25c23858f0efa72dd58a807dfd9
data/ledger.go	13133	ad480ff2916ba2be03ddb57b5f3b6ee87460dcf63db8a2bd3e37a97c62f745
data/pools/errors.go	7705	afb8442593fcd80e6fd507b3e8be6904690e406f633cf74bce6265cea8002f
data/pools/statusCache.go	2217	8461981c7f6cab4f58ef113c9971fa1dd0cb6380f5fb670588e90b0e6ac29f
data/pools/transactionPool.go	41184	4a15cec4ae43c6c7995204bba425981aa8e54641e593115bfb7bc27f74eb81
data/stateproofmsg/message.go	2278	e019ae7e1d0d8e720ac8cb9869f0270fd00914b33da87766d158b277453b90
data/stateproofmsg/msgp_gen.go	5472	196f79cf70be515055c3bdcfadd810948048fd4c8b398df24ecb77a03e143a
data/transactions/application.go	26378	d25846a40dc794882e9bc9004628fda4717877a2042a635256e9d59f23637c
data/transactions/application_string.go	883	a686a5a767423dac8a9b5178f06defe2bcebe9f62aa49fb0a49657b38e8ef7
data/transactions/asset.go	4300	4f9bd7d04249bc258cc0b76758b75a30791324aa560a45b8f64246eef33723
data/transactions/checks.go	9428	bca8fcf3a8701afb7b5069a596a52749c7133c4aa4ff1743758ea66b876c87
data/transactions/heartbeat.go	4887	77c7986dd3ba3aed8eb7567c7aa3787701d4d75578ca4a146334e10c0781be
data/transactions/keyreg.go	6391	d6297005bb56c390306bb3e4e4cb88924da3bf85dc27bcaf840cd8db865a81
data/transactions/logic/assembler.go	107202	ec9dd4fc282464473f0323cb9088322a103f35a0feb98fd5fe87c9ad6bb859
data/transactions/logic/box.go	19970	888b2ac0afa1678a03301c6f8ccbfa5019b865573438c825faf93dc824a285

data/transactions/logic/crypto.go	17037	3d0f69f78a9888dd12b3b60606895f8d0351b1b1d25f6f41907c157ff6debf
data/transactions/logic/doc.go	49832	3a027136d302e14e8974789e57d8106bcbc8166fc7712c39204cc8c5c86ca8
data/transactions/logic/eval.go	207464	bfbdb22b2b975164663f6403976fbfae6328a6a958dabd6e0cb756a6490a7d
data/transactions/logic/fields.go	68272	44fce5b36596a0b2f73e10e6ed7498de45893807e581c92b63f424ab7848b5
data/transactions/logic/fields_string.go	18109	ff964861ae7dab5b8a9ab576fc0b82cb4da1ee3b2107bd839d60d3266c0758
data/transactions/logic/frames.go	3489	0e05aece96cdc45676374d88b6cceb13e450cfbeda60cebc2cdab058713cb2
data/transactions/logic/mocktracer/scenarios.go	28798	e24de14156d3b3bd010aa4c171f0a989c1e20283ecf679ef7e326dc3ba8826
data/transactions/logic/mocktracer/tracer.go	9724	85d0c36c194830ecef6ccac6ac7512ffe58ba3a9e2c0f368ef2c4a6f13d0df
data/transactions/logic/opcodeExplain.go	10499	ef9102a1527d2ce72b571a55f0440d25778d89b2b8c7b5be805b9bc5a389b7
data/transactions/logic/opcodes.go	51240	ea62ce062d0872e946a476830e5c9e79173d2bb4ce472e73e0a39ba14ea0c5
data/transactions/logic/pairing.go	25724	a68addb5de9768a360558b3574296c32f5bf4a51620f63063d49b21facd364
data/transactions/logic/program.go	2525	aa7214412c696a66d656256d698cef60af44a9e98948c8fea694bdaeca975b
data/transactions/logic/resources.go	16013	ca6ca0a0f9dec004d431dd645310b76760aecaaf672a62de62cb3124b8bfbd
data/transactions/logic/sourcemap.go	2951	e723eb5a268cf6fb0ba11e1309e2b6be504bce2d28cc17ded35196b26eab43
data/transactions/logic/tlhc.py	1984	ca8b3c235757a6351af25f1c20e6a68fd66fb3278dde55a1a5aa1769bdb990
data/transactions/logic/tracer.go	13356	c0047648385919a4d34cfaebe88c5b0513092be4e1022ac2d046706a7f84fd
data/transactions/logicsig.go	5851	98acf931772f6962e65fc30abf147a4479866657bef731027c9b0081a91fe3
data/transactions/msgp_gen.go	180830	1637887a15dc329f8225de89955e1893f82832eea147a1ea1a214e41a4a2ea
data/transactions/payment.go	2281	329527018b8930021f157f4095f2e4b91a1078b174b7a779c0ff73a6f1eb16
data/transactions/payset.go	2254	b007154f96f8de45f8aceb1fd45bab98c161e4b4665756b76a5dbd06a7e52a
data/transactions/sig_scheme.go	6075	d57b0b4e27edb49d3e520a8985a534037e3cffaab0163b42eeb87db3282e91
data/transactions/signedtxn.go	8634	6b99b684588088b4ff9f7888c9ba1e182a5b6c2459170ee49b28c27b00f0e9
data/transactions/sksig.go	8498	9e128defc22a160b76cea9f43f5e7f47d724d3b6ca669a5e0bf505b14ed79b
data/transactions/sort.go	1528	132bad70da172d42c71b509730e1710c1b56b3c5cdca55ecac157b0e917f45
data/transactions/stateproof.go	3338	d9e7a5ff6f06348e5b04c7c4e26e4c4968b82640bca0b3a85ff38b9cc4de02
data/transactions/teal.go	3725	a7570ab2b9189efa34ea3906587f126994b105f6aa9c1089b566b5a5afe47c
data/transactions/testhelpers.go	1105	f5f48073b95ec4e810f067ed8525f7d21b94e9e8315a6a49605eaf87de4dd3
data/transactions/transaction.go	20068	0d44874905c0edee1acc67222bdddb312320b3d01a6fb8835cd7bce146879d
data/transactions/verify/txn.go	30135	cc4cfa53c3f39a5789a7a2695cd96fe258e33dad149fceca67eac7d791ab5d
data/transactions/verify/txnBatch.go	13520	4fd9d37a3875f63e7830e1176eac6cb953a661443011b4690abc93e89b47e5
data/transactions/verify/verifiedTxnCache.go	14488	15855d83986af297cae3fc9589240d47b2e0067d1186e4ab39f4a2097b07e1
data/txDupCache.go	6741	0bd1e401fa707b3a18ae84fe2bc0bc581b740fb64c273982870102afd498c3

data/txHandler.go	38267	fd49f8e573515031000ebcc105a4da88fbd775d8d8c5eed50d625c94de4bcf
data/txntest/defi.go	13125	a8cdd79dd1f41a835eca5daf357688124d1371d319d0eb55065120da5d5195
data/txntest/program.go	2726	8dd88329f58d0bd2ce47a14f468fe9b9214fa2a5753983fc020ae68bea61e6
data/txntest/txn.go	12032	df4f605889d90d6325fa4a6668c80e995013f9a6e74920e248dc6458df0946
gen/generate.go	13792	37bc8020333d5ac7c52058ce00cd8336f76af814b7108b6c8816a0c0cb0221
gen/walletData.go	2220	8620308de30cf6e395ad74b5fcc0e75282c9b0baafd7640bc5362cf8e97cd5
go.mod	8844	1d6aeae0e10e6c258510a5117d641d6399abd7750d6388613b3c32d8a51dc8
heartbeat/abstractions.go	2326	6199cecb2edb70015f3c7186899d327d6790d9313541510f54e943818f29fa
heartbeat/service.go	7755	f60b3d5b701fa374535231946ccb28cf31bea324323848dc6db947ab673134
installer/rpm/RPM-GPG-KEY-Algorand	1757	da73bea9d17be7360eb43478e572dadb8d200648bd6625475b1c20a5288d2e
internal/rapidgen/rapidgenerators.go	3599	2e6719505c8206a148fb5fecca0997f0e521e69421a6f9210ede7bd7382841
internal/rapidgen/tld.go	10913	6a1055f0d703b3ff32e0c536a6545417d5aa5ada7716febed5c6c72a3018cd
ledger/acctdeltas.go	43731	12a85cbd25909259f81b45e409a69e16c001d75e84f90491def59fccb2b293
ledger/acctonline.go	42310	ce629d942badf0297ec57c8c0d5bcdbe0d03fe6576ba0a36f3f9943ec47aab
ledger/acctonlineexp.go	2049	fb2bbe3585ef47e518264cd35d3a9b2e7d81ccaff45361b6854041516f33cc
ledger/acctupdates.go	89450	1d8f6d2d2d549fb7a309d8c86f11ae0eef712bccc3e98cdce5386a0e1f68d0
ledger/apply/application.go	16707	742cee7d6c4d818270b4e69ff71655a939b222246992415f9fa4144526a7d8
ledger/apply/apply.go	6737	48bedee5dcfc663bbb9733a586dbb8412925a52cc741aa1116bfcf7d53a79f
ledger/apply/asset.go	13644	bc14a3b8376f5fa4c29ae2068b24c78a5d7af4eb7f8c551c23a93b4d98b2b5
ledger/apply/challenge.go	4108	e16f4e98db1d482866371b6d15b9eaf3c2eeb332ca71be6cce28dd79280690
ledger/apply/heartbeat.go	4829	a9a6d400666e80d81bbf453793e9fd268388766c6910e0f8259823d9aefe00
ledger/apply/keyreg.go	3607	61e1fe52376d21a00227579f054915512127cdd12ac0eaac3f018a5aca1c52
ledger/apply/payment.go	5416	a2a5ba054bc62a4b23389b12db542cc18e0d6b44274441114c5436500257ba
ledger/apply/stateproof.go	3822	6dc4ff33b8a3974809c82f43437cc1010b3b2b7f46c004a4696561b46ccff2
ledger/blockqueue.go	11146	f422345c340fd87c8a902face0025eec2a17d813733d30aa9bf046263d542c
ledger/bulletin.go	4289	ee7dd9b6c4a5699e5c375c5e6a42a16e4bb54b8a3a6de79337e1fdc40868b8
ledger/catchpointfileheader.go	2029	f9853b1ecb9aa09343b6f59545d399fc18cb86189bfd15163e390820dc521f
ledger/catchpointfilewriter.go	22177	23d5b595a700ba4e9b5a4a1743e9a00981220f62ebcd06ceb7606074e8a4e1
ledger/catchpointtracker.go	64110	238309f820fd551afcef102cf9856a5145e665fa3112a1822f41046b29f70d
ledger/catchupaccessor.go	52628	d4c845641682df179a4e1e9c3a5174dd93eaa5b9ed7affaaf2412b71adf23b
ledger/encoded/msgp_gen.go	20396	b5102bd2a891de249a2519676052dbd022d3dfc7dd154e40dd0e85b3af46e1
ledger/encoded/recordsV5.go	1157	6093e56b806108154f99fc90e554daeb7956a71b649449f55802abf5a77f49
ledger/encoded/recordsV6.go	3940	ee86e3987c6f065ce59f14db7e9f740e8ecc83f175f1acaa97895a27e3d87f

ledger/eval/appcow.go	25262	678105baf8c752334d0f1a04a9d0f41976e0776d4092f9d8e4307403819fa7
ledger/eval/applications.go	12383	4dd3ddf419ae4cea588eb23ffeb912171e50171f967c5efc756228a528d70c
ledger/eval/assetcow.go	1507	78407f32a7b9ae38fdaaf828b6a8052dedad9bb44eeb11e967d27d55b2e5fc
ledger/eval/cow.go	15466	a29036bd10ff11245673e8ba4dad651b7067c1f34c25b7ef39fffecf22cbbb
ledger/eval/cow_creatables.go	8071	9b8bc58cc9c86072cd87165a3f2e230a2a92da52509999c1b792fa2ce4e238
ledger/eval/eval.go	88377	91a4deeece55b8fbffe294d56eef2fe45333aa84a95428af2565911bc27964
ledger/eval/evalindexer.go	1830	80bceea9f31aa8c1aaf4a823fabd39cbff1e6217500d2e317f8e072d5bd316
ledger/eval/prefetcher/prefetcher.go	25169	21f970ff6604a65f0772e930255e317d4bd09f8cd60b6996ee0ee10d7dbe11
ledger/eval/txntracer.go	6303	2164d8822f1f37eee35de04cc3d02f79ea51ecae24c0df7e266eaefd13b7e2
ledger/ledger.go	39695	ac49689e5438c31fad74df4339386fe3c4f74c07eb4f04ae1519c9a9948487
ledger/ledgercore/accountdata.go	8169	71553cb2d4b481ba1af80c4e074b5bf67955ad0e3c64890e34a0bd02de9b3a
ledger/ledgercore/accountresource.go	3670	ec26a98b48cb3c0c5e75f470d3d3b1cb26e6c28a67886186d3e1628a2246b6
ledger/ledgercore/catchpointlabel.go	6865	593ac5b9a05c4426095e13d632e9425ad4a7629b5356ae3742ec9adb46334f
ledger/ledgercore/error.go	8052	87385f333f1a227b6b9b8225fbd124044dac9750f327e29256aa911f866a5b
ledger/ledgercore/misc.go	1288	75ccd00e69c0ed9d220ef4ae128da827d682b7a53bd3dc278b8874e4fd65e2
ledger/ledgercore/msgp_gen.go	20465	ca4dbb5851ca9f32392603dd8f5c24f6cf4a878f9dbc4674e7ec045a7eac1e
ledger/ledgercore/onlineacct.go	1496	2b14b2e79484ccc9d5fe4f58e1ab2ac770f5d2c498a0ae133d5fe7c4f94850
ledger/ledgercore/statedelta.go	28860	145065075ebd9d63100d8aa43c0cb0b168dd0f26bc47b995b794f81a5c09d3
ledger/ledgercore/stateproofverification.go	2365	9bb6f7222c50b47f42bcf72172fb5da6701bb8be7e2f3ff124cba3b27d156c
ledger/ledgercore/totals.go	5085	c60ed2be9a977db62bd1ff467c381a1a823df5e6e498142be8a12e0b387767
ledger/ledgercore/validatedBlock.go	3611	0dfb23da2d2e9c0756558501a03a8719fde9f85533f3af385c17c551c7b2bf
ledger/ledgercore/votersForRound.go	7704	2328222d15d4a47014f318fb50d225a840476a7091db8101c291dc8e756598
ledger/lruaccts.go	6417	a0f2d8970ca07d68ba51edf9d5ad96f80d7a454909d5dfe1be2998088b0fd1
ledger/lrukv.go	5025	deb5cfb084b4af0ff383787601fc0c714245efeac24981415639a5d53113a9
ledger/lruonlineaccts.go	5395	c7340858b05d78ab3f268609973be32618d44b21bd2542bb403e6139805bfc
ledger/lruresources.go	7531	56b0666738298272ad630dde4e4c61522a3714f5e433bc285a94204a8b802b
ledger/metrics.go	3346	e77406c7965fc9d7790bcfa27d50ef096fc336ecf7f84d3458a5ba6d118103
ledger/msgp_gen.go	27097	2271d04ae02bb7cbf0d56e3169173eac54a343880dda395e074f1dada77588
ledger/notifier.go	3444	7aa3b0012a96d97427ce0f685d41fee4a6b71066ca06b1e66238f7dec0b0ef
ledger/onlineaccountscache.go	4653	f99b9a1f97f34ceca6b9c2b7d62ba0ec1d3aa83f926070b4976b219c5c237c
ledger/onlinetopheap.go	1981	d18ae89c89c9290c260a573864898afb7aace6023ada149bda6e644347c073
ledger/simulation/initialStates.go	6406	2e7d899d6aa910ad1b25f63d66396a4210aec3b2df10f2a7b79547052a458d
ledger/simulation/resources.go	27694	a4e58872beacd1b532ba57ef8febcb74551cb1ed81f07d9ad15293f3e7323d

ledger/simulation/simulator.go	18855	2c6bf0db66d5adce6979287b8a506d04921bd5bcfecea92cbd31c799bc89a9
ledger/simulation/trace.go	14215	dabb6e6d47f3d7fba1503a3f80da627485f882ca63febac7d14f580967a621
ledger/simulation/tracer.go	22001	a3002e73d77562006100a67e5b1e0ccb01972f7b5da668e8921994db6547f5
ledger/spverificationtracker.go	11202	05df37a4898592cbd745aa750a33ee2fad06b967d85b2913f0bc7a690a3a2f
ledger/store/blockdb/blockdb.go	9172	be0e3f6bad1946b63e9f33f51bb149ddd30976213ff10ffb353833356b9745
ledger/store/trackerdb/catchpoint.go	9484	341e7af2ac09848a48eed2f5c3dc51c046b20035fe7b353948ea053db6359e
ledger/store/trackerdb/data.go	34128	63ecb965f1af8ffafb1ac0d99f6d6bd14464cf42bae31f2f3b6a4acd029f60
ledger/store/trackerdb/dualdriver/accounts_reader.go	7389	33df90eeaa96aeb721d40f31bbe8250978c47c0584572397ec3180c46e26c8
ledger/store/trackerdb/dualdriver/accounts_reader_ext.go	12422	ec8a925b00cefdb04069a8224a066959dbe91e933268cc0716383ec2190c86
ledger/store/trackerdb/dualdriver/accounts_writer.go	6383	b70e295ad06efa3a77f71eb2087520d31a691ad08ed7674110bfdd65e89ff6
ledger/store/trackerdb/dualdriver/accounts_writer_ext.go	4215	de5ca7809d023ba000415c11cf9ca5db2b343cbb56a7ac78069d723002e64b
ledger/store/trackerdb/dualdriver/dualdriver.go	17111	4ae09311527d3b338205c264eea1709a721332d95345f5476c5b9b3dc06bd5
ledger/store/trackerdb/dualdriver/online_accounts_reader.go	3603	f0cfa47eb4816037691e7c8dab66c80233e6db1a01f99e77bab0b812acc5e4
ledger/store/trackerdb/dualdriver/online_accounts_writer.go	1866	4323f8ae548e53fd061aaa6c6a69628c9d5ba7effedda8adc4e430f7df12bf
ledger/store/trackerdb/dualdriver/stateproof_reader.go	2917	bd4ba571500bc7f5540e30bf6393d609660cd8208f67ad8cce8158d91093ec
ledger/store/trackerdb/dualdriver/stateproof_writer.go	2296	097e65b700a337bda78b734d032d4b640e78119f606c86886e4fab0f8d436f
ledger/store/trackerdb/dualdriver/transaction_for_testing.go	2416	5db9852d07b4e69c2ce36ebb3e2d67889dbceee01f410d6aaddddac88a9277
ledger/store/trackerdb/generickv/accounts_ext_reader.go	14528	9cdcfa4240c6f74e7106f9bce1cbbe74322d885816ae65c3e759e969615748
ledger/store/trackerdb/generickv/accounts_ext_writer.go	7539	4e5fb2b904f9f979f6a16a857350782c0f2efc54ae9d47bf019065a92f009b
ledger/store/trackerdb/generickv/accounts_reader.go	9932	20e0e445914c103b0d1e6d470440ba2287a45ebb78f692f6c55c1efa2a7492
ledger/store/trackerdb/generickv/accounts_writer.go	5350	73a7ccb918c94d1c73fa33a6d930101f9c1faea5b0e970fb34815ec4472b95
ledger/store/trackerdb/generickv/catchpoint.go	1694	697cbc44c8bb7491ce99d658d3f64129e071b6dfe9102c3f65e12f1448d2e0
ledger/store/trackerdb/generickv/init_accounts.go	2161	6dd555f667960f04c90c79f8d967de6aa4fa2858b77306fe710560bf76df29

ledger/store/trackerdb/generickv/migrations.go	5681	fc321ab33f4f52a72eddc675f5bca15268357a853ca709a913db250301b27e
ledger/store/trackerdb/generickv/msgp_gen.go	3499	6eb08dde0424767e6768ce4b3100803f7eaacf6eda930af5a7c2a9ba8f0ead
ledger/store/trackerdb/generickv/onlineaccounts_reader.go	4108	54757059c01a2980684053dbd87dd297e8a9eddf010e40d6988e884d1e2f65
ledger/store/trackerdb/generickv/onlineaccounts_writer.go	2283	d323f171c8c6d2d0cb98b3b622a379112fec1fb778b0e851c48131bf73ee16
ledger/store/trackerdb/generickv/reader.go	3243	56b2e4f4b57f59e5f2ca84b8e325a490c2e609b86c9c76a223183008894493
ledger/store/trackerdb/generickv/schema.go	11338	eb2ab3d2a3cf50275406fd8738eb5a560199275f1b6b9ecd44dfd9542356d4
ledger/store/trackerdb/generickv/stateproof_reader.go	3034	39f0ece567d0d924ba5e27efe7fc396bd0ff103c967c937c3bd98142ccc454
ledger/store/trackerdb/generickv/stateproof_writer.go	2513	be681b4dc8e8fc50d6a85d7a42359f1293839a4034fe62022d23a186738da1
ledger/store/trackerdb/generickv/writer.go	3294	2f4ec6858e8c92ecd2d2e555e91b03c149b9da02e10f08e8e9e1237ad9f244
ledger/store/trackerdb/hashing.go	5011	9046117b478bd00178c27a41dcaedc4123d6a5587c417590157ebfd3688d11
ledger/store/trackerdb/hashkind_string.go	688	a2970aea2eae1414091a4a5ee181f9a4089f9895677011f4fddd9591598f45
ledger/store/trackerdb/interface.go	13543	1382401aa1aac9cc4caf3b65a9710991627ccbfe85457a7e56e21979e679f6
ledger/store/trackerdb/msgp_gen.go	63167	e8590af45e041bdaa1de07a7910ce7c47914650a2d7c112c524e1555f6d1c2
ledger/store/trackerdb/params.go	1394	29d5ea7fcb61d853dc90f74bcffd7a3c578463ab008e95ad35fac0b1518eeb
ledger/store/trackerdb/pebbledbdriver/pebbledriver.go	18947	bd71701b8cb2e18a65958840c3235fb9074beee20f025002bdc26ce13e9aa6
ledger/store/trackerdb/pebbledbdriver/pebbledriver_arm.go	1153	d8bfb47c212e24e1cb49d98e8d00b87e85108d701d2ddfc0e07d07124f15dd
ledger/store/trackerdb/pebbledbdriver/testing.go	1501	d3a6cf6a9eb6a143c332df8439eca7996fe5c0a710bcc93a1d1da9695e5668
ledger/store/trackerdb/sqlitedriver/accountsV2.go	29153	c5db723ea86412353774d497963286d09ad5949e531b5ea4f5997a3297877c
ledger/store/trackerdb/sqlitedriver/catchpoint.go	21973	6f2e40c3dd8d090e557049a4a16b8b2d1587a46958864b2c2ea83927634ae8
ledger/store/trackerdb/sqlitedriver/catchpointPendingHashesIter.go	2524	7cfa59961efb1aae6af13dce19f4fc244cd47d9bf09a29c87ae01647058448
ledger/store/trackerdb/sqlitedriver/encodedAccountsIter.go	5727	501b9b104bca8eee1dd067b8419d621e60109a60a168bb8a8a04aef6db6ef4
ledger/store/trackerdb/sqlitedriver/kvsIter.go	8225	3cf7f60788fbb6e4d14fc0190af88d43e0ad769be0139f608bfeb8c23b8621
ledger/store/trackerdb/sqlitedriver/merkle_committer.go	2533	c095e7bae9a42b584f2d9c4526a627c3ac100d752803d3501a582ee4e41446
ledger/store/trackerdb/sqlitedriver/orderedAccountsIter.go	14864	899551980e28fc03a276ad360c260280f91f8ae16e8a49115f8fb3485b521e

ledger/store/trackerdb/sqlitedriver/schema.go	32002	2115fb8409a9ebfadf6e867410494aaa6ac97906dba8cc5e4ca00b7f5a97bb
ledger/store/trackerdb/sqlitedriver/spVerificationAccessor.go	6054	2991a441bca33a7becc59d57885891bf3cab31de1c2db4c7ce525dc7a240ce
ledger/store/trackerdb/sqlitedriver/sql.go	32045	08689aab8fb3d10aeed06e7298fc74cef5c84e6d0b4fd225ed1abe95f64d46
ledger/store/trackerdb/sqlitedriver/sqlitedriver.go	13328	eb2f32a66c04c456a72669ba86b928649b718232cfad7608aa5f41741b2066
ledger/store/trackerdb/sqlitedriver/testing.go	5299	b84f40af83bf8cfeebdbda880554c12e7daea4f7cc9144cc139751e06a7a8d
ledger/store/trackerdb/sqlitedriver/trackerdbV2.go	20792	50533185d897295a94e74ff02984ca77cc0245829dacf12660a3377c9876b5
ledger/store/trackerdb/store.go	6418	d657560b7ce880051729eaf78daf225129e39a16dbeafd333a5f2cba13ed5d
ledger/store/trackerdb/testdb/testdb.go	1494	6de45f4949ae0b38b07c04548aa5baf10207952f864d347b8d03a31a65248f
ledger/store/trackerdb/testinterface.go	2040	acc1623369de5bbde159d54e1ead8d7b4e14571c08a38373d81b05dbd97513
ledger/store/trackerdb/utils.go	1673	4b9872a7c74a8b6ca34b8f748152372505a2f669c8dc00d8fe7cd3ad5ca458
ledger/store/trackerdb/version.go	1063	cb76a2af45387cb386ec4d233882259d9a69c7f966ae26d94b6ba34ea92354
ledger/tracker.go	39178	3b0880be17047083f206ff1055bbf32e02f2c5743ffccde56135e7f44b83ff
ledger/trackerdb.go	2771	8b5f901d153733b0ec1321e04ec7908684822a159f85a1b4a56c71f3d7b622
ledger/txtail.go	14887	fa55d81899f962f6f45c7191ad90eb2518f25f2fc751e04d343b2004c48fe5
ledger/voters.go	13114	d4512a05452dac1172e9f786f999dc88c02f5b5028520cb5dd9daf6211a784
libgoal/accounts.go	1262	2643b1610f5bb9c621af54d851020465e061c1275b2ad0e2b869436787b30e
libgoal/error.go	972	9a590b9f20f5c868b3cffde77433717380bc7ccdd761435c214379230c7346
libgoal/libgoal.go	38483	1a60790653e2a225a5409098e0acd7fa78c3058feae8536fa758a2f57d0cb5
libgoal/lockedFile.go	2419	7854b2f52a43f1ebf373c6833c3c256f8c83b96123ea6052d05e2583f2314e
libgoal/lockedFileLinux.go	2667	7cac9f902a9dac649b20659d06c02c872440a4fd5603611694ca9bdcf511c1
libgoal/lockedFileUnix.go	2300	11903316a0f3e71516bbba52ac6cdf7b43fd3f8fdf374fbe8fa99beca6a0e7
libgoal/lockedFileWindows.go	3021	6cfd20a499014e32e124460333eeb3e5eaf8a206d0dce528d7c625d2cee748
libgoal/participation.go	3122	8b520751d45a6c524696cfd1cf5d4ca23cee9bc38eb2214af5f3f6806ad0bd
libgoal/participation/participation.go	3277	38a3c8ff027849128bb1f7a67c3180430bbd0f0c8214978dfc3e796bfad38a
libgoal/system.go	2658	98152826bc70f7643c0eb969bca50c1aa2d659eb06cbb77e54886cd080b10e
libgoal/teal.go	1267	221c2c97c418b7c3d5ccfa0a0b84f81cae45f888600d77db9d2aef9a3ea0ba
libgoal/transactions.go	34841	209584c9397777d791a76dc4071536b94b995b4764efb2c0f14675583286c2
libgoal/unencryptedWallet.go	3339	e499bce62d083350c9cb7a7978f72c5f5bc8ea6d8e58fdfbf0915229b39ed8
libgoal/walletHandles.go	2494	e8bf6d3d3da760434535bc5312839f966bebc532e3df9bf173e2f00073d87b
libgoal/wallets.go	6242	1a63cad4a71d1da91a0fb7621b54811303eb1989db8e346902d1e06a20fd84

logging/collector.go	3893	bb2f8a57fc0176563222ecf576c8ecadfd54e0bb299fe72067a0c3c7a43613
logging/cyclicWriter.go	6492	44cf0f47cd6a194eaea306a6c5f0cf43f7356235500b6629945fc3dda672a1
logging/log.go	11570	701f95c8f985b4ed8026b5ebca5ea60e48367f08a790eea8c06bbd3e225710
logging/logBuffer.go	2630	8bbcb2813335e562b46f18d33e2418a95c236e7ad512f0d12cd4732fb70d01
logging/logspec/agreement.go	7031	a6d7f916a708bacd7d0e3782878937d67599d2a83d6e12f1a11c7e753ec4b9
logging/logspec/agreementtype_string.go	1797	2fd25113f4ada1180fc2fd79ceeb68c44bfe637f6a8d9962f451931a25a6ff
logging/logspec/component_string.go	775	f95b52ee21de5781dcfcf79390c8e5f2a2ecbf22db2405f1138aed83e34238
logging/logspec/ledger.go	2180	3817a5b19ee30c18de991628da5a200424ce4d90a087c2ee3f3d7d3c65db08
logging/logspec/ledgertype_string.go	673	ac61751324093ce9d06e585d627386f68bec030cc38d3918893c1044986ba5
logging/logspec/root.go	2552	7a2b2dd99d35678e43e6bc20f03d88638ff9704bf3b06f1abfc2fd358e833f
logging/telemetry.go	8006	1256b7997030ec2a404d7269117fcd9f68d4a122d023fc1498de06a1e19f1e
logging/telemetryCommon.go	2786	08835f3c2bf18d01e426fadc84d3f16786aa5f765c136f97e42748c8be84b8
logging/telemetryConfig.go	5720	f596ff0f741d638f1f7740795f4e0cc6c09480d197cde07c4ffcc442176041
logging/telemetryFilteredHook.go	3302	d20d9ad73feda8cdf47f1e34d1b4ad6dedea116c94fdece6fd844294e9973d
logging/telemetryhook.go	9021	f56da8418e2cb9f1e196c80583fe933dc71bf59eaf74209aee48a6188cbdbe
logging/telemetryspec/category.go	1426	97abb344fe6d64b227af9f362dad7ec37cd538bea86c5c1361dea173722c07
logging/telemetryspec/event.go	12758	a397bc13df809b420cde388fa5c705ba56a74c4adea3568024f9e02dffecd8
logging/telemetryspec/eventTiming.go	1886	4a831cb392b38a8b64b5ece679adc40a12c8e3a19cd09172391413a138c48f
logging/telemetryspec/metric.go	12734	849becd1ce0c8f318dc3ddeb2c13adc9b298215804cd92c53b6e29e2bce33a
logging/testingLogger.go	2234	3823a326b9edff3ebeee15710e935741fb776f62ac4718b9c9f030ab2b0459
logging/usage.go	2115	d0c84d3785200aea314db16c45801c3ca0f4a5c96c42afb4705dd4a095e9d0
netdeploy/network.go	16307	1951aa66d9cbbcc9084d948c5b4ae458555879f6051423b360abc03ffd0284
netdeploy/networkTemplate.go	11745	90d485ad7ae5611ba6b460f802338f686a827ccd89ddd70630b8f4a647adc1
netdeploy/remote/bootstrappedNetwork.go	1717	020c26d13d9bde6e555c8ab6f860bfb03f51720957befc94de00fe19a22811
netdeploy/remote/buildConfig.go	1697	d3def4af532b72f24aadcd41f08101577e82b7f56ee15671d3e89c3450e13d
netdeploy/remote/deployedNetwork.go	35001	57989efdc6caddb9d27f6d5c2bb823014e2edb336916102f07daf88d82d269
netdeploy/remote/hostConfig.go	917	a5cbbda7251833174331b0a9fd914921d8d5470f405666ad3619b2f032be9c
netdeploy/remote/hostTemplate.go	1957	c47aceb7436f6a3cccaa86bce41972608f321ca90849731dea44529f3a37c0
netdeploy/remote/nodeConfig.go	3617	2324fdf24b8b7c7cff3fd532246730035e075c84785640534f65594243500d
netdeploy/remote/nodeWalletData.go	918	a3f46fe10c9902a7924595fe9d331b386ac8faf2416a8fea58154493531cf5
netdeploy/remote/nodecfg/ nodeConfigurator.go	11483	33b52ee82a675b45f4282b66f4d0fb9bd2872554b3295992f15be090f17a48
netdeploy/remote/nodecfg/nodeDir.go	12573	b151e1c7b79a9ffb6d5ef931a9e639ef018bbde19610e4f21b322204b85aa8

netdeploy/remote/topology.go	1140	ab86b2fe037e4e6f3c95f0126ec74a5d05c5c5be39cf7ff8d2374ee900913
network/addr.go	1442	237b6b6d23fd37120e60b23b33a8c88a0266825f4f41e268d6300c0643a26e
network/addr/addr.go	3469	4b75a7fd788e22e6b70f68351e68900048ead8ca5c4577803c920085a83263
network/connPerfMon.go	21418	a725c48dc30b88e4d13c00e929bf83e3fb3e740888eae55012d0ea25013b17
network/gossipNode.go	12213	522e46436f03b1c8a78cb38e50e79092aa276d2d66ab23eddf4b77073ea58e
network/hybridNetwork.go	9423	41ecb1d4549c43cabc2f331e0108100f11fad0439d73cc8c1872319a79ea19
network/limitcaller/dialer.go	3110	ce2b1ce8d8535ee95aaef70743b1caa7b2346ccc9b5ffe81e3d10265d5e21d
network/limitcaller/rateLimitingTransport.go	4468	1b113d0f1723cf128e90a13f470c5a69e5e8404cc7e3bffb5eb236776d6c2a
network/limited_reader_slurper.go	5611	0a7d1290de122e51272ce8c8825e09be65c5cac8333f1fc5c9e05730942bae
network/limitlistener/rejectingLimitListener.go	2262	24f3ecf126f47a2817d1cb10aa59c8ea93e7b01cc3afcaa222cfa5c0a6ef43
network/mesh.go	8609	550b4479b1fa295a42f0c44f61242e2fcebdad2edc09737900980d740da60f
network/messageFilter.go	3618	2446f5849dd92ef063067889681478d5714ea6b9d7907da5a859f7622d63b5
network/messagetracer/graphtrace.go	2187	793eabf2bb9a54aed287722cacccfb51ba419cf2bd6e93bcb5898c54bdbbfe
network/messagetracer/interface.go	1944	b19f41c6d49a2fdeffe1c5cf65451ea0c15813c0252d3f75bd2784ccc0351e
network/metrics.go	16231	c7082c7e6e03dfbf5bb488af323aeae726fe54960a001bef30bbc5b69ca255
network/msgCompressor.go	11910	56e849c968f02d06fd4ddffb9479cb4431576badf13f78018ad3b4bc0fbf41
network/msgOfInterest.go	3523	cacbcb01784e7610e2fbb07a4f1e244b3d0c20f8798fea5eb85f67719ec514
network/msgp_gen.go	32640	9e8a5de574e047f45e1ece14545bef4b785d9ca3056ed2c46843ead8252fdc
network/multiplexer.go	4800	38666ff419e710fb1738dfb70016426d206004b7e998c023add4e942cdb08e
network/netidentity.go	21927	dd923ecd9019e6b2566a61152a230970275d2bfa94e9923c0ef15849a452ae
network/netprio.go	4149	9d852184eacd8cf9fdbe24fe07fe657d560c86e8f46c69a222f2365be7478b
network/p2p/capabilities.go	7424	2deae7475503a9920d2af6a71d34171e7a175b20c81dd2674eeb4b617e3a53
network/p2p/dht/dht.go	3148	0cdcca8f4ddf548e7a5a17d72da93445c51ea371265e646de31cd86c20b5b9
network/p2p/dnsaddr/resolve.go	3124	57ea796bfd2280f3870b50ae248c24d54b01103d9cf9bc38a520f714523dc1
network/p2p/dnsaddr/resolveController.go	3302	6ad901db36a76f7bf57e21df4e184f444959912c7eb4563867247e4faf443d
network/p2p/http.go	9063	0ab7d1e93e14797b26af6bea1679ecc570bf4513a538d65b5a3766e24caa6d
network/p2p/logger.go	3863	b3d33326f0f431126c870e0e0bd4f7191e7681853ba2974f8f0232d25b1a9b
network/p2p/p2p.go	17880	91a47228229cd35428719b0d2410d2fb62c96112d44f8cdd70149270e76761
network/p2p/peerID.go	5912	379de8be07b41b02b6a0d0432e19714541e1fbbf8d37e58dd590470cc8ab4b
network/p2p/peerstore/peerstore.go	13068	89c2fb7d05b149b0fdaf40292682aacef20640399a2a078c20b173237bca50
network/p2p/peerstore/utils.go	2343	04044fa3d344eecafaa21c046e4baf70d4f042d3f4bb9c610aed9150600e9d
network/p2p/pubsub.go	8692	0aa60c720f6bdf811e26a83ff836fb7fd44e633ff768e2985b5ec0e2c65a3c
network/p2p/streams.go	13581	8024404e8c2ee2865836996f00c1195b52d42095842971f470dbd207232a3a

network/p2pMetainfo.go	4266	347be539f2aa49939652a0a50016ca9c07c9d3c931d5912ee14800faaf3f77
network/p2pNetwork.go	43398	187688f81191ae93db6af02be4ce09b2f679af68979829698b4c9ca83ee6d4
network/p2pPeer.go	2853	39a5e66428f56f30ba7aa4e615c19a317928d59288dc682bc1b5e867fb6ebd
network/peersheap.go	2184	ff68a22fa6a9bac28692ed876466a7869956680f9461017ff3d466295d5ca1
network/phonebook/phonebook.go	14126	d38a660a0ba830b6ef17645cd4d6b82f7cb40127c60a7c689e6523b3009234
network/requestLogger.go	4263	583ff514dfa738247eac9f2b02564d00228a454036fb553515bece80baec6a
network/requestTracker.go	22827	ce2991f0b769c13a81766c4f76542df30ac869b1cde05100fc878670b8e758
network/topics.go	4222	19cae5c887dab0e0ad47b22745171aa92d53a300863d0ab00d731efc790f51
network/vpack/dynamic_vpack.go	17476	123998e7f52f78060cbc4283aa825371416629c15f0755c55e7c1bc407ef3d
network/vpack/lru_table.go	5077	5ba6af055e8ef80ce6db074706a4d2c6c596706d04fd81ab253216c3a970af
network/vpack/msgp.go	5634	4eb7c5dabb922e26af07b7a5c494fb780b51f5571131d520b1190e6a7d6a21
network/vpack/parse.go	7455	567d03dedcd6aa09a8ccc16a2f7b0443288740db490bf561e8305e8b9dc5f6
network/vpack/proposal_window.go	3954	6d2ee04e0d3ea8b2bfc233b7ebc1be1381c102b446b074dc4e4da82bab725f
network/vpack/vpack.go	13700	6bb117aaf4c49d7bb4510ae6df2949c9b38507ed682a46fe47b3dc130880c2
network/wsNetwork.go	96583	275283601b6ba69cc9435d37813d568dbb82c90736e6954e45f904340a0ffb
network/wsPeer.go	43958	831b4aa44e413d431b6bf4b258113b22aa866840775825284395c485be0b29
node/error.go	2909	ccaa513e1df558ff83f5d3060f749036aef3f5179142ca5cb67e4e738c3416
node/follower_node.go	18454	9d305853963ed03fae67625b6e4afa244a1696a688c0172ddf532506eb0f1f
node/impls.go	5011	18dfad208b821cce5b3ad7ec97ca7b4850c3c4d9065b19220303986cc7f455
node/msgp_gen.go	8831	3ec85bad46e06f511eef4ab28ba3025ec437185158e6a3ee1b16b6f6f568ca
node/netprio.go	4332	8eb64e59a57e53311eecc116468264d41ce99819fd3ad9ac54b90de980b7c9
node/node.go	56386	c0ae63906fb8bd9bcfefd2d8b35496dada4c4ec5411de3e80b6abdda25ff10
nodecontrol/LaggedStdIo.go	3185	d69a2b6eaa033c29e0b696aae945ebbc6b86a9852a958fddb942a28af291f7
nodecontrol/NodeController.go	5361	fea9dae71f217579d88993cae50869e233ec000166b7879921e0b689c74597
nodecontrol/algodControl.go	13919	0510a4deee885907f39e3b8152d8b9162c9d269f929871ea53bb55c5d4bf41
nodecontrol/kmdControl.go	9054	3c1d95d0e1a00ae76957b9da315aa7371fd774857f6de258dcbcf4b75c679c
nodecontrol/kmdControl_common.go	1155	e59e49366bf8004ca0126e0a6d94df1b4eebc35d06e60940abdda282844959
nodecontrol/kmdControl_windows.go	874	a46b8ef1ee34f70a2ae16611a6e3b66404f079bbb7c1c63c5f5d8b6dfee5a8
nodecontrol/nodeControlErrors.go	1309	4fa948c41a879b51f4b6486f91fbcaa0e665379985612c18fde9d7aa17e363
protocol/codec.go	10000	f46582ba50e048f60cd0bb9e1deb1acc261a9f6ff9fd15067caec396c8abcf
protocol/codec_tester.go	17370	28a6168b3e226206076c64ef3691f7acbd3b5e2119037523351ec4b8ed4fff
protocol/consensus.go	12542	66a6c27e865757012102f6ed64919512c7727449468ff50e28e362b0ac2a55
protocol/hash.go	3505	66729f84386e0ffbe4ef00c341fe90dc7b7ee340b70141c759431806252f01

protocol/msgp_gen.go	14310	39c31b9464fd1dd6d9e3c8c3844136b752e85e83070a097e5e37aca246374
protocol/networks.go	877	89cd79e0bcc1cc7492176086440555a46e002887f4cd7e1d27141851ba7bec
protocol/sig_scheme.go	1845	efc04f874f9bfba80196e478766313ba61398423ee0b44b78cef3ed561b147
protocol/stateproof.go	1854	7d096608f6b87dcd8ea9690942cad499c4dac01965ac668c72c503f5c15fc4
protocol/tags.go	6867	e1a0e7feae5a4d0c0f05db8f5e2390a3a301aa61715572cad5fc2348a50882
protocol/transcode/core.go	7358	93b7cca938ec1c59535b540c6f2152895ece174654f48587dc228af482dcbd
protocol/txntype.go	2020	29a4977a36212d706601b280bb8a97b53513024f58251d94509b6e4ee08cf7
rpcs/blockService.go	17890	7e71456ff7aafdf497cd8ad40a40cec95d9fa35d4a8ea3f8a12e552c211035
rpcs/healthService.go	1353	ec0480b00e43b4ee5834ff2f88fa350ff0df4e60aa5ae546f3a1d9af316fa4
rpcs/httpTxSync.go	7101	e2bf4a741706fc779b028e00c5fc0610fa54c404b4a8ebdeae1e4061213aea
rpcs/ledgerService.go	9887	9dad4cafcd3af53e01ac92aad001da633cf8c2a4e96f92a331560f4460e3be
rpcs/msgp_gen.go	8351	ac35fafb215558d2180b2f3dca79cab0d38c713d32868ab8e999c757d01458
rpcs/registrar.go	1342	6dbb70a88fd31352f645fb5178e3f52a755a029e2ecde3f9afe162df3fcd16
rpcs/txService.go	7496	9b05f4cca2db049d44aef49843614e0c7b72e8afcbd4468fd5d5b6c97e5de4
rpcs/txSyncer.go	5543	a5ec8acc17282f2aa97dbfefed33dc3234a3e32e4b692089caa9392cb416a2
scripts/buildnumber.py	424	de7237a7e28d63f6117ecc142f9eedab8838b4aa5858fb0afedd3df81ca464
scripts/export_sdk_types.py	13092	c3062e3066781aad90357a7fa7012e5c9d3c9035b31477de7e69718babb27c
scripts/get_current_installers.py	1428	727f046da4a063946d8ad683ea8fec43d53170d6eb71a8ec8ee814795fc414
scripts/httpd.py	597	0d17e1a7ec6a9e2da71843d3422961c37a12fcf533785c333f9133898f04b6
scripts/release/README.md	9195	5f1af25056003ae5886e44848ff963f7ecfaf537a6899f589fac6fa0a54abf
scripts/release/archive/get_latest_go.py	3593	72002e8ef41c865eaf43ce92795fa1bc50e73c47e1cf9b6ec4ecc7a38f7a28
scripts/release/mule/deploy/releases_page/generate_releases_page.py	10393	52c050f27c07d67e6ca2fb180cfc902df2a4b07baa7c9f60dfe1cc0761d1f5
scripts/retrieve_logs_from_testnet_s3_today.py	565	d37e41b68a6ac7b64e66badfc32771426b861b04e4fd3774db4780c63e1649
shared/algoh/config.go	2696	f3b16046f1e7f70e3a46e4618b3e126b1b79b0b1e9dc9696e0aaa004223eb6
shared/pingpong/accounts.go	28123	a2fc6a5cd57051c57236b3074a573e2048ce17478b1df0f844b97161a33e2c
shared/pingpong/config.go	6156	506e6b1fede2b54067ee5c1047b0ce3303d926296f8105b4edeef7a804483e
shared/pingpong/pingpong.go	42167	447cfaa1338106bc8e91637d4d3233f6af6d614f2224b7e56e51e02f965995
stateproof/abstractions.go	2542	64c12323946b7f9e60fa74906863993cf11a3d900cd4ae7f25d4d92c8d5054
stateproof/builder.go	25336	0e04b6edefdd8039be686be3fad869eba2e1f3ccf1d47a9c9bb096b1e6cfe8
stateproof/db.go	7771	79b0267bfaaddcd4aa637374462a0931f784719fbe80ed9c05fe22f1a7dff4
stateproof/msgp_gen.go	9749	616fbb769fff359457d5b758e19da9b039e1c23860d005869650f26ee51498
stateproof/recovery.go	1783	63b71ded3d38cfb7e6e605ff4a75bd1e0607457a13b4937ae75a4d896ae5eb

stateproof/signer.go	5670	6778078d1cbf29be6ef19f58221a751c7c4c0d2e4e2b9d76a8515216238409
stateproof/stateproofMessageGenerator.go	5782	92b1f47f0402b8e744b7727b8c582a7f46b1c251e19d7f01e65ca6e3931d8b
stateproof/verify/stateproof.go	7865	408a74a4a97d96306d71d19e65b397a5c1b33c9157d63730a2e5b1d68de6cb
stateproof/worker.go	5228	e31422d23ef184ebcaf0231097a55dd969595d453a988ccff3f32f6f8ba2f7
tools/block-generator/core/commands.go	1284	246fbf4b38994ce33f50cd5f2b39094b2aab927bbaba664a544620c4967086
tools/block-generator/generator/config.go	11351	1dee5de36a9bb26ff1a4ef526ab3356cf32279aad345efff69bba7bc2869cd
tools/block-generator/generator/daemon.go	1708	990f18ebca827679610a9036bf3fee28bd347f92791de96755726fcabb1b51
tools/block-generator/generator/generate.go	28528	f1e742d9153f1cd81d4b68541f63ac51502b6950233e28a79550a4c0719d4e
tools/block-generator/generator/generate_apps.go	9914	ef93263265718d37a49711ac08994610becd611af778459d17ead7818381b4
tools/block-generator/generator/generator_ledger.go	11868	bd7c24c96e477554715b935479c5d6228cc9b3ec992a0de8e73f8cdce5b6f2
tools/block-generator/generator/generator_types.go	5528	6801a7b60ef88f58ade9fc43fb58d6c872b4801d11c25cb930f79f3ec2184a
tools/block-generator/generator/make_transactions.go	7481	a3527eb59bc4ee0a4ff0195f7657048e39631dcf0a75df3e4c863dd83eb21e
tools/block-generator/generator/server.go	5736	dea87faab336bbe77c2a574643cc2a23f286bbfb8501bf8b82266b739923b0
tools/block-generator/generator/utils.go	2590	b169cf0e6f1fae593be5ff6e04a495d5aff43a9ba2b9c1ab8ad266fe6fc1c4
tools/block-generator/go.mod	8609	1400e07bdb3bac6f73f41b41e33c9593068e3a95cc4406125fe118d15ceb0f
tools/block-generator/main.go	927	6adea2980ee7d698f690c68d2b8cf35296d6b08048dad27a2f026b986cd973
tools/block-generator/requirements.txt	15	3f19161bb168b095466cd45f787e64b3318f69f7a29f01a178146f99250ea4
tools/block-generator/runner/metrics_collector.go	2974	fe1f4caf82f99665412bf8537ad00554c2b3a09a9a8fdc246ba52866590f35
tools/block-generator/runner/run.go	17975	b50f7b0458542cfbb7f261c04ecc803b609f1583178a904f8dcd2f05277756
tools/block-generator/runner/runner.go	4392	520c37ce88775ba0c7110d7a2a65e512e13f156d6539b2f9ea9cf3d5ab8a62
tools/block-generator/scripts/print_tps.py	1907	8846c3d6429efd614ef5331fbb8bbd09274cdc8c947e0165d96403d316d7ce
tools/block-generator/util/util.go	2621	44e90a3d3ef1fa456302b87fb968ebf56aca89baed6cde77165a7cf2d74226
tools/boxkey/convertBoxKey.go	1453	1d905a803699bced29a0ccbb97f7587c307b513718317a146b1a53d238a401
tools/debug/algodump/compress.go	20099	a55db36936f893333b9636d1bb7f4058935661b01643fb47f5022c33e80510
tools/debug/algodump/go.mod	7635	9a2c47543d3c5996eb7013e4276ac1f0fd67ed5631e15a901c4d6cad84c6d1
tools/debug/algodump/main.go	11897	489dc01707bc6bc8f220894356bc04ab4a04c35cac9c6f6134df126d32f210
tools/debug/carpenter/main.go	11307	620dbe0e9f323da6bcf480cec7e4024d776592db34bec7038f4ca666ad1e4f
tools/debug/chopper/main.go	6597	6aada1af2b0d06c259fc2ee115e6fe0e0432e1c28e3669d33c8c3a0e7273e9
tools/debug/coroner/main.go	3590	a445a34ad83094da101f52c9b0896df8499ff51d97faa968b6bc98cb35d38f
tools/debug/determaccount/main.go	1409	70cde8205fb49039f8f398eda22db00e85f3c367378e74e3d1fcdce6035f25

tools/debug/dumpblocks/main.go	3122	070efd5f80615d24dc1f1f1a908a98e4cf95a45e893f4deaf5bb80748d1344
tools/debug/logfilter/main.go	4385	39cbeddb1e32ea7fe6c73ace965299b789958df0b5c1000e5ba21cd4d001f8
tools/debug/net.py	1346	a57c98997a99fdcee74a556f928550d56fde27692df33e21938adf4c57c022
tools/debug/showchains.py	2190	96fbc87e7b26676427e17771eef643378295c2af244fca5536682375743100
tools/debug/transplanter/main.go	14095	13ba896d8fdd6a85a3f38436e4f1d68dec0d73bb82fc8853eeb7df5b26ebd1
tools/misc/convertAddress.go	1491	e577605861a1f0c5ee2be26bc299ff7c68d635eba8cf8f7280769e6c7c4927
tools/network/bootstrap.go	4465	2f8fa849de61ee94e7e9ab0f614228ede8c83bba52abf1fe114a3d4a6c7e69
tools/network/cloudflare/cloudflare.go	13556	aad43e6257c289a23667eddb60c1c190cb4a0fb3490d35fcdb39839d96c203
tools/network/cloudflare/createRecord.go	6045	4e9b512d5fbcf8912aa73623e591e2ccdabcb40293305a887793ff61935a74
tools/network/cloudflare/deleteRecord.go	2331	b096e3c53e68240a8a744ebe2841f5f953104d105f6a586440a854870f81c4
tools/network/cloudflare/helpers.go	976	a476806a188c34bad12bd970352f8a0ab6b4dc5f31b678b8d05541ccf52e50
tools/network/cloudflare/listRecords.go	4202	f44ceaca848edadbd6ea79031966163490911db67cc80dcd71786074fcad17
tools/network/cloudflare/updateRecord.go	3153	64e06a44383129f363025561d044b8472426244ce48dbc0a38e94c216e911c
tools/network/cloudflare/zones.go	3302	c6b06b562d21e395c2a9e1b132305a9a22f89f177b5000a316f75d94174ec9
tools/network/dnssec/anchor.go	2434	b8a2ceb4f660d8acfe9c672c38c613ca7742b7cae2ea463c373fb84f19debb
tools/network/dnssec/client.go	8652	259c8afba83a29ab3a66303877f93bc12d00beceffda21f7caefc33d8c518f
tools/network/dnssec/config.go	1824	7c19d0b4b560f850297caef0d3504eb656198df8beafa18b531a72aebfe923
tools/network/dnssec/config_unix.go	1809	a307b94662a77f0d17cdbc2117171217be964640c44809c5d81e7d23621a68
tools/network/dnssec/config_windows.go	4364	12b03fd67bb135952fd6c6aace5689f83f9b21fd87aa4a2058ed623c7c63db
tools/network/dnssec/dialer.go	2950	5757bb2f770ebcc2fdd84732cdce3776f51f47ed6f4679d437a2f9ed097dd7
tools/network/dnssec/relay-check/main.go	2233	41bef0a0bcba9e62951b7bcc8b65c714fdb497cc3ba5b0f998e7cbda125aaf
tools/network/dnssec/resolver.go	9633	a0463d1bc5d791f9c9bb31e60b6e7190792757d34ff5795d0c38cc84f888ae
tools/network/dnssec/sort.go	2237	1cd87cf39db5879df63f8825bd5aded4ffd469d6353379314267fef7ba9b93
tools/network/dnssec/testHarness.go	15528	05775c6dd3d524fce09560fb888696597b0cca3d8a1a279934adff74277339
tools/network/dnssec/trustchain.go	7176	ddce20c50c2c3596c3b75d14e63164bf1bd2d5efb88ca11163ca0c50c8146f
tools/network/dnssec/trustedzone.go	7387	1e86b5916a69721cf48db864fd761d7b4ea5dac418d355204bd0d6b9b83242
tools/network/dnssec/util.go	1590	c59972a9b1ca2560b5b57e9f2a29e3cafa9ff4ab17b416d52fb5ba1d3ad13d
tools/network/externalIP.go	1242	3a00a3ee3df19541e104787db4eeae253987fd78570c4b1c340502bc3d5608
tools/network/resolveController.go	4123	7f8556b5e42716906e9d22fd3db62dc497a8cf0a07111001e9689ee7ae3071
tools/network/resolver.go	5152	dbeff1b232653adf8411068f3418c32f0cc53aba209ab17d32ed42e7e491aa
tools/network/telemetryURIUpdateService.go	5116	27ac4850e3958dad464cd977272b7cdde697b0e84b0630b763bb265f6afd2f
tools/teal/algotmpl/extract.go	2518	04256c2d0a5b2e59c567c1ac0411680485bba621ef8cf7b5df27cd76498344
tools/teal/algotmpl/main.go	4618	093c95fd89b0822b6eb2d767d497b6b895d1b6b0ea56e114fcb75d37960b03

tools/teal/dkey/dsign/main.go	3046	dcb2cbee1b3603afff48fadd21d337cbd728bff7d09df6723f544522f19544
tools/x-repo-types/go.mod	507	822ef0a0e4b3a9eeef4b68c9ba5dc4cd600041612f5747733f1a7de7b1bae7
tools/x-repo-types/typeAnalyzer/main.go	2575	44bb0195086d161ba82720aafedc30f7094409ae17db4ef890ba7004dfb0b6
tools/x-repo-types/typeAnalyzer/typeAnalyzer.go	19590	c318336452f8375b9a5567e5aabcdd423ff4cbf9c845b9365f32954b6781a9
tools/x-repo-types/typeAnalyzer/unreleased.go	1811	c22c20024074b6e8b5066a28c716984fa8dab2cb94f01a8dba722d5d5ead1e
tools/x-repo-types/xrt.go	8809	a600f03f2e27307c86ee229037c3b053a300d5db95d888220dac817baf0688
util/bloom/bloom.go	5140	3fa383ae79a98a9165eb1bb6439498048306fa681d9fd07913622ba741b15d
util/cmdUtils.go	1455	cc30a1549d3041e5dd7925706798c39c847485703a70b3b266cfc71486c1b2
util/codecs/json.go	5558	7eece80707570537173fe1a7da6b0b5db1964d28d50dc6ac4c49a91284b4e8
util/condvar/timedwait.go	1736	8ff826900819a8f0ea4cf8f7a251f83268b4d36ab92a37254211186c75c5db
util/db/dbpair.go	1747	75dd89978dc5ff5ef145c1d33754c7b778b08bec468e4a784446a35365b706
util/db/dbutil.go	19503	5822a853a2f1e1d35bcda02f739f9b2715121c1f810e2086bcac3da922ea4c
util/db/fullfsync_darwin.go	933	714b989a36ff209b4de893bac85cd1c3ad22ba56303976411f85e1a00856c5
util/db/initialize.go	4395	0118f13764762f3c8f1f442d0c0f32291ea3719579f7bce8161bf016c98a74
util/db/interfaces.go	1883	ad1e7fdd7e70fa479a655ebd05e7a840a1e7f60f0e95cf6e969e7777cf3b5c
util/db/versioning.go	2118	3a1134be0676433f63cbe72136f40996b33d44be0d80566db4f472af87295d
util/db/walerase.go	12681	37d7a830528d347702c710f9736e9d0175bd14cf5e47991bc5fd52c466d369
util/execpool/backlog.go	4054	292ce615d29b3883837dddde62455235de7f55c64a92b120508877dda09a5b
util/execpool/pool.go	4542	8772be6302e54256294d8070a3c59a8bf04f735f7b2d3bdb718b5fa0563895
util/execpool/stream.go	7637	41639c5810b1dc7a9a83bfb7cab88ed4f9aa1faeecdff8bcf64906bfa9ad27
util/fn.go	1710	69f589c1c5774002b606c228e18599427359c36871f27ae8642a3f4d714e4e
util/io.go	6811	6baba77d9f1987ef7d548706f65f9b1f1aa208d4902bf188ed0ac4d89e0ba8
util/list.go	3937	71e208a9b7e5b75dfa590ab1023c0c66df6f8a485a6584c255d797f88f560d
util/metrics/couge.go	5521	49489bfd8e53c0cd097c19d5a8669206273211233bd47c14a4a6331ac5d896
util/metrics/counter.go	3604	e0447ebf6ee42f2415c65ab85712dc642feb5cec05b389bd858de44cae5346
util/metrics/gauge.go	2856	846abbec6d4feac5e450db92591aa1f901e2482c186fe74261972f04897db6
util/metrics/metrics.go	17921	47365b9b69f5d3bcd623cb01539a62ab324a2c6b421129363b0d69291a5ecd
util/metrics/netdev_common.go	2699	faa1fa4d55d6b25c6a3cd669abc022a13f5b7dafa80fa7fd979003da5a3bd6
util/metrics/netdev_darwin.go	2708	130b36702208b2ed0b5ba4b5e5830b8c9061469efe75326729d5a75aa37b37
util/metrics/netdev_linux.go	1818	d0fc59f4774eb024237ae61184ab6e40fef4ff4698c32c89bd9e502f0d8192
util/metrics/netdev_noop.go	923	57bab95d909738176d59f5acaa2cc90ccd37f5a830e0d6b2499fe877c1363f
util/metrics/otel.go	2725	53bbf3a02c397cc94118c8b4f9fc0f4b8de3ea4d51b17e507cc87502dc9904

util/metrics/prometheus.go	7781	ba938d072654fdedc9249adfeb7f0557939cd7f02b88da3569a21022ee7a84
util/metrics/registry.go	2416	25b3d2a055afe96557e6b6ec015aa950437759d62bd82b2b67e90d6c37cac8
util/metrics/registryCommon.go	2020	ac6aa2851a9f5dc1b6e67b6ce5c80e73aed0e234d7d2dee49fb536401662455
util/metrics/reporter.go	9096	ec52524995637183fc7fc114e78849b59b40d34d24e5cde0a2a52440523a1a
util/metrics/runtime.go	4230	2ad8b21ef456188c40c005012781658cfc3f9be5903ba84157ca2843a89dc0
util/metrics/service.go	2788	ae7b74c6e6dc15d0a67f5d1d6e32cc5f938ff3ae36c26a8efe0c3f92408081
util/metrics/serviceCommon.go	1710	3724a2fd525021650ce6fda7357414e4c6eaa19327bdeb0ad694c6b05d664b
util/metrics/tagcounter.go	5042	64f9a50dfff08f43205258bda05fed397afb4e1de2b6577b4e94c74ef6fca7
util/pagedqueue.go	5490	d2f85b761670c71cfc46bd8e4a99c57d372fcd268d55c183a098c916bd20eb
util/process.go	2161	40c13d476bc3abf6e04f548fc46d393b6f4e3d37487bf3e9dd510c3867d19b
util/process_common.go	1084	b21684a4cebd684cbd1c4be323b2db18a2bc02a5013ba77ae42bee9045d5d1
util/process_windows.go	4357	a8a4c2e3eaabc9f81f40f5cc12c20259aec4398226d58999b00a0490992e64
util/rateLimit.go	19424	706c77e2e00f4c491d95680763bfc2d7b3b7f4944adce8bfa753d309193715
util/s3/fileIterator.go	2081	fdaed3ba359b46eedd4455715d6094464a3a161bb5da2aa258ca91dd021fb6
util/s3/s3Helper.go	8853	1f37f3c6b35d031b882a8d68a00bbbef4c9265c052572b07b8f35c1eba655b
util/set.go	2545	13fb7b9ba1fda566a2bf59e7d33da514dd9c5a2f6e10bc5180e260b03adcdd
util/sleep.go	1086	4fe80adb166bac76ef82c62a60a3d8f74f22e5bdc9072f0bd96fa16fb68c0b
util/sleep_linux.go	1571	136d55b50b6c46da6611b6c950221b0c65e518872a52b4a7e9988698ef9c3e
util/sleep_linux_32.go	1143	55d386bfba8ab87d3bd4f6f72a337e4c12c9b82163fab01cd01cf12bbbd6b9
util/sleep_linux_64.go	1130	5926b38447616bfe0fc74473b27b6eb508f9a4f357b126cac4607b84d04aae
util/tcpinfo.go	2998	b2a1b0225e09b53d3ac372dfceb301aa78c22ca4114e3d46db2cdc7435a840
util/tcpinfo_darwin.go	1581	bae50ca51406cdca1c96df4ea4195f3cda1948a01afe60c30c8b7909f54227
util/tcpinfo_linux.go	3266	73c173c1ce50295255ac71bd0a69085fce2f97c099a48b68bf1734622c4b50
util/tcpinfo_noop.go	918	4ddb131291afc792542bf07d575c2fa04cd09165bc2c6c5bc90de84c7a0ea4
util/timers/frozen.go	1907	5fb9720c2b415a23a5018f85d4ba54998132e4fcdacc83300c0069e74a894e
util/timers/interface.go	2042	7529bc2085c9c9996da0501373de42183b027dd50867f891d79608ab20ffe8
util/timers/monotonic.go	3068	4251c1067bfaa7e2e97bb15d5406e10be038026c4719f3a52f65ed09fcc7a2
util/tokens/tokens.go	3904	9e75e8c6fe7be57d20252f6dcf081b82c421df2484e3d6be163fd3e02c4e3f
util/util.go	2747	758ab276b25ec2c25e004bb0a916f7a9589ea52d2a3ba8d487b94565006fe8
util/util_darwin.go	1009	2efc9b308fb4999f0b15880ca9aa6e86ecf5b218c6375d872dd081ca453d98
util/util_linux.go	1011	bab4a55bfcc9ab964c1b4c13f6b1033b18e11776607db7ff7cab93e16adbe7
util/util_windows.go	3174	76530e44cdab4fe8913c1055bb9e183ecf237bff8d3acbc6241b5efb7b4897
util/uuid/uuid.go	1444	74276424b95b251d7e41ef30a3d995421c0988175acb0fd489277bb659a20e

util/watchdogStreamReader.go	7206	e495e95276c1659a13493c5e54eec389fbfb86c31f345e1db41d105916d585