



Smith Environmental Laboratory  
4 Scenic Drive  
Hyde Park, NY 12538  
845-229-6536

**CERTIFICATE OF ANALYSIS**

**NY ELAP ID: 10924 / NJ: NY032/CT: PH-0140**

**Report To:** Housatonic Valley Association  
150 Kent Rd. South  
Cornwall Bridge, CT 06754

**Lab No:** S031374  
**Reported:** 08/02/18  
**PO:**

**Attention:** Michael Jastremski

**Project:** Ten Mile River Watershed, NY

**Lab ID:** S031374-01  
**Sample ID:** 16-WEBA-15.1

**Date Collected:** 07/26/18 09:40  
**Date Received:** 07/26/18 17:37

**Matrix:** Surface Water  
**Collected By:** Jake Parise

Field Chlorine (mg/L):

**Microbiological Parameters**

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Analyst</u>
E. Coli	727		MPN/100 mL	1	SM 22 9223B	07/26/18 18:20	BD

Smith Environmental Laboratory

Nicole Coenen For Noelle Zielinski, Lead Technical Director

Smith Environmental Laboratory is approved as an environmental testing laboratory in conformance with the National Environmental Laboratory Accreditation Conference (NELAC) Standards. This test report pertains only to the above items analyzed on this sample as received by the laboratory. Information supplied by the client is assumed to be correct. This report must be reproduced in its entirety, with signed approval of Smith Environmental Laboratory.

Page 1 of 14



Smith Environmental Laboratory  
4 Scenic Drive  
Hyde Park, NY 12538  
845-229-6536

CERTIFICATE OF ANALYSIS

NY ELAP ID: 10924 / NJ: NY032/CT: PH-0140

Report To: Housatonic Valley Association  
150 Kent Rd. South  
Cornwall Bridge, CT 06754

Lab No: S031374  
Reported: 08/02/18  
PO:

Attention: Michael Jastremski

Project: Ten Mile River Watershed, NY

Lab ID: S031374-02  
Sample ID: 16-WEBA-13.1

Date Collected: 07/26/18 10:00  
Date Received: 07/26/18 17:37

Matrix: Surface Water  
Collected By: Jake Parise

Field Chlorine (mg/L):

Microbiological Parameters

Analyte	Results	Flag	Units	RDL	Method	Analyzed	Analyst
E. Coli	461.1		MPN/100 mL	1	SM 22 9223B	07/26/18 18:20	BD

Smith Environmental Laboratory

Nicole Coenen For Noelle Zielinski, Lead Technical Director

Smith Environmental Laboratory is approved as an environmental testing laboratory in conformance with the National Environmental Laboratory Accreditation Conference (NELAC) Standards. This test report pertains only to the above items analyzed on this sample as received by the laboratory. Information supplied by the client is assumed to be correct. This report must be reproduced in its entirety, with signed approval of Smith Environmental Laboratory.

Page 2 of 14



Smith Environmental Laboratory  
4 Scenic Drive  
Hyde Park, NY 12538  
845-229-6536

CERTIFICATE OF ANALYSIS

NY ELAP ID: 10924 / NJ: NY032/CT: PH-0140

Report To: Housatonic Valley Association  
150 Kent Rd. South  
Cornwall Bridge, CT 06754

Lab No: S031374  
Reported: 08/02/18  
PO:

Attention: Michael Jastremski

Project: Ten Mile River Watershed, NY

Lab ID: S031374-03  
Sample ID: 16-WEBA-21.2

Date Collected: 07/26/18 09:00  
Date Received: 07/26/18 17:37

Matrix: Surface Water  
Collected By: Jake Parise

Field Chlorine (mg/L):

Microbiological Parameters

Analyte	Results	Flag	Units	RDL	Method	Analyzed	Analyst
E. Coli	461.1		MPN/100 mL	1	SM 22 9223B	07/26/18 18:20	BD

Smith Environmental Laboratory

Nicole Coenen For Noelle Zielinski, Lead Technical Director

Smith Environmental Laboratory is approved as an environmental testing laboratory in conformance with the National Environmental Laboratory Accreditation Conference (NELAC) Standards. This test report pertains only to the above items analyzed on this sample as received by the laboratory. Information supplied by the client is assumed to be correct. This report must be reproduced in its entirety, with signed approval of Smith Environmental Laboratory.



Smith Environmental Laboratory  
4 Scenic Drive  
Hyde Park, NY 12538  
845-229-6536

**CERTIFICATE OF ANALYSIS**

**NY ELAP ID: 10924 / NJ: NY032/CT: PH-0140**

**Report To:** Housatonic Valley Association  
150 Kent Rd. South  
Cornwall Bridge, CT 06754

**Lab No:** S031374  
**Reported:** 08/02/18  
**PO:**

**Attention:** Michael Jastremski

**Project:** Ten Mile River Watershed, NY

**Lab ID:** S031374-04  
**Sample ID:** 16-MLHU-1.0

**Date Collected:** 07/26/18 10:40  
**Date Received:** 07/26/18 17:37

**Matrix:** Surface Water  
**Collected By:** Jake Parise

Field Chlorine (mg/L):

**Microbiological Parameters**

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Analyst</u>
E. Coli	2419.6	GT	MPN/100 mL	1	SM 22 9223B	07/26/18 18:20	BD

Smith Environmental Laboratory

Nicole Coenen For Noelle Zielinski, Lead Technical Director

Smith Environmental Laboratory is approved as an environmental testing laboratory in conformance with the National Environmental Laboratory Accreditation Conference (NELAC) Standards. This test report pertains only to the above items analyzed on this sample as received by the laboratory. Information supplied by the client is assumed to be correct. This report must be reproduced in its entirety, with signed approval of Smith Environmental Laboratory.

Page 4 of 14



Smith Environmental Laboratory  
4 Scenic Drive  
Hyde Park, NY 12538  
845-229-6536

CERTIFICATE OF ANALYSIS

NY ELAP ID: 10924 / NJ: NY032/CT: PH-0140

Report To: Housatonic Valley Association  
150 Kent Rd. South  
Cornwall Bridge, CT 06754

Lab No: S031374  
Reported: 08/02/18  
PO:

Attention: Michael Jastremski

Project: Ten Mile River Watershed, NY

Lab ID: S031374-05  
Sample ID: 16-WASS T2-0.1

Date Collected: 07/26/18 11:00  
Date Received: 07/26/18 17:37

Matrix: Surface Water  
Collected By: Jake Parise

Field Chlorine (mg/L):

Microbiological Parameters

Analyte	Results	Flag	Units	RDL	Method	Analyzed	Analyst
E. Coli	121.1		MPN/100 mL	1	SM 22 9223B	07/26/18 18:20	BD

Smith Environmental Laboratory

Nicole Coenen For Noelle Zielinski, Lead Technical Director

Smith Environmental Laboratory is approved as an environmental testing laboratory in conformance with the National Environmental Laboratory Accreditation Conference (NELAC) Standards. This test report pertains only to the above items analyzed on this sample as received by the laboratory. Information supplied by the client is assumed to be correct. This report must be reproduced in its entirety, with signed approval of Smith Environmental Laboratory.



Smith Environmental Laboratory  
4 Scenic Drive  
Hyde Park, NY 12538  
845-229-6536

CERTIFICATE OF ANALYSIS

NY ELAP ID: 10924 / NJ: NY032/CT: PH-0140

Report To: Housatonic Valley Association  
150 Kent Rd. South  
Cornwall Bridge, CT 06754

Lab No: S031374  
Reported: 08/02/18  
PO:

Attention: Michael Jastremski

Project: Ten Mile River Watershed, NY

Lab ID: S031374-06  
Sample ID: 16-WASS-2.1  
Field Chlorine (mg/L):

Date Collected: 07/26/18 11:15  
Date Received: 07/26/18 17:37

Matrix: Surface Water  
Collected By: Jake Parise

Microbiological Parameters

Analyte	Results	Flag	Units	RDL	Method	Analyzed	Analyst
E. Coli	387.3		MPN/100 mL	1	SM 22 9223B	07/26/18 18:20	BD

Smith Environmental Laboratory

Nicole Coenen For Noelle Zielinski, Lead Technical Director

Smith Environmental Laboratory is approved as an environmental testing laboratory in conformance with the National Environmental Laboratory Accreditation Conference (NELAC) Standards. This test report pertains only to the above items analyzed on this sample as received by the laboratory. Information supplied by the client is assumed to be correct. This report must be reproduced in its entirety, with signed approval of Smith Environmental Laboratory.

Page 6 of 14



Smith Environmental Laboratory  
4 Scenic Drive  
Hyde Park, NY 12538  
845-229-6536

**CERTIFICATE OF ANALYSIS**

**NY ELAP ID: 10924 / NJ: NY032/CT: PH-0140**

**Report To:** Housatonic Valley Association  
150 Kent Rd. South  
Cornwall Bridge, CT 06754

**Lab No:** S031374  
**Reported:** 08/02/18  
**PO:**

**Attention:** Michael Jastremski

**Project:** Ten Mile River Watershed, NY

**Lab ID:** S031374-07  
**Sample ID:** 16-WEBA-0.1

**Date Collected:** 07/26/18 11:40  
**Date Received:** 07/26/18 17:37

**Matrix:** Surface Water  
**Collected By:** Jake Parise

Field Chlorine (mg/L):

**Microbiological Parameters**

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Analyst</u>
E. Coli	1119.9		MPN/100 mL	1	SM 22 9223B	07/26/18 18:20	BD

Smith Environmental Laboratory

Nicole Coenen For Noelle Zielinski, Lead Technical Director

Smith Environmental Laboratory is approved as an environmental testing laboratory in conformance with the National Environmental Laboratory Accreditation Conference (NELAC) Standards. This test report pertains only to the above items analyzed on this sample as received by the laboratory. Information supplied by the client is assumed to be correct. This report must be reproduced in its entirety, with signed approval of Smith Environmental Laboratory.



Smith Environmental Laboratory  
4 Scenic Drive  
Hyde Park, NY 12538  
845-229-6536

**CERTIFICATE OF ANALYSIS**

**NY ELAP ID: 10924 / NJ: NY032/CT: PH-0140**

**Report To:** Housatonic Valley Association  
150 Kent Rd. South  
Cornwall Bridge, CT 06754

**Lab No:** S031374  
**Reported:** 08/02/18  
**PO:**

**Attention:** Michael Jastremski

**Project:** Ten Mile River Watershed, NY

**Lab ID:** S031374-08  
**Sample ID:** 16-CHUR-0.1

**Date Collected:** 07/26/18 12:30  
**Date Received:** 07/26/18 17:37

**Matrix:** Surface Water  
**Collected By:** Jake Parise

Field Chlorine (mg/L):

**Microbiological Parameters**

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Analyst</u>
E. Coli	517.2		MPN/100 mL	1	SM 22 9223B	07/26/18 18:20	BD

Smith Environmental Laboratory

Nicole Coenen For Noelle Zielinski, Lead Technical Director

Smith Environmental Laboratory is approved as an environmental testing laboratory in conformance with the National Environmental Laboratory Accreditation Conference (NELAC) Standards. This test report pertains only to the above items analyzed on this sample as received by the laboratory. Information supplied by the client is assumed to be correct. This report must be reproduced in its entirety, with signed approval of Smith Environmental Laboratory.

Page 8 of 14





Smith Environmental Laboratory  
4 Scenic Drive  
Hyde Park, NY 12538  
845-229-6536

**CERTIFICATE OF ANALYSIS**

**NY ELAP ID: 10924 / NJ: NY032/CT: PH-0140**

**Report To:** Housatonic Valley Association  
150 Kent Rd. South  
Cornwall Bridge, CT 06754

**Lab No:** S031374  
**Reported:** 08/02/18  
**PO:**

**Attention:** Michael Jastremski

**Project:** Ten Mile River Watershed, NY

**Lab ID:** S031374-09

**Date Collected:** 07/26/18 13:00

**Matrix:** Surface Water

**Sample ID:** 16-TEN-8.6

**Date Received:** 07/26/18 17:37

**Collected By:** Jake Parise

Field Chlorine (mg/L):

**Microbiological Parameters**

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Analyst</u>
E. Coli	272.3		MPN/100 mL	1	SM 22 9223B	07/26/18 18:20	BD

Smith Environmental Laboratory

Nicole Coenen For Noelle Zielinski, Lead Technical Director

Smith Environmental Laboratory is approved as an environmental testing laboratory in conformance with the National Environmental Laboratory Accreditation Conference (NELAC) Standards. This test report pertains only to the above items analyzed on this sample as received by the laboratory. Information supplied by the client is assumed to be correct. This report must be reproduced in its entirety, with signed approval of Smith Environmental Laboratory.



Smith Environmental Laboratory  
4 Scenic Drive  
Hyde Park, NY 12538  
845-229-6536

**CERTIFICATE OF ANALYSIS**

**NY ELAP ID: 10924 / NJ: NY032/CT: PH-0140**

**Report To:** Housatonic Valley Association  
150 Kent Rd. South  
Cornwall Bridge, CT 06754

**Lab No:** S031374  
**Reported:** 08/02/18  
**PO:**

**Attention:** Michael Jastremski

**Project:** Ten Mile River Watershed, NY

**Lab ID:** S031374-10  
**Sample ID:** 16-MLLR-0.5

**Date Collected:** 07/26/18 13:30  
**Date Received:** 07/26/18 17:37

**Matrix:** Surface Water  
**Collected By:** Jake Parise

Field Chlorine (mg/L):

**Microbiological Parameters**

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Analyst</u>
E. Coli	113.7		MPN/100 mL	1	SM 22 9223B	07/26/18 18:20	BD

Smith Environmental Laboratory

Nicole Coenen For Noelle Zielinski, Lead Technical Director

Smith Environmental Laboratory is approved as an environmental testing laboratory in conformance with the National Environmental Laboratory Accreditation Conference (NELAC) Standards. This test report pertains only to the above items analyzed on this sample as received by the laboratory. Information supplied by the client is assumed to be correct. This report must be reproduced in its entirety, with signed approval of Smith Environmental Laboratory.

Page 10 of 14



Smith Environmental Laboratory  
4 Scenic Drive  
Hyde Park, NY 12538  
845-229-6536

**CERTIFICATE OF ANALYSIS**

**NY ELAP ID: 10924 / NJ: NY032/CT: PH-0140**

**Report To:** Housatonic Valley Association  
150 Kent Rd. South  
Cornwall Bridge, CT 06754

**Lab No:** S031374  
**Reported:** 08/02/18  
**PO:**

**Attention:** Michael Jastremski

**Project:** Ten Mile River Watershed, NY

**Lab ID:** S031374-11

**Date Collected:** 07/26/18 14:40

**Matrix:** Surface Water

**Sample ID:** 16-TEN-0.1

**Date Received:** 07/26/18 17:37

**Collected By:** Jake Parise

Field Chlorine (mg/L):

**Microbiological Parameters**

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Analyst</u>
E. Coli	290.9		MPN/100 mL	1	SM 22 9223B	07/26/18 18:20	BD

Smith Environmental Laboratory

Nicole Coenen For Noelle Zielinski, Lead Technical Director

Smith Environmental Laboratory is approved as an environmental testing laboratory in conformance with the National Environmental Laboratory Accreditation Conference (NELAC) Standards. This test report pertains only to the above items analyzed on this sample as received by the laboratory. Information supplied by the client is assumed to be correct. This report must be reproduced in its entirety, with signed approval of Smith Environmental Laboratory.

Page 11 of 14



Smith Environmental Laboratory  
4 Scenic Drive  
Hyde Park, NY 12538  
845-229-6536

**CERTIFICATE OF ANALYSIS**

**NY ELAP ID: 10924 / NJ: NY032/CT: PH-0140**

**Report To:** Housatonic Valley Association  
150 Kent Rd. South  
Cornwall Bridge, CT 06754

**Lab No:** S031374  
**Reported:** 08/02/18  
**PO:**

**Attention:** Michael Jastremski

**Project:** Ten Mile River Watershed, NY

**Lab ID:** S031374-12  
**Sample ID:** 16-DEUH-0.1

**Date Collected:** 07/26/18 14:30  
**Date Received:** 07/26/18 17:37

**Matrix:** Surface Water  
**Collected By:** Jake Parise

Field Chlorine (mg/L):

**Microbiological Parameters**

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Analyst</u>
E. Coli	172.5		MPN/100 mL	1	SM 22 9223B	07/26/18 18:20	BD

Smith Environmental Laboratory

Nicole Coenen For Noelle Zielinski, Lead Technical Director

Smith Environmental Laboratory is approved as an environmental testing laboratory in conformance with the National Environmental Laboratory Accreditation Conference (NELAC) Standards. This test report pertains only to the above items analyzed on this sample as received by the laboratory. Information supplied by the client is assumed to be correct. This report must be reproduced in its entirety, with signed approval of Smith Environmental Laboratory.

Page 12 of 14



Smith Environmental Laboratory  
4 Scenic Drive  
Hyde Park, NY 12538  
845-229-6536

**CERTIFICATE OF ANALYSIS**

**NY ELAP ID: 10924 / NJ: NY032/CT: PH-0140**

**Report To:** Housatonic Valley Association  
150 Kent Rd. South  
Cornwall Bridge, CT 06754

**Lab No:** S031374  
**Reported:** 08/02/18  
**PO:**

**Attention:** Michael Jastremski

**Project:** Ten Mile River Watershed, NY

**Lab ID:** S031374-13

**Date Collected:** 07/26/18 13:45

**Matrix:** Surface Water

**Sample ID:** 16-BURT-2.2

**Date Received:** 07/26/18 17:37

**Collected By:** Jake Parise

Field Chlorine (mg/L):

**Microbiological Parameters**

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Analyst</u>
E. Coli	307.6		MPN/100 mL	1	SM 22 9223B	07/26/18 18:20	BD

Smith Environmental Laboratory

Nicole Coenen For Noelle Zielinski, Lead Technical Director

Smith Environmental Laboratory is approved as an environmental testing laboratory in conformance with the National Environmental Laboratory Accreditation Conference (NELAC) Standards. This test report pertains only to the above items analyzed on this sample as received by the laboratory. Information supplied by the client is assumed to be correct. This report must be reproduced in its entirety, with signed approval of Smith Environmental Laboratory.

Page 13 of 14



Smith Environmental Laboratory  
4 Scenic Drive  
Hyde Park, NY 12538  
845-229-6536

**CERTIFICATE OF ANALYSIS**

**NY ELAP ID: 10924 / NJ: NY032/CT: PH-0140**

**Report To:** Housatonic Valley Association  
150 Kent Rd. South  
Cornwall Bridge, CT 06754

**Lab No:** S031374  
**Reported:** 08/02/18  
**PO:**

**Attention:** Michael Jastremski

**Project:** Ten Mile River Watershed, NY

**Lab ID:** S031374-14  
**Sample ID:** 16-SWMP-6.8

**Date Collected:** 07/26/18 14:00  
**Date Received:** 07/26/18 17:37

**Matrix:** Surface Water  
**Collected By:** Jake Parise

Field Chlorine (mg/L):

**Microbiological Parameters**

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Analyst</u>
E. Coli	39.3		MPN/100 mL	1	SM 22 9223B	07/26/18 18:20	BD

**Notes and Definitions**

GT	Concentration exceeds test range. Result is greater than value reported.
CFU	Colony Forming Units
MPN	Most Probable Number
RDL	Reporting Detection Limit
MCL	Maximum Contaminant Level
<	Less than reporting limit
ML	Milliliters
U	Not Detected
g	Gram
SUB	Analysis performed by a subcontract laboratory

Smith Environmental Laboratory

Nicole Coenen For Noelle Zielinski, Lead Technical Director

Smith Environmental Laboratory is approved as an environmental testing laboratory in conformance with the National Environmental Laboratory Accreditation Conference (NELAC) Standards. This test report pertains only to the above items analyzed on this sample as received by the laboratory. Information supplied by the client is assumed to be correct. This report must be reproduced in its entirety, with signed approval of Smith Environmental Laboratory.

Page 14 of 14

<b>SMITH ENVIRONMENTAL LABORATORY</b> 4 Scenic Drive Hyde Park, NY 12538-1313 Phone: 845-229-6536 Fax: 845-229-6538		<b>CHAIN OF CUSTODY</b>		<b>LAB USE ONLY</b>  Turnaround Time: Standard _____ <b>RUSH</b> (surcharge applies) <b>** Date report requested:</b> _____		Login Review:	
						Amt Due:	
						Amt Paid:	
						Pmt Method :	
						Receipt No:	

Client Name: Housatonic Valley Association Client Phone No: 860-672-6578 Project/Facility Name: \_\_\_\_\_  
 Mailing Address: 15 Kent Road South Email or Fax No.: MJ.HVA@outlook.com Location: Ten Mile River Watershed  
Corn Wall Bridge CT Copy Report To: \_\_\_\_\_ PWS Fed ID No: NY- \_\_\_\_\_

**LAB USE ONLY****CLIENT: COMPLETE THE SAMPLE INFORMATION IN THE SPACE PROVIDED BELOW****LAB USE ONLY**

Order ID No: Sample No:	Sample Identification	Matrix	(Check One)			Treatment Type & Residual	Date & Time Sampled	Analysis Requested	Container & Preservative	Sample Temp. °C	Meets Therm. Pres. Y/N/NA	Meets Chem. Pres. Y/N/NA
			Grab	Comp # hrs	First Draw							
5031374												
-01	16-WEBA-15.1	SW	X				7/26/18 9:40 AM	E Coli MPN-ENUM	SLD	10.1	Y	NA
-02	16-WEBA-13.1	SW	X				7/26/18 10 AM	E Coli MPN-ENUM	SLD	9.9	Y	NA
-03	16-WEBA-21.2	SW	X				7/26/18 9 AM	E Coli MPN-ENUM	SLD	11.7	Y	NA
-04	16-MLHU-8.9 TP	SW	X				7/26/18 10:40 AM	E Coli MPN-ENUM	SLD	10.4	Y	NA
-05	16-WASS-T2-2.1	SW	X				7/26/18 11 AM	E Coli MPN-ENUM	SLD	10.0	Y	NA
-06	16-WASS-2.1	SW	X				7/26/18 11:15 AM	E Coli MPN-ENUM	SLD	12.6	Y	NA
-07	16-WEBA-0.1	SW	X				7/26/18 11:40 AM	E Coli MPN-ENUM	SLD	11.0	Y	NA
-08	16-CHUR-2.1	SW	X				7/26/18 12:30 PM	E Coli MPN-ENUM	SLD	12.1	Y	NA
-09	16-TEM-8.6	SW	X				7/26/18 1 PM	E Coli MPN-ENUM	SLD	12.8	Y	NA

Sampled By: (Name) Jake Poirer (Title) Intern I hereby affirm that the information above is true and complete to the best of my knowledge.

I acknowledge that Smith Environmental Laboratory (SEL) reserves the right to subcontract testing to a NYS DOH ELAP approved lab which holds required certifications in the event that it is unable to perform the analysis. I agree to allow samples be sent to a sub laboratory at the discretion of SEL. I also affirm that I am responsible for payment at time of receipt, unless other arrangements are approved in advance.

Sample Relinquished By: Joe Poirer Received By: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Sample Relinquished By: \_\_\_\_\_ Received at Lab By: [Signature] Date: 7/26/18 Time: 1737

Sample(s) received: \_\_\_\_\_  
 In Correct Bottle: Yes ☒ No \_\_\_\_\_  
 On Ice: Yes ☒ No \_\_\_\_\_ \*Refer to back of chain for tests requiring thermal preservation.  
 Note: Thermal preservation is met when samples are received ≤6°C. If temperature is greater than 6°C, samples will be considered to meet thermal preservation if received in sufficient ice within 8 hours of collection.  
 Note: Samples requiring chemical preservation which are received unpreserved will be preserved at the laboratory at the time of receipt.

Comments: \_\_\_\_\_  
 \_\_\_\_\_  
 Samples are subject to our terms and conditions found at <http://www.smithlaboratory.com/terms/>

## SMITH ENVIRONMENTAL LABORATORY

4 Scenic Drive

Hyde Park, NY 12538-1313

Phone: 845-229-6536

Fax: 845-229-6538

Copy results to

Local Health Dept.

Yes No email:

## CHAIN OF CUSTODY

## LAB USE ONLY

Turnaround Time: Standard

RUSH (surcharge applies)

\*\* Date report requested:

Login Review:

Amt Due:

Amt Paid:

Pmt Method:

Receipt No:

Client Name: Housatonic Valley Association

Client Phone No: 860-672-6673

Project/Facility Name:

Mailing Address: 150 Kent Road South

Email or Fax No.: MJ.HVA@outlook.com

Location: Ten Mile River watershed New York

Coen Wall Bridge Ct

Copy Report To:

PWS Fed ID No: NY-

## LAB USE ONLY

## CLIENT: COMPLETE THE SAMPLE INFORMATION IN THE SPACE PROVIDED BELOW

## LAB USE ONLY

Order ID No: Sample No:	Sample Identification	Matrix	(Check One)			Treatment Type & Residual	Date & Time Sampled	Analysis Requested	Container & Preservative	Sample Temp. °C	Meets Therm. Pres. Y/N/NA	Meets Chem. Pres. Y/N/NA
			Grab	Comp # hrs	First Draw							
5031374	-10 16-MLLR-0.5	SW	X				7/26/13 1:30 PM	ECOLI MPN-ENVm	SLD	12.8	Y	NA
	-11 16-TEN-0.1	SW	X				7/26/13 2:40 PM	ECOLI MPN-ENVm	SLD	10.4	Y	NA
	-12 16-DEWH-0.1	SW	X				7/26/13 2:30 PM	ECOLI MPN-ENVm	SLD	15.8	Y	NA
	-13 16-BRAT-2.2	SW	X				7/26/13 1:45 PM	ECOLI MPN-ENVm	SLD	13.8	Y	NA
	-14 16-SWMP-6.3	SW	X				7/26/13 2 PM	ECOLI MPN-ENVm	SLD	11.7	Y	NA
no sample	16-WASS-T2-0.1	SW	X				7/26/13 11 AM	ECOLI MPN-ENVm				
no sample	16-WASS-T2-0.1	SW	X				7/26/13 11 AM	ECOLI MPN-ENVm				
no sample	16-WASS-T2-0.1	SW	X				7/26/13 11 AM	ECOLI MPN-ENVm				
possible	16-WABA-0.1	SW	X				7/26/13 11:40 AM	ECOLI MPN-ENVm				
possible	16-WABA-0.1	SW	X				7/26/13 11:40 AM	ECOLI MPN-ENVm				
possible	16-CHUP-0.1	SW	X				7/26/13 12:30 PM	ECOLI MPN-ENVm				

Sampled By: (Name) JAKE PARRIE (Title) Intern

I hereby affirm that the information above is true and complete to the best of my knowledge. 7/26

I acknowledge that Smith Environmental Laboratory (SEL) reserves the right to subcontract testing to a NYS DOH ELAP approved lab which holds required certifications in the event that it is unable to perform the analysis. I agree to allow samples be sent to a sub laboratory at the discretion of SEL. I also affirm that I am responsible for payment at time of receipt, unless other arrangements are approved in advance.

Sample Relinquished By: Joe Parrie

Received By:

Date:

Time:

Sample Relinquished By:

Received at Lab By:

Date: 7/26/13

Time: 1737

Sample(s) received:

In Correct Bottle: Yes No

On Ice: Yes No \*Refer to back of chain for tests requiring thermal preservation.

Note: Thermal preservation is met when samples are received 56°C. If temperature is greater than 6°C, samples will be considered to meet thermal preservation if received in sufficient ice within 8 hours of collection

Note: Samples requiring chemical preservation which are received unpreserved will be preserved at the laboratory at the time of receipt.

Comments:

Samples are subject to our terms and conditions found at <http://www.smithlaboratory.com/terms/>