Reef photogrammetry: field form

One form per transect. Pages 1–3 are filled in the field (print on waterproof paper or copy onto the slate); page 4 is the post-site report, filled in the same day. Method: Underwater Photogrammetry and Field transects pages of the SEASTRONG Field Processing Tools documentation.

1. Transect header

Study area (BZ / SC / FJ)		**Corridor (C1–C6)**	
Transect ID		**Date**	
Operators		**Snorkel / scuba**	
Sensor 1 ID (seaward)		**Sensor 1 position on tape (m)**	
Sensor 2 ID (landward)		**Sensor 2 position on tape (m)**	
GPS point above 0 m end (lat, lon)		**Bearing 0 → 30 m (°)**	
Camera spacing (cm)		**Swimming height (m)**	
Time zone of watch / phone		**Tide (rising / falling / slack)**	

2. Before going in the water

- ☐ Two cameras set to the same time (GoPro app); labelled A and B
- ☐ Cameras charged, memory cards empty, identical settings (Timelapse, 0.5 s, 5K, Linear, Protune, Flat, ISO 200, shortest shutter, fixed white balance, JPEG)
- ☐ Rig assembled; camera spacing measured and written above
- ☐ At least 6 scale bars (bar list with you), 30 m tape, depth gauge, compass, GPS/phone, slate, weights or pegs, colour tab (optional)
- ☐ Conditions OK: visibility > ~4 m, little surge, tide not changing fast
- ☐ **No strong caustics on the bottom** (otherwise wait for clouds or a lower sun)

3. Layout (in the water)

- ☐ Tape laid cross-shore, straight and secured: 0 m at sensor 1 (seaward), 30 m at sensor 2
- ☐ At least 6 scale bars on both sides, within ~2 m of the tape, varied orientation and elevation; no damage to live coral
- ☐ Tape positions where the habitat changes noted below

Habitat changes along tape (m: description)	

4. Scale-bar targets: three depth readings at the centre of each target

Side: L / R looking landward. Write the time of each set of readings.

Target code	Position on tape (m)	Side (L/R)	Depth 1 (m)	Depth 2 (m)	Depth 3 (m)	Time
e.g. T01	*2.5*	*L*	*1.62*	*1.60*	*1.63*	*10:42*

5. Depth profile: depth and time every 2 m, at each sensor, and 5–10 m beyond the 30 m mark

Tape (m)	Depth (m)	Time
0		
2		
4		
6		
8		
10		
12		
14		
16		
18		
20		

Tape (m)	Depth (m)	Time
22		
24		
26		
28		
30		
32		
34		
36		
38		
40		
sensor 1		
sensor 2		

6. Photo survey

- ☐ Both cameras started as close to simultaneously as possible; colour tab in the first photos (if used)
- ☐ Pass 1: forward, camera A over the tape, ~1.5–2 m above the bottom, ~0.3 m/s
- ☐ Pass 2: backward, camera A over the tape
- ☐ Pass 3: zigzag, ~3 m each side, ~5 crossings each way
- ☐ Photos checked on both cameras: complete, sharp, not fogged; passes repeated if needed
- ☐ All scale bars (checked against the bar list) and the tape recovered; slate photographed

Cameras start time		**Cameras end time**	
Passes repeated? (which, why)			

Post-site report

Filled in the same day, after downloading the data. Send it with the data to the data manager.

A. Survey

Transect ID		**Date**	
Survey complete (Y / N)		**Time in the water (h)**	
Visibility (m)		**Waves / surge**	
Cloud / caustics		**Current**	

B. Data

Photos camera A (n)		**Photos camera B (n)**	
Folder name camera A		**Folder name camera B**	
Target depths complete (Y / N)		**Depth profile complete (Y / N)**	
Slate photo saved (Y / N)		**Field sheet copied (Y / N)**	

C. Quality check (tick if a problem)

- ☐ Blurred or dark photos
- ☐ Fogged housing
- ☐ Caustics in part of the survey
- ☐ A camera stopped during a pass
- ☐ Targets moved or not visible
- ☐ Tape not straight or moved
- ☐ Missing depth readings

D. Deviations from the protocol, problems and notes

Filled in by		**Date**	