

- [53] Adrian M Ionescu and Heike Riel. “Tunnel field-effect transistors as energy-efficient electronic switches”. In: *nature* 479.7373 (2011), pp. 329–337.
- [54] Ahmed MM Hammam et al. “Sub-10 nm graphene nano-ribbon tunnel field-effect transistor”. In: *Carbon* 126 (2018), pp. 588–593.
- [55] Wan Sik Hwang et al. “Room-temperature graphene-nanoribbon tunneling field-effect transistors”. In: *npj 2D Materials and Applications* 3.1 (2019), pp. 1–7.
- [56] Aaron D Franklin et al. “Sub-10 nm carbon nanotube transistor”. In: *Nano Letters* 12.2 (2012), pp. 758–762.
- [57] Aaron D Franklin and Zhihong Chen. “Length scaling of carbon nanotube transistors”. In: *Nature Nanotechnology* 5.12 (2010), p. 858.
- [58] Ralf Thomas Weitz et al. “High-performance carbon nanotube field effect transistors with a thin gate dielectric based on a self-assembled monolayer”. In: *Nano letters* 7.1 (2007), pp. 22–27.
- [59] Yu-Ming Lin et al. “High-performance carbon nanotube field-effect transistor with tunable polarities”. In: *IEEE Transactions on Nanotechnology* 4.5 (2005), pp. 481–489.
- [60] Ali Javey et al. “High-field quasiballistic transport in short carbon nanotubes”. In: *Physical Review Letters* 92.10 (2004), p. 106804.
- [61] N Chimot et al. “Gigahertz frequency flexible carbon nanotube transistors”. In: *Applied Physics Letters* 91.15 (2007), p. 153111.
- [62] Michael Schröter et al. “CNTFET-based RF electronics—State-of-the-art and future prospects”. In: *2016 IEEE 16th Topical Meeting on Silicon Monolithic Integrated Circuits in RF Systems (SiRF)*. IEEE. 2016, pp. 97–100.
- [63] Ali Javey et al. “High- κ dielectrics for advanced carbon-nanotube transistors and logic gates”. In: *Nature Materials* 1.4 (2002), p. 241.
- [64] Vladimir Derenskyi et al. “Carbon nanotube network ambipolar field-effect transistors with 108 on/off ratio”. In: *Advanced Materials* 26.34 (2014), pp. 5969–5975.
- [65] A Le Louarn et al. “Intrinsic current gain cutoff frequency of 30 GHz with carbon nanotube transistors”. In: *Applied physics letters* 90.23 (2007), p. 233108.
- [66] Ali Javey et al. “High performance n-type carbon nanotube field-effect transistors with chemically doped contacts”. In: *Nano letters* 5.2 (2005), pp. 345–348.
- [67] Yuchi Che et al. “T-gate aligned nanotube radio frequency transistors and circuits with superior performance”. In: *ACS nano* 7.5 (2013), pp. 4343–4350.
- [68] Yu Cao et al. “Radio frequency transistors using aligned semiconducting carbon nanotubes with current-gain cutoff frequency and maximum oscillation frequency simultaneously greater than 70 GHz”. In: *ACS nano* 10.7 (2016), pp. 6782–6790.
- [69] Fumiyuki Nihey et al. “A top-gate carbon-nanotube field-effect transistor with a titanium-dioxide insulator”. In: *Japanese journal of applied physics* 41.10A (2002), p. L1049.
- [70] Pak Heng Lau et al. “Fully printed, high performance carbon nanotube thin-film transistors on flexible substrates”. In: *Nano letters* 13.8 (2013), pp. 3864–3869.

- [71] Amandeep Singh, Mamta Khosla, and Balwinder Raj. “Comparative analysis of carbon nanotube field effect transistors”. In: *2015 IEEE 4th Global Conference on Consumer Electronics (GCCE)*. IEEE. 2015, pp. 552–555.
- [72] Aaron D Franklin, Nestor A Bojarczuk, and Matthew Copel. “Consistently low subthreshold swing in carbon nanotube transistors using lanthanum oxide”. In: *Applied Physics Letters* 102.1 (2013), p. 013108.
- [73] Yu-Ming Lin et al. “High-performance carbon nanotube field-effect transistor with tunable polarities”. In: *IEEE transactions on nanotechnology* 4.5 (2005), pp. 481–489.
- [74] Jose M Marulanda and Ashok Srivastava. “Carrier density and effective mass calculations in carbon nanotubes”. In: *Physica Status Solidi (b)* 245.11 (2008), pp. 2558–2562.
- [75] Aaron D Franklin and Zhihong Chen. “Length scaling of carbon nanotube transistors”. In: *Nature Nanotechnology* 5.12 (2010), p. 858.
- [76] Artem Fediai, Dmitry A Ryndyk, and Gianaurelio Cuniberti. “Electron transport in extended carbon-nanotube/metal contacts: Ab initio based Green function method”. In: *Physical Review B* 91.16 (2015), p. 165404.
- [77] Fabian Teichert et al. “An improved Green’s function algorithm applied to quantum transport in carbon nanotubes”. In: *Computational Materials Science* 169 (2019), p. 109014.
- [78] Artem Fediai et al. “Towards an optimal contact metal for CNTFETs”. In: *Nanoscale* 8.19 (2016), pp. 10240–10251.
- [79] Lijun Liu et al. “Scaling down contact length in complementary carbon nanotube field-effect transistors”. In: *Nanoscale* 9.27 (2017), pp. 9615–9621.
- [80] Meninder S Purewal et al. “Scaling of resistance and electron mean free path of single-walled carbon nanotubes”. In: *Physical Review Letters* 98.18 (2007), p. 186808.
- [81] François Léonard and J Tersoff. “Role of Fermi-level pinning in nanotube Schottky diodes”. In: *Physical Review Letters* 84.20 (2000), p. 4693.
- [82] Johannes Svensson and Eleanor EB Campbell. “Schottky barriers in carbon nanotube-metal contacts”. In: *Journal of Applied Physics* 110.11 (2011), p. 16.
- [83] Melinda Y Han et al. “Energy band-gap engineering of graphene nanoribbons”. In: *Physical Review Letters* 98.20 (2007), p. 206805.
- [84] Verónica Barone, Oded Hod, and Gustavo E Scuseria. “Electronic structure and stability of semiconducting graphene nanoribbons”. In: *Nano Letters* 6.12 (2006), pp. 2748–2754.
- [85] Zhansong Geng et al. “Graphene Nanoribbons for Electronic Devices”. In: *Annalen der Physik* 529.11 (2017), p. 1700033.
- [86] Philip Kim et al. “Graphene nanoribbon devices and quantum heterojunction devices”. In: *2009 IEEE International Electron Devices Meeting (IEDM)*. IEEE. 2009, pp. 1–4.
- [87] Zhihong Chen et al. “Graphene nano-ribbon electronics”. In: *Physica E: Low-dimensional Systems and Nanostructures* 40.2 (2007), pp. 228–232.

- [88] Li Yang et al. “Quasiparticle energies and band gaps in graphene nanoribbons”. In: *Physical Review Letters* 99.18 (2007), p. 186801.
- [89] Martin Evaldsson et al. “Edge-disorder-induced Anderson localization and conduction gap in graphene nanoribbons”. In: *Physical Review B* 78.16 (2008), p. 161407.
- [90] Jinming Cai et al. “Atomically precise bottom-up fabrication of graphene nanoribbons”. In: *Nature* 466.7305 (2010), p. 470.
- [91] Akimitsu Narita, Xinliang Feng, and Klaus Müllen. “Bottom-up synthesis of chemically precise graphene nanoribbons”. In: *The Chemical Record* 15.1 (2015), pp. 295–309.
- [92] Junzhi Liu et al. “Toward cove-edged low band gap graphene nanoribbons”. In: *Journal of the American Chemical Society* 137.18 (2015), pp. 6097–6103.
- [93] Yunbin Hu et al. “Bandgap engineering of graphene nanoribbons by control over structural distortion”. In: *Journal of the American Chemical Society* 140.25 (2018), pp. 7803–7809.
- [94] Liang Ma, Jinlan Wang, and Feng Ding. “Recent Progress and Challenges in Graphene Nanoribbon Synthesis”. In: *ChemPhysChem* 14.1 (2013), pp. 47–54.
- [95] Dmitry V Kosynkin et al. “Longitudinal unzipping of carbon nanotubes to form graphene nanoribbons”. In: *Nature* 458.7240 (2009), pp. 872–876.
- [96] Sujit S. Datta et al. “Crystallographic Etching of Few-Layer Graphene”. In: *Nano Letters* 8.7 (2008), pp. 1912–1915. URL: <http://arxiv.org/pdf/0806.3965v1.pdf>.
- [97] Melinda Y Han, Juliana C Brant, and Philip Kim. “Electron transport in disordered graphene nanoribbons”. In: *Physical Review Letters* 104.5 (2010), p. 056801.
- [98] Federico Lombardi et al. “Synthetic tuning of the quantum properties of open-shell radicaloids”. In: *Chem* 7.5 (2021), pp. 1363–1378.
- [99] Federico Lombardi et al. “Quantum units from the topological engineering of molecular graphenoids”. In: *Science* 366.6469 (2019), pp. 1107–1110.
- [100] Jens Baringhaus et al. “Exceptional ballistic transport in epitaxial graphene nanoribbons”. In: *Nature* 506.7488 (2014), pp. 349–354.
- [101] Young-Woo Son, Marvin L Cohen, and Steven G Louie. “Energy gaps in graphene nanoribbons”. In: *Physical Review Letters* 97.21 (2006), p. 216803.
- [102] Li Yang et al. “Quasiparticle energies and band gaps in graphene nanoribbons”. In: *Physical Review Letters* 99.18 (2007), p. 186801.
- [103] Kyoko Nakada et al. “Edge state in graphene ribbons: Nanometer size effect and edge shape dependence”. In: *Physical Review B* 54.24 (1996), p. 17954.
- [104] Amina Kimouche et al. “Ultra-narrow metallic armchair graphene nanoribbons”. In: *Nature communications* 6.1 (2015), pp. 1–6.
- [105] Ingmar Swart, Leo Gross, and Peter Liljeroth. “Single-molecule chemistry and physics explored by low-temperature scanning probe microscopy”. In: *Chemical Communications* 47.32 (2011), pp. 9011–9023.

- [106] Mildred S Dresselhaus, Gene Dresselhaus, and Ado Jorio. *Group theory: application to the physics of condensed matter*. Springer Science & Business Media, 2007.
- [107] Katsunori Wakabayashi et al. “Electronic states of graphene nanoribbons and analytical solutions”. In: *Science and technology of advanced materials* 11.5 (2010), p. 054504.
- [108] Yousuke Kobayashi et al. “Edge state on hydrogen-terminated graphite edges investigated by scanning tunneling microscopy”. In: *Physical Review B* 73.12 (2006), p. 125415.
- [109] Young-Woo Son, Marvin L Cohen, and Steven G Louie. “Half-metallic graphene nanoribbons”. In: *Nature* 444.7117 (2006), pp. 347–349.
- [110] Sudipta Dutta, Arun K Manna, and Swapan K Pati. “Intrinsic half-metallicity in modified graphene nanoribbons”. In: *Physical Review Letters* 102.9 (2009), p. 096601.
- [111] Oleg V Yazyev, Rodrigo B Capaz, and Steven G Louie. “Theory of magnetic edge states in chiral graphene nanoribbons”. In: *Physical Review B* 84.11 (2011), p. 115406.
- [112] Paolo Lazzeretti. “Chiral discrimination in nuclear magnetic resonance spectroscopy”. In: *Journal of Physics: Condensed Matter* 29.44 (2017), p. 443001.
- [113] Hosik Lee et al. “Magnetic ordering at the edges of graphitic fragments: Magnetic tail interactions between the edge-localized states”. In: *Physical Review B* 72.17 (2005), p. 174431.
- [114] Michael Slota et al. “Magnetic edge states and coherent manipulation of graphene nanoribbons”. In: *Nature* 557.7707 (2018), pp. 691–695.
- [115] Xinran Wang et al. “Room-temperature all-semiconducting sub-10-nm graphene nanoribbon field-effect transistors”. In: *Physical Review Letters* 100.20 (2008), p. 206803.
- [116] G Pennington et al. “Deformation potential carrier-phonon scattering in semiconducting carbon nanotube transistors”. In: *Applied Physics Letters* 90.6 (2007), p. 062110.
- [117] U Ishiyama, Nguyen Thanh Cuong, and Susumu Okada. “Influence of defects on carrier injection in carbon nanotubes with defects”. In: *Japanese Journal of Applied Physics* 54.6 (2015), p. 065101.
- [118] YU Peter and Manuel Cardona. *Fundamentals of semiconductors: physics and materials properties*. Springer Science & Business Media, 2010.
- [119] C Stampfer et al. “Tunable graphene single electron transistor”. In: *Nano Letters* 8.8 (2008), pp. 2378–2383.
- [120] Jian Sun et al. “Lateral plasma etching enhanced on/off ratio in graphene nanoribbon field-effect transistor”. In: *Applied Physics Letters* 106.3 (2015), p. 033509.
- [121] Lingxiu Chen et al. “Oriented graphene nanoribbons embedded in hexagonal boron nitride trenches”. In: *Nature communications* 8 (2017), p. 14703.

- [122] Wan Sik Hwang et al. “Graphene nanoribbon field-effect transistors on wafer-scale epitaxial graphene on SiC substrates”. In: *APL materials* 3.1 (2015), p. 011101.
- [123] Wan Sik Hwang et al. “Transport properties of graphene nanoribbon transistors on chemical-vapor-deposition grown wafer-scale graphene”. In: *Applied Physics Letters* 100.20 (2012), p. 203107.
- [124] Liying Jiao et al. “Facile synthesis of high-quality graphene nanoribbons”. In: *Nature nanotechnology* 5.5 (2010), pp. 321–325.
- [125] Changxin Chen et al. “Sub-10-nm graphene nanoribbons with atomically smooth edges from squashed carbon nanotubes”. In: *Nature Electronics* (2021), pp. 1–11.
- [126] Kyuhyun Bang et al. “Effect of ribbon width on electrical transport properties of graphene nanoribbons”. In: *Nano convergence* 5.1 (2018), p. 7.
- [127] Denis A Areshkin, Daniel Gunlycke, and Carter T White. “Ballistic transport in graphene nanostrips in the presence of disorder: Importance of edge effects”. In: *Nano Letters* 7.1 (2007), pp. 204–210.
- [128] Ivar Martin and Ya M Blanter. “Transport in disordered graphene nanoribbons”. In: *Physical Review B* 79.23 (2009), p. 235132.
- [129] Zhihong Chen et al. “Graphene nano-ribbon electronics”. In: *Physica E: Low-dimensional Systems and Nanostructures* 40.2 (2007), pp. 228–232.
- [130] Leonid A Ponomarenko et al. “Chaotic Dirac billiard in graphene quantum dots”. In: *Science* 320.5874 (2008), pp. 356–358.
- [131] Carlo WJ Beenakker. “Theory of Coulomb-blockade oscillations in the conductance of a quantum dot”. In: *Physical Review B* 44.4 (1991), p. 1646.
- [132] Antonio Di Bartolomeo. “Graphene Schottky diodes: An experimental review of the rectifying graphene/semiconductor heterojunction”. In: *Physics Reports* 606 (2016), pp. 1–58.
- [133] Leopold Talirz et al. “On-surface synthesis and characterization of 9-atom wide armchair graphene nanoribbons”. In: *ACS Nano* 11.2 (2017), pp. 1380–1388.
- [134] Patrick B Bennett et al. “Bottom-up graphene nanoribbon field-effect transistors”. In: *Applied Physics Letters* 103.25 (2013), p. 253114.
- [135] Fengnian Xia et al. “The origins and limits of metal-graphene junction resistance”. In: *Nature nanotechnology* 6.3 (2011), pp. 179–184.
- [136] Xiao-Ye Wang, Akimitsu Narita, and Klaus Müllen. “Precision synthesis versus bulk-scale fabrication of graphenes”. In: *Nature Reviews Chemistry* 2.1 (2017), pp. 1–10.
- [137] Juan Pablo Llinas et al. “Short-channel field-effect transistors with 9-atom and 13-atom wide graphene nanoribbons”. In: *Nature communications* 8.1 (2017), p. 633.
- [138] Oliver Braun et al. “Optimized graphene electrodes for contacting graphene nanoribbons”. In: *Carbon* 184 (2021), pp. 331–339.
- [139] Maria El Abbassi et al. “Controlled quantum dot formation in atomically engineered graphene nanoribbon field-effect transistors”. In: *ACS Nano* 14.5 (2020), pp. 5754–5762.

- [140] Supriyo Datta. *Electronic transport in mesoscopic systems*. Cambridge university press, 1997.
- [141] G Dresselhaus, Mildred S Dresselhaus, and Riichiro Saito. *Physical properties of carbon nanotubes*. World scientific, 1998.
- [142] Kathleen M McCreary et al. “Magnetic moment formation in graphene detected by scattering of pure spin currents”. In: *Physical Review Letters* 109.18 (2012), p. 186604.
- [143] Luis Escalera-Moreno et al. “Spin states, vibrations and spin relaxation in molecular nanomagnets and spin qubits: a critical perspective”. In: *Chemical Science* 9.13 (2018), pp. 3265–3275.
- [144] Dmitri K Efetov and Philip Kim. “Controlling electron-phonon interactions in graphene at ultrahigh carrier densities”. In: *Physical Review Letters* 105.25 (2010), p. 256805.
- [145] Valeri N Kotov et al. “Electron-electron interactions in graphene: Current status and perspectives”. In: *Reviews of Modern Physics* 84.3 (2012), p. 1067.
- [146] Juan Carlos Cuevas and Elke Scheer. *Molecular electronics: an introduction to theory and experiment*. World Scientific, 2010.
- [147] Johannes S Seldenthuis et al. “Vibrational excitations in weakly coupled single-molecule junctions: a computational analysis”. In: *ACS Nano* 2.7 (2008), pp. 1445–1451.
- [148] Massimiliano Esposito and Michael Galperin. “Self-consistent quantum master equation approach to molecular transport”. In: *The Journal of Physical Chemistry C* 114.48 (2010), pp. 20362–20369.
- [149] James O Thomas et al. “Understanding resonant charge transport through weakly coupled single-molecule junctions”. In: *Nature communications* 10.1 (2019), pp. 1–9.
- [150] Jakub K Sowa et al. “Beyond Marcus theory and the Landauer-Büttiker approach in molecular junctions: A unified framework”. In: *The Journal of chemical physics* 149.15 (2018), p. 154112.
- [151] Jakub K Sowa et al. “Beyond Marcus theory and the Landauer-Büttiker approach in molecular junctions. II. A self-consistent Born approach”. In: *The Journal of Chemical Physics* 152.6 (2020), p. 064103.
- [152] Matthew D Todd et al. “Electron transfer rates from time-dependent correlation functions. Wavepacket dynamics, solvent effects, and applications”. In: *Journal of Photochemistry and Photobiology A: Chemistry* 82.1-3 (1994), pp. 87–101.
- [153] Thierry Giamarchi. *Quantum Physics in One Dimension*. Vol. 121. Clarendon press, 2003.
- [154] MA Cazalilla et al. “One dimensional bosons: From condensed matter systems to ultracold gases”. In: *Reviews of Modern Physics* 83.4 (2011), p. 1405.
- [155] Thierry Giamarchi. “One-dimensional physics in the 21st century”. In: *Comptes Rendus Physique* 17.3-4 (2016), pp. 322–331.
- [156] Erminald Bertel. “Physics in One Dimension”. In: *European Journal of Physics Education* 4.1 (2017), pp. 58–77.

- [157] Sin-itiro Tomonaga. “Remarks on Bloch’s method of sound waves applied to many-fermion problems”. In: *Progress of Theoretical Physics* 5.4 (1950), pp. 544–569.
- [158] JM Luttinger. “An exactly soluble model of a many-fermion system”. In: *Journal of mathematical physics* 4.9 (1963), pp. 1154–1162.
- [159] Daniel C Mattis and Elliott H Lieb. “Exact solution of a many-fermion system and its associated boson field”. In: *Bosonization*. World Scientific, 1994, pp. 98–106.
- [160] FDM Haldane. “‘Luttinger liquid theory’ of one-dimensional quantum fluids. I. Properties of the Luttinger model and their extension to the general 1D interacting spinless Fermi gas”. In: *Journal of Physics C: Solid State Physics* 14.19 (1981), p. 2585.
- [161] Jan Von Delft and Herbert Schoeller. “Bosonization for beginners—re-fermionization for experts”. In: *Annalen der Physik* 7.4 (1998), pp. 225–305.
- [162] Yiqing Jin. “Measurement of electron-electron interactions in one dimension with tunnelling spectroscopy”. PhD thesis. University of Cambridge, 2020.
- [163] Thierry Giamarchi. “Strong correlations in low dimensional systems”. In: *AIP Conference Proceedings*. Vol. 846. 1. American Institute of Physics. 2006, pp. 94–129.
- [164] Bella Lake et al. “Quantum criticality and universal scaling of a quantum antiferromagnet”. In: *Nature materials* 4.4 (2005), pp. 329–334.
- [165] Martin Mourigal et al. “Fractional spinon excitations in the quantum Heisenberg antiferromagnetic chain”. In: *Nature Physics* 9.7 (2013), pp. 435–441.
- [166] Pedro Vianez, Oleksandr Tsypliyatyev, and Christopher Ford. “Semiconductor nanodevices as a probe of strong electron correlations”. In: *Frontiers of Nanoscience*. Vol. 20. Elsevier, 2021, pp. 31–66.
- [167] Reinhold Egger and Alexander O Gogolin. “Effective low-energy theory for correlated carbon nanotubes”. In: *Physical Review Letters* 79.25 (1997), p. 5082.
- [168] Reinhold Egger. “Luttinger liquid behavior in multiwall carbon nanotubes”. In: *Physical Review Letters* 83.26 (1999), p. 5547.
- [169] Charles Kane, Leon Balents, and Matthew PA Fisher. “Coulomb interactions and mesoscopic effects in carbon nanotubes”. In: *Physical Review Letters* 79.25 (1997), p. 5086.
- [170] Bitan Roy, Malcolm P Kennett, and S Das Sarma. “Chiral symmetry breaking and the quantum Hall effect in monolayer graphene”. In: *Physical Review B* 90.20 (2014), p. 201409.
- [171] Ann E Mattsson, Sebastian Eggert, and Henrik Johannesson. “Properties of a Luttinger liquid with boundaries at finite temperature and size”. In: *Physical Review B* 56.24 (1997), p. 15615.
- [172] Michele Fabrizio and Alexander O Gogolin. “Interacting one-dimensional electron gas with open boundaries”. In: *Physical Review B* 51.24 (1995), p. 17827.
- [173] Ji Won Suk et al. “Transfer of CVD-grown monolayer graphene onto arbitrary substrates”. In: *ACS Nano* 5.9 (2011), pp. 6916–6924.

- [174] Sami Ullah et al. “Graphene transfer methods: A review”. In: *Nano Research* 14.11 (2021), pp. 3756–3772.
- [175] AA Houck et al. “Kondo effect in electromigrated gold break junctions”. In: *Nano Letters* 5.9 (2005), pp. 1685–1688.
- [176] Regina Hoffmann et al. “Conductance of gold nanojunctions thinned by electromigration”. In: *Applied Physics Letters* 93.4 (2008), p. 043118.
- [177] CS Lau et al. “Nanoscale control of graphene electrodes”. In: *Physical Chemistry Chemical Physics* 16.38 (2014), pp. 20398–20401.
- [178] Bart Limburg et al. “Anchor Groups for Graphene-Porphyrin Single-Molecule Transistors”. In: *Advanced Functional Materials* 28.45 (2018), p. 1803629.
- [179] Gabriele de Boo. *QTLab*. <https://github.com/ggdeboo/QTLab>. 2013.
- [180] James Victor Uspensky. “Introduction to mathematical probability”. In: (1937).
- [181] Yuxuan Lin et al. “Scaling and Statistics of Bottom-Up Synthesized Armchair Graphene Nanoribbon Transistors”. In: *arXiv preprint arXiv:2201.09341* (2022).
- [182] Nisachol Nerngchamnong et al. “The role of van der Waals forces in the performance of molecular diodes”. In: *Nature nanotechnology* 8.2 (2013), pp. 113–118.
- [183] Jurriaan Huskens et al. “A model for describing the thermodynamics of multivalent host- guest interactions at interfaces”. In: *Journal of the American Chemical Society* 126.21 (2004), pp. 6784–6797.
- [184] E Mostaani, ND Drummond, and VI Fal’Ko. “Quantum Monte Carlo calculation of the binding energy of bilayer graphene”. In: *Physical Review Letters* 115.11 (2015), p. 115501.
- [185] Mindy D Bishop et al. “Fabrication of carbon nanotube field-effect transistors in commercial silicon manufacturing facilities”. In: *Nature Electronics* 3.8 (2020), pp. 492–501.
- [186] Robert D Deegan et al. “Capillary flow as the cause of ring stains from dried liquid drops”. In: *Nature* 389.6653 (1997), pp. 827–829.
- [187] Guanzhong Wang, Jouri Bommer, and Michiel de Moor. *Notes on Transport Measurements Using a Lock-In*. <http://homepage.tudelft.nl/q40r9/lockin-meas-guide-v20200603.pdf>. 2020.
- [188] Raymond Schouten. *Personal Website*. <https://qtnwork.tudelft.nl/~schouten/ivvi/doc-mod/docs3b.htm>. 2021.
- [189] Guibin Song, Mojtaba Ranjbar, and Richard A Kiehl. “Operation of graphene magnetic field sensors near the charge neutrality point”. In: *Communications Physics* 2.1 (2019), pp. 1–8.
- [190] David Collomb, Penglei Li, and Simon J Bending. “Nanoscale graphene Hall sensors for high-resolution ambient magnetic imaging”. In: *Scientific Reports* 9.1 (2019), pp. 1–10.
- [191] David Collomb, Penglei Li, and Simon Bending. “Frontiers of graphene-based Hall-effect sensors”. In: *Journal of Physics: Condensed Matter* 33.24 (2021), p. 243002.

- [192] Bogdan Karpiak, André Dankert, and Saroj P Dash. “Gate-tunable Hall sensors on large area CVD graphene protected by h-BN with 1D edge contacts”. In: *Journal of Applied Physics* 122.5 (2017), p. 054506.
- [193] S Sonusen et al. “Single layer graphene Hall sensors for scanning Hall probe microscopy (SHPM) in 3–300 K temperature range”. In: *Applied surface science* 308 (2014), pp. 414–418.
- [194] Zhenxing Wang et al. “Encapsulated graphene-based Hall sensors on foil with increased sensitivity”. In: *Physica Status Solidi (b)* 253.12 (2016), pp. 2316–2320.
- [195] André Dankert, Bogdan Karpiak, and Saroj P Dash. “Hall sensors batch-fabricated on all-CVD h-BN/graphene/h-BN heterostructures”. In: *Scientific Reports* 7.1 (2017), pp. 1–7.
- [196] Jan Dauber et al. “Ultra-sensitive Hall sensors based on graphene encapsulated in hexagonal boron nitride”. In: *Applied Physics Letters* 106.19 (2015), p. 193501.
- [197] Andreas Candini. “Hall Probes Magnetometry For The Study of Molecular Nanomagnets”. PhD thesis. University of Modena and Reggio Emilia, 2007.
- [198] Chuyao Tong et al. “Pauli Blockade of Tunable Two-Electron Spin and Valley States in Graphene Quantum Dots”. In: *Physical Review Letters* 128.6 (2022), p. 067702.
- [199] Max M Shulaker et al. “Carbon nanotube computer”. In: *Nature* 501.7468 (2013), pp. 526–530.
- [200] Xiaolin Li et al. “Chemically derived, ultrasmooth graphene nanoribbon semiconductors”. In: *science* 319.5867 (2008), pp. 1229–1232.
- [201] Xinran Wang et al. “Graphene nanoribbons with smooth edges behave as quantum wires”. In: *Nature nanotechnology* 6.9 (2011), pp. 563–567.
- [202] Pablo Jarillo-Herrero et al. “Electron-hole symmetry in a semiconducting carbon nanotube quantum dot”. In: *Nature* 429.6990 (2004), pp. 389–392.
- [203] Akimitsu Narita et al. “Synthesis of structurally well-defined and liquid-phase-processable graphene nanoribbons”. In: *Nature chemistry* 6.2 (2014), pp. 126–132.
- [204] Liying Jiao et al. “Narrow graphene nanoribbons from carbon nanotubes”. In: *Nature* 458.7240 (2009), pp. 877–880.
- [205] Oliver Gröning et al. “Engineering of robust topological quantum phases in graphene nanoribbons”. In: *Nature* 560.7717 (2018), pp. 209–213.
- [206] Daniel J Rizzo et al. “Topological band engineering of graphene nanoribbons”. In: *Nature* 560.7717 (2018), pp. 204–208.
- [207] Yinjuan Huang et al. “Intrinsic properties of single graphene nanoribbons in solution: synthetic and spectroscopic studies”. In: *Journal of the American Chemical Society* 140.33 (2018), pp. 10416–10420.
- [208] Wenhui Niu et al. “Synthetic engineering of graphene nanoribbons with excellent liquid-phase processability”. In: *Trends in Chemistry* 1.6 (2019), pp. 549–558.
- [209] Raymond T Tung. “The physics and chemistry of the Schottky barrier height”. In: *Applied Physics Reviews* 1.1 (2014), p. 011304.

- [210] Eduardo R Mucciolo, AH Castro Neto, and Caio H Lewenkopf. “Conductance quantization and transport gaps in disordered graphene nanoribbons”. In: *Physical Review B* 79.7 (2009), p. 075407.
- [211] C Stampfer et al. “Energy gaps in etched graphene nanoribbons”. In: *Physical Review Letters* 102.5 (2009), p. 056403.
- [212] S Fahlvik Svensson et al. “Nonlinear thermovoltage and thermocurrent in quantum dots”. In: *New Journal of Physics* 15.10 (2013), p. 105011.
- [213] Jian Zhang et al. “Room-Temperature Carbon Nanotube Single-Electron Transistors with Mechanical Buckling-Defined Quantum Dots”. In: *Advanced Electronic Materials* 4.5 (2018), p. 1700628.
- [214] Henk W Ch Postma et al. “Carbon nanotube single-electron transistors at room temperature”. In: *Science* 293.5527 (2001), pp. 76–79.
- [215] Vishva Ray et al. “CMOS-compatible fabrication of room-temperature single-electron devices”. In: *Nature nanotechnology* 3.10 (2008), pp. 603–608.
- [216] AA Shylau, JW Kłos, and IV Zozoulenko. “Capacitance of graphene nanoribbons”. In: *Physical Review B* 80.20 (2009), p. 205402.
- [217] F Sols, F Guinea, and AH Castro Neto. “Coulomb blockade in graphene nanoribbons”. In: *Physical Review Letters* 99.16 (2007), p. 166803.
- [218] Zhen Yao et al. “Carbon nanotube intramolecular junctions”. In: *Nature* 402.6759 (1999), pp. 273–276.
- [219] Marc Bockrath et al. “Luttinger-liquid behaviour in carbon nanotubes”. In: *Nature* 397.6720 (1999), p. 598.
- [220] M Thorwart et al. “Correlated tunneling in intramolecular carbon nanotube quantum dots”. In: *Physical Review Letters* 89.19 (2002), p. 196402.
- [221] Eros Mariani and Felix Von Oppen. “Flexural phonons in free-standing graphene”. In: *Physical Review Letters* 100.7 (2008), p. 076801.
- [222] L Lindsay, DA Broido, and Natalio Mingo. “Flexural phonons and thermal transport in graphene”. In: *Physical Review B* 82.11 (2010), p. 115427.
- [223] Simen Olav Njaa Sopp. “Investigation of Magnetic States in Molecular Systems in Cryogenic Environments”. PhD thesis. University of Oxford, 2021.
- [224] Mikhail Shekhirev et al. “Interfacial self-assembly of atomically precise graphene nanoribbons into uniform thin films for electronics applications”. In: *ACS Applied Materials & Interfaces* 9.1 (2017), pp. 693–700.
- [225] Hyeong Taek Ham, Yeong Suk Choi, and In Jae Chung. “An explanation of dispersion states of single-walled carbon nanotubes in solvents and aqueous surfactant solutions using solubility parameters”. In: *Journal of Colloid and Interface Science* 286.1 (2005), pp. 216–223.
- [226] Linda Vaisman, H Daniel Wagner, and Gad Marom. “The role of surfactants in dispersion of carbon nanotubes”. In: *Advances in colloid and interface science* 128 (2006), pp. 37–46.
- [227] Kyle L Grosse et al. “Nanoscale Joule heating, Peltier cooling and current crowding at graphene-metal contacts”. In: *Nature nanotechnology* 6.5 (2011), pp. 287–290.

- [228] Vivek Saraswat, Robert M Jacobberger, and Michael S Arnold. “Materials science challenges to graphene nanoribbon electronics”. In: *ACS Nano* 15.3 (2021), pp. 3674–3708.
- [229] Stoyan Karabunarliev et al. “Rigorous Franck–Condon absorption and emission spectra of conjugated oligomers from quantum chemistry”. In: *The Journal of Chemical Physics* 113.24 (2000), pp. 11372–11381.
- [230] Renaud Leturcq et al. “Franck–Condon blockade in suspended carbon nanotube quantum dots”. In: *Nature Physics* 5.5 (2009), pp. 327–331.
- [231] Joost Van Der Lit et al. “Suppression of electron–vibron coupling in graphene nanoribbons contacted via a single atom”. In: *Nature communications* 4.1 (2013), pp. 1–6.
- [232] Pascal Gehring et al. “Distinguishing lead and molecule states in graphene-based single-electron transistors”. In: *ACS Nano* 11.6 (2017), pp. 5325–5331.
- [233] AV Savin and Yu S Kivshar. “Localized vibrations of graphene nanoribbons”. In: *Low Temperature Physics* 42.8 (2016), pp. 703–710.
- [234] José M Soler et al. “The SIESTA method for ab initio order-N materials simulation”. In: *Journal of Physics: Condensed Matter* 14.11 (2002), p. 2745.
- [235] Alberto Garcia et al. “Siesta: Recent developments and applications”. In: *The Journal of chemical physics* 152.20 (2020), p. 204108.
- [236] A Dyson and BK Ridley. “Dispersion, mode-mixing and the electron-phonon interaction in nanostructures”. In: *Solid State Communications* 271 (2018), pp. 81–84.
- [237] William F Reus et al. “Statistical tools for analyzing measurements of charge transport”. In: *The Journal of Physical Chemistry C* 116.11 (2012), pp. 6714–6733.
- [238] Matthew G Reuter et al. “Signatures of cooperative effects and transport mechanisms in conductance histograms”. In: *Nano letters* 12.5 (2012), pp. 2243–2248.
- [239] Guoqing Zhou et al. “Electron–phonon scattering is much weaker in carbon nanotubes than in graphene nanoribbons”. In: *The Journal of Physical Chemistry Letters* 10.22 (2019), pp. 7179–7187.
- [240] S Sapmaz et al. “Tunneling in suspended carbon nanotubes assisted by longitudinal phonons”. In: *Physical Review Letters* 96.2 (2006), p. 026801.
- [241] Hongkun Park et al. “Nanomechanical oscillations in a single-C60 transistor”. In: *Nature* 407.6800 (2000), pp. 57–60.
- [242] AN Pasupathy et al. “Vibration-assisted electron tunneling in C140 transistors”. In: *Nano Letters* 5.2 (2005), pp. 203–207.
- [243] Chit Siong Lau et al. “Redox-dependent Franck–Condon blockade and avalanche transport in a graphene–fullerene single-molecule transistor”. In: *Nano letters* 16.1 (2016), pp. 170–176.
- [244] Enrique Burzurí et al. “Franck–Condon blockade in a single-molecule transistor”. In: *Nano Letters* 14.6 (2014), pp. 3191–3196.

- [245] Matthias Droth and Guido Burkard. “Acoustic phonons and spin relaxation in graphene nanoribbons”. In: *Physical Review B* 84.15 (2011), p. 155404.
- [246] Nicola Dotti. “Electronic Transport in Magnetic Materials at Different Dimensionalities”. PhD thesis. University of Oxford, 2018.
- [247] Kristiāns Čerņevičs, Michele Pizzochero, and Oleg V Yazyev. “Even–odd conductance effect in graphene nanoribbons induced by edge functionalization with aromatic molecules: basis for novel chemosensors”. In: *The European Physical Journal Plus* 135.8 (2020), pp. 1–11.
- [248] Naeyoung Jung et al. “Charge transfer chemical doping of few layer graphenes: charge distribution and band gap formation”. In: *Nano letters* 9.12 (2009), pp. 4133–4137.
- [249] Kenji Tokunaga and James C Sturm. “Substrate bias dependence of subthreshold slopes in fully depleted silicon-on-insulator MOSFET’s”. In: *IEEE transactions on electron devices* 38.8 (1991), pp. 1803–1807.
- [250] CP Ewels and M Glerup. “Nitrogen doping in carbon nanotubes”. In: *Journal of Nanoscience and Nanotechnology* 5.9 (2005), pp. 1345–1363.
- [251] John Robertson. “High dielectric constant oxides”. In: *The European Physical Journal-Applied Physics* 28.3 (2004), pp. 265–291.
- [252] T Dürkop et al. “Extraordinary mobility in semiconducting carbon nanotubes”. In: *Nano letters* 4.1 (2004), pp. 35–39.
- [253] Jana Zaumseil and Henning Sirringhaus. “Electron and ambipolar transport in organic field-effect transistors”. In: *Chemical reviews* 107.4 (2007), pp. 1296–1323.
- [254] Tian Fang et al. “Mobility in semiconducting graphene nanoribbons: Phonon, impurity, and edge roughness scattering”. In: *Physical Review B* 78.20 (2008), p. 205403.
- [255] Gage Hills et al. “Modern microprocessor built from complementary carbon nanotube transistors”. In: *Nature* 572.7771 (2019), pp. 595–602.
- [256] Yea-Lee Lee et al. “Topological phases in cove-edged and chevron graphene nanoribbons: Geometric structures, Z_2 invariants, and junction states”. In: *Nano letters* 18.11 (2018), pp. 7247–7253.
- [257] Matias Urdampilleta et al. “Supramolecular spin valves”. In: *Nature materials* 10.7 (2011), pp. 502–506.
- [258] Philip J Stephens et al. “Ab initio calculation of vibrational absorption and circular dichroism spectra using density functional force fields”. In: *The Journal of physical chemistry* 98.45 (1994), pp. 11623–11627.
- [259] Axel D Becke. “A new mixing of Hartree–Fock and local density-functional theories”. In: *The Journal of chemical physics* 98.2 (1993), pp. 1372–1377.
- [260] Mary A Rohrdanz, Katie M Martins, and John M Herbert. “A long-range-corrected density functional that performs well for both ground-state properties and time-dependent density functional theory excitation energies, including charge-transfer excited states”. In: *The Journal of chemical physics* 130.5 (2009), p. 054112.

- [261] Viktor Atalla et al. “Hybrid density functional theory meets quasiparticle calculations: A consistent electronic structure approach”. In: *Physical Review B* 88.16 (2013), p. 165122.
- [262] Tian Pei et al. “Exchange-induced spin polarization in a single magnetic molecule junction”. In: *Nature communications* 13.1 (2022), pp. 1–8.
- [263] James O Thomas et al. “Charge transport through extended molecular wires with strongly correlated electrons”. In: *Chemical Science* 12.33 (2021), pp. 11121–11129.