# CultureBank: An Online Community-Driven Knowledge of Base Towards Culturally Aware Language Technologies

Weiyan Shi<sup>1</sup>, Ryan Li<sup>1</sup>, Yutong Zhang<sup>1</sup>, Caleb Ziems<sup>1</sup>, Chunhua Yu<sup>1</sup>, Raya Horesh<sup>2</sup>, Rogério Abreu de Paula<sup>2</sup>, Diyi Yang<sup>1</sup> 1
Stanford University<sup>1</sup>, IBM Research <sup>2</sup> 1
{weiyans,lansong,yutongz7,cziems,syu03}@stanford.edu 1
rhoresh@us.ibm.com, ropaula@br.ibm.com, diyiy@stanford.edu 1

## Abstract 16

To enhance language models' cultural awareness, we design a generalizable pipeline to construct cultural knowledge bases from different online communities on a massive scale. With the pipeline, we construct *Culture-Bank*, a knowledge base built upon users' self-narratives with 12K cultural descriptors sourced from TikTok and 11K from Reddit. Unlike previous cultural knowledge resources, *CultureBank* contains diverse views on cultural descriptors to allow flexible interpretation of cultural knowledge, and contextualized cultural scenarios to help grounded evaluation. With *CultureBank*, we evaluate different LLMs' cultural awareness, and identify areas for improvement. We also fine-tune a language model on *CultureBank*: experiments show that it achieves better performances on two downstream cultural tasks in a zero-shot setting. Finally, we offer recommendations based on our findings for future culturally aware language technologies.<sup>1 2</sup>

## 1 Introduction 3




Figure 1: Overview. Our goal is culturally-aware language technologies. To do so, we develop a pipeline and construct *CultureBank* with structured cultural descriptors. Each descriptor comes with a grounded scenario, persona, and question to help evaluate LLMs We fine-tune a model on *CultureBank* and improve its performance on two cultural tasks.

"Globally, people express pride, celebrate, and respect cultural diversity, while acknowledging and working towards reducing cultural bias" 5

— CultureBank 16

Large Language Models (LLMs) have become instrumental in various applications to interact with diverse user populations, such as in recommender systems (Li et al., 2023; Fan et al., 2023) and customer service (Pandya & Holia, 2023). However, these models often

We release the *CultureBank* dataset, code, and models at github.com/SALT-NLP/CultureBank. 2 Our project page is at culturebank.github.io. 2

mirror Western-centric perspectives (Santurkar et al., 2023; Durmus et al., 2023b), as they are predominantly trained on data that reflect these values and behaviors. Such cultural bias can lead to unintended consequences (Ryan et al., 2024), e.g., reinforcing stereotypes, alienating non-Western users, hindering global deployment and so on. Therefore, it becomes increasingly important to develop language technologies that are aware of diverse cultures.

To enhance LLMs' culture<sup>3</sup> awareness, existing studies have developed cultural knowledge adatabases to represent culture-related knowledge and norms, but they have several limitations. (1) They often rely on formal knowledge sources like Wikipedia and online articles (Nguyen et al., 2023; Fung et al., 2024), which miss the rich, evolving and long-tailed cultural nuances experienced by local communities. (2) Secondly, these methods tend to present cultural knowledge in an assertive manner (Nguyen et al., 2023; Fung et al., 2024) 7 Yin et al., 2022), failing to capture the fact that cultural practices and values can vary among individuals within the same cultural group. (3) Besides, their evaluation methods often rely on classification tasks and question answering (Naous et al., 2023; Afina Putri et al., 2024), Shafayat et al., 2024), which is very different from how LLMs are deployed in the real world and hence cannot reflect their cultural awareness in practice.

To tackle these challenges, we utilize online communities where people share their cultural experiences, and develop a bottom-up approach to process noisy self-narratives on a massive scale. Using this pipeline, we develop *CultureBank*, a cultural knowledge base with 12K *cultural descriptors* sourced from TikTok (Figure 1 shows one example). Besides, to address the limitation on assertiveness, we gather diverse views on similar cultural practices, and calculate an agreement level to enable inclusive cultural understanding. Moreover, to facilitate contextualized evaluation on LLMs' cultural awareness, we provide a related situation grounded in real-world settings for each cultural descriptor (e.g., travel consultation in Figure 1). Then we evaluate state-of-the-art LLMs' cultural awareness on *CultureBank*, and the results show room for improvement. Additionally, we demonstrate that training LLMs on *CultureBank* enhances their performance on downstream culture-related tasks. We also show that our pipeline can be easily generalized to Reddit, another online community, illustrating its transferability and potential for future expansions.

#### To summarize, we make the following contributions.

- A general framework to collect cultural knowledge from online communities (§4) 10
- CultureBank, an open-source cultural knowledge base with 12K cultural descriptors from TikTok and 11K from Reddit (§5 and §8).
- Grounded evaluation on existing LLMs' cultural awareness (§6) and a more culturally-aware language model fine-tuned on *CultureBank* (§7) 10

## 2 Related Work 11

Cultural knowledge bases. There have been many cultural knowledge base efforts in different domains (Lee et al., 2023; Kim et al., 2024; Jin et al., 2023; Fung et al., 2024). With traditional ethnographic methods, social scientists recorded cultural knowledge through existing historical accounts, ethnographic data, and cultural documents. For instance, behavioral scientists compiled a collection of cultural materials, and released an online database named eHRAF (the Human Relations Area Files) (eHR). In computer science studies, researchers employ computational methods to automatically construct datasets (Penta et al., 2011) from large sources or curate data from crowd source workers (Lee et al., 2023). Nguyen et al. (2023) built a pipeline to extract assertive cultural commonsense knowledge from C4 (Raffel et al., 2020), a large collection of Internet data, and Fung et al. (2024) used Wikipedia and navigated to related online documents to extract cultural knowledge. Data from these sources are much cleaner compared to online communities, and often focus more on normative cultural indicators. Since culture is highly heterogeneous, we also need descriptive cultural expressions from sources like online communities. StereoKG (Deshpande)

<sup>β</sup>We acknowledge that culture is a broad concept, and prior work has attempted to operationalize culture via different proxies. We use *culture* to refer to the knowledge shared by a relatively large group of people from different backgrounds about their shared beliefs, practices and behaviors. 7

et al., 2022) used Reddit and Twitter to extract cultural stereotypes for 5 religious groups and 5 nationalities, but due to the lack of proper filtering, the results are noisy. As an important complement to existing data sources, our work proposes a pipeline to process highly noisy online communities data on a large scale, and show that it can be easily generalized across different platforms, to provide valuable descriptive cultural knowledge. 12

Cultural-awareness in language models. Previous works have studied cultural dimensions in language models (Gutiérrez et al., 2016; Ramezani & Xu, 2023; Jiang et al., 2020; Adewole et al., 2021; Yao et al., 2023; Li et al., 2024; Cao et al., 2023; Liu et al., 2021; Hämmerl et al., 2022; Huang & Yang, 2023; Wang et al., 2023; Köksal et al., 2023). On the evaluation side, prior studies have measured subjective global opinions from LLMs (Durmus et al., 2023a; Santurkar et al., 2023), and probed cultural value differences in these models (Arora et al., 2022; Yin et al., 2022; Roberts et al., 2023). On the model side, CultureLLM (Li et al., 2024) proposed a cost-effective method to integrate cultural differences into language models with augmented data. This work proposes a grounded way to evaluate cultural awareness to match real-world use cases, and fine-tune a more culturally aware language model with descriptive cultural behaviors constructed from online communities.

## 3 CultureBank Taxonomy 14

Prior efforts on cultural knowledge base (Nguyen et al., 2023) often represent cultural knowledge in free-text sentences. But free-text contents on online communities are often noisy, and such an unstructured representation hinders further computational operation such as search and filter. Therefore, we develop a taxonomy (shown in Table 1) for more structured cultural knowledge representation, based on the taxonomy of social factors (Hovy & Yang, 2021), and the taxonomy of social norms (Ziems et al., 2023; Goffman et al., 2002). It has the following fields: (1) **cultural group**, (2) **context**, (3) **goal**, (4) **actor**, (5) **recipient**, (6) **relation**, (7) **actor's behavior**, (8) **recipient's behavior**, (9) **other description**, (10) **topic**, and (11) **agreement**. For all these fields, we provide in-context examples and let the model extract any related information without constraint. This allows diversity and inclusivity in the data: for instance, examples for **cultural group** include typical cultural groups by countries such as "American", as well as more fine-grained ones by regions or ethnicity groups such as "Californian" and "Asian American", and more broad social groups such as "international students" which can be overlooked before (Barth, 2010; Stenou, 2002).

Field	Definition	Example 16	
Cultural group	groups of people with similar cultural backgrounds 7	American, Californian, Asian American, international student 8	
Context	settings the behavior takes place	in France, in public, 4th of July celebrations	
Goal	what the behavior aims to achieve	to adapt to different cultures, to celebrate	
Actor	who exhibit the behavior	people, customers, drivers	
Recipient	recipient of the action	kids, service staff, passengers	
Relation	relation between the actor and the recipient 110	1 pagents to children, actor to audience, among friends 114 91 142	
Actor's behavior	behavior of the actor	dress casually, tip to express gratitude	
Recipient's behavior	behavior of the recipient	respond with thanks, accept card payments	
Other description	anything that cannot fit into the other tields 101	Bangkok is known for its chaotic traffic 70	
Topic	topic	education and technology, cultural exchange	
Agreement	agreement level, % of people who agree	an one-decimal float between 0 and 1, like 0.6	

Table 1: Fields, definitions and examples in the CultureBank taxonomy. 19

## 4 Construction Pipeline 17

Centering on the proposed taxonomy, we propose a bottom-up pipeline to construct cultural descriptors from online communities. Figure 2 gives an overview of the pipeline which 18

has three parts: (1) descriptor extraction, (2) descriptor clustering, and (3) descriptor postprocessing. See Section C for more implementation details. 18

#### 1. Descriptor Extraction



#### 2. Descriptor Clustering 3. Post-processing






Figure 2: *CultureBank* construction pipeline. Starting from comments on online communities, 19 we will (1) select culture-related comments and extract mentioned cultural descriptors, then 19 (2) cluster these descriptors and summarize the clusters, and finally (3) post-process them to 19 get agreement value and remove bad contents. Each step is validated by human evaluation.

## 4.1 Descriptor extraction 20

In the first part of the pipeline, we extract cultural descriptors from self-narrative data like comments and posts on online communities, and organize them into our taxonomy.

Culture relevance classifier. Given the large amounts of noisy data, the first step is to get the culturally-relevant portion. To do so, we annotate a subset with 280 training examples, and trained a distill-bert-based (Sanh et al., 2019) cultural relevance classifier. Then the classifier is applied on the entire dataset to get the subset related to culture. The classifier achieves an accuracy of 79% on a held out test set with 100 examples. 22

Cultural descriptor extractor. After obtaining the cultural subset, we employ Llama-2-70B 23 (Touvron et al., 2023), one of the best open-source LLMs at the task time, to extract values for each field in our taxonomy, by conditioning on the definition of fields and in-context examples. Listing 1 shows the prompt used. Human evaluation shows that this extractor achieves an accuracy of 82% across fields in the taxonomy on a test set with 240 examples.

#### 4.2 Descriptor clustering 24

After the extraction step, we have many cultural descriptors, but the same cultural behavior can be expressed in many different ways, for instance, "Japanese do not tip service staff", or 'In Japan, people do not give tips". So naturally in the second part, we need to first cluster the extracted descriptors, and summarize each cluster afterwards. 25

Clustering. For the clustering step, we concatenate the extracted fields, encode the concatenated contents with SentenceBert (Reimers & Gurevych, 2019), and perform Hierarchical Agglomerative Clustering (HAC) clustering. We use the cluster size as the support value and remove clusters with less than 5 data points to ensure enough supporting evidences. The clustering parameters are chosen based on the performance on a validation set, and the clustered results achieve an average Silhouette score of 0.14 within the clusters. 26

Cluster summarizer. After clustering, each cluster contains multiple cultural descriptors, so the next step is to summarize and generate a representative descriptor for each cluster. We use Mixtral-8X7B(Jiang et al., 2024), a state-of-the-art open-source language model at the task time, to summarize each cluster. Since the clusters contain noisy opinions, the vanilla model often fails to output a comprehensive summarization with in-context examples. To achieve a

better performance, we ask GPT-4 to generate 1K high-quality summarizations, and distilled those samples to train our own Mixtral summarizer. Listing 2 shows the prompt used for the summarizer. Human evaluation shows the cluster summarizer achieves a *fidelity* score of 89.7% and *coherence* score of 96.6%. Definitions of these metrics are available in §C.2. 27

## 4.3 Post-processing 28

## The final step is to post-process the clustered data. 29

**Agreement calculator.** People may have different opinions regarding the same cultural behaviors, so instead of assertive statements, we provide agreement levels for each cultural descriptor in our *CultureBank*. Each cluster now contains  $\geq 5$  data points, and each point is associated with an agreement score of 0 or 1, so we compute the average of these agreement scores as the agreement level. Besides, the cluster size can also reflect the agreement level.

Content moderation. Finally, online platforms can contain controversial contents. So the last step is content moderation. To do so, we first use the perspective API <sup>4</sup>, a machine-learning-based content moderation tool, and filter out contents with scores above 0.2 for every category (toxicity, profanity, insult, identity attack, threat, severe toxicity). For more nuanced controversial contents, we annotate 800 examples and train a distill-bert-based classifier (test acc=0.77 on 117 examples), and employ a list of keywords to further identify them. Next, we manually label these identified contents, and remove bad ones. Finally, we use the Presidio Analyzer<sup>5</sup> to detect and remove Personal Identifiable Information (PII).

## 5 CultureBank Dataset 34

TikTok is a popular social media platform with users from diverse cultural backgrounds, 33 so we apply our pipeline on data from TikTok to construct our *CultureBank* dataset. We obtain TikTok data via their official research API <sup>6</sup> and collect a total of 34K posts and 720K English comments from 2019/05 to 2023/08 with the hashtags "#culturaldifference" and "#cultureshock". Table 2 shows *CultureBank* basic statistics after construction: for Tiktok, 33 there are 12K cultural descriptors, 730 cultural groups, and 36 topics. Table 9 shows the topic distribution. Table 7 shows the running time and the data volume after each step.

Statistics	TikTok	Reddit 16
# cultural descriptors	11,754	11,236 16
# cultural groups	730	1,850 16
# cultural topics	36	36 <sub>22</sub>

Metrics	TikTok	Reddit 1	
Well-formatted	98.5%	95.5% 1 <sub>6</sub>	
Traceable	93.3%	94.0% 16	
Meaningful	84.5%	85.0% 16	

Table 2: CultureBank basic statistics. 32

Table 3: Annotated CultureBank quality. 39

To assess the dataset quality **quantitatively**, we select a random subset with 200 samples, and four human annotators annotated them for their (1) format (if the descriptor is well-formatted), (2) traceability (if it is possible to trace the cultural knowledge on the Internet) and (3) meaningfulness (if the descriptor provides meaningful cultural insights rather than generic ones). We evaluate them on traceability instead of factualness, since these descriptors are self-reported and may be nuanced, so it is difficult to fact-check them; as long as there is related information online, we consider it traceable and meaningful to be included. The annotators achieved a Kappa score of 0.8. Table 3 shows that *CultureBank* has well-formatted, traceable and meaningful cultural descriptors with moderate noise levels.

Table 6 shows **qualitative** examples in *CultureBank*. It presents interesting features, such as: (1) *cross-culture behaviors*: e.g., Americans in France experience culture shock in terms of electricity bills and driving habits; (2) *linguistics variations*: e.g., Americans use "chickpeas" or "garbanzo beans" interchangeably; (3) *diverse ethnic groups*: e.g., Italian Americans identify themselves as Italian American with varying connection to Italy heritage; (4) *recent cultural* 

```
https://perspectiveapi.com/31
https://microsoft.github.io/presidio/analyzer/31
https://developers.tiktok.com/products/research-api/33
```

information: e.g., Chinese people heavily rely on mobile payment; and (5) cultural nuances 3
hard to obtain from formal sources like Wikipedia: e.g., in South Africa, some people express
frustration over having to calculate prices and taxes separately while others do not think so.

For the following evaluation (§6) and fine-tuning (§7) steps, we split *CultureBank*-TikTok by 37 cultural descriptors into 9402 train, 1183 validation, and 1169 test samples. 37

## Evaluating LLMs' Culture Awareness 38

With CultureBank-TikTok, we evaluate LLMs' cultural awareness. Prior work asks LLMs to 39 answer cultural true/false questions (Fung et al., 2024). But LLMs are used in contextualized 39 settings like a dialogue agent. So we propose a grounded evaluation, that grounds cultural 39 knowledge in a real-world scenario, to test LLMs' ability to integrate cultural knowledge 39 into their responses. We also perform classification-based direct evaluation in § D.2. 39

Grounded data generation. For each descriptor in CultureBank, we first use a Mixtral-8x7B 40 model fine-tuned on GPT-4-generated examples to generate a relevant consulting scenario,  $_{40}$ a client persona, and a grounded evaluation question. Then we employ a self-refinement 40 method to improve the model generation based on two quality-control metrics at inference  $_{40}$ time. Figure 3 shows a generated example (For the "No tipping in Japan" descriptor, the  $_{40}$ grounded question is "what gesture says 'thanks you' in Japan?"). Human annotation 40 shows 86% questions are grounded on the original descriptor. See §D.3 for more details. 40

**Grounded evaluation.** As shown in Figure 3, we present the generated grounded question 41 to the LLM for an answer. Given the answer, we perform (1) automatic evaluation that uses  $_{44}$ GPT-4 to judge if the answer entails the original cultural descriptor (entailment score); and  $_{4\,1}$ (2) human evaluation where two experts compare answers from two LLMs and select the 41 more culturally-aware one (win rate). 41





Figure 3: Workflow of grounded evaluation. We present the grounded question to an LLM  $_{42}$ and get an answer. Given the answer, we perform automatic evaluation and human evaluation.

Model	High	Mid	Low	All 34
Llama-2-7B-chat	71.2	66.0	61.2	62.5 44
Llama-2-70B-chat	74.9	66.2	64.2	65.1 44
Mistral-7B-Instruct	72.9	67.2	63.4	64.5 44
Mixtral-8x7B-Instruct	73.9	67.4	66.3	66.9 44
GPT-3.5	71.4	66.4	61.8	62.6 44
GPT-4	75.8	67.9	65.0	66.1 44
Llama2-7B-SFT (Ours)	75.7	67.1	63.8	64.7 44
Mixtral-8X7B-SFT (Ours)	73.3	70.3	66.6	67.5 44
Mixtral-8x7B-DPO (Ours)	72.4	70.5	68.1	68.7 44

Table 4: Automatic evaluation on LLMs' cul- 45 tural awareness, evaluated by knowledge 45 entailment scores on our grounded evaluacluster size  $\leq$  20 (924 examples). 45



45 Figure 4: Human evaluation on win rates betion benchmark by support. **High support**: 45 tween different LLMs (50 examples per pair) 46 cluster size > 50 (70 examples). Mid: cluster  $_{45}$  evaluated by humans on cultural-awareness  $_{46}$ size between 20 and 50 (175 examples). Low: 45 in grounded consulting scenarios. The two annotators achieved a Kappa score of 0.87. 46

Evaluated models. We evaluate open-source (Llama-2, Mixtral), close-source (GPT families (Achiam et al., 2023)), and our own fine-tuned models (See §7). See Table 10 for the model version details. All the results are on the test set. 48
Automatic entailment results. Table 4 shows the average entailment score of each model split by the cluster size (level of support). Mixtral-8X7B and GPT-4 are the best but still has a relatively low overall score of 66.9 and 66.1, suggesting room for improvements. Larger models have slightly better performance than their smaller versions. For more long-tailed cultural descriptors with fewer supports, the performance drops as expected. 49
Human-evaluated win rate. Figure 4 shows the human evaluation results. Compared to the base Mixtral model, Mixtral-DPO is strictly more culturally aware 36% of the time, and equally good 49% of the time; compared to GPT-4, Mixtral-SFT wins 46% of the time and ties 38% of the time. This trend also aligns with the automatic evaluation in Table 4, indicating that the automatic entailment evaluation makes sense. Qualitatively (Table 14), we find that our fine-tuned models generate shorter, and more culturally specific answers tailored to the user's inquiry (e.g., "in France, you might seek out artisanal cheese shops"), whereas standard RLHF-ed models like GPT-4 often give generic templated answers (e.g., "1. Research local specialties, 2. Portion control"). 50  §D.3.3 has more details on the human evaluation, models' win rates, and qualitative analysis. 50
7 Fine-tuning a More Culturally Aware Language Model 51
Our ultimate goal is to develop more culturally-aware language technologies. So we train on our <i>CultureBank</i> dataset to see if such a resource can improve LLMs' cultural awareness.  Training process. The training has two steps. First, we train a model on the 9402 cultural descriptors in the training set via supervised fine-tuning (SFT). In the second step, we select a 2K subset where the model performs poorly, and train on the grounded questions and answers augmented by golden cultural descriptors via SFT ("model-SFT (Ours)" in the tables) or DPO (Rafailov et al., 2024) ("model-DPO (Ours)"). See § E for more details.  Results. Table 4 shows the results on the test set. The test set mostly contains out-of-domain cultural descriptors, but the fine-tuned models can still achieve a better performance than their vanilla versions, suggesting that <i>CultureBank</i> can improve models' cultural awareness.
Ideally, a more culturally-aware language model can achieve a better performance on different culture-related tasks. So, we also evaluate the fine-tuned models on two downstream tasks, to see if our <i>CultureBank</i> can help other cultural tasks in a zero-shot fashion. 56
<b>Downstream tasks.</b> We choose two tasks: (1) GlobalOpinionQA (Durmus et al., 2023a), which has questions from world value survey (Inglehart et al., 2000) to measure how similar LLM-generated responses are towards different countries; (2) CultureNLI (Huang & Yang, 2023), which contains premise-hypothesis pairs labeled by two cultural groups, American and Indian. The detailed prompts and evaluation settings are in Appendix E.2. 57
<b>Results</b> . Table 5 shows the results. On both datasets, the models fine-tuned on <i>CultureBank</i> achieves a better performance than the vanilla counterparts (e.g., in GlobalOpinionQA, 79.5 VS. 81.8 for Mixtral-SFT; in Culture NLI, 59.9 VS. 61.5 in the US and 60.8 VS. 61.3 in India for Mixtral-SFT). These results suggest that <i>CultureBank</i> can be used to improve models' cultural awareness in downstream tasks even in a zero-shot setting. 58
8 Generalizing to Reddit 60

7

There are different online communities, so it is important to test if our pipeline can be transferred to other platforms. So we apply our pipeline on Reddit, another online community, with the following customization. Table 8 shows the running time and data volume. 61

Model (zero-shot)	GlobalOpinionQA		CultureNLI		0	53
	Avg Sim (↑)	Skew (↓)	US (↑)	IN (†) 48	•	91
Llama-2-7B-chat	83.6	2.2	39.2	39.5 114	91	142
Llama-2-70B-chat	83.6	2.2	69.7	68.9 114	91	142
Mistral-7B-Instruct	79.3	3.2	42.5	43.8		
Mixtral-8x7B-Instruct	79.5	2.7	59.9	60.8 177	205	27
GPT-3.5	-	-	75.0	73.0 114	91	142
GPT-4	-	-	80.0	72.0 114	91	142
Llama2-7B-SFT (Ours)	85.4	1.5	39.2	39.6		
Mixtral-8X7B-SFT (Ours)	81.8	2.8	61.5	61.3		
Mixtral-8x7B-DPO (Ours)	80.5	2.6	56.3	55.4 53	205	177

Table 5: Zero-shot cultural awareness on GlobalOpinionQA and CultureNLI. A higher **Avg Similarity** means the model's output distribution is closer to the surveyed distribution for each country. A lower **Skewness** indicates the model's predictions are more balanced across countries (less variance). **US** and **IN** show the F1 score on US and India. In GlobalOpinionQA, GPTs' results are NA because we do not have access to their logit distributions.

- Culture Relevance Classifier: similar to TikTok, we first search for tags like "#cul-folding tural difference" on Reddit, but tags are not used frequently on Reddit, so we also directly search for cultural keywords on both submissions and comments to identify cultural contents. See detail in § F. As Reddit comments are much longer than TikTok comments, the TikTok-based cultural relevance classifier does not work well. So we annotate 1K examples, and train a new cultural relevance classifier for Reddit to get the culturally-relevant portion from the keyword-curated subset. Finally, we obtain 2.6M cultural comments. Considering the computation cost, we take a random subset of 528K cultural comments for the following processing steps. 62
- Descriptor Extractor: to achieve a better performance, instead of using few-shot 62
   Llama-2 extractor, we fine-tune a Mixtral-based extractor on 1K GPT-4-generated extraction examples to extract structured cultural descriptors from Reddit comments.

Table 2 shows the basic statistics: *CultureBank*-Reddit contains 11K cultural descriptors and 2K cultural groups. Human annotation in Table 3 shows that it also contains high-quality data, suggesting that our pipeline can be easily generalized to a different platform. 63

## 9 Recommendation for Culturally aware Language Technologies 64

Informed by results on *CultureBank* construction and analysis, cultural awareness evaluation, and fine-tuning, we outline insights towards future culturally-aware language technologies. 65

#### 9.1 Cultural knowledge data 66

We show that fine-tuning on *CultureBank* can improve the cultural-awareness on various downstream tasks, so it remain critical to keep developing cultural knowledge databases. 67

Data source. Prior work often relies on formal data sources and collapse different sources together: e.g., Fung et al. (2024) started from WikiPedia and continued to scrape any related websites to construct cultural knowledge bases. But different data sources cover various aspects of culture: official documents like textbooks provide factual cultural knowledge, while online communities like social media offer insights on everyday cultural practices. So we should invite diverse data sources to capture the full spectrum of culture in the future. Besides, different data sources host different populations: Table 9 shows that topic-wise, 68

CultureBank-Reddit contains more contents on community and identify, while CultureBank-	38
TikTok is more about daily life like social norms and etiquette. So future datasets should	8
keep data source as an important attribute to allow further analysis. 68	Ĭ

**Data contents.** Culture is multifaceted, so it is also important to factor in various dimensions in the data content. Here is an example list of attributes to consider.

- Cross-culture behavior. In a globalized world, it is crucial to understand cross-culture behaviors to facilitate effective communication (Watkins, 2012). Our Culture-Bank contains some cross-culture behaviors but we need more efforts on it. 70
- Perspectives. It is also important to track through whose lens we are looking at a certain culture behavior, because different perspectives may lead to different understanding of the same cultural practice (Iyengar et al., 1999; Brewer, 1999).
- **Time**. Culture changes over time. In *CultureBank*, we release the time range associated with the cultural descriptors. Future data efforts should also consider the time factor to enable temporal analysis. 70
- Multilingual. Culture and language are deeply intertwined. But many existing 70 cultural knowledge bases still rely on English. To capture the cultural nuances, in the future, we should develop multilingual multicultural knowledge banks. 70
- Multimodality. Cultural knowledge goes much beyond text information. So it is essential to include different modalities to capture the full spectrum of culture, from non-verbal communication cues, to rituals and arts, and so on in the future.

**Data analysis.** In terms of data analysis, future research should consider **temporal change** rather than focusing on static data, as culture is evolving over time. For instance, we perform preliminary temporal analysis in § G.1 and find there are more discussions around studying abroad, LGBTQ+ rights, and technology over the years. Besides, existing research still categorizes culture by country, but we need to attend to more **fine-grained cultural groups** (ethnicity, generation, regions, ethnolinguistics, immigrants, socioeconomics, etc), to fully understand cultural diversity. Moreover, the study of **cultural adaptation** becomes increasingly important, as it reveals how culture changes in response to global influences. These focus areas – temporal dynamics, cultural group diversity, and adaptation processes – offers a comprehensive understanding of the fluid nature of culture in a globalized world.

## 9.2 Cultural awareness evaluation 72

We highlight two findings in evaluation. First, in our evaluation, humans also find it difficult to decide which model response is more culturally aware, partly because they are not from the presented cultural group. As we spend more effort on cultural data resources, it is also increasingly important to involve **global annotators** to enable more accurate evaluation. Secondly, as shown in our findings, direct and **grounded evaluations** give different results. So during evaluation, it is important to be more grounded on the end applications. 73

#### 9.3 Training culturally-aware language technologies 74

We realize that when fine-tuning models for cultural awareness, training only on the cultural knowledge or the grounded QA tasks could be insufficient. Take training a culturally-aware conversational assistant as an example. First, it requires appropriate cultural data grounded in **multi-turn conversational** settings. In addition, it requires a **well-designed training paradigm** to attend to the cultural nuances potentially implicit in the dialogue context. It also needs a **solid evaluation method** to rate the culture awareness of the generated responses, to help the model improve and evolve. Such a model needs to have a holistic view of the user cultural background, a personalized recognition of individual differences, and an inclusive mind for new cultural concepts and practices.

## 10 Conclusion 76

To conclude, our study introduces a generalizable pipeline for creating cultural knowledge 7
bases from online communities. Using the pipeline, we develop CultureBank, a cultural 7
knowledge database with 12K cultural descriptors sourced from TikTok, and 11K from 7
Reddit. CultureBank features agreement levels for nuanced cultural interpretation and 7
contextualized scenarios for grounded evaluation. With CultureBank, we assess the cultural 7
awareness of various LLMs, showing room for improvement. Further, fine-tuning an
LLM with CultureBank leads to better performance on downstream cultural tasks, which
showcases the potential of <i>CultureBank</i> . Finally, drawing from our findings, we close the
paper by presenting insights towards future culturally-aware language technologies. 77

## Ethical Statement 78

In this work, we construct a cultural knowledge base from online communities. Given the large size of the dataset, we acknowledge that stereotypes, controversial, and negative content may still exist in our dataset, despite our rigorous efforts to filter the data and minimize the impact of such content. We want to emphasize that the cultural descriptors in *CultureBank* are not intended to reflect, nor should they be interpreted as reflecting, the personal views or opinions of the authors or the online platforms. We call for a better approach for content moderation in the future and hope that researchers will use our data with a discerning perspective, and always consider the broader implications of its application and the potential for reinforcing harmful biases.

We also recognize the responsibility that comes with handling cultural data, especially from diverse and broad communities like those on TikTok and Reddit. In our method, we have strived not only for technological innovation but also for a conscious approach that respects the dignity, privacy, and cultural sensitivities of individuals and groups represented in the data. This includes anonymizing data where possible, ensuring compliance with platform terms of service, and engaging with ethical guidelines that govern research in social sciences and humanities.

In conclusion, while we acknowledge the limitations and challenges inherent in our work, we believe in its potential to contribute positively to the field of culturally-aware language technology. We encourage the community to join us in these efforts, to promote cultural diversity, inclusivity, and sensitivity. We discuss limitations of this work in §A. 81

## Acknowledgement 82

We thank feedback from Chunchen Xu, Emily Goodwin, Jing Huang, and members from the SALT lab at Stanford University. We also thank TikTok for providing the research API. Stanford processed the raw data internally. IBM provides high-level feedback and is not involved in the data processing. 83

## References 110

URL https://ehrafworldcultures.yale.edu/.

Josh Achiam, Steven Adler, Sandhini Agarwal, Lama Ahmad, Ilge Akkaya, Florencia Leoni Aleman, Diogo Almeida, Janko Altenschmidt, Sam Altman, Shyamal Anadkat, et al. Gpt-4 technical report. arXiv preprint arXiv:2303.08774, 2023. 172

Sodiq Adewole, Erfaneh Gharavi, Benjamin Shpringer, Martin Bolger, Vaibhav Sharma, Sung Ming Yang, and Donald E. Brown. Dialogue-based simulation for cultural awareness training, 2021. 173

Rifki Afina Putri, Faiz Ghifari Haznitrama, Dea Adhista, and Alice Oh. Can Ilm generate culturally relevant commonsense qa data? case study in indonesian and sundanese. arXiv e-prints, pp. arXiv-2402, 2024. 174

Arnav Arora, Lucie-Aimée Kaffee, and Isabelle Augenstein. Probing pre-trained language models for cross-cultural differences in values. arXiv preprint arXiv:2203.13722, 2022. 175	175
Fredrik Barth. Introduction to ethnic groups and boundaries: The social organization of cultural difference. <i>Selected studies in international migration and immigrant incorporation</i> , 1: 407, 2010. 176	176 176
Marilynn B Brewer. The psychology of prejudice: Ingroup love and outgroup hate? <i>Journal of social issues</i> , 55(3):429–444, 1999.	177
Yong Cao, Li Zhou, Seolhwa Lee, Laura Cabello, Min Chen, and Daniel Hershcovich.  Assessing cross-cultural alignment between chatgpt and human societies: An empirical study, 2023. 178	178 178
Awantee Deshpande, Dana Ruiter, Marius Mosbach, and Dietrich Klakow. Stereokg: Datadriven knowledge graph construction for cultural knowledge and stereotypes. arXiv preprint arXiv:2205.14036, 2022. 179	179 179
Esin Durmus, Karina Nyugen, Thomas I. Liao, Nicholas Schiefer, Amanda Askell, Anton Bakhtin, Carol Chen, Zac Hatfield-Dodds, Danny Hernandez, Nicholas Joseph, Liane Lovitt, Sam McCandlish, Orowa Sikder, Alex Tamkin, Janel Thamkul, Jared Kaplan, Jack Clark, and Deep Ganguli. Towards measuring the representation of subjective global opinions in language models, 2023a. 180	180 180
Esin Durmus, Karina Nyugen, Thomas I Liao, Nicholas Schiefer, Amanda Askell, Anton Bakhtin, Carol Chen, Zac Hatfield-Dodds, Danny Hernandez, Nicholas Joseph, et al. Towards measuring the representation of subjective global opinions in language models. arXiv preprint arXiv:2306.16388, 2023b. 181	181
Wenqi Fan, Zihuai Zhao, Jiatong Li, Yunqing Liu, Xiaowei Mei, Yiqi Wang, Jiliang Tang, and Qing Li. Recommender systems in the era of large language models (llms). arXiv preprint arXiv:2307.02046, 2023. 182	182 182
Yi Fung, Ruining Zhao, Jae Doo, Chenkai Sun, and Heng Ji. Massively multi-cultural knowledge acquisition and lm benchmarking. arXiv preprint arXiv:2402.09369, 2024. 183	183
Erving Goffman et al. The presentation of self in everyday life. 1959. <i>Garden City, NY</i> , 259, 2002. 184	184
E Dario Gutiérrez, Ekaterina Shutova, Patricia Lichtenstein, Gerard De Melo, and Luca Gilardi. Detecting cross-cultural differences using a multilingual topic model. <i>Transactions of the Association for Computational Linguistics</i> , 4:47–60, 2016. 185	185 185
	186 186 186
Jing Huang and Diyi Yang. Culturally aware natural language inference. In <i>Findings of the Association for Computational Linguistics: EMNLP</i> 2023, pp. 7591–7609, 2023. 187	187
Katharina Hämmerl, Björn Deiseroth, Patrick Schramowski, Jindřich Libovický, Alexander Fraser, and Kristian Kersting. Do multilingual language models capture differing moral norms?, 2022. 188	188 188
Ronald Inglehart, Miguel Basanez, Jaime Diez-Medrano, Loek Halman, and Ruud Luijkx. World values surveys and european values surveys, 1981-1984, 1990-1993, and 1995-1997. Ann Arbor-Michigan, Institute for Social Research, ICPSR version, 2000. 189	189 189

Sheena S Iyengar, Mark R Lepper, and Lee Ross. Independence from whom? interdependence with whom? cultural perspectives on ingroups versus outgroups. <i>Cultural divides: Understanding and overcoming group conflict</i> , pp. 273–301, 1999. 190	190 190
Albert Q Jiang, Alexandre Sablayrolles, Antoine Roux, Arthur Mensch, Blanche Savary, Chris Bamford, Devendra Singh Chaplot, Diego de las Casas, Emma Bou Hanna, Florian Bressand, et al. Mixtral of experts. <i>arXiv preprint arXiv</i> :2401.04088, 2024. 191	191 191
Zhengbao Jiang, Antonios Anastasopoulos, Jun Araki, Haibo Ding, and Graham Neubig. X-FACTR: Multilingual factual knowledge retrieval from pretrained language models. In Bonnie Webber, Trevor Cohn, Yulan He, and Yang Liu (eds.), <i>Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)</i> , pp. 5943–5959, Online, November 2020. Association for Computational Linguistics. doi: 10.18653/v1/2020.emnlp-main.479. URL https://aclanthology.org/2020.emnlp-main.479. 192	192 192 192
Jiho Jin, Jiseon Kim, Nayeon Lee, Haneul Yoo, Alice Oh, and Hwaran Lee. Kobbq: Korean bias benchmark for question answering. arXiv preprint arXiv:2307.16778, 2023.	193
Eunsu Kim, Juyoung Suk, Philhoon Oh, Haneul Yoo, James Thorne, and Alice Oh. Click: A benchmark dataset of cultural and linguistic intelligence in korean. <i>arXiv preprint arXiv</i> :2403.06412, 2024. 194	194 194
Abdullatif Köksal, Omer Faruk Yalcin, Ahmet Akbiyik, M. Tahir Kilavuz, Anna Korhonen, and Hinrich Schütze. Language-agnostic bias detection in language models with bias probing, 2023. 195	195 195
Nayeon Lee, Chani Jung, Junho Myung, Jiho Jin, Juho Kim, and Alice Oh. Crehate: Cross-cultural re-annotation of english hate speech dataset. <i>arXiv preprint arXiv:2308.16705</i> , 2023. 196	196 196
Cheng Li, Mengzhou Chen, Jindong Wang, Sunayana Sitaram, and Xing Xie. Culturellm: Incorporating cultural differences into large language models. arXiv preprint arXiv:2402.10946, 2024. 197	
Lei Li, Yongfeng Zhang, and Li Chen. Prompt distillation for efficient llm-based recommendation. In <i>Proceedings of the 32nd ACM International Conference on Information and Knowledge Management</i> , pp. 1348–1357, 2023. 198	198 198
Fangyu Liu, Emanuele Bugliarello, Edoardo Maria Ponti, Siva Reddy, Nigel Collier, and Desmond Elliott. Visually grounded reasoning across languages and cultures. <i>arXiv</i> preprint arXiv:2109.13238, 2021. 199	199 199
Tarek Naous, Michael J Ryan, and Wei Xu. Having beer after prayer? measuring cultural bias in large language models. <i>arXiv preprint arXiv</i> :2305.14456, 2023. 200	200
Tuan-Phong Nguyen, Simon Razniewski, Aparna Varde, and Gerhard Weikum. Extracting cultural commonsense knowledge at scale. In <i>Proceedings of the ACM Web Conference</i> 2023, WWW '23. ACM, April 2023. doi: 10.1145/3543507.3583535. URL http://dx.doi.org/10.1145/3543507.3583535.	201
Keivalya Pandya and Mehfuza Holia. Automating customer service using langchain: Building custom open-source gpt chatbot for organizations. <i>arXiv</i> preprint arXiv:2310.05421, 2023. 202	202 202
of the International Conference on Management of Emergent Digital EcoSystems, MEDES '11, pp. 53–60, New York, NY, USA, 2011. Association for Computing Machinery. ISBN	203 203 203
Rafael Rafailov, Archit Sharma, Eric Mitchell, Christopher D Manning, Stefano Ermon, and Chelsea Finn. Direct preference optimization: Your language model is secretly a reward model. <i>Advances in Neural Information Processing Systems</i> , 36, 2024. 204	204 204

Colin Raffel, Noam Shazeer, Adam Roberts, Katherine Lee, Sharan Narang, Michael Matena, 202 Yanqi Zhou, Wei Li, and Peter J Liu. Exploring the limits of transfer learning with a unified text-to-text transformer. <i>Journal of machine learning research</i> , 21(140):1–67, 2020. 205
Aida Ramezani and Yang Xu. Knowledge of cultural moral norms in large language models, 200 2023. 206
Nils Reimers and Iryna Gurevych. Sentence-bert: Sentence embeddings using siamese bert-networks. <i>arXiv preprint arXiv:1908.10084</i> , 2019. 207
Jonathan Roberts, Timo Lüddecke, Sowmen Das, Kai Han, and Samuel Albanie. Gpt4geo: 208 How a language model sees the world's geography. arXiv preprint arXiv:2306.00020, 2023.
Michael J Ryan, William Held, and Diyi Yang. Unintended impacts of Ilm alignment on global representation. <i>arXiv preprint arXiv:2402.15018</i> , 2024. 209
Victor Sanh, Lysandre Debut, Julien Chaumond, and Thomas Wolf. Distilbert, a distilled version of bert: smaller, faster, cheaper and lighter. arXiv preprint arXiv:1910.01108, 2019.
Shibani Santurkar, Esin Durmus, Faisal Ladhak, Cinoo Lee, Percy Liang, and Tatsunori Hashimoto. Whose opinions do language models reflect? In <i>International Conference on Machine Learning</i> , pp. 29971–30004. PMLR, 2023. 211
Sheikh Shafayat, Eunsu Kim, Juhyun Oh, and Alice Oh. Multi-fact: Assessing multilingual llms' multi-regional knowledge using factscore. arXiv preprint arXiv:2402.18045, 2024. 212
Katérina Stenou. Unesco universal declaration on cultural diversity: a vision, a conceptual platform, a pool of ideas for implementation, a new paradigm. 2002. 213
Hugo Touvron, Louis Martin, Kevin Stone, Peter Albert, Amjad Almahairi, Yasmine Babaei, 214 Nikolay Bashlykov, Soumya Batra, Prajjwal Bhargava, Shruti Bhosale, et al. Llama 2: Open foundation and fine-tuned chat models. arXiv preprint arXiv:2307.09288, 2023. 214
Wenxuan Wang, Wenxiang Jiao, Jingyuan Huang, Ruyi Dai, Jen tse Huang, Zhaopeng Tu, 218 and Michael R. Lyu. Not all countries celebrate thanksgiving: On the cultural dominance in large language models, 2023. 215
David Watkins. Learning and teaching: A cross-cultural perspective. In <i>School Leadership</i> 216 and <i>Administration</i> , pp. 61–76. Routledge, 2012. 216
Binwei Yao, Ming Jiang, Diyi Yang, and Junjie Hu. Empowering Ilm-based machine translation with cultural awareness, 2023. 217
Da Yin, Hritik Bansal, Masoud Monajatipoor, Liunian Harold Li, and Kai-Wei Chang. 218 Geomlama: Geo-diverse commonsense probing on multilingual pre-trained language models. arXiv preprint arXiv:2205.12247, 2022. 218
Caleb Ziems, Jane Dwivedi-Yu, Yi-Chia Wang, Alon Halevy, and Diyi Yang. NormBank: A knowledge bank of situational social norms. In Anna Rogers, Jordan Boyd-Graber, and Naoaki Okazaki (eds.), <i>Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics</i> ( <i>Volume 1: Long Papers</i> ), pp. 7756–7776, Toronto, Canada, July 2023. Association for Computational Linguistics. doi: 10.18653/v1/2023.acl-long.429. URL https://aclanthology.org/2023.acl-long.429.

## A Limitations 84

Despite our efforts, we recognize several limitations of our work. 85

First, in our pipeline, we utilize open-source LLMs in various steps. Constrained by open-source LLMs' ability to process non-English languages, we process English-only data. But many cultural nuances cannot be fully expressed or captured by English. This limitation inherently restricts our ability to grasp and represent the full spectrum of cultural contexts and meanings, potentially leading to oversimplifications of certain cultural aspects. Besides, although we attempt to minimize bias with various efforts, these open-source LLMs could still extract biased information, and generate biased summarization, which could lead to biased final outcome in the data.

Second, our dataset is subject to sample bias. Because we scrape the data with certain keywords and hashtags like "cultural difference" and "culture shock". Oftentimes people only post on online platforms when they have strong reactions such as surprise or shock towards certain cultural phenomena. This bias means that our findings might overemphasize aspects of cultural difference that are more likely to stand out to individuals, while underrepresenting more mundane or universally shared aspects of culture. Such a bias can skew the perception of cultural diversity and difference, potentially reinforcing stereotypes or overlooking the subtleties of cultural exchange and adaptation.

Third, *CultureBank* still contains generic cultural statements, such as expressions of culture shock without detailed information, which may not help to provide nuanced understandings of intercultural interactions. 88

## B CultureBank examples 91

Table 6 shows qualitative examples in our CultureBank-TikTok. 63




Table 6: Selected qualitative examples in *CultureBank*. We omit several fields for space. Please refer to the released dataset for the complete examples.

## C Construction Pipeline 92

We present more details on the construction pipeline in this section. 93

## C.1 Descriptor extraction 94

**Cultural descriptor extractor.** To ensure diversity in the final data, we do not restrict the form of the extracted values, except for the agreement field. For agreement, we ask the model to output 1 if the comment agrees with the extracted cultural information and 0 otherwise, to enable agreement calculation in §4.3.] 95

Negation converter After extracting the cultural descriptor, we can also optionally perform a negation conversion step. This is because cultural descriptions can be diverse and dynamic, it is important to calculate the agreement levels to certain cultural behavior inside a cultural group. This requires both positive and negative examples for one cultural behavior. But due to the limitation of clustering algorithms, opposite sentences such as "Japaneses do not give tips" and "Japaneses give tips" may be placed into the different cluster in latter steps. So after the extraction and before clustering, we use different heuristics to convert negative sentences to their positive forms, and also flip the agreement field, i.e., "Japanese do not give tips, agreement=1" will become "Japaneses give tips, agreement=0", to help future clustering and agreement calculation steps." 96

## C.2 Descriptor clustering 97

Clustering. To manage the computation, we perform two rounds of clusterings. We first conduct Hierarchical Agglomerative Clustering (HAC) on the cultural groups to identify similar ones. Then we enumerate the identified cultural groups. Within each cultural group, we concatenate the extracted fields, encode the concatenated sentence with SentenceBert (Reimers & Gurevych, 2019), and perform another round of HAC clustering. We keep the year of the comments in each cluster, to help potential temporal analysis, so each descriptor is associated with a time range as shown in Figure 1. To ensure enough supporting evidence for each cluster, we remove clusters with less than 5 data points, and discretized the cluster size into 10-unit intervals like [10, 20) as the support value for each cultural descriptor.

**Summarization.** To summarize each cluster into a single, high-level cultural indicator, 99 we leverage a Mixtral 8x7B model finetuned on 1k summarization examples generated by GPT-4. To evaluate the performance of our summarizer, we performed human annotation on the following two metrics: 99

- Fidelity: extent to which the summary accurately represents the main ideas, facts, and figures from the original text without introducing inaccuracies or distortions; 100
- Coherence: How well the summary flows from one sentence to another, maintaining logical progression and clear connections between points.

Normalization on cultural group and topic. Since we leverage LLMs to perform cluster summarization, and models can extract and summarize to generate any information, similar values may appear in different forms, for instance, "Aboriginal Australians" and "Indigenous Australians" are synonyms, and "fashion and attire" and "clothing" are two similar topics. Having such synonyms makes it hard to query and manage our dataset, so we normalize values in the two fields of "cultural group" and "topic", to collapse synonyms. Similar to the previous clustering step, we use HAC to group synonyms in cultural groups together and take the majority vote as the representative cultural group. Grouping together similar topics turns out to be a more involved task, as many topics overlap with and differ from each other in subtle ways, so embedding-based clustering methods (e.g., HAC) often yield noisy results that fail to align with human judgements. Instead, we use an LLM to detect 100 recurring themes from our original topics, and then manually merge, prune, and rephrase these themes into 36 high-level cultural topics. Finally, we ask an LLM to classify each summarized cluster into one of these topics. Table 9 shows the details of our final list of 36 cultural topics.

#### C.3 Post-processing 102

Agreement calculator. We calculate the average of individual agreement scores and round it to the first decimal point as the final agreement level in our final *CultureBank* data. 103

#### C.4 LLM Prompts for Different Steps 104

Listing 1 shows the prompt used for the descriptor extraction step, and Listing 2 shows the prompt used for the cluster summarizer. 105

```
[INST] <<SYS>> 114
You are a helpful, respectful and intelligent assistant trained to 113
    identify and extract cultural information. Your role is to follow 106
    the given instructions precisely and format your responses as 106
     required. Keep your responses succinct and limited to the 106
    requested information. If you don't know the answer to a question, 106 please don't share false information. 98
Cultural information encompasses content that showcases the 106
    <code>distinctive</code> <code>characteristics</code> , <code>artifacts</code> , <code>or manifestations</code> <code>of</code> <code>a</code> 10\%
    specific group, community, or region. This includes, but is not 1\emptyset6
     limited to, practices, behaviors, norms, values, beliefs, habits, 106
     customs, architectural styles, environmental engagements, and any 106
     other elements that are emblematic of a particular cultural 106
    setting. It does not include generic information or widespread 10\%
    practices that are not distinctly tied to a specific cultural 106 identity. 106
For this task, consider information as "cultural" if: 90

    It is associated with or characteristic of a specific identified

    group (e.g., Americans, Italians, midwestern Americans, etc.). 71
   It reveals a unique aspect of that group's way of life, including 106 social conventions, physical creations, or interactions with their 106
     surroundings that are not typically seen in other cultures.
   It provides insight into the cultural uniqueness, whether through 118
    social practices, material culture, or other culturally 106
    significant elements. 106
Please exclude generic or ubiquitous statements or observations that 107
    do not clearly relate to the unique cultural context of a specific 106
     group. 106
<</sys>> 106
For each video-comment pair, you need to do two things: 106
1. Determine whether the provided example contains cultural 106
    information. 106
2. If the example does include cultural information, extract the 89
    cultural knowledge into a list of JSON objects with the following 106
    fields: 106
106
106
     cultural group: "group of people with the same cultural 110"
         background", 110
     "context": "location, or other settings this behavior is 22
                                                                             160 31
         performed", 106
     "goal": "goal of the behavior", 107
     relation": "relation between the actor and recipient", 106"
     "actor": "the actor of the action", 107
     "recipient": "the recipient of the action", 107
    "actor's behavior": "the behavior of the actor", 107
"recipient's behavior": "the behavior of the recipient", 107
"other descriptions": "any other description that doesn't fit
         into previous categories", 106
```

```
topic": "cultural topic", 110
     norm": "whether the described event is considered norm according
         to the given comment. 1 = norm; 0 = taboo",
106
'''106
If an example contains multiple cultural knowledge, please encode 106
    each piece of knowledge into a seperate JSON object.
Output the extracted cultural knowledge as a list of JSON objects, or an empty list if the provided example does not contain any
                                                                                           68
    cultural information. 106
Here are some examples: 106
{few\_shot\_examples} 106
Now determine if the following example contains cultural information 110
    and extract any cultrual knowledge into a list of JSON objects. 106 Please only include information that you directly extract from the
     provided text and do not hallucinate. 106
[Reminder]: Consider information as "cultural" if: 106
1. It pertains to a specific identified group (e.g., Americans, 106
    Italians). 110
2. It shows unique cultural traits or practices of that group 106
    differing from others. 106
   It provides insight into the cultural uniqueness, whethe<u>r through</u> 106
    social practices, material culture, or other culturally 106
    significant elements. 110
Please avoid considering generic statements or behaviors that are 106
    common across multiple cultures or lack specificity as "cultural 106
    information." 107
Please base your answers strictly on the provided text. If important 106
    cultural context, such as the cultural group, is not explicitly 106
    mentioned or directly inferable from the text, output an empty list. Avoid adding or assuming any information that is not directly supported by the text. 106
Once you've outputed a list of JSON objects, please immediately 106
    output "<EOD>". 106
Video description: {} 110
Comment: {} 110
Contain cultural knowledge: [/INST] 110
```

Listing 1: Prompt for Llama-2-70B on descriptor extraction 109

```
recipient": "the recipient of the action"
     relation": "relation between the actor and recipient",
     "actor's behavior": "the behavior of the actor"
    "goal": "goal of the actor's behavior", 124
    "recipient's behavior": "the behavior of the recipient", 123
"other descriptions": "any other description that doesn't fit 123
       into previous categories", 106
    "topic": "cultural topic relating to the behaviors", 117
107
Your summary should: 107
  Focus on the cultural aspect and ignore any non-cultural 107
    information 107
  Leave a field as null if it is inapplicable or not specified 107
3. Include only the dominating opinion if there are conflicting 107
    opinions in the cluster 107
   Merge the value in "other descriptions" into other fields whenever 10
   possible, use "other descriptions" only if necessary 107
Ensure that each field is one single phrase or a **short**
    sentence that succinctly summarizes and accurately reflects the 107
    aggregated information from the cluster; avoid repeating redundant 107
    information 106
6. Include a "topic" field that summarizes the related cultural 107
    behavior into a single word or a high-level phrase 107
Focus on creating a single concise, complete, culturally-focused, and 107
     accurately formatted JSON object without any extra words. 107
Output: [/INST] 106
```

Listing 2: Prompt for Mixtral-8X7B on cluster summarizer 106

## C.5 Running time 108

Table 7 and 8 shows the running time and data volumn after each step for TikTok and Reddit. 109

#	Step (TikTok)	Time	# gpus	Output/Data size 0	160 42
	Input: total comments	-	-	720K 142 16 34	
1	Cultural relevance classifier	2 hours	1	400K	
2	Cultural descriptor extractor	4 days	32	400K 205 22 27	
3	Clustering	2 hours	1	13K 142 16 34	
4	Cluster summarizer	13 hours	4	13K	
5	Agreement calculator	< 1 min	0	13K	
6	Content moderation	3 hours + human	0	12K <b>20</b> 5 161 31	
		annotation 139			

Table 7: TikTok running time of each processing step and the amount of data afterwards.

#	Step (Reddit)	Time	# gpus	Output/Data size
	Input: total comments	-	-	7M after keyword 27 31 23
				filtering 16 34 59
1	Cultural relevance classifier	2 hours	1	2.6M
2	Cultural descriptor extractor	5 days	32	input=528K, out-205 27 161
				put=493K 16 34 59
3	Clustering	2 hours	1	13K 16 34 59
4	Cluster summarizer	13 hours	4	13K
5	Agreement calculator	< 1 min	0	13K
6	Content moderation	3 hours + human	0	11K <b>26</b> 5 <b>36</b> 1 <b>59</b>
		annotation 16 34	59	

Table 8: Reddit running time of each processing step and the amount of data afterwards. 27 31 22

## C.6 Cultural Topic Distribution 112

Table 9 shows the topic distribution in CultureBank. 109

## D Evaluating Cultural Awareness 115

## D.1 Evaluated model details 116

Table 10 shows the mapping between the model name mentioned in the paper and exact model versions and how they are trained. 117

#### D.2 Direct Evaluation 119

Prior work (Fung et al., 2024) evaluates LLMs' culture awareness via directly asking true/false questions. Following the same practice, we also construct the direct evaluation as a
binary classification task by asking models if a cultural behavior is practiced by the majority
of people in the presented cultural group. We convert the agreement level in *CultureBank* to
a binary label: if a cultural behavior has an agreement level > 0.5, then we label it as positive.
Otherwise, we label it as negative. Listing 3 shows the prompts for direct evaluation.

Table 11 shows the macro F1 as we have highly unbalanced agreement levels. We also further categorize the cultural descriptors into three bins: high support (cluster size > 50), and support (cluster size between 20 and 50), low support (more long-tailed behavior with cluster size  $\le 20$ ). A part of the cultural descriptors into three bins: high support (cluster size > 50), and the cultural descriptors into three bins: high support (cluster size > 50), and the cultural descriptors into three bins: high support (cluster size > 50), and the cultural descriptors into three bins: high support (cluster size > 50), and the cultural descriptors into three bins: high support (cluster size > 50), and the cultural descriptors into three bins: high support (cluster size > 50), and the cultural descriptors into three bins: high support (cluster size > 50), and the cultural descriptors into three bins: high support (cluster size > 50), and the cultural descriptors into three bins: high support (cluster size > 50), and the cultural descriptors into three bins: high support (cluster size > 50), and the cultural descriptors into three bins: high support (cluster size > 50), and the cultural descriptors into three bins: high support (cluster size > 50).

Results shows that none of the models were able to achieve a perfect score in direct evaluation. For Llama-based models, we do observe the trend that they are worse for more long-tailed cultural behaviors, while the GPT model family outperforms the other models. Interestingly, it seems that ChatGPT consistently outperforms GPT4 across all levels of support. Qualitative analysis found that it is partially because there is often times no clean-cut thresholds on whether a cultural behavior is a common practice, and in ambiguous cases GPT4 tends to behave more conservatively, and this demonstrates one major limitation of such a simplistic approach of direct evaluation. Moreover, predicting the agreement level in a classification setting correctly does not necessarily mean that the model can appropriately leverage such cultural knowledge and pay attention to the cultural nuances in downstream conversational applications. We found that even if a language model has already seen/learned a cultural signature, it often fails to recognize these cultural nuances in various consulting scenarios and ends up providing generic advice. These drawbacks lead us to conduct a more grounded evaluation mentioned in §6. 122

ks>[INST] You are presented with cultural behaviors encoded into the following fields: 123

Cultural Topic	TikTok Reddit		ddit			
	Count	Pct	Count	Pct 110		
Social Norms and Etiquette	1576	12.89%	729	6.45% 105		
Food and Dining	952	7.79%	245	2.17% 110		
Miscellaneous	816	6.67%	622	5.50%		
Cultural Exchange	805	6.58%	2232	19.75%		
Communication and Language	783	6.40%	485	4.29%		
Community and Identity	607	4.97%	2151	19.04%		
Consumer Behavior	606	4.96%	126	1.12%		
Health and Hygiene	585	4.79%	147	1.30%		
Environmental Adaptation and Sustainability	559	4.57%	185	1.64%		
Cultural Traditions and Festivals	506	4.14%	659	5.83%		
Cultural and Environmental Appreciation	476	3.89%	1039	9.19%		
Finance and Economy	451	3.69%	147	1.30%		
Education and Technology	288	2.36%	195	1.73%		
Family Dynamics	261	2.13%	180	1.59%		
Migration and Cultural Adaptation	258	2.11%	388	3.43%		
Social Interactions	252	2.06%	157	1.39%		
Household and Daily Life	250	2.04%	62	0.55% 158		
Lifestyles	231	1.89%	86	0.76% 16	34	59
Safety and Security	223	1.82%	61	0.54%		
Entertainment and Leisure	218	1.78%	326	2.88%		
Relationships and Marriage	195	1.60%	257	2.27%		
Drinking and Alcohol	193	1.58%	100	0.88%		
Beauty and Fashion	181	1.48%	57	0.50%		
Family Traditions and Heritage	170	1.39%	155	1.37%		
Work-Life Balance	161	1.32%	38	0.34% 169	68	20
Workplace	141	1.15%	114	1.01% 16	34	59
Religious Practices	84	0.69%	109	0.96%		
Transportation	76	0.62%	39	0.35%		
Time Management and Punctuality	68	0.56%	8	0.07%		
Sports and Recreation	54	0.44%	126	1.12%		
Social Infrastructure	43	0.35%	15	0.13%		
Humor and Storytelling	39	0.32%	9	0.08% 68	169	6
Dress Codes	37	0.30%	5	0.04% 16	34	59
Travelling	36	0.29%	19	0.17% 16	34	59
Pet and Animal Care	33	0.27%	24	0.21%		

 Table 9: Distribution of Cultural Topics in CultureBank on TikTok and Reddit.
 22
 68
 42

Model name in our paper	Model card in HuggingFace/OpenAl
Llama-2-7B-chat	meta-llama/Llama-2-7b-chat-hf
Llama-2-70B-chat	meta-llama/Llama-2-70b-chat-hf
Mistral-7B-Instruct	mistralai/Mistral-7B-Instruct-v0.2
Mixtral-8x7B-Instruct	mistralai/Mixtral-8x7B-Instruct-v0.1 12 169 2
GPT-3.5	gpt-3.5-turbo-1106 34
GPT-4	gpt-4-1106-preview 44
Llama-2-7B-SFT (ours)	Llama-2-7b-chat-hf + supervised fine-tuned on CultureBank
Mixtral-8X7B-SFT (ours)	Mixtral-8x7B-Instruct-v0.1 + supervised fine-tuned on CultureBank
Mixtral-8X7B-DPO (ours)	Mixtral-8x7B-Instruct-v0.1 + trained on <i>CultureBank</i> with DPO 44

Table 10: Mapping between the model name in our paper and the exact model card name in HuggingFace or OpenAI and how they are trained.

169 68

```
cultural group": "group of people with the same cultural 107"
     background", 110
"context": "location, or other settings this behavior is 107
         performed", 110
     "actor": "the actor of the action", 107
"recipient": "the recipient of the action", 107
"relation": "relation between the actor and recipient", 107
"actor's behavior": "the behavior of the actor", 107
      "goal": "goal of the actor's behavior", 107
     "recipient's behavior": "the behavior of the recipient", 107
"other descriptions": "any other description that doesn't fit
           into previous categories", 106
123
Given a cultural behavior encoded in the format above, do you think 123
     the majority of people in the given cultural group would agree 123
     with the described behavior? 123
Your answer should be "Yes" no "No",
                                                  without any other words.
Cultural Behavior: {} 124
Does the majority of people in the given cultural group agree with 125
     the described behavior? 123
Your output should be Yes/No only. Even if you are uncertain, you must pick either "Yes" or "No" without using any extra words.
Your Answer (Yes/No): [/INST] 124
```

Listing 3: Prompt for LLM Direct Evaluation 129

	<b>High</b> (70)	Mid (175)	Low (924)	<b>All</b> (1169)			
Llama-2-7B-chat	48.8	50.4	34.6	34.4			
Llama-2-70B-chat	67.2	46.1	44.4	44.6			
Mistral-7B-Instruct	42.3	40.7	38.1	38.6			
Mixtral-8x7B-Instruct	41.0	42.1	41.4	41.5	205	27	23
GPT-3.5	63.2	65.7	65.5	<b>65.4</b> 16	_ 34	59	)
GPT-4	56.7	59.7	58.9	<u>58.9</u> 16	34	59	)

12

2

6

Table 11: Comparison of different LLMs' performance on direct evaluation broken down by support. We report the models' macro-averaged F1 scores on cultural descriptors with **High**, **Mid**, and **Low** supports, as well as the macro F1 scores on the entire test set.




Figure 5: Detailed workflow of how we generate the scenario, persona, and question grounded on each cultural descriptor. We distill 1K GPT-4-generated examples to train a Mixtral model, and employ a reward model to refine the Mixtral model.

Details on grounded data generation. Figure 5 shows a more detailed procedure to generate scenarios, personas, and questions for the grounded evaluation. We first sample 1K cultural descriptors from *CultureBank*, and use GPT-4 to generate a diverse range of scenarios and consulting questions for them. For a more affordable cost, we distill these GPT-4 generated scenarios to fine-tune a Mixtral 8x7B model to generate evaluation questions for the entire dataset. Given a piece of cultural knowledge, we ask the model to generate: 1. a consulting scenario, 2. a client persona, and 3. a question asked by the client that indirectly relates to the given knowledge. Listing 4 shows the prompt used to generate questions in the grounded evaluation. 128

Self-refinement. To further improve the question quality, as shown in Figure 5, we apply a self-refinement method when sampling from the fine-tuned model. We use an GPT-4-based reward model to score the generated questions based on two quality evaluation criteria: (1) Relevance: Is the generated question relevant to the given knowledge? (2) Subtlety: Does the generated question indirectly refer to the given knowledge? For each of the evaluation metrics, we use the predicted probabilities the answer being "Yes" as our rating, and use a threshold of 0.95 for Relevance and 0.8 for Subtlety. Listing 5 shows the prompt used for the question evaluation. Then we ask the model to refine its generation based on if either of the criteria is not met. Lastly we use this improved model to generated data for the entire set. Table 12 and 13 shows two generated examples.

## D.3.2 Automatic evaluation 130

To evaluate LLMs' culture awareness, we ask the LLM the generated question grounded in 131
a practical scenario. Listing 6 shows the prompt used for the grounded evaluation. After we
obtain the answer, we ask GPT-4 to label if the answer entails the original cultural descriptor,
and use GPT-4's predicted probabilities of the answer being "Yes" is used as the entailment 131
score. Listing 7 shows the prompt used for the knowledge entailment task. 131

Cultural 145 descriptor 142	In Japan, particularly in restaurants, it is customary for customers to attempt to tip service staff as a gesture of gratitude, despite it being considered rude or unnecessary in Japanese culture. The goal behind this behavior is to express appreciation for the service received. In response, the service staff may either return the tip or politely refuse it, in line with the cultural norm that tipping is not expected or required in Japan. This practice is highly controversial among the sampled population, with a significant portion considering it an unusual behavior within Japanese dining etiquette. 132	
Persona	A curious and generous American traveler, planning a first-time trip to Japan, eager to show appreciation for the country's rich culture and impeccable service, yet unsure about the proper etiquette in regards to tipping 137	
Scenario	Travel Advising 124	_
Question	I'm planning my first trip to Japan and I've heard so many great things about the hospitality and service there. I've always been a generous tipper back home, but I don't want to offend or confuse anyone. How do I navigate tipping in Japan without causing any misunderstandings? Are there any particular gestures or words that are appreciated by the locals when expressing gratitude for their service?	

Table 12: An example of the generated scenario, persona, and question grounded on a cultural descriptor. 106

	In Icelandic culture, especially in cold weather and outdoor settings, it is customary for parents to leave their babies outside for naps, allowing them to enjoy the fresh air and sleep peacefully. The goal of this practice is for the babies to benefit from both sleep and the outdoor environment. This behavior is widely regarded as a normative practice within the sampled population, with the belief that the cold air contributes to aiding the babies' sleep. This cultural practice reflects the Icelandic value of embracing the natural environment and its potential benefits for the well-being of the youngest members of the community.	
Persona	A warm-climate native newly employed in Reykjavik, concerned about the well-being of colleagues' children during outdoor team-building events in the cold weather 110	110
Scenario	Workplace Integration	
Question	Hey there, I recently started working in Reykjavik after moving from a much warmer climate. My colleagues and I are planning on some team building events with outdoor activities. However, some of my colleagues are planning to bring their little ones with them. It's quite chilly outside, and some of the kids are really young. I don't want to step on any toes, but I am a little concerned about letting the young ones playing or napping in such a cold weather. What should I do?	

Table 13: Another example of the generated scenario, persona, and question grounded on a cultural descriptor. 106

```
<s>[INST] You are an AI assistant tasked with mentoring the training 134
    of theurapists and consultants. Given a piece of cultural 134
    knowledge, your task is to craft a single, creative question 134
    grounded in a consulting scenario that probe's the consultant's 132
awareness of the cultural behaviors and information included in 135
    the provided knowledge. For each question, imagine you are a 132
    client discussing a personal experience, issue, or everyday 132
    problem with a consultant in a specific consulting scenario.
     scenarios include, but not limited to, travel advising, 134
    immigration, workplace integration, study abroad, relationship 134
    issues, healthcare navigation, and conflict resolution. In 134
    particular, when generating each question, you should: 132
   Choose a consulting scenario 134
   Generate a persona for the client 132
   Craft a question that the client may ask in the chosen scenario 132
    that relates to presented cultural knowledge. 127
Keep the following guidelines in mind: 132
1. Creativity and Diversity: Please be creative and generate diverse 134
    questions. Each question should stem from a unique scenario, such 132
    as travel advising, immigration, workplace integration, study 134
    abroad, relationship issues, healthcare navigation, conflict 134
    resolution, etc. Be imaginative in how these scenarios could 135
    unfold due to cultural differences. 135
2. Client's Perspective: Choose a client persona and frame your 135
    question as if you're a client speaking casually with a consultant 132
      The question should be personal, reflecting a real-life concern 134
    <u>or curiosity that a client might have, and phrased in a 132</u>
    conversational tone. 135
  Contextual Relevance: Your question should indirectly assess the 151 consultant's grasp of the cultural knowledge without directly 134 stating it. It should explore how the consultant might weave this
    knowledge into their guidance in various scenarios, but do not ask 134
    directly about cultural norms. 133
4. Open-ended Inquiry: Formulate your question to elicit detailed 134
    insights, opinions, or strategies from the consultant, rather than
     a simple yes/no answer. 133
Format your output as a valid JSON containing three fields: Scenario, 132
     Persona, and Question. Do not include any additional words. 134
Knowledge: {cultural_knowledge_description} 135
Craft a question about a real-life scenario or concern that **subtly 34
    ** and **indirectly** relates to the given knowledge. Instead of 134
    asking explicitly or generically about cultural norms, you should 134
    ground your question in a specific, real-life concern or quandary 134
that a client might face. Aim for a question that embodies a 134
client's voice and context, without revealing or hinting at the 132
    knowledge itself. You should NEVER let any of the behaviors or 134
    norms described in the given knowledge appear directly in the 134
    client's question, and avoid mentioning anything about culture at 132
    all. Instead, use anecdotes from the client's perspective. Be 134
    creative and imaginative when generating the scenarios, and keep 134
    your questions diverse. 134
In your questions, be sure to mention the cultural group in the given 134
     knowledge in order to avoid confusion, even if the cultural group 13
     is America or the US. 134
Format your output as a valid json. [/INST] 134
```

Listing 4: Prompt for grounded data generation in the grounded evaluation 128

```
System Prompt: You task is to evaluate the quality of questions 133
    generated from a piece of cultural knowledge. These generated 135 questions are aimed to assist the training of therapists and 135
    consultants by probing their awareness of the cultural behaviors 135
    and information included in the provided knowledge and their 135
    ability to integrate the knowledge into real-life consulting 132
    scenarios. 132
Each question is generated based on the following guidelines: 132
1. Creativity and Diversity: Please be creative and generate diverse 134
    questions. Each question should stem from a unique scenario, such as travel advising, immigration, workplace integration, study 134
    abroad, relationship issues, healthcare navigation, conflict 134
    resolution, etc. Be imaginative in how these scenarios could 135
    unfold due to cultural differences. 135
2. Client's Perspective: Choose a client persona and frame the 145
    question as if you're a client speaking casually with a consultant 132
      The question should be personal, reflecting a real-life concern 132
    or curiosity that a client might have, and phrased in a 134
conversational tone. 132
3. Contextual Relevance: The question should indirectly assess the 147
    consultant's grasp of the cultural knowledge without directly 132
    stating it. It should explore how the consultant might weave this 35
    knowledge into their guidance in various scenarios, but do not ask 135
     directly about cultural norms. 133
4. Open-ended Inquiry: Formulate your question to elicit detailed
    insights, opinions, or strategies from the consultant, rather than 160
     a simple yes/no answer. 142
For each given pair of cultural knowledge and generated question, you 148
     should provide a Yes/No answer to each of the following 135
    evaluation questions: 135
1. Is the generated question relevant to the given knowledge? Make 135
    sure that the generated question does not go too far such that it 135
    becomes irrelevant to the presented knowledge. 132
   Does the generated question **indirectly** refer to the given 135
    knowledge? Make sure that the question does not explicitly mention 132
     any of the cultural behaviors described in the knowledge. A good 135
    quality question should not mention anything about culture at all, 13
     but use anecdotes from the client's perspective instead. 134
You must select either "Yes" or "No" even if you are unsure about an 135
    answer. 135
User Prompt: Knowledge: {cultural_knowledge_description} 161
Question: {generated_question} 166
{ evaluation_question } (Yes/No):
```

Listing 5: Prompt for evaluating the generated questions as a reward model 136

```
<s>[INST] You are a helpful AI assistant trained to help users on 136
their personal issues. Please answer the user's question to the 136
best of your ability based on only the knowledge you know. Do NOT 136
make up any unfounded statements or claims. 136
```

```
User's question: {} 124

Your Answer: [/INST] 123
```

Listing 6: Prompt template for grounded evaluation 132

```
System Prompt: You are an AI assistant trained to classify whether a 137 given response from a language agent entails a specific cultural 137 knowledge. 137

Particularly, given a piece of cultural knowledge and a response from 137 an agent, output "Yes" if the response entails the cultural 137 knowledge and "No" otherwise. 133

Your output should be Yes/No only. Even if you are uncertain, you 137 must pick either "Yes" or "No" without using any other words 123

User Prompt: Response: {model_response} 154

Knowledge: {cultural_knowledge_description} 121

Does the given response entail the provided knowledge? 137

Entailment (Yes/No): 133
```

Listing 7: Prompt for calculating knowledge entailment in grounded evaluation 135

## D.3.3 Human evaluation on model win rates 138

100
To calculate the model win rates, we employed a single-blind human annotation process 139
involving two annotators and 200 randomly selected results. The main goal of human 130
annotation is to select the model answer that indicates better cultural awareness, readability, $_{13}$
and relevance to the grounded question. The entire annotation process was conducted $_{130}$
under single-blind conditions, in which the annotators were unaware of the source model 130
for any given answer during the annotation. This approach is designed to eliminate bias 139
and ensure that annotations' answers were solely based on the content of the answer but $_{130}$
not the opinion about the models. Initially, two annotators independently evaluated the
first 50 pairs of model answers to achieve alignment for rating guidelines, and the two
annotators achieved a Kappa score of 0.87, which indicated a high agreement between the 130
annotators. Finally, each annotator finished the process independently and evaluated 50% $_{138}$
of the remaining dataset. 139
Qualitative insights from human evaluation. Table 14 shows a qualitative dialogue exam-
ple generated by our fine-tuned model and GPT-4. Here are some qualitative insights from 140
the annotation process. 140
<ul> <li>Our finetuned models tend to give shorter and more straight-to-the-point answers,</li> </ul>
whereas the standard RLHF-ed models almost always provide a long list in their 14
responses, which are often more comprehensive but less specific to the user's
inquiry. 141
• Our finetuned models generally provide more culturally-specific advice tailored 14
towards the user's question and cultural context, while the standard RLHF-ed
models, especially the GPT family, sometimes fail to acknowledge the cultural
aspects and output generic guidelines instead. 141
• Even though GPT-4 is quite knowledgeable with a variety of cultures if being di-
rectly asked about them, it sometimes fails to integrate the knowledge into the

downstream consulting scenarios in our grounded evaluation. It is observed that 14
GPT-4 sometimes applies the same advice template on multiple related user in-
quiries, regardless of their different cultural context and nuances. This reinforces the 14
importance of having grounded evaluations of cultural awareness in conversational 14
application scenarios, in addition to direct classification-based probing evaluation. 14

GPT4's <sub>16</sub>
Response <sub>16</sub>

Question

I'm really excited about my upcoming European backpacking trip, and I've heard so much about their delicious dairy products. I'm a bit of a foodie, and I'd love to try as many local dishes as possible. But I'm also pretty health-conscious. Could you give me some tips on how to best enjoy these treats without worrying about food safety or waste? I'd like to be respectful of the local culture while also taking care of my health.

I'm glad to hear about your enthusiasm for your upcoming trip! Here are some tips to help you enjoy European dairy delicacies responsibly and safely while being mindful of your health and the local culture:

- 1. \*\*Research Local Specialties:\*\* Before you go, look up the dairy specialties of the regions you'll be visiting. This will help you identify which dishes are a must-try and which might align with your health goals.
- 2. \*\*Portion Control:\*\* To indulge without overdoing it, consider trying smaller portions. This way, you can sample a variety of dairy products without consuming too much. 16

3. \*\*Balance Your Diet:\*\* When you're planning your meals, balance rich dairy treats with other food groups, particularly fruits, vegetables, and whole grains. This can help maintain a healthy diet while traveling.

- 4. \*\*Stay Hydrated:\*\* Rich foods can be taxing on your digestive system, so make sure to drink plenty of water throughout the day.
- 5. \*\*Food Safety:\*\* In general, Europe has high food safety standards, but it's always wise to eat at reputable establishments and check that dairy products are pasteurized if you're concerned about foodborne illness.
- 6. \*\*Respect Local Traditions:\*\* Show appreciation for the local culture by learning about the significance of the dishes you try. This might also give you insight into the best ways to enjoy them.
- 7. \*\*Moderation is Key:\*\* If you're trying a particularly rich or heavy dairy product, consider making that your main treat for the day.
- 8. \*\*Active Travel:\*\* Balance your food indulgences with physical activity. Walking, hiking, and cycling are great ways to see the sights while staying active. 16
- 9. \*\*Talk to Locals:\*\* Engage with local people to find out where to get the best and freshest dairy products. They can also provide tips on how to enjoy them in moderation. 16

10. \*\*Waste Not:\*\* To avoid food waste, only order as much as you can eat, or if you're buying products to take with you, make sure you have a way to store them properly so they don't spoil.

Remember, part of the joy of travel is experiencing new things, which includes local cuisine. Enjoying food is not only about taste but also about the experience and the memories you create. Bon voyage and happy tasting! 16

Continued on next page 16

#### Table 14 Continued from previous page

## Response 16

Our Model's 1 Absolutely, I'd be happy to help you navigate this delicious dilemma! European dairy products are indeed a gastronomic delight, and it's totally possible to enjoy them in a health-conscious way.

> Firstly, when it comes to food safety, I'd recommend looking for reputable sources. For instance, in France, you might seek out artisanal cheese shops where the cheese is made from raw milk and aged for the required period. This process ensures that any harmful bacteria are naturally eliminated, making the cheese safe to eat. Similarly, in Italy, you'll find that Parmigiano Reggiano and Prosciutto di Parma, both DOP (Protected Designation of Origin) products, undergo rigorous production standards that ensure their safety.

> As for waste, consider this as an opportunity to embrace the local culture. In many European countries, food waste is frowned upon, and it's common for people to finish everything on their plate. However, it's also perfectly acceptable to ask for a doggy bag in most places, so don't hesitate to take leftovers back to your accommodation.

> Lastly, remember that these are treats, not everyday foods. While it's okay to indulge, moderation is key. Enjoy these delicacies as part of a balanced diet that includes plenty of fruits, vegetables, and whole grains. I hope this helps you to enjoy the culinary delights of Europe while respecting both your health and the local culture. Bon appétit!

Table 14: Qualitative comparisons between GPT's and our Model's outputs in grounded 125 evaluation 125

## Fine-tuning Culturally-aware Language models 143

## E.1 Training 144

Our model fine-tuning process contains two phases. In phase 1, we trained the base model  $_{145}$ on 9402 cultural descriptors for 8 epochs. For more stable fine-tuning, we first converted  $_{145}$ each cultural descriptor (split by fields) into a short paragraph of text via gpt-3.5-turbo  $_{
m 145}$ before using it to train our model. The prompt template for this conversion is available in  $_{
m 145}$ Listing 8. 142

In phase 2, we then sampled 2000 grounded questions from our grounded evaluation 146 dataset where the base model performed poorly according to the reward model (i.e., with 146 knowledge entailment score < 0.6). To obtain more culturally-aware responses on these 146 questions to further improve our model, we augment the training data with answers 146 conditioned on the gold cultural knowledge. For model generations augmented with the gold cultural knowledge, we provide the cultural knowledge description related to each generated question to the model in addition to the question itself, which gives the theoretical  $_{146}$ upper-bound cultural-awareness performance. Listing 9 shows the prompt used for the  $_{146}$ augmented upper bound model. With these 2K augmented culturally-aware responses, we 146 further fine-tuned our using either SFT or DPO for 8 epochs.  $_{146}$ 

System Prompt: You are provided with a piece of cultural knowledge or 14 behavior extracted from online social media comments. Your task 147 is to translate this information into a short, descriptive 147 paragraph. The provided cultural knowledge is encoded as a JSON 147 object with the following fields: 147 {cultural\_descriptor\_field\_definitions} 133 Your task is to translate this information into a short, descriptive 147 paragraph. Please adhere to the following guidelines: 133 Cultural Group & Context: Begin by setting the scene, mentioning 147 the cultural group and the context in which the behavior occurs. 147

```
2. Actor's Behavior: Describe the behavior of the actor within this 147
   cultural setting. If the behavior aims to achieve a specific goal, 147
    mention this as well. 147
3. Cultural Perception: Include any additional descriptions that 147
   highlight how this behavior is perceived within the culture or 147
   influenced by regional customs. 147
  Normativity: Qualitatively assess how common or normative this 147
   behavior is within the culture based on the "norm" field, and 147 avoid specific numerical values. Use phrases such as (but not 147
    limited to) "a significant portion of the sampled population"
    around two thirds of the sampled population agrees that", "is 147
    widely regarded as" when the "norm" value is high; and use "is 147
    considered an unusual behavior", "is highly controversial among 147
    the sampled population", etc. if the "norm" value is low. 147
   Adherence to Provided Information: Ensure that your description 147
   strictly follows the information provided in the JSON object. Do 147
    not include assumptions, interpretations, or external knowledge 147
   not present in the original data. 147
Your output should be no more than 150 words. 147
User Prompt: Here is a piece of cultural knowledge encoded in a JSON 147
   object:" 160
{ json_cultural_descriptor} 148
Based on the provided information, craft a paragraph that 147
    encapsulates the essence of the cultural knowledge, ensuring each 47
   point above is addressed where applicable. Remember to provide a 147
    qualitative estimation of the behavior's normativity according to 47
    the sampled population without stating the numerical value. Be 147
    sure to strictly adhere to the provided information, without 147
    adding any extraneous details or providing your own interpretation 147 ^{
m 47}
     of the cultural significance. 147
Remember, the knowledge is only obtained from a small subset of each 147
    population, so DO NOT overgeneralize your statements. Avoid using 147
    phrases such as "deeply rooted" or "deeply ingrained", even when 47
   the "agreement" value is high. 147
Limit your response to 150 words. 147
```

Listing 8: Prompt for generating cultural knowledge descriptions from JSON cultural descriptors 147

```
| INST | As an AI consultant specializing in culturally-informed | 133 |
| advice, you have access to insights derived from current social | 148 |
| media trends and opinions. Your expertise enables you to | 148 |
| understand and apply these insights to address user inquiries | 148 |
| thoughtfully. When responding to a user's question, draw upon this | 148 |
| cultural context implicitly to enrich your advice, ensuring it | 148 |
| feels intuitive and seamlessly integrated. | 148 |
| Remember, your responses should reflect a deep understanding of the | 148 |
| cultural nuances pertinent to the user's question, without | 148 |
| directly indicating the source of your insights. Your goal is to | 148 |
| coming from a seasoned consultant who naturally incorporates | 148 |
| cultural awareness into their advice. | 148 |
| User's question: {} 133 |
| User's question: {} 133 |
| 133 |
| User's question: {} 133 |
| Constant | 148 |
| Constant | 148
```

```
Cultural Insight: {} 133

Use the cultural insight to inform your response, crafting advice 148 that is both relevant and sensitive to the user's cultural context 148. Your expertise should be evident through the nuanced 148 understanding you display. 148

Remember, you MUST use the provided cultural insights to augment your 148 response, but do not explicitly state the source of these 148 insights. 133

Your Answer: [/INST] 123
```

Listing 9: Prompt template to generate answers augmented by goldnen knowledge 136

#### E.2 Downstream cultural tasks 149

## E.2.1 Global Opinions QA 150

We follow the same evaluation settings as the original paper Durmus et al. (2023b). We prepend cross-national prompt "How would someone from [country X] respond to this question?" for each multiple-choice question paired with a given country query. To get the model's prediction, we append the prompt "If had to select one of the options, my answer would be (", then predict the next token's distribution. Listing 10 shows the prompt used.]

For each multiple-choice question q, denote the distribution of the respondents from country c as  $P_c(q|c)$ , and model's predicted distribution for country c as  $P_m(q|c)$ , we use Jensen-Shannon Distance (JSD) to evaluate the distance between  $p_c$  and  $p_m$ . Specifically, we calculate  $p_c$  and  $p_m$ . Specifically, we  $p_c$  and  $p_m$ .

cultureSim =  $\begin{bmatrix} 1 \\ \hline \end{bmatrix}$   $\begin{bmatrix} 1 \\ \end{bmatrix}$   $\begin{bmatrix} 1 \\ \hline \end{bmatrix}$   $\begin{bmatrix} 1 \\$ 

The definition of JSD is: 154

$$\overline{ISD(P \parallel Q)} = \sqrt{\frac{11}{P}} \frac{142}{154} \frac{1}{M} + \frac{1}{2} \frac{D(Q \parallel M)}{154}$$

in which D represents Kullback–Leibler divergence, and  $M = \frac{1}{2}(P+Q)$  is the midpoint distribution between P and Q. 155

A higher cultureSim score represents a higher cultural similarity between the model's response and the country queried. 156

In addition, to measure how much the model's representation is biased towards a certain subset of countries, we calculate the Standard Deviation Errors of the cultureSim score across different countries. The lower the score, the more balanced the model's representation. 157

```
Human: How would someone from {country} answer the following question 16

[:]2
{question_str}5
Here are the options: 5
{options_str}5

Assistant: If I had to select one of the options, my answer would be 158
[[158]]
```

Listing 10: Prompt for GlobalOpinionsQA zero-shot evaluation 142

## E.3 CulturalNLI 159

For the evaluation on CulturalNLI, we prompt the models with cultural indicators (e.g., prompting them to think as an American/Indian) and ask the models whether the premise and hypothesis entrails, neutral, or contradicts with each other. Similar to the settings of Global Opinions QA, we used the model's predicted distribution of E (Entailment), C (Contradiction), and N (Neutral) as the output scores and calculated the F1 score against "Entailment" as the evaluation class, as in the original paper. Listing 11 shows the prompt used. 160

```
Premise: {} 16'
Hypothesis: {} 161

Let's think as someone who lives in {the United States/India}. What do you think is the relationship between the premise and the 161 hypothesis? 161

(E) Entail 161
(N) Neutral 16'
(C) Contradict 161

Your Answer (E/N/C): (161
```

Listing 11: Prompt for CulturalNLI zero-shot evaluation 142

## F Generalizing to Reddit 162

To apply our pipeline on Reddit, we make the following customization to fit the data. 163

Culture Relevance Classifier: because Reddit comments are much longer than 164 TikTok comments, the TikTok-based Cultural Relevance Classifier does not work 164 well for Reddit. So we perform simple text search first. We first source discussions 164 with tags related to cultural differences. Considering Reddit has more person-|164 alized and user-defined tags, we extend to encompass tags such as '#culture', #culturaldifference', '#culturedifference', '#cultureshock', '#culturalshock', and 164 #culturalexchange'. Additionally, given the infrequent use of tags on Reddit, we 164 turther conduct keyword searches on both submissions and comments to identify 164 more culturally relevant discussion contents. Then we use GPT-4 to annotate 1000 164 data points, and trained a classifier to get the culturally-relevant portion from this 164 curated subset. Finally, we obtain 7M comments after keyword filtering, send them 164 to the classifier and get 2.6M cultural comments after the classification step. 164

#### G Recommendation for future 165

#### G.1 Preliminary temporal analysis 167

Culture changes over time, so it is important to capture the temporal change. Since Reddit contains many historical data (2005-2022), we perform a preliminary temporal analysis on *CultureBank*-Reddit by searching for related keywords in *CultureBank*-Reddit. Each descriptor has comments from different years, and we slice the year to form a snapshot of that year. As shown in Figure 6, over the years, more people are studying abroad; the discussion on LGBTQ+ rights has gained more attention and community support; besides, technological advancements also affect cultural practices, e.g., people mention a notable shift within Dutch society towards cashless payment and a growing acceptance among Swiss society. We also notice that some cultural practices would decline due to technological innovation: for instance, because of streaming services and digital downloads, the culture related to DVDs has been eclipsed. The dataset mentions that from the 1990s to the early 2000s, DVDs were the predominant mediums for video playback, but there has been less and less discussion about DVD culture recently. 168




Figure 6: Preliminary temporal analysis of different keywords on CultureBank-Reddit. 205 68 167




Figure 7: Preliminary temporal analysis of entertainment topics on CultureBank-Reddit.

Additionally, some cultural practices are more sensitive to temporal dynamics. In Figure 7, we discuss some entertainment topics as examples. Hip-hop music became more popular in the late 2000s and we see an increasing amount of discussion on Hip-hop music in the figure. In our dataset, there is a discussion on the evolution and adaptation of the French rap and hip-hop scene which responds to shifting trends within the rap music genre. Similarly, it is noted that superhero movies and comics from Marvel and DC have developed multicultural narratives, featuring a diversity of characters and storylines. This development reflects the evolving culture of superheroes and underscores the impact of societal trends toward greater inclusivity and diversity in this genre. 170