

Lista03_ME315A

Questão 1

```
library(DBI)
library(RSQLite)

#conexão com SQL
con <- dbConnect(SQLite(), "me315.sqlite")
```

```
select distinct STATE, FEE
FROM PRESERVE
```

Table 1: 4 records

STATE	FEE
AZ	3
MT	0
AZ	0
MA	0

Questão 2

```
select distinct DNO
FROM EMPLOYEE
```

Table 2: 3 records

DNO
20
10
40

Questão 3

```
SELECT DNO, SALARY
FROM EMPLOYEE
```

Table 3: 6 records

DNO	SALARY
20	2000
10	2000
20	3000
40	500
10	400
20	9000

```
SELECT DISTINCT DNO, SALARY
FROM EMPLOYEE
```

Table 4: 6 records

DNO	SALARY
20	2000
10	2000
20	3000
40	500
10	400
20	9000

```
SELECT DISTINCT DNO, SALARY
FROM EMPLOYEE
ORDER BY DNO, SALARY
```

Table 5: 6 records

DNO	SALARY
10	400
10	2000
20	2000
20	3000
20	9000
40	500

As informações já não possuíam duplicatas, então as informações ficaram idênticas, no entanto, organizadas.

Questão 4

```
SELECT *
FROM PRESERVE
WHERE STATE='MT' AND ACRES < 1000
```

Table 6: 2 records

PNO	PNAME	STATE	ACRES	FEE
3	DANCING PRAIRIE	MT	680	0
40	SOUTH FORK MADISON	MT	121	0

Questão 5

```
SELECT *
FROM PRESERVE
WHERE ACRES between 1200 and 15000
```

Table 7: 2 records

PNO	PNAME	STATE	ACRES	FEE
2	PINE BUTTE SWAMP	MT	15000	0
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

Questão 6

```
SELECT *
FROM PRESERVE
where STATE='MT' AND FEE=0
```

Table 8: 4 records

PNO	PNAME	STATE	ACRES	FEE
3	DANCING PRAIRIE	MT	680	0
40	SOUTH FORK MADISON	MT	121	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0

Questão 7

```
SELECT *
FROM PRESERVE
where STATE='MT' OR 'MA'
```

Table 9: 4 records

PNO	PNAME	STATE	ACRES	FEE
3	DANCING PRAIRIE	MT	680	0
40	SOUTH FORK MADISON	MT	121	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0

Questão 8

```
SELECT *  
FROM PRESERVE  
where STATE='MT' OR ACRES <1000
```

Table 10: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0

Questão 9

```
SELECT *  
FROM PRESERVE  
WHERE FEE!=0
```

Table 11: 3 records

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
80	RAMSEY CANYON	AZ	380	3
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

Questão 10

```
SELECT PNO, PNAME
FROM PRESERVE
WHERE FEE!=3 AND FEE!=10
```

Table 12: Displaying records 1 - 10

PNO	PNAME
3	DANCING PRAIRIE
7	MULESHOE RANCH
40	SOUTH FORK MADISON
14	MCELWAIN-OLSEN
13	TATKON
9	DAVID H. SMITH
11	MIACOMET MOORS
12	MOUNT PLANTAIN
1	COMERTOWN PRAIRIE
2	PINE BUTTE SWAMP

Questão 11

```
SELECT *
FROM PRESERVE
WHERE (STATE='AZ' AND FEE=0) OR ACRES<100
```

Table 13: 5 records

PNO	PNAME	STATE	ACRES	FEE
7	MULESHOE RANCH	AZ	49120	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
11	MIACOMET MOORS	MA	4	0
10	HOFT FARM	MA	90	0

Questão 12

```
SELECT *
FROM PRESERVE
WHERE (ACRES<1000 AND FEE=0) OR STATE='AZ'
```

Table 14: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
80	RAMSEY CANYON	AZ	380	3

Questão 13

```
SELECT *
FROM PRESERVE
WHERE FEE<0 OR (STATE='AZ' AND ACRES>1000)
```

Table 15: 2 records

PNO	PNAME	STATE	ACRES	FEE
7	MULESHOE RANCH	AZ	49120	0
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

Questão 14

```
SELECT *
FROM PRESERVE
WHERE NOT (STATE = 'MT' AND (FEE = 0));
```

Table 16: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
7	MULESHOE RANCH	AZ	49120	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
80	RAMSEY CANYON	AZ	380	3
10	HOFT FARM	MA	90	0
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

Questão 15

```
SELECT *
FROM PRESERVE
WHERE STATE = 'MA' AND (ACRES > 1000 OR FEE = 0.0)
```

Table 17: 6 records

PNO	PNAME	STATE	ACRES	FEE
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
10	HOFT FARM	MA	90	0

```
SELECT *
FROM PRESERVE
WHERE (STATE = 'MA' AND ACRES > 1000) OR (STATE = 'MA' AND FEE = 0.0)
```

Table 18: 6 records

PNO	PNAME	STATE	ACRES	FEE
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
10	HOFT FARM	MA	90	0

São equivalentes.

Questão 16

```
SELECT *
FROM PRESERVE
WHERE STATE = 'MA' OR (ACRES > 1000 AND FEE = 0.0)
```

Table 19: 9 records

PNO	PNAME	STATE	ACRES	FEE
7	MULESHOE RANCH	AZ	49120	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
10	HOFT FARM	MA	90	0

```
SELECT *
FROM PRESERVE
WHERE (STATE = 'MA' OR ACRES > 1000) AND (STATE = 'MA' OR FEE = 0.0)
```

Table 20: 9 records

PNO	PNAME	STATE	ACRES	FEE
7	MULESHOE RANCH	AZ	49120	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
10	HOFT FARM	MA	90	0

São equivalentes.

Questão 17

```
SELECT *
FROM PRESERVE
WHERE NOT (ACRES < 50 AND STATE = 'MA')
```

Table 21: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
9	DAVID H. SMITH	MA	830	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3

```
SELECT *
FROM PRESERVE
WHERE NOT ACRES < 50 AND NOT STATE = 'MA'
```

Table 22: 8 records

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

```
SELECT *
FROM PRESERVE
WHERE ACRES >= 50 OR STATE <> 'MA'
```

Table 23: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
9	DAVID H. SMITH	MA	830	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3

Não são equivalentes.

Questão 18

```
SELECT *
FROM PRESERVE
WHERE NOT (ACRES < 50 OR STATE = 'MA')
```

Table 24: 8 records

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

```
SELECT *
FROM PRESERVE
WHERE NOT ACRES < 50 OR NOT STATE = 'MA'
```

Table 25: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
9	DAVID H. SMITH	MA	830	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3

```
SELECT *
FROM PRESERVE
WHERE NOT ACRES < 50 AND NOT STATE = 'MA'
```

Table 26: 8 records

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0

PNO	PNAME	STATE	ACRES	FEE
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

Não são equivalentes.

```
Sys.setenv(TZ = "America/Sao_Paulo")
Sys.time()
```

```
[1] "2026-08-27 09:35:19 -03"
```