Ping Metasploitable con Windows e Linux

```
No mail.

msfadmin@metasploitable: "$ ping 192.168.50.100

PING 192.168.50.100 (192.168.50.100) 56(84) bytes of data.

54 bytes from 192.168.50.100: icmp_seq=1 ttl=64 time=8.49 ms

54 bytes from 192.168.50.100: icmp_seq=2 ttl=64 time=1.17 ms

54 bytes from 192.168.50.100: icmp_seq=3 ttl=64 time=0.536 ms

54 bytes from 192.168.50.100: icmp_seq=3 ttl=64 time=0.536 ms

54 bytes from 192.168.50.100: icmp_seq=5 ttl=64 time=0.524 ms

54 bytes from 192.168.50.100: icmp_seq=5 ttl=64 time=0.573 ms

54 bytes from 192.168.50.100: icmp_seq=6 ttl=64 time=0.573 ms

54 bytes from 192.168.50.100: icmp_seq=7 ttl=64 time=0.619 ms

54 bytes from 192.168.50.100: icmp_seq=8 ttl=64 time=0.619 ms

54 bytes from 192.168.50.100: icmp_seq=10 ttl=64 time=0.486 ms

54 bytes from 192.168.50.100: icmp_seq=11 ttl=64 time=0.577 ms

54 bytes from 192.168.50.100: icmp_seq=11 ttl=64 time=0.577 ms

54 bytes from 192.168.50.100: icmp_seq=11 ttl=64 time=0.557 ms

54 bytes from 192.168.50.100: icmp_seq=11 ttl=64 time=0.558 ms

54 bytes from 192.168.50.100: icmp_seq=12 ttl=64 time=0.558 ms

54 bytes from 192.168.50.100: icmp_seq=11 ttl=64 time=0.558 ms

54 bytes from 192.168.50.100: icmp_seq=12 ttl=64 time=0.538 ms

54 bytes from 192.168.50.100: icmp_seq=15 ttl=64 time=0.538 ms


54 bytes from 192.168.50.100: icmp_seq=15 ttl=64 time=0.538 ms

54 bytes from 192.168.50.100: icmp_seq=15 ttl=64 time=0.889 ms


--- 192.168.50.100 ping statistics ---

17 packets transmitted, 17 received, 0% packet loss, time 15996ms

rtt min/aug/max/mdev = 0.485/1.182/8.499/1.877 ms
```



```
图
                                       kali@kali: ~
File Azioni Modifica Visualizza Aiuto
  –(kali⊛kali)-[~]
$ ping 192.168.50.101
PING 192.168.50.101 (192.168.50.101) 56(84) bytes of data.
64 bytes from 192.168.50.101: icmp_seq=1 ttl=64 time=2.75 ms
64 bytes from 192.168.50.101: icmp_seq=2 ttl=64 time=3.14 ms
64 bytes from 192.168.50.101: icmp_seq=3 ttl=64 time=2.29 ms
64 bytes from 192.168.50.101: icmp_seq=4 ttl=64 time=2.92 ms
64 bytes from 192.168.50.101: icmp_seq=5 ttl=64 time=5.41 ms
64 bytes from 192.168.50.101: icmp_seq=6 ttl=64 time=3.08 ms
64 bytes from 192.168.50.101: icmp_seq=7 ttl=64 time=3.07 ms
— 192.168.50.101 ping statistics —
7 packets transmitted, 7 received, 0% packet loss, time 6017ms rtt min/avg/max/mdev = 2.291/3.236/5.407/0.926 ms
  —(kali⊛kali)-[~]
L_$
```



Ping windows con Kali linux e metasplitable

```
C:\Windows\system32\cmd.exe

Microsoft Windows [Uersion 6.1.7600]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\Users\Alex>ping 192.168.50.100

Pinging 192.168.50.100 with 32 bytes of data:
Reply from 192.168.50.100: bytes=32 time=4ms IIL=64
Reply from 192.168.50.100: bytes=32 time=1ms IIL=64
Reply from 192.168.50.100: bytes=32 time<1ms IIL=64
Reply from 192.168.50.100: bytes=32 time<1ms IIL=64
Ping statistics for 192.168.50.100:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 4ms, Average = 1mx

C:\Users\Alex>__
```

```
Pinging 192.168.50.100 with 32 bytes of data:
Reply from 192.168.50.100: bytes=32 time=8ms TTL=64
Reply from 192.168.50.100: bytes=32 time=2ms TTL=64
Ping statistics for 192.168.50.100:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 2ms, Maximum = 8ms, Average = 4ms

C:\Users\Alex\ping 192.168.50.101 with 32 bytes of data:
Reply from 192.168.50.101: bytes=32 time=2ms TTL=64
Reply from 192.168.50.101: bytes=32 time=2ms TTL=64
Reply from 192.168.50.101: bytes=32 time=2ms TTL=64
Reply from 192.168.50.101: bytes=32 time=3ms TTL=64
Reply from 192.168.50.101: bytes=32 time=3ms TTL=64
Reply from 192.168.50.101: bytes=32 time=3ms TTL=64
Reply from 192.168.50.101: bytes=32 time=2ms T
```