

Authorize






General Infos

^

GET	/api/v1.5/neighbors	Get Cdp Neighbors	✓
GET	/api/v1.5/hostname	Get Hostname	✓
GET	/api/v1.5/uptime	Get Uptime	✓

Interfaces

^

GET	/api/v1.5/interfaces	Get Interfaces	✓
GET	/api/v1.5/interfaces/{if_id}	Get If Id	✓
GET	/api/v1.5/interfaces/by_vlan/{vlan_id}	Get Interfaces By Vlan	✓
POST	/api/v1.5/interfaces/{if_id}/vlan/{vlan_id}	Set Vlan On Interface	✓ 
POST	/api/v1.5/interface/{if_id}/state/{state}	Set Interface State	✓ 
POST	/api/v1.5/interface/{if_id}/description	Set Interface Description	✓ 

VLANs

^

GET	/api/v1.5/vlans	Get Vlans	✓
POST	/api/v1.5/vlans	Create Vlan	✓

GET /api/v1.5/vlans/{v1_id} Get Vlan Id



Trunks



GET /api/v1.5/trunks Get Trunks



GET /api/v1.5/trunks/brief Get Trunks Brief



GET /api/v1.5/trunks/{id} Get Trunk



GET /api/v1.5/trunks/dot1q_id/{dot1q_id} Get Trunk By Dot1Q Id



POST /api/v1.5/trunks/set Set Trunk



POST /api/v1.5/trunks/{tr_id}/tagged_vlan/{vlan_id} Tagged Vlan



PUT /api/v1.5/trunks/{tr_id}/native_vlan/{vlan_id} Native Vlan



Config



POST /api/v1.5/config Add Config



GET /api/v1.5/configs Get Configs



GET /api/v1.5/configs/running Get Running Config



GET /api/v1.5/configs/running_cisco Get Running Config Cisco



GET /api/v1.5/configs/{config_id} Get Config



DELETE /api/v1.5/configs/{config_id} Delete Config



GET /api/v1.5/configs/brief Get Brief Configs



POST /api/v1.5/configs/apply/{config_id} Apply Config



Miscellaneous



GET

/api/v1.5/rebuild Rebuild Cache



Schemas



Config

HTTPValidationError

Interface

Trunk

TrunkIn

ValidationError

Vlan