Lab 7

1. It is fine overall it can be put into better form though.

2. It isn't correct format because you have multi valued attributes.

PackageID	TagNumber	InstallDate	SoftwareCostUSD
ac01	32808	9/13/05	754.95
db32	32808	12/3/05	380
db32	37691	6/15/05	380
db33	57772	5/27/05	412.77
wp08	32808	1/12/06	185
wp08	37691	6/15/05	227.5
wp08	57222	5/27/05	170.24
wp09	59836	10/30/05	35
wp09	77740	5/27/05	35

3. Primary key would be the package id and tag number

4.

PackageID	TagNumber	InstallDate	SoftwareCostUSD	Name	model
ac01	32808	9/13/05	754.95	finalcutpro	apple
db32	32808	12/3/05	380	logic pro	apple
db32	37691	6/15/05	380	logic pro	apple
db33	57772	5/27/05	412.77	ms-dos	ibm
wp08	32808	1/12/06	185	win 8	microsoft
wp08	37691	6/15/05	227.5	win 8	apple
wp08	57222	5/27/05	170.24	win 8	microsoft
wp09	59836	10/30/05	35	vista	microsoft
wp09	77740	5/27/05	35	vista	microsoft

5. Install date and software cost Usd are dependent on package id and tag number. Name is depended on package id and model is dependent on tag number

6. Its isn't in third normal form because of the existence of transitive/particle dependences.

19	PackageID	Name
20	ac01	finalcutpro
21	db32	logic pro
22	db33	ms-dos
23	wp08	win 8
24	wp09	vista
25		
26		
27		
28		
29	TagNumber	model
30	32808	apple
31	37691	apple
32	57772	ibm
33	32808	microsoft
34	59836	microsoft
35	77740	microsoft

PackageID	TagNumber	InstallDate	SoftwareCostUSD
ac01	32808	9/13/05	754.95
db32	32808	12/3/05	380
db32	37691	6/15/05	380
db33	57772	5/27/05	412.77
wp08	32808	1/12/06	185
wp08	37691	6/15/05	227.5
wp08	57222	5/27/05	170.24
wp09	59836	10/30/05	35
wp09	77740	5/27/05	35

7. Package id , tag number shipping table then for the package table would be package id and the information table the tag number.
8. Install date and software cost Usd are dependent on package id and tag number. For the package table Name is depended on package id and for the information table, model is dependent on tag number.
9. They are in third normal form no multi valued attributes and no partial dependences and no transitive dependencies.
10. Below


Shipment table
packageid
tagnumber
installdate
softwarecostUSD
pk, fk1
pk,fk2
information table
tagnumber
model
PK
package table
packageid
name
PK