LaTeX Physics Package in MathJax Mimicking Some of the Commands in LaTeX Physics Package

Kolen Cheung University of California, Berkeley khcheung@berkeley.edu

March 12, 2016

 \odot 2015-2016 Kolen Cheung All Rights Reserved.

Contents

Contents		1
1	LaTeX Physics Package	1
2	Commands not Working and Helps Needed	1
3	Organization	2
4	Test	2

1 LaTeX Physics Package

This extension is to mimics LaTeX Physics Package¹ in MathJax.

2 Commands not Working and Helps Needed

The following commands in the Physics Package is not implemented yet:

- All Matrix Macros
- So far everything done here is by string substitution. Whenever commands involving the following cannot be done simply by string substitution and hence not working:
 - 1. * modified command
 - 2. [] modified command
 - 3. variable no. of arguments

¹http://www.ctan.org/pkg/physics

3. ORGANIZATION 2

- 4. (), [] are used instead of {}
- Examples of commands that doesn't work:

- \dv: has properties 1-3- \qty: has property 4

As I mentioned, everything done so far is by string substitution only. If you know more about Javascript and MathJax, and want to use the LaTeX Physics Package² in MathJax, please consider contributing. Some hints are given in Pull Request#16—MathJax-third-party-extensions³ but I am too stupid to understand how the above cases should be handled.

3 Organization

README.xlsx is the master file⁴.

- Columns A-L are copied to test/tables.md
- Columns M-V are copied to unpacked/physics.js
- Columns M-V excluding column O are copied to test/macro.js

Other files are built automatically by README.sh. MultiMarkdown⁵, UglifyJS2, LaTeX are assumed. I used it on Mac and have no idea if the way my bash script is written is OS agnostic or not.

4 Test

A test is given in README.html and README.pdf. Compare the LaTeX output and HTML output and you will see which one is working or not.

Instead of extension, it can works as a macro too. See the test in macro.html⁶.

²http://www.ctan.org/pkg/physics

³https://github.com/mathjax/MathJax-third-party-extensions/pull/16

⁴If you are laughing right now, you should really consider contributing. See [Commands not Working/Included][].

 $^{^{5}} http://fletcher penney.net/multimarkdown/download/$

 $^{^6{}m test/macro.html}$

Automatic Bracing	Code
$\overline{\{a\}}$	
$\{a\}$	
(a)	
[a]	
a	
$\{a\}$	
a	
a	
a	
$a\Big _1^2$	_1^2
$\begin{vmatrix} a \end{vmatrix}_1^2 \\ a \end{vmatrix}_1^2$	_1^2
$\mathcal{O}(x)$	
[A,B]	\commutator{A} {B}
[A, B]	$\comm{A} {B}$
$\{A,B\}$	\anticommutator{A} {B}
$\{A,B\}$	$\alpha(A) \{B\}$
$\{A,B\}$	\poissonbracket{A} {B}
$\{A,B\}$	\pb{A} {B}

Vector Notation	Code
a	
$oldsymbol{a}{\psi}$	
$oldsymbol{\psi}$ $oldsymbol{a}$	
$oldsymbol{\psi}$	\vb*{ } \vb*{ }
$ec{\mathbf{a}}$	
a ā	
a ,,	
$ec{\psi}$ $ec{a}$ $ec{\psi}$ $ec{a}$	
$a \over 7$	\va*{ }
$\overset{oldsymbol{\psi}}{\hat{\ }}$	\va*{ }
a â	
a î	
ψ	
$egin{array}{ccc} \hat{m{a}} & & & & \\ \hat{m{a}} & & & & \\ \hat{m{\psi}} & & & & & \end{array}$	\vu*{ }
ψ	\vu*{ }
•	\dotproduct
•	\vdot
×	\crossproduct
×	\cross
×	\cp
$\nabla(\psi)$	\gradient()
$\nabla(\psi)$	\grad()
$\nabla[\psi]$	\grad[]
$\nabla \psi$	
$oldsymbol{ abla} \cdot (\psi) \ oldsymbol{ abla} \cdot (\psi)$	<pre>\divergence() \div()</pre>
$\nabla \cdot (\psi)$ $\nabla \cdot [\psi]$	\div()
$\nabla \cdot [\psi]$ $\nabla \cdot \psi$	\div[]
$\nabla \cdot \psi$ $\nabla \times (\psi)$	\curl()
$\nabla \times (\psi)$ $\nabla \times [\psi]$	\curl[]
$\nabla \times [\psi]$ $\nabla \times \psi$	
$\nabla^2 \psi$ $\nabla^2 (\psi)$	\laplacian()
$\nabla^2[\psi]$	\laplacian[]
$\nabla^2 \psi$	
• 7	,p

Operators	Code
$\sin x$	\sin
$\sin(x)$	\sin()
$\sin^2(x)$	\sin[2]()
$\operatorname{tr} ho$	\tr
$\operatorname{Tr} \rho$	\Tr
${\rm rank} M$	\rank
$\operatorname{erf}(x)$	\erf()
$\operatorname{Res}[f(z)]$	\Res[]
$\mathcal{P} \int f(z) \mathrm{d}z$	
$\mathcal{P} \int f(z) dz$	
$P.V.\int f(z) dz$	
$\operatorname{Re}\{z\}$	
$\operatorname{Im}\{z\}$	

Quick Quad Text	Code
some texts	
some texts	
some texts	\qq*{ }
,	\qcomma
,	\qc
c.c.	\qcc
if	\qif
then	\qthen
else	\qelse
otherwise	\qotherwise
unless	\qunless
given	\qgiven
using	\qusing
assume	\qassume
since	\qsince
let	\qlet
for	\qfor
all	\qall
even	\qeven
odd	\qodd
integer	\qinteger
and	\qand
or	\qor
as	\qas
in	\qin

Derivatives	Code
$\frac{1}{\mathrm{d}x}$	
$\mathrm{d}x$	
d^3x	$\d[3] \{x\}$
$d(\cos \theta)$	\dd()
$\frac{\mathrm{d}}{\mathrm{d}x}$	
$\frac{\mathrm{d}f}{\mathrm{d}x}$	{x}
$\frac{\mathrm{d}f}{\mathrm{d}x}$	{x}
$\frac{d^n f}{dx^n}$	\dv[]{f}{x}
	$\dv{x}()$
df/dx	$\dv*{ } \{x\}$
$\frac{\partial}{\partial x}$	
$\frac{\partial f}{\partial x}$ $\frac{\partial g}{\partial x}$ $\frac{\partial f}{\partial x}$	$\operatorname{partialderivative} \{ x \}$
$\frac{\partial f}{\partial x}$	{x}
$\frac{\partial^n f}{\partial x^n}$	\pdv[]{f}{x}
$\frac{\partial}{\partial x}(x^2+x^3)$	\pdv{x}()
$\frac{\partial^2 f}{\partial x \partial y}$	{x}{y}
$\delta F[g(x)]$	
$\delta F[g(x)]$	
$\delta(E-TS)$	\var()
$\frac{\delta}{\delta a}$	
$\frac{\delta F}{\delta F}$	{g}
$\frac{\delta F}{\delta}$	{g}
$\frac{\delta g}{\delta H}(E-TS)$	\fdv{V}()
$\frac{\delta V}{\delta F}/\delta x$	<pre>\ {g} {g} \fdv{V}() \fdv*{ }{x}</pre>

Dirac Bracket Notation	Code
$ \psi angle$	
$ \psi\rangle$	\ket*{ }
$\langle \psi $	
$\langle \psi $	\bra*{ }
$\langle a b\rangle$	\innerproduct{a}{b}
$\langle a b\rangle$	\braket{a}{b}
$\langle a b\rangle$	\braket*{a}{b}
$\langle \psi \psi \rangle$	
$ a\rangle\!\langle b $	\outerproduct{a}{b}
$ a\rangle\!\langle b $	$\displaystyle \d{a}{a}{b}$
$ a\rangle\!\langle b $	\ketbra{a}{b}
$ a\rangle\!\langle b $	$\inf\{b\}$
$ a\rangle\!\langle b $	\ketbra*{a}{b}
$ \psi\rangle\!\langle\psi $	
$\langle \psi angle$	
$\langle \psi angle$	
$\langle \psi angle$	
$\langle \psi A \psi angle$	{\psi}
$\langle \psi angle$	\ev*{ }
$\langle \psi angle$	\ev**{ }
$\langle m A n angle$	\matrixelement{m}{ }{n}
$\langle m A n angle$	$matrixel\{m\}\{\ \}\{n\}$
$\langle m A n angle$	$\mathbf{m}_{n} \$
$\langle m A n angle$	$\mel*{m}{ }{n}$
$\langle m A n\rangle$	\mel**{m}{ }{n}