Acceptance Test and

Acceptance-Test Driven Development


with Robot Framework



Improve testcase?

```
*** Testcases
   Wrong Username
      Open login page
      Fill in username
                       demoo
     Fill in password
                       mode
     Sign in
      I will see Error Page
   Wrong Password
      Open login page
     Fill in username demo
     Fill in password
                       modee
      Sign in
      I will see Error Page
20
```

Improve testcase?



Rule

Login failure



Workflow


- 1. Open browser to login page
- 2. Input username
- 3. Input password
- 4. Submit Credentials
- 5. Login should have fail



Technical activity

```
Fill in username
  [Arguments] ${username}
  Input Text username_field ${username}
Fill in password
  [Arguments] ${password}
  Input Text password_field ${password}
Open login page
  Open Browser http://localhost:7272/html/
  Maximize Browser Window
```

Improve testcase?



Duplication?

```
*** Testcases
   Wrong Username
      Open login page
      Fill in username
                       demoo
      Fill in password
                        mode
      Sign in
13
      I will see Error Page
   Wrong Password
      Open login page
      Fill in username
                       demo
      Fill in password
                        modee
      Sign in
19
      I will see Error Page
20
```

```
*** Testcases
Rule of login failure
  [Template] Flow of login failure
  demoo
            mode
  demo
             modee
  demoo
            modee
  ${EMPTY}
             mode
             ${EMPTY}
  demo
             ${EMPTY}
  ${EMPTY}
```

```
*** Testcases
Rule of login failure
  [Template]
             Flow of login failure
  demoo
              mode
  demo
              modee
  demoo
              modee
  ${EMPTY}
              mode
  demo
              ${EMPTY}
              ${EMPTY}
  ${EMPTY}
```

```
*** Keywords ***
Flow of login failure
  [Arguments] ${username} ${password}
  Open login page
  Fill in username
                   ${username}
  Fill in password ${password}
  Sign in
  I will see Error Page
```

See report

- TEST Rule of login failure

Full Name: Login Fail 01.Rule of login failure

Start / End / Elapsed: 20151001 23:40:36.418 / 20151001 23:41:14.079 / 00:

Status: PASS (critical)

- + KEYWORD Flow of login failure demoo, mode
- + KEYWORD Flow of login failure demo, modee
- + KEYWORD Flow of login failure demoo, modee
- + KEYWORD Flow of login failure \${EMPTY}, mode
- + KEYWORD Flow of login failure demo, \${EMPTY}
- + KEYWORD Flow of login failure \${EMPTY}, \${EMPTY}
- + TEARDOWN Selenium2Library. Close All Browsers



What problems?

- TEST Rule of login failure

Full Name: Login Fail 01.Rule of login failure

Start / End / Elapsed: 20151001 23:40:36.418 / 20151001 23:41:14.079 / 00:

Status: PASS (critical)

- + KEYWORD Flow of login failure demoo, mode
- + KEYWORD Flow of login failure demo, modee
- + KEYWORD Flow of login failure demoo, modee
- + KEYWORD Flow of login failure \${EMPTY}, mode
- + KEYWORD Flow of login failure demo, \${EMPTY}
- + KEYWORD Flow of login failure \${EMPTY}, \${EMPTY}
- + TEARDOWN Selenium2Library. Close All Browsers



What problems?

Open many browser!! Use resources too much!!



How to improve?



Test Life Cycle



Suite

Suite Setup



Suite Teardown

Suite

Suite Setup

Test case 1

Test Setup

Test Teardown



Suite Teardown

Suite

Suite Setup

Test case 1

Test Setup

Test Teardown

Test case 2

Test Setup

Test Teardown

Suite Teardown

How?



Settings

*** Settings ***
Library Selenium2Library
Suite Setup Open login page
Test Setup Go to login page
Test Template Flow of login failure
Suite Teardown Close Browser

Settings

```
*** Settings ***
Library Selenium2Library
Suite Setup Open login page
Test Setup Go to login page
Test Template Flow of login failure
Suite Teardown Close Browser
```

Go to login page

```
*** Keywords ***

Go to login page
Go To http://localhost:7272/html/
```

```
*** Settings ***
Library Selenium2Library
Suite Setup Open login page
Test Setup Go to login page
Test Template Flow of login failure
Suite Teardown Close Browser
```

Flow of login failure

```
*** Keywords ***
Flow of login failure
  [Arguments] ${username} ${password}
  Fill in username ${username}
  Fill in password ${password}
  Sign in
  I will see Error Page
```

What about test case?



All test cases

```
*** Testcases *
Wrong username
                 demoo
                             mode
Wrong password
                             modee
                 demo
Wrong both
                 demoo
                             modee
Blank username
                 ${EMPT
                            mode
                             ${EMPTY}
                 demo-
Blank password
                           - ${EMPTY}
Blank both
                 ${EMPTY}
```

Try to run

Open only one browser Very fast!!



See report

Name	\$ ×	Documentation	\$ ×	Tags	\$ Crit. \$	Status +
Login Fail 02. Wrong username					yes	PASS
Login Fail 02. Wrong password					yes	PASS
Login Fail 02. Wrong both					yes	PASS
Login Fail 02. Blank username					yes	PASS
Login Fail 02. Blank password					yes	PASS
Login Fail 02. Blank both					yes	PASS

Ready to go?

