

authors also wish to thank the laboratory staffs from the Department of Metallurgical and Materials Engineering and the Centre for Nanotechnology, IIT Roorkee, for maintaining the experimental facilities.

References

- [1] Kanagaraj, S., Fonseca, A., Guedes, R. M., Oliveira, M. S., & Simões, J. A. Thermo-mechanical behaviour of ultrahigh molecular weight polyethylene-carbon nanotubes composites under different cooling techniques. In *Defect and Diffusion Forum* (2011), 312, 331-340.
- [2] Liu, Y., & Sinha, S. K. Wear performances of uhmwpe composites with nacre and cnts, and pfpe coatings for bio-medical applications. *Wear* (2013), 300, 44-54.
- [3] Bakshi, S. R., Tercero, J. E., & Agarwal, A. Synthesis and characterization of multiwalled carbon nanotube reinforced ultra high molecular weight polyethylene composite by electrostatic spraying technique. *Composites Part A: Applied Science and Manufacturing* (2007), 38(12), 2493-2499.
- [4] Xue, Y., Wu, W., Jacobs, O., & Schädel, B. Tribological behaviour of UHMWPE/HDPE blends reinforced with multi-wall carbon nanotubes. *Polymer Testing* (2006), 25(2), 221-229.
- [5] Amstutz, H. C., Campbell, P., Kossovsky, N., & Clarke, I. C. Mechanism and clinical significance of wear debris-induced osteolysis. *Clinical orthopaedics and related research* (1992), 276, 7-18.
- [6] Lewis, G. Properties of crosslinked ultra-high-molecular-weight polyethylene. *Biomaterials* (2001), 22(4), 371-401.
- [7] Park, K., Mishra, S., Lewis, G., Losby, J., Fan, Z., & Park, J. B. Quasi-static and dynamic Nanoindentation studies on highly crosslinked ultra-high-molecular-weight polyethylene. *Biomaterials* (2004), 25(12), 2427-2436.
- [8] Galvin, A. L., Tipper, J. L., Ingham, E., & Fisher, J. Nanometre size wear debris generated from crosslinked and non-crosslinked ultra high molecular weight polyethylene in artificial joints. *Wear* (2005), 259(7), 977-983.
- [9] Bistolfi, A., Turell, M. B., Lee, Y. L., & Bellare, A. Tensile and tribological properties of high-crystallinity radiation crosslinked UHMWPE. *Journal of Biomedical Materials Research Part B: Applied Biomaterials* (2009), 90(1), 137-144..

- [10] Narkis, M., Tzur, A., Vaxman, A., & Fritz, H. G. Some properties of silane-grafted moisture-crosslinked polyethylene. *Polymer Engineering & Science* (1985), 25(13), 857-862.
- [11] Charlesby, A., & Hancock, N. H. The effect of cross-linking on the elastic modulus of Polythene. *Proceedings of the Royal Society of London. Series A. Mathematical and Physical Sciences* (1953), 218(1133), 245-255.
- [12] Xu, S., & Tangpong, X. W. Review: Tribological behavior of polyethylene-based nanocomposites. *Journal of Materials Science* (2013), 48(2), 578-597.
- [13] Deng, M., & Shalaby, S. W. Properties of self-reinforced ultra-high-molecular-weight polyethylene composites. *Biomaterials* (1997), 18(9), 645-655.
- [14] Lahiri, D., Dua, R., Zhang, C., de Socarras-Novoa, I., Bhat, A., Ramaswamy, S., & Agarwal, A. Graphene nanoplatelet-induced strengthening of ultrahigh molecular weight polyethylene and biocompatibility in vitro. *ACS applied materials & interfaces* (2012), 4(4), 2234-2241.
- [15] Stürzel, M., Kempe, F., Thomann, Y., Mark, S., Enders, M., & Mülhaupt, R. Novel graphene UHMWPE nanocomposites prepared by polymerization filling using single-site catalysts supported on functionalized graphene nanosheet dispersions. *Macromolecules* (2012), 45(17), 6878-6887.
- [16] Enqvist, E. (2013). Carbon nanofiller reinforced UHMWPE for orthopaedic applications optimization of manufacturing parameters.
- [17] Wright, T. M., Aston, D. J., Bansal, M., Rimnac, C. M., Green, T., Insall, J. N., & Robinson, R. P. Failure of carbon fiber-reinforced polyethylene total knee-replacement components. *J Bone Joint Surg A* (1988), 70, 926-932.
- [18] Ruan, S. L., Gao, P., Yang, X. G., & Yu, T. X. Toughening high performance ultrahigh molecular weight polyethylene using multiwalled carbon nanotubes. *Polymer* (2003), 44(19), 5643-5654
- [19] Wang, Y., Cheng, R., Liang, L., & Wang, Y. Study on the preparation and characterization of ultra-high molecular weight polyethylene-carbon nanotubes composite fiber. *Composites Science and Technology* (2005), 65(5), 793-797
- [20] Xue, Y., Wu, W., Jacobs, O., & Schädel, B. Tribological behaviour of UHMWPE/HDPE blends reinforced with multi-wall carbon nanotubes. *Polymer Testing* (2006), 25(2), 221-229
- [21] Gupta, A., Tripathi, G., Lahiri, D., & Balani, K. Compression Molded Ultra High Molecular Weight Polyethylene-Hydroxyapatite-Aluminum Oxide-Carbon Nanotube Hybrid Composites for Hard Tissue Replacement. *Journal of Materials Science & Technology* (2013), 29(6), 514-522

- [22] Tai, Z., Chen, Y., An, Y., Yan, X., & Xue, Q. Tribological behavior of UHMWPE reinforced with graphene oxide nanosheets. *Tribology Letters* (2012), 46(1), 55-63.
- [23] Samad, M. A., & Sinha, S. K. Mechanical, thermal and tribological characterization of a UHMWPE film reinforced with carbon nanotubes coated on steel. *Tribology International* (2011), 44(12), 1932-1941.
- [24] Yu, M. F., Lourie, O., Dyer, M. J., Moloni, K., Kelly, T. F., & Ruoff, R. S. Strength and breaking mechanism of multiwalled carbon nanotubes under tensile load. *Science* (2000), 287(5453), 637-640
- [25] Lahiri, D., Benaduce, A. P., Rouzaud, F., Solomon, J., Keshri, A. K., Kos, L., & Agarwal, A. Wear behavior and in vitro cytotoxicity of wear debris generated from hydroxyapatite-carbon nanotube composite coating. *Journal of Biomedical Materials Research Part A* (2011), 96(1), 1-12.
- [26] Bal, S., & Samal, S. S. Carbon nanotube reinforced polymer composites—a state of the art. *Bulletin of Materials Science* (2007), 30(4), 379-386
- [27] Qian, D., Dickey, E. C., Andrews, R., & Rantell, T. Load transfer and deformation mechanisms in carbon nanotube-polystyrene composites. *Applied physics letters* (2000), 76(20), 2868-2870.
- [28] Ayatollahi, M. R., Shadlou, S., Shokrieh, M. M., & Chitsazadeh, M. Effect of multi-walled carbon nanotube aspect ratio on mechanical and electrical properties of epoxy-based nanocomposites. *Polymer Testing* (2011), 30(5), 548-556.
- [29] Wu, D., Wu, L., Zhou, W., Sun, Y., & Zhang, M. Relations between the aspect ratio of carbon nanotubes and the formation of percolation networks in biodegradable polylactide/carbon nanotube composites. *Journal of Polymer Science Part B: Polymer Physics* (2010), 48(4), 479-489.
- [30] W. Zhang, R.C. Picu, N. Koratkar. The effect of carbon nanotube dimensions and dispersion on the fatigue behavior of epoxy nano-composites, *Nanotechnology* (2008), Vol. 19, p. 285709.
- [31] Kanagaraj, S., Mathew, M. T., Fonseca, A., Oliveira, M. S. A., Simões, J. A. O., & Rocha, L. A. Tribological characterisation of carbon nanotubes/ultrahigh molecular weight polyethylene composites: the effect of sliding distance. *International Journal of Surface Science and Engineering* (2010), 4(4), 305-321.
- [32] Bakshi, S. R., Balani, K., Laha, T., Tercero, J., & Agarwal, A. The nanomechanical and nanoscratch properties of MWNT-reinforced ultrahigh-molecular-weight polyethylene coatings. *JOM* (2007), 59(7), 50-53.
- [33] Abdul Samad, M., & Sinha, S. K. Effects of counterface material and UV radiation on the tribological performance of a UHMWPE/CNT nanocomposite coating on steel substrates. *Wear* (2011), 271(11), 2759-2765.

- [34] Park, H. J., Kim, J., Seo, Y., Shim, J., Sung, M. Y., & Kwak, S. Wear behavior of in situ polymerized carbon nanotube/ultra high molecular weight polyethylene composites. *Macromolecular Research* (2013), 21(9), 965-970.
- [35] Zoo, Y. S., An, J. W., Lim, D. P., & Lim, D. S. Effect of carbon nanotube addition on tribological behavior of UHMWPE. *Tribology Letters* (2004), 16 (4), 305-309.
- [36] Wei, Z., Zhao, Y. P., Ruan, S. L., Gao, P., & Yu, T. X. A study of the tribological behavior of carbon-nanotube-reinforced ultrahigh molecular weight polyethylene composites. *Surface and interface analysis* (2006), 38(4), 883-886.
- [37] Lee, J. H., Kathi, J., Rhee, K. Y., & Lee, J. H. Wear properties of 3-aminopropyltriethoxysilane-functionalized carbon nanotubes reinforced ultra high molecular weight polyethylene nanocomposites. *Polymer Engineering & Science* (2010), 50(7), 1433-1439
- [38] Kurtz, S. M. (2004). *The UHMWPE handbook: ultra-high molecular weight polyethylene in total joint replacement*. Academic Press
- [39] Kim, P., Shi, L., Majumdar, A., & McEuen, P. L. Mesoscopic thermal transport and energy dissipation in carbon nanotubes. *Physica B: Condensed Matter* (2002), 323(1), 67-70
- [40] Oliver, W. C., & Pharr, G. M. An improved technique for determining hardness and elastic modulus using load and displacement sensing indentation experiments. *Journal of materials research* (1992), 7(06), 1564-1583.
- [41] Assouline, E., Lustiger, A., Barber, A. H., Cooper, C. A., Klein, E., Wachtel, E., & Wagner, H. D. Nucleation ability of multiwall carbon nanotubes in polypropylene composites. *Journal of Polymer Science Part B: Polymer Physics* (2003), 41(5), 520-527.
- [42] Coleman, J. N., Cadek, M., Blake, R., Nicolosi, V., Ryan, K. P., Belton, C. & Blau, W. J. High performance nanotube-reinforced plastics: understanding the mechanism of strength increase. *Advanced Functional Materials* (2004), 14(8), 791-798.
- [43] Kanagaraj, S., Varanda, F. R., Zhil'tsova, T. V., Oliveira, M. S., & Simões, J. A. Mechanical properties of high density polyethylene/carbon nanotube composites. *Composites Science and Technology* (2007), 67(15), 3071-3077.
- [44] McNally, T., Pötschke, P., Halley, P., Murphy, M., Martin, D., Bell, S. E & Quinn, J. P. Polyethylene multiwalled carbon nanotube composites. *Polymer* (2005), 46(19), 8222-8232.
- [45] Kim, P., Shi, L., Majumdar, A., & McEuen, P. L. Thermal transport measurements of individual multiwalled nanotubes. *Physical review letters* (2001), 87(21), 215502.

- [46] Turell, M. B., & Bellare, A. A study of the nanostructure and tensile properties of ultra-high molecular weight polyethylene. *Biomaterials* (2004), 25(17), 3389-3398.
- [47] Pradhan, N. R., Duan, H., Liang, J., & Iannacchione, G. S. The specific heat and effective thermal conductivity of composites containing single-wall and multi-wall carbon nanotubes. *Nanotechnology* (2009), 20(24), 245705.
- [48] Cipiriano, B. H., Kashiwagi, T., Raghavan, S. R., Yang, Y., Grulke, E. A., Yamamoto, K. & Douglas, J. F. Effects of aspect ratio of MWNT on the flammability properties of polymer nanocomposites. *Polymer* (2007), 48(20), 6086-6096.
- [49] Bower, D. I. (2002). *An introduction to polymer physics*. Cambridge University Press.
- [50] Coleman, J. N., Khan, U., Blau, W. J., & Gun'ko, Y. K. Small but strong: a review of the mechanical properties of carbon nanotube–polymer composites. *Carbon* (2006), 44(9), 1624-1652
- [51] Demczyk, B. G., Wang, Y. M., Cumings, J., Hetman, M., Han, W., Zettl, A., & Ritchie, R. O. Direct mechanical measurement of the tensile strength and elastic modulus of multiwalled carbon nanotubes. *Materials Science and Engineering: A* (2002), 334(1), 173-178
- [52] Lahiri, D., Singh, V., Keshri, A. K., Seal, S., & Agarwal, A. Carbon nanotube toughened hydroxyapatite by spark plasma sintering: Microstructural evolution and multiscale tribological properties. *Carbon* (2010), 48(11), 3103-3120.
- [53] Cumings, J., & Zettl, A. Low-friction nanoscale linear bearing realized from multiwall carbon nanotubes. *Science* (2000), 289(5479), 602-604.
- [54] Johnson, B. B., Santare, M. H., Novotny, J. E., & Advani, S. G. Wear behavior of carbon nanotube/high density polyethylene composites. *Mechanics of Materials* (2009), 41(10), 1108-1115.