Applied Probability for Mathematical Finance / Pricing Theory STA 2503 / MMF 1928 — Fall 2024

Project 1 – American Option

- The following problems are due on Saturday Oct 19th, 11:59pm.
- Please use the latex template to submit this homework.
- Page limit:15

Suppose that an asset price process $S = (S_{t_k})_{k \in \{0,1,\dots,N\}}$ (with $t_k = k \Delta t$ and $\Delta t = \frac{T}{N}$, for a fixed N) are given by the stochastic dynamics

$$S_{t_k} = S_{t_{k-1}} e^{r \Delta t + \sigma \sqrt{\Delta t} \epsilon_k}.$$

where ϵ_k are iid rv with $\epsilon_k \in \{+1, -1\}$ and

$$\mathbb{P}(\epsilon_k = \pm 1) = \frac{1}{2} \left(1 \pm \frac{(\mu - r) - \frac{1}{2}\sigma^2}{\sigma} \sqrt{\Delta t} \right).$$

Here, $r \ge 0$ and $\sigma > 0$ are constants. This is a variation of the Cox, Ross, Rubenstein (CRR) model.

Moreover, let $B = (B_{t_k})_{k \in \{0,1,\dots,N\}}$ denote the bank account with $B_t = e^{rt}$.

1. Derive the branching probabilities $\mathbb{Q}(\epsilon_k = \pm 1)$ and \mathbb{Q} . [Here, \mathbb{Q} refers to the martingale measure induced by using the bank account B as the numeraire.]

For those that are keen, derive the distribution of $\log \frac{S_T}{S_0}$ as $N \to \infty$. You cannot use the central limit theorem, as the probabilities vary as N increases, rather you have to compute the moment generating function and prove that it converges to something that then allows you to determine the distribution.

- 2. In this part, you will evaluate an American put option. Assume that $T=1, S_0=10, \mu=5\%, \sigma=20\%$, and the risk-free rate r=2%. Use N=5000 and a strike K=10.
 - (a) Implement the valuation and exercise boundary of the American put option with B as the numeraire.
 - i. Plot the exercise boundary as a function of t.
 - ii. Generate two sample paths where in sample path 1) the option is exercised early (say around $t = \frac{1}{2}$), 2) the option is not exercised

- iii. Along the two sample paths above, plot the hedging strategy that a trader would use to hedge the option as a function of time.
- iv. Illustrate how the results in i,ii, and iii vary as volatility and risk-free rate change (pari-wise). [For example, $\sigma = 10\%, 20\%, 30\%$ and r = 0%, 2%, 4%]
- (b) Assume you have purchased the above American put option using the parameters T=1, $S_0=10, \, \mu=5\%, \, \sigma=20\%$, and the risk-free rate r=2%. Use N=5000 and a strike K=10.
 - i. Simulate 10,000 sample paths of the asset and generate distributions for the P&L and distribution and the stopping time for a trader who purchased the option. Conditioned on those paths that are exercised (otherwise the distribution will have point masses), but record the probability of exercise to account for the point mass.
 - ii. Repeat the above for various values of r and σ .
 - iii. Suppose that the realized volatility is $\sigma = 10\%, 15\%, 20\%, 25\%, 30\%$, but you were able to purchase the option with a volatility of $\sigma = 20\%$ and you use the $\sigma = 20\%$ exercise boundary in your trading strategy. Explore how the distributions of profit and loss and exercise time vary in this case.