Tenaye Info — Person D: Pharmacy Locator & UI Polish

i18n system is DONE and working (pull it in). Pharmacy locator is NOT built yet — that's your main task.

Part 1: Language System (already built — pull this into your branch)

This is complete and tested (English/Amharic switching confirmed working live in the browser). You own applying it consistently across every page the team builds.

Sets up i18next to load translation files over HTTP and swap languages at runtime. applyTranslations() fills in any element tagged with data-i18n.

frontend/src/js/i18n.js

```
i18next.use(i18nextHttpBackend);

function initI18n(callback) {
  i18next.init(
    {
      lng: localStorage.getItem('language') || 'en',
      fallbackLng: 'en',
      debug: false,
      backend: {
        loadPath: '/public/locales/{{lng}}/translation.json',
      },
    },
    () => {
      applyTranslations();
      if (callback) callback();
    }
  );
}

function applyTranslations() {
  document.querySelectorAll('[data-i18n]').forEach((el) => {
    const key = el.getAttribute('data-i18n');
    el.textContent = i18next.t(key);
  });
  document.querySelectorAll('[data-i18n-placeholder]').forEach((el) => {
    const key = el.getAttribute('data-i18n-placeholder');
    el.placeholder = i18next.t(key);
  });
}

function changeLanguage(lng) {
  i18next.changeLanguage(lng, () => {
    localStorage.setItem('language', lng);
    applyTranslations();
  });
}
```

Builds a language dropdown (English/Amharic), pre-set to the currently active language, that calls changeLanguage() when the user picks a different one.

frontend/src/js/components/languageSwitcher.js

```
function renderLanguageSwitcher() {
  const container = document.createElement('div');
  container.innerHTML = `

      English
      ■■■■

  `;
  const select = container.querySelector('#language-select');
  select.value = localStorage.getItem('language') || 'en';
  select.addEventListener('change', (e) => {
    changeLanguage(e.target.value);
  });
  return container;
}
```

Required <head> script tags for any page using i18n (CDN links — exact working versions, earlier wrong guesses caused failed loads):

Locale files already exist at frontend/public/locales/en/translation.json and frontend/public/locales/am/translation.json — add new keys there as new pages need translated text, following the existing nested structure (nav.*, profile.*, search.*).

Part 2: Pharmacy Locator — NOT built yet, this is your main task

No code exists for this part yet. Build these files following the same pattern used everywhere else in the project (service → controller → route on the backend; page → service → DOM on the frontend):

- **backend/src/services/pharmacyService.js** — call Google Maps/Places API (or OpenStreetMap if avoiding API keys) with user coordinates, return nearby pharmacies
- **backend/src/controllers/pharmacyController.js** — GET handler reading lat/lng query params, calling pharmacyService, returning results
- **backend/src/routes/pharmacyRoutes.js** — GET /nearby, mount at /api/pharmacies in app.js
- **frontend/pages/pharmacy-locator.html + js/pages/pharmacyLocator.js** — request browser geolocation permission (navigator.geolocation), call the endpoint, render results
- **frontend/src/js/components/pharmacyListItem.js** — reusable render function for one pharmacy result, following the same pattern as chatBubble.js (Person C) or medicineCard.js (Person B)

Part 3: Shared UI Components & Cross-Page Polish — your task

- **frontend/src/js/components/navbar.js and footer.js** — currently every page has its own copy-pasted navbar markup inline in the HTML. Extract this into a shared component (a function that builds and returns the nav, same pattern as languageSwitcher.js above) so every page uses one source of truth
- Make sure the language switcher and i18n system work correctly on every page the team builds, not just the ones already tested (index.html, login.html, profile.html)
- Consistent Tailwind styling across every page
- The medical disclaimer text from the README should be visible somewhere appropriate (e.g. footer, or the chatbot page)

Notes

- This issue depends on the other three being mostly done, since polish means touching everyone's pages.
- Start the pharmacy locator early (it's independent of the others) and do the cross-page polish pass last, closer to the end of the week.

Recap — What This Part Does, File by File

i18n.js (done)

Loads the right translation file based on the saved language choice, and fills in any element tagged data-i18n with the translated text.

languageSwitcher.js (done)

Builds the English/Amharic dropdown that any page can drop into its navbar.

pharmacyService.js (to build)

Calls an external maps API with the user's coordinates, returns a list of nearby pharmacies.

pharmacyController.js + pharmacyRoutes.js (to build)

Wires the service above into a real GET endpoint that reads lat/lng from the request.

pharmacy-locator.html/js, pharmacyListItem.js (to build)

The real page: asks the browser for location permission, calls the endpoint above, renders each result.

navbar.js, footer.js (to build)

Shared components so every page uses one real navbar/footer instead of copy-pasted markup — your ownership since you're doing the cross-page consistency pass.