

```
1 2020-11-20 07:16:59.186 8739-8739/? I/e.xsg.hellosjt: Not
late-enabling -Xcheck:jni (already on)
2 2020-11-20 07:16:59.368 8739-8739/? E/e.xsg.hellosjt:
Unknown bits set in runtime_flags: 0x8000
3 2020-11-20 07:16:59.369 8739-8739/? W/e.xsg.hellosjt:
Unexpected CPU variant for X86 using defaults: x86
4 2020-11-20 07:16:59.994 8739-8784/me.xsg.hellosjtu D/libEGL
: Emulator has host GPU support, qemu.gles is set to 1.
5 2020-11-20 07:16:59.999 8739-8784/me.xsg.hellosjtu W/libc:
Unable to set property "qemu.gles" to "1": connection
failed; errno=13 (Permission denied)
6 2020-11-20 07:16:59.990 8739-8739/me.xsg.hellosjtu W/
RenderThread: type=1400 audit(0.0:24): avc: denied { write
} for name="property_service" dev="tmpfs" ino=7007
scontext=u:r:untrusted_app:s0:c133,c256,c512,c768 tcontext=
u:object_r:property_socket:s0 tclass=sock_file permissive=0
app=me.xsg.hellosjtu
7 2020-11-20 07:17:00.159 8739-8784/me.xsg.hellosjtu D/libEGL
: loaded /vendor/lib/egl/libEGL_emulation.so
8 2020-11-20 07:17:00.168 8739-8784/me.xsg.hellosjtu D/libEGL
: loaded /vendor/lib/egl/libGLESv1_CM_emulation.so
9 2020-11-20 07:17:00.246 8739-8784/me.xsg.hellosjtu D/libEGL
: loaded /vendor/lib/egl/libGLESv2_emulation.so
10 2020-11-20 07:17:00.380 8739-8739/me.xsg.hellosjtu W/e.xsg.
hellosjt: Accessing hidden method Landroid/view/View;->
computeFitSystemWindows(Landroid/graphics/Rect;Landroid/
graphics/Rect;)Z (greylist, reflection, allowed)
11 2020-11-20 07:17:00.382 8739-8739/me.xsg.hellosjtu W/e.xsg.
hellosjt: Accessing hidden method Landroid/view/ViewGroup
;->makeOptionalFitsSystemWindows()V (greylist, reflection,
allowed)
12 2020-11-20 07:17:00.762 8739-8782/me.xsg.hellosjtu D/
HostConnection: HostConnection::get() New Host Connection
established 0xd5163c80, tid 8782
13 2020-11-20 07:17:00.804 8739-8782/me.xsg.hellosjtu D/
HostConnection: HostComposition ext
ANDROID_EMU_CHECKSUM_HELPER_v1 ANDROID_EMU_native_sync_v2
ANDROID_EMU_native_sync_v3 ANDROID_EMU_native_sync_v4
ANDROID_EMU_dma_v1 ANDROID_EMU_direct_mem
ANDROID_EMU_host_composition_v1
ANDROID_EMU_host_composition_v2 ANDROID_EMU_YUV_Cache
ANDROID_EMU_async_unmap_buffer
GL_OES_EGL_image_external_essl3 GL_OES_vertex_array_object
GL_KHR_texture_compression_astc_ldr
ANDROID_EMU_host_side_tracing
ANDROID_EMU_gles_max_version_3_1
```

```
14 2020-11-20 07:17:00.841 8739-8782/me.xsg.hellosjtu W/
    OpenGLRenderer: Failed to choose config with
    EGL_SWAP_BEHAVIOR_PRESERVED, retrying without...
15 2020-11-20 07:17:00.879 8739-8782/me.xsg.hellosjtu D/
    EGL_emulation: eglCreateContext: 0xd51693e0: maj 3 min 1
    rcv 4
16 2020-11-20 07:17:00.936 8739-8782/me.xsg.hellosjtu D/
    EGL_emulation: eglGetCurrent: 0xd51693e0: ver 3 1 (tinfo
    0xe06c8360)
17 2020-11-20 07:17:00.940 8739-8782/me.xsg.hellosjtu E/
    eglCodecCommon: glUtilsParamSize: unknow param 0x000082da
18 2020-11-20 07:17:00.940 8739-8782/me.xsg.hellosjtu E/
    eglCodecCommon: glUtilsParamSize: unknow param 0x000082da
19 2020-11-20 07:17:00.998 8739-8782/me.xsg.hellosjtu W/
    Gralloc3: mapper 3.x is not supported
20 2020-11-20 07:17:01.021 8739-8782/me.xsg.hellosjtu D/
    HostConnection: createUnique: call
21 2020-11-20 07:17:01.021 8739-8782/me.xsg.hellosjtu D/
    HostConnection: HostConnection::get() New Host Connection
    established 0xd5165760, tid 8782
22 2020-11-20 07:17:01.094 8739-8782/me.xsg.hellosjtu D/
    HostConnection: HostComposition ext
    ANDROID_EMU_CHECKSUM_HELPER_v1 ANDROID_EMU_native_sync_v2
    ANDROID_EMU_native_sync_v3 ANDROID_EMU_native_sync_v4
    ANDROID_EMU_dma_v1 ANDROID_EMU_direct_mem
    ANDROID_EMU_host_composition_v1
    ANDROID_EMU_host_composition_v2 ANDROID_EMU_YUV_Cache
    ANDROID_EMU_async_unmap_buffer
    GL_OES_EGL_image_external_essl3 GL_OES_vertex_array_object
    GL_KHR_texture_compression_astc_ldr
    ANDROID_EMU_host_side_tracing
    ANDROID_EMU_gles_max_version_3_1
23 2020-11-20 07:17:01.096 8739-8782/me.xsg.hellosjtu D/
    eglCodecCommon: allocate: Ask for block of size 0x1000
24 2020-11-20 07:17:01.096 8739-8782/me.xsg.hellosjtu D/
    eglCodecCommon: allocate: ioctl allocate returned offset
    0x3ffff4000 size 0x2000
25 2020-11-20 07:17:01.215 8739-8782/me.xsg.hellosjtu D/
    EGL_emulation: eglGetCurrent: 0xd51693e0: ver 3 1 (tinfo
    0xe06c8360)
26 2020-11-20 07:17:01.475 8739-8739/me.xsg.hellosjtu I/
    Choreographer: Skipped 46 frames! The application may be
    doing too much work on its main thread.
27 2020-11-20 07:17:01.522 8739-8759/me.xsg.hellosjtu I/e.xsg.
    hellosjt: Background young concurrent copying GC freed
    18142(7173KB) AllocSpace objects, 1(20KB) LOS objects, 79%
```

```
27 free, 1620KB/7764KB, paused 678us total 151.565ms
28 2020-11-20 07:17:02.839 8739-8739/me.xsg.hellosjtu E/libc:
    Access denied finding property "ro.serialno"
29 2020-11-20 07:17:02.820 8739-8739/me.xsg.hellosjtu W/e.xsg.
    hellosjtu: type=1400 audit(0.0:25): avc: granted { execute
        } for path="/data/data/me.xsg.hellosjtu/code_cache/
        libjvmtiagent_x86.so" dev="vdc" ino=36753 scontext=u:r:
        untrusted_app:s0:c133,c256,c512,c768 tcontext=u:object_r:
        app_data_file:s0 tclass=file app=me.xsg.hellosjtu
30 2020-11-20 07:17:02.867 8739-8739/me.xsg.hellosjtu W/e.xsg.
    hellosjt: DexFile /data/data/me.xsg.hellosjtu/code_cache/
    perfa.jar is in boot class path but is not in a known
    location
31 2020-11-20 07:17:02.830 8739-8739/me.xsg.hellosjtu W/e.xsg.
    hellosjtu: type=1400 audit(0.0:26): avc: denied { read }
        for name="u:object_r:serialno_prop:s0" dev="tmpfs" ino=6980
        scontext=u:r:untrusted_app:s0:c133,c256,c512,c768 tcontext
        =u:object_r:serialno_prop:s0 tclass=file permissive=0 app=
        me.xsg.hellosjtu
32 2020-11-20 07:17:03.346 8739-8827/me.xsg.hellosjtu V/
    StudioTransport: Agent command stream started.
33 2020-11-20 07:17:03.347 8739-8826/me.xsg.hellosjtu V/
    StudioTransport: Transport agent connected to daemon.
34 2020-11-20 07:17:03.493 8739-8831/me.xsg.hellosjtu V/
    StudioTransport: Handling agent command 1200 for pid: 8739.
35 2020-11-20 07:17:03.493 8739-8831/me.xsg.hellosjtu V/
    StudioTransport: JNIEnv not attached
36 2020-11-20 07:17:03.510 8739-8739/me.xsg.hellosjtu W/Thread
    -2: type=1400 audit(0.0:27): avc: denied { write } for name
        ="perfd" dev="vdc" ino=36735 scontext=u:r:untrusted_app:s0:
        c133,c256,c512,c768 tcontext=u:object_r:shell_data_file:s0
        tclass=dir permissive=0 app=me.xsg.hellosjtu
37 2020-11-20 07:17:03.578 8739-8831/me.xsg.hellosjtu V/
    StudioTransport: Handling agent command 1200 for pid: 8739.
38 2020-11-20 07:17:03.619 8739-8831/me.xsg.hellosjtu W/e.xsg.
    hellosjt: Accessing hidden method Lsun/misc/Unsafe;->getInt
        (Ljava/lang/Object;)I (greylist, linking, allowed)
39 2020-11-20 07:17:03.620 8739-8831/me.xsg.hellosjtu W/e.xsg.
    hellosjt: Accessing hidden method Lsun/misc/Unsafe;-
        >getLong(Ljava/lang/Object;)J (greylist,core-platform-api,
        linking, allowed)
40 2020-11-20 07:17:03.620 8739-8831/me.xsg.hellosjtu W/e.xsg.
    hellosjt: Accessing hidden method Lsun/misc/Unsafe;-
        >getObject(Ljava/lang/Object;)Ljava/lang/Object; (greylist
        , linking, allowed)
41 2020-11-20 07:17:03.620 8739-8831/me.xsg.hellosjtu W/e.xsg.
```

```
41 hellosjt: Accessing hidden method Lsun/misc/Unsafe;->putInt
(Ljava/lang/Object;JI)V (greylist, linking, allowed)
42 2020-11-20 07:17:03.624 8739-8831/me.xsg.hellosjtu W/e.xsg.
hellosjt: Accessing hidden method Lsun/misc/Unsafe;->
objectFieldOffset(Ljava/lang/reflect/Field;)J (greylist,
core-platform-api, linking, allowed)
43 2020-11-20 07:17:03.625 8739-8831/me.xsg.hellosjtu W/e.xsg.
hellosjt: Accessing hidden method Lsun/misc/Unsafe;->
putObject(Ljava/lang/Object;JLjava/lang/Object;)V (greylist
, linking, allowed)
44 2020-11-20 07:17:03.626 8739-8831/me.xsg.hellosjtu W/e.xsg.
hellosjt: Accessing hidden method Lsun/misc/Unsafe;->
putLong(Ljava/lang/Object;JJ)V (greylist, linking, allowed)
45 2020-11-20 07:17:03.634 8739-8831/me.xsg.hellosjtu W/e.xsg.
hellosjt: Accessing hidden method Lsun/misc/Unsafe;->
allocateInstance(Ljava/lang/Class;)Ljava/lang/Object; (
greylist, linking, allowed)
46 2020-11-20 07:17:03.639 8739-8831/me.xsg.hellosjtu W/e.xsg.
hellosjt: Accessing hidden method Llibcore/io/Memory;->
peekLong(JZ)J (greylist, reflection, allowed)
47 2020-11-20 07:17:03.640 8739-8831/me.xsg.hellosjtu W/e.xsg.
hellosjt: Accessing hidden method Llibcore/io/Memory;->
pokeLong(JJZ)V (greylist, reflection, allowed)
48 2020-11-20 07:17:03.640 8739-8831/me.xsg.hellosjtu W/e.xsg.
hellosjt: Accessing hidden method Llibcore/io/Memory;->
pokeInt(JIZ)V (greylist, reflection, allowed)
49 2020-11-20 07:17:03.640 8739-8831/me.xsg.hellosjtu W/e.xsg.
hellosjt: Accessing hidden method Llibcore/io/Memory;->
peekInt(JZ)I (greylist, reflection, allowed)
50 2020-11-20 07:17:03.640 8739-8831/me.xsg.hellosjtu W/e.xsg.
hellosjt: Accessing hidden method Llibcore/io/Memory;->
pokeByte(JB)V (greylist, reflection, allowed)
51 2020-11-20 07:17:03.640 8739-8831/me.xsg.hellosjtu W/e.xsg.
hellosjt: Accessing hidden method Llibcore/io/Memory;->
peekByte(J)B (greylist, reflection, allowed)
52 2020-11-20 07:17:03.640 8739-8831/me.xsg.hellosjtu W/e.xsg.
hellosjt: Accessing hidden method Llibcore/io/Memory;->
pokeByteArray(J[BII)V (greylist, reflection, allowed)
53 2020-11-20 07:17:03.640 8739-8831/me.xsg.hellosjtu W/e.xsg.
hellosjt: Accessing hidden method Llibcore/io/Memory;->
peekByteArray(J[BII)V (greylist, reflection, allowed)
54 2020-11-20 07:17:03.641 8739-8831/me.xsg.hellosjtu W/e.xsg.
hellosjt: Accessing hidden method Lsun/misc/Unsafe;->
arrayBaseOffset(Ljava/lang/Class;)I (greylist,core-platform
-api, linking, allowed)
55 2020-11-20 07:17:03.641 8739-8831/me.xsg.hellosjtu W/e.xsg.
```

```
55 hellosjt: Accessing hidden method Lsun/misc/Unsafe;->
    arrayIndexScale(Ljava/lang/Class;)I (greylist, linking,
    allowed)
56 2020-11-20 07:17:03.644 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Lsun/misc/Unsafe;->
    getLong(Ljava/lang/Object;J)J (greylist,core-platform-api
    , reflection, allowed)
57 2020-11-20 07:17:03.645 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Ljava/nio/Buffer;->
    address:J (greylist, reflection, allowed)
58 2020-11-20 07:17:03.645 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Lsun/misc/Unsafe;->
    getInt(Ljava/lang/Object;J)I (greylist, reflection,
    allowed)
59 2020-11-20 07:17:03.645 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Lsun/misc/Unsafe;->
    putInt(Ljava/lang/Object;JI)V (greylist, reflection,
    allowed)
60 2020-11-20 07:17:03.645 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Lsun/misc/Unsafe;->
    getLong(Ljava/lang/Object;J)J (greylist,core-platform-api
    , reflection, allowed)
61 2020-11-20 07:17:03.645 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Lsun/misc/Unsafe;->
    putLong(Ljava/lang/Object;JJ)V (greylist, reflection,
    allowed)
62 2020-11-20 07:17:03.645 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Lsun/misc/Unsafe;->
    getObject(Ljava/lang/Object;)Ljava/lang/Object; (greylist
    , reflection, allowed)
63 2020-11-20 07:17:03.645 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Lsun/misc/Unsafe;->
    putObject(Ljava/lang/Object;JLjava/lang/Object;)V (
    greylist, reflection, allowed)
64 2020-11-20 07:17:03.669 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Lsun/misc/Unsafe;->
    getInt(Ljava/lang/Object;J)I (greylist, linking, allowed)
65 2020-11-20 07:17:03.684 8739-8831/me.xsg.hellosjtu V/
    StudioTransport: Handling agent command 1200 for pid: 8739
    .
66 2020-11-20 07:17:03.858 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Current dex file has more than one class in it
    . Calling RetransformClasses on this class might fail if
    no transformations are applied to it!
67 2020-11-20 07:17:03.859 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
```

```
67 /SQLiteClosable;->mReferenceCount:I (greylist, linking,
    allowed)
68 2020-11-20 07:17:03.985 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Current dex file has more than one class in it
    . Calling RetransformClasses on this class might fail if
    no transformations are applied to it!
69 2020-11-20 07:17:03.985 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;-><clinit>()V (blacklist, linking,
    denied)
70 2020-11-20 07:17:03.985 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->DEBUG_CLOSE_IDLE_CONNECTIONS:Z (greylist
    -max-o, linking, denied)
71 2020-11-20 07:17:03.985 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
72 2020-11-20 07:17:03.985 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->CONFLICT_VALUES:[Ljava/lang/String; (
    greylist, linking, allowed)
73 2020-11-20 07:17:03.985 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;-><init>(Ljava/lang/String;ILandroid
    /database/sqlite/SQLiteDatabase$CursorFactory;Landroid/
    database/DatabaseErrorHandler;IIJLjava/lang/String;Ljava/
    lang/String;)V (greylist-max-o, linking, denied)
74 2020-11-20 07:17:03.986 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/-$$Lambda$RBWjWVyGrOTsQrLCYzJ_G8Uk25Q;-><init>(
    Landroid/database/sqlite/SQLiteDatabase;)V (blacklist,
    linking, denied)
75 2020-11-20 07:17:03.986 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->beginTransaction(Landroid/database
    /sqlite/SQLiteTransactionListener;Z)V (greylist, linking,
    allowed)
76 2020-11-20 07:17:03.986 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getThreadSession()Landroid/
    database/sqlite/SQLiteSession; (greylist, linking, allowed
    )
77 2020-11-20 07:17:03.986 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z)
```

```
77 I (greylist-max-o, linking, denied)
78 2020-11-20 07:17:03.986 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->collectDbStats(Ljava/util/
    ArrayList;)V (greylist, linking, allowed)
79 2020-11-20 07:17:03.986 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
80 2020-11-20 07:17:03.987 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mConnectionPoolLocked:Landroid/database/
    sqlite/SQLiteConnectionPool; (greylist, linking, allowed)
81 2020-11-20 07:17:03.987 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteConnectionPool;->collectDbStats(Ljava/util/
    ArrayList;)V (greylist-max-o, linking, denied)
82 2020-11-20 07:17:03.987 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase$OpenParams;->toBuilder()Landroid/
    database/sqlite/SQLiteDatabase$OpenParams$Builder; (
    greylist-max-o, linking, denied)
83 2020-11-20 07:17:03.987 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->deleteDatabase(Ljava/io/File;Z)Z (
    blacklist, linking, denied)
84 2020-11-20 07:17:03.988 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->deleteDatabase(Ljava/io/File;Z)Z (
    blacklist, linking, denied)
85 2020-11-20 07:17:03.988 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase$1;-><init>(Ljava/lang/String;)V (
    blacklist, linking, denied)
86 2020-11-20 07:17:03.988 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o,
    linking, denied)
87 2020-11-20 07:17:03.988 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
88 2020-11-20 07:17:03.989 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mCloseGuardLocked:Ldalvik/system/
    CloseGuard; (greylist-max-o, linking, denied)
```

```
89 2020-11-20 07:17:03.989 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mCloseGuardLocked:Ldalvik/system/
    CloseGuard; (greylist-max-o, linking, denied)
90 2020-11-20 07:17:03.989 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Ldalvik/system/
    CloseGuard;->warnIfOpen()V (greylist,core-platform-api,
    linking, allowed)
91 2020-11-20 07:17:03.989 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mCloseGuardLocked:Ldalvik/system/
    CloseGuard; (greylist-max-o, linking, denied)
92 2020-11-20 07:17:03.989 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Ldalvik/system/
    CloseGuard;->close()V (greylist,core-platform-api, linking
    , allowed)
93 2020-11-20 07:17:03.989 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
94 2020-11-20 07:17:03.989 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
95 2020-11-20 07:17:03.989 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dump(Landroid/util/Printer;
    ZZLandroid/util/ArraySet;)V (blacklist, linking, denied)
96 2020-11-20 07:17:03.990 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
97 2020-11-20 07:17:03.990 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dump(Landroid/util/Printer;
    ZZLandroid/util/ArraySet;)V (blacklist, linking, denied)
98 2020-11-20 07:17:03.990 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dumpAll(Landroid/util/Printer;ZZ)V
    (blacklist, linking, denied)
99 2020-11-20 07:17:03.990 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getActiveDatabases()Ljava/util/
    ArrayList; (greylist, linking, allowed)
100 2020-11-20 07:17:03.991 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
```

```
100  sqlite/SQLiteDatabase;->dump(Landroid/util/Printer;  
    ZZLandroid/util/ArraySet;)V (blacklist, linking, denied)  
101  2020-11-20 07:17:03.991 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden method Landroid/database/  
    sqlite/SQLiteDatabase;->dumpDatabaseDirectory(Landroid/  
    util/Printer;Ljava/io/File;Z)V (blacklist, linking, denied  
    )  
102  2020-11-20 07:17:03.991 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden method Landroid/database/  
    sqlite/SQLiteDatabase;->dumpDatabaseDirectory(Landroid/  
    util/Printer;Ljava/io/File;Z)V (blacklist, linking, denied  
    )  
103  2020-11-20 07:17:03.991 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden field Landroid/database/sqlite/  
    /-$Lambda$SQLiteDatabase$1FsSJH2q7x3eeDFXCAu9l4piDsE;->  
    INSTANCE:Landroid/database/sqlite/-  
    $$Lambda$SQLiteDatabase$1FsSJH2q7x3eeDFXCAu9l4piDsE; (   
    blacklist, linking, denied)  
104  2020-11-20 07:17:03.991 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden method Landroid/database/  
    sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/  
    String;)Ljava/lang/String; (blacklist, linking, denied)  
105  2020-11-20 07:17:03.991 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden field Landroid/database/sqlite/  
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap  
    ; (greylist-max-o, linking, denied)  
106  2020-11-20 07:17:03.992 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden field Landroid/database/sqlite/  
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap  
    ; (greylist-max-o, linking, denied)  
107  2020-11-20 07:17:03.992 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden method Landroid/database/  
    sqlite/SQLiteDatabase;->getDbStats()Ljava/util/ArrayList  
    ; (greylist-max-o, linking, denied)  
108  2020-11-20 07:17:03.992 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden method Landroid/database/  
    sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/  
    String;)Ljava/lang/String; (blacklist, linking, denied)  
109  2020-11-20 07:17:03.992 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden method Landroid/database/  
    sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o,  
    linking, denied)  
110  2020-11-20 07:17:03.993 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden method Landroid/database/  
    sqlite/SQLiteDatabase;->isReadOnlyLocked()Z (greylist-max-  
    o, linking, denied)
```

```
111 2020-11-20 07:17:03.993 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mConfigurationLocked:Landroid/database/
    sqlite/SQLiteDatabaseConfiguration; (greylist, linking,
    allowed)
112 2020-11-20 07:17:03.993 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabaseConfiguration;->openFlags:I (greylist-max-o
    , linking, denied)
113 2020-11-20 07:17:03.993 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->lambda$dumpDatabaseDirectory$0(
    Ljava/io/File;Ljava/io/File;)I (blacklist, linking, denied
    )
114 2020-11-20 07:17:03.993 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->open()V (greylist-max-o, linking,
    denied)
115 2020-11-20 07:17:03.994 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->openInner()V (greylist-max-o,
    linking, denied)
116 2020-11-20 07:17:03.994 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (
    greylist-max-o, linking, denied)
117 2020-11-20 07:17:03.994 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseCorruptException;->isCorruptException
    (Ljava/lang/Throwable;)Z (blacklist, linking, denied)
118 2020-11-20 07:17:03.994 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->openDatabase(Ljava/lang/String;
    Landroid/database/sqlite/SQLiteDatabase$OpenParams;
    Landroid/database/sqlite/SQLiteDatabase; (greylist,
    linking, allowed)
119 2020-11-20 07:17:03.995 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;-><init>(Ljava/lang/String;ILandroid
    /database/sqlite/SQLiteDatabase$CursorFactory;Landroid/
    database/DatabaseErrorHandler;IIJLjava/lang/String;Ljava/
    lang/String;)V (greylist-max-o, linking, denied)
120 2020-11-20 07:17:03.995 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Lcom/android/internal/
    util/Preconditions;->checkArgument(ZLjava/lang/Object;)V (
    greylist, linking, allowed)
```

```
121 2020-11-20 07:17:03.995 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase$OpenHelper;->access$000(Landroid/
    database/sqlite/SQLiteDatabase$OpenHelper;)I (blacklist,
    linking, denied)
122 2020-11-20 07:17:03.995 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->openInner()V (greylist-max-o,
    linking, denied)
123 2020-11-20 07:17:03.996 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
124 2020-11-20 07:17:03.996 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteConnectionPool;->open(Landroid/database/
    sqlite/SQLiteDatabaseConfiguration;)Landroid/database/
    sqlite/SQLiteConnectionPool; (greylist-max-o, linking,
    denied)
125 2020-11-20 07:17:03.996 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteGlobal;->releaseMemory()I (greylist, linking
    , allowed)
126 2020-11-20 07:17:03.996 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
127 2020-11-20 07:17:03.997 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteDatabaseConfiguration;->label:Ljava/lang/String; (
    greylist-max-o, linking, denied)
128 2020-11-20 07:17:03.997 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->wipeDetected(Ljava/lang/String;
    Ljava/lang/String;)V (blacklist, linking, denied)
129 2020-11-20 07:17:03.997 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/app/
    ActivityThread;->currentPackageName()Ljava/lang/String; (
    greylist, linking, allowed)
130 2020-11-20 07:17:03.998 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/
    String;)Ljava/lang/String; (blacklist, linking, denied)
131 2020-11-20 07:17:03.998 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->wtfAsSystemServer(Ljava/lang/
```

```
131 String;Ljava/lang/String;Ljava/lang/Throwable;)V (
    blacklist, linking, denied)
132 2020-11-20 07:17:03.998 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/content/
    ContentResolver;->onDbCorruption(Ljava/lang/String;Ljava/
    lang/String;Ljava/lang/Throwable;)V (blacklist, linking,
    denied)
133 2020-11-20 07:17:03.998 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
    greylist-max-o, linking, denied)
134 2020-11-20 07:17:03.998 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteSession;->yieldTransaction(JZLandroid/os/
    CancellationSignal;)Z (greylist-max-o, linking, denied)
135 2020-11-20 07:17:03.998 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->addCustomFunction(Ljava/lang/
    String;ILandroid/database/sqlite/
    SQLiteDatabase$CustomFunction;)V (greylist-max-o, linking
    , denied)
136 2020-11-20 07:17:03.999 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteCustomFunction;-><init>(Ljava/lang/String;
    ILandroid/database/sqlite/SQLiteDatabase$CustomFunction;)V
    (greylist-max-o, linking, denied)
137 2020-11-20 07:17:03.999 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteStatement;-><init>(Landroid/database/sqlite/
    SQLiteDatabase;Ljava/lang/String;[Ljava/lang/Object;)V
    (greylist, linking, allowed)
138 2020-11-20 07:17:03.999 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->createSession()Landroid/database/
    sqlite/SQLiteSession; (greylist-max-o, linking, denied)
139 2020-11-20 07:17:03.999 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
140 2020-11-20 07:17:03.999 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
141 2020-11-20 07:17:04.000 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
```

```
141 , linking, denied)
142 2020-11-20 07:17:04.000 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
143 2020-11-20 07:17:04.001 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
144 2020-11-20 07:17:04.001 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
145 2020-11-20 07:17:04.001 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->endTransaction(Landroid/os/
    CancellationSignal;)V (greylist-max-o, linking, denied)
146 2020-11-20 07:17:04.001 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->executeSql(Ljava/lang/String;[
    Ljava/lang/Object;)I (greylist-max-o, linking, denied)
147 2020-11-20 07:17:04.001 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1
    line
148 2020-11-20 07:17:04.001 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->executeSql(Ljava/lang/String;[
    Ljava/lang/Object;)I (greylist-max-o, linking, denied)
149 2020-11-20 07:17:04.002 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
150 2020-11-20 07:17:04.002 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist-max-o
    , linking, denied)
151 2020-11-20 07:17:04.002 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist-max-o
    , linking, denied)
152 2020-11-20 07:17:04.002 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteConnectionPool;->disableIdleConnectionHandler
    ()V (greylist-max-o, linking, denied)
153 2020-11-20 07:17:04.002 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
```

```
153 sqlite/SQLiteConnectionPool;->
    closeAvailableNonPrimaryConnectionsAndLogExceptions()V (
        greylist-max-o, linking, denied)
154 2020-11-20 07:17:04.002 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteConnectionPool;->
    closeAvailableNonPrimaryConnectionsAndLogExceptions()V (
        greylist-max-o, linking, denied)
155 2020-11-20 07:17:04.002 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o,
    linking, denied)
156 2020-11-20 07:17:04.002 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
157 2020-11-20 07:17:04.002 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist-max-o
    , linking, denied)
158 2020-11-20 07:17:04.003 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabaseConfiguration;->path:Ljava/lang/String; (
    greylist-max-o, linking, denied)
159 2020-11-20 07:17:04.003 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (
    greylist-max-o, linking, denied)
160 2020-11-20 07:17:04.003 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
161 2020-11-20 07:17:04.003 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabaseConfiguration;->label:Ljava/lang/String; (
    greylist-max-o, linking, denied)
162 2020-11-20 07:17:04.004 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
163 2020-11-20 07:17:04.004 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabaseConfiguration;->path:Ljava/lang/String; (
    greylist-max-o, linking, denied)
164 2020-11-20 07:17:04.004 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
```

```
164 sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z)
    I (greylist-max-o, linking, denied)
165 2020-11-20 07:17:04.004 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o,
    linking, denied)
166 2020-11-20 07:17:04.004 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o,
    linking, denied)
167 2020-11-20 07:17:04.004 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteDatabase;->mThreadSession:Ljava/lang/ThreadLocal; (
    greylist, linking, allowed)
168 2020-11-20 07:17:04.004 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseSession;->hasTransaction()Z (greylist-max-o,
    linking, denied)
169 2020-11-20 07:17:04.005 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/content/
    ContentValues;->isEmpty()Z (greylist-max-o, linking,
    denied)
170 2020-11-20 07:17:04.005 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseSession;->hasConnection()Z (greylist-max-o,
    linking, denied)
171 2020-11-20 07:17:04.005 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isInMemoryDatabase()Z (greylist-
    max-o, linking, denied)
172 2020-11-20 07:17:04.006 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
173 2020-11-20 07:17:04.006 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseConfiguration;->isInMemoryDb()Z (
    greylist-max-o, linking, denied)
174 2020-11-20 07:17:04.006 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
175 2020-11-20 07:17:04.007 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
```

```
176 2020-11-20 07:17:04.007 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isReadOnlyLocked()Z (greylist-max-
    o, linking, denied)
177 2020-11-20 07:17:04.007 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-
    o, linking, denied)
178 2020-11-20 07:17:04.007 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
179 2020-11-20 07:17:04.008 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o,
    linking, denied)
180 2020-11-20 07:17:04.008 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->onCorruption()V (greylist-max-o,
    linking, denied)
181 2020-11-20 07:17:04.008 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (
    greylist-max-o, linking, denied)
182 2020-11-20 07:17:04.010 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDirectCursorDriver;-><init>(Landroid/database
    /sqlite/SQLiteDatabase;Ljava/lang/String;Ljava/lang/String;
    ;Landroid/os/CancellationSignal;)V (greylist, linking,
    allowed)
183 2020-11-20 07:17:04.010 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mCursorFactory:Landroid/database/sqlite/
    SQLiteDatabase$CursorFactory; (greylist-max-o, linking,
    denied)
184 2020-11-20 07:17:04.011 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->reopenReadWrite()V (greylist,
    linking, allowed)
185 2020-11-20 07:17:04.011 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-
    o, linking, denied)
186 2020-11-20 07:17:04.011 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
```

```
186 max-o, linking, denied)
187 2020-11-20 07:17:04.012 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
188 2020-11-20 07:17:04.012 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
189 2020-11-20 07:17:04.012 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
190 2020-11-20 07:17:04.012 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
191 2020-11-20 07:17:04.013 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
192 2020-11-20 07:17:04.013 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
193 2020-11-20 07:17:04.014 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteSession;->setTransactionSuccessful()V (
    greylist-max-o, linking, denied)
194 2020-11-20 07:17:04.015 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/content/
    ContentValues;->isEmpty()Z (greylist-max-o, linking,
    denied)
195 2020-11-20 07:17:04.015 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z)
    I (greylist-max-o, linking, denied)
196 2020-11-20 07:17:04.015 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
    greylist-max-o, linking, denied)
197 2020-11-20 07:17:04.015 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1
    line
198 2020-11-20 07:17:04.015 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
```

```
198 sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (greylist-max-o, linking, denied)
199 2020-11-20 07:17:04.134 8739-8831/me.xsg.hellosjtu W/e.xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;-><clinit>()V (blacklist, linking, denied)
200 2020-11-20 07:17:04.135 8739-8831/me.xsg.hellosjtu W/e.xsg.hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteDatabase;->DEBUG_CLOSE_IDLE_CONNECTIONS:Z (greylist-max-o, linking, denied)
201 2020-11-20 07:17:04.135 8739-8831/me.xsg.hellosjtu W/e.xsg.hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap; (greylist-max-o, linking, denied)
202 2020-11-20 07:17:04.135 8739-8831/me.xsg.hellosjtu W/e.xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;-><init>(Ljava/lang/String;ILandroid/database/sqlite/SQLiteDatabase$CursorFactory;Landroid/database/DatabaseErrorHandler;IIJLjava/lang/String;Ljava/lang/String;)V (greylist-max-o, linking, denied)
203 2020-11-20 07:17:04.135 8739-8831/me.xsg.hellosjtu W/e.xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/-$$Lambda$RBWjWVyGrOTsQrLCYzJ_G8Uk25Q;-><init>(Landroid/database/sqlite/SQLiteDatabase;)V (blacklist, linking, denied)
204 2020-11-20 07:17:04.136 8739-8831/me.xsg.hellosjtu W/e.xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z)I (greylist-max-o, linking, denied)
205 2020-11-20 07:17:04.136 8739-8831/me.xsg.hellosjtu W/e.xsg.hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o, linking, denied)
206 2020-11-20 07:17:04.136 8739-8831/me.xsg.hellosjtu W/e.xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteConnectionPool;->collectDbStats(Ljava/util/ArrayList;)V (greylist-max-o, linking, denied)
207 2020-11-20 07:17:04.136 8739-8831/me.xsg.hellosjtu W/e.xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase$OpenHelper;->toBuilder()Landroid/database/sqlite/SQLiteDatabase$OpenHelper$Builder; (greylist-max-o, linking, denied)
208 2020-11-20 07:17:04.136 8739-8831/me.xsg.hellosjtu W/e.xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->deleteDatabase(Ljava/io/File;Z)Z (blacklist, linking, denied)
```

```
209 2020-11-20 07:17:04.136 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->deleteDatabase(Ljava/io/File;Z)Z (blacklist, linking, denied)
210 2020-11-20 07:17:04.136 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase$1;-><init>(Ljava/lang/String;)V (blacklist, linking, denied)
211 2020-11-20 07:17:04.137 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o, linking, denied)
212 2020-11-20 07:17:04.137 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o, linking, denied)
213 2020-11-20 07:17:04.137 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->mCloseGuardLocked:Ldalvik/system/
    CloseGuard; (greylist-max-o, linking, denied)
214 2020-11-20 07:17:04.137 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1 line
215 2020-11-20 07:17:04.138 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->mCloseGuardLocked:Ldalvik/system/
    CloseGuard; (greylist-max-o, linking, denied)
216 2020-11-20 07:17:04.138 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap;
    (greylist-max-o, linking, denied)
217 2020-11-20 07:17:04.138 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap;
    (greylist-max-o, linking, denied)
218 2020-11-20 07:17:04.138 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dump(Landroid/util/Printer;
    ZZLandroid/util/ArraySet;)V (blacklist, linking, denied)
219 2020-11-20 07:17:04.138 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o, linking, denied)
220 2020-11-20 07:17:04.139 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseConnectionPool;->dump(Landroid/util/Printer;
```

```
220 ZLandroid/util/ArraySet;)V (blacklist, linking, denied)
221 2020-11-20 07:17:04.139 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dumpAll(Landroid/util/Printer;ZZ)V
        (blacklist, linking, denied)
222 2020-11-20 07:17:04.139 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dump(Landroid/util/Printer;
    ZZ)Landroid/util/ArraySet;)V (blacklist, linking, denied)
223 2020-11-20 07:17:04.139 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dumpDatabaseDirectory(Landroid/
    util/Printer;Ljava/io/File;Z)V (blacklist, linking, denied
    )
224 2020-11-20 07:17:04.139 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dumpDatabaseDirectory(Landroid/
    util/Printer;Ljava/io/File;Z)V (blacklist, linking, denied
    )
225 2020-11-20 07:17:04.140 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /-$Lambda$SQLiteDatabase$1FsSJH2q7x3eeDFXCAu9l4piDsE;->
    INSTANCE:Landroid/database/sqlite/-
    $$Lambda$SQLiteDatabase$1FsSJH2q7x3eeDFXCAu9l4piDsE; (
    blacklist, linking, denied)
226 2020-11-20 07:17:04.140 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/
    String;)Ljava/lang/String; (blacklist, linking, denied)
227 2020-11-20 07:17:04.141 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
228 2020-11-20 07:17:04.141 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
229 2020-11-20 07:17:04.142 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getDbStats()Ljava/util/ArrayList
    ; (greylist-max-o, linking, denied)
230 2020-11-20 07:17:04.142 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/
    String;)Ljava/lang/String; (blacklist, linking, denied)
231 2020-11-20 07:17:04.142 8739-8831/me.xsg.hellosjtu W/e.xsg
```

```
231 .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o,
    linking, denied)
232 2020-11-20 07:17:04.142 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isReadOnlyLocked()Z (greylist-max-
    o, linking, denied)
233 2020-11-20 07:17:04.143 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabaseConfiguration;->openFlags:I (greylist-max-o
    , linking, denied)
234 2020-11-20 07:17:04.143 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->lambda$dumpDatabaseDirectory$0(
    Ljava/io/File;Ljava/io/File;)I (blacklist, linking, denied
    )
235 2020-11-20 07:17:04.143 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->open()V (greylist-max-o, linking,
    denied)
236 2020-11-20 07:17:04.144 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->openInner()V (greylist-max-o,
    linking, denied)
237 2020-11-20 07:17:04.144 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (
    greylist-max-o, linking, denied)
238 2020-11-20 07:17:04.144 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseCorruptException;->isCorruptException
    (Ljava/lang/Throwable;)Z (blacklist, linking, denied)
239 2020-11-20 07:17:04.144 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;-><init>(Ljava/lang/String;ILandroid
    /database/sqlite/SQLiteDatabase$CursorFactory;Landroid/
    database/DatabaseErrorHandler;IIJLjava/lang/String;Ljava/
    lang/String;)V (greylist-max-o, linking, denied)
240 2020-11-20 07:17:04.144 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase$OpenParams;->access$000(Landroid/
    database/sqlite/SQLiteDatabase$OpenParams;)I (blacklist,
    linking, denied)
241 2020-11-20 07:17:04.145 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->openInner()V (greylist-max-o,
```

```
241 linking, denied)
242 2020-11-20 07:17:04.145 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
243 2020-11-20 07:17:04.145 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseConnectionPool;->open(Landroid/database/
    sqlite/SQLiteDatabaseConfiguration;)Landroid/database/
    sqlite/SQLiteDatabaseConnectionPool; (greylist-max-o, linking,
    denied)
244 2020-11-20 07:17:04.146 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
245 2020-11-20 07:17:04.146 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteDatabaseConfiguration;->label:Ljava/lang/String; (
    greylist-max-o, linking, denied)
246 2020-11-20 07:17:04.146 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->wipeDetected(Ljava/lang/String;
    Ljava/lang/String;)V (blacklist, linking, denied)
247 2020-11-20 07:17:04.146 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/
    String;)Ljava/lang/String; (blacklist, linking, denied)
248 2020-11-20 07:17:04.147 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->wtfAsSystemServer(Ljava/lang/
    String;Ljava/lang/String;Ljava/lang/Throwable;)V (
    blacklist, linking, denied)
249 2020-11-20 07:17:04.147 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/content/
    ContentResolver;->onDbCorruption(Ljava/lang/String;Ljava/
    lang/String;Ljava/lang/Throwable;)V (blacklist, linking,
    denied)
250 2020-11-20 07:17:04.147 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
    greylist-max-o, linking, denied)
251 2020-11-20 07:17:04.147 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseSession;->yieldTransaction(JZLandroid/os/
    CancellationSignal;)Z (greylist-max-o, linking, denied)
252 2020-11-20 07:17:04.147 8739-8831/me.xsg.hellosjtu W/e.xsg
```

```
252 .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->addCustomFunction(Ljava/lang/
    String;ILandroid/database/sqlite/
    SQLiteDatabase$CustomFunction;)V (greylist-max-o, linking
    , denied)
253 2020-11-20 07:17:04.147 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteCustomFunction;-><init>(Ljava/lang/String;
    ILandroid/database/sqlite/SQLiteDatabase$CustomFunction;)V
    (greylist-max-o, linking, denied)
254 2020-11-20 07:17:04.148 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->createSession()Landroid/database/
    sqlite/SQLiteSession; (greylist-max-o, linking, denied)
255 2020-11-20 07:17:04.148 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
256 2020-11-20 07:17:04.149 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
257 2020-11-20 07:17:04.149 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
258 2020-11-20 07:17:04.149 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
259 2020-11-20 07:17:04.150 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
260 2020-11-20 07:17:04.151 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
261 2020-11-20 07:17:04.151 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteSession;->endTransaction(Landroid/os/
    CancellationSignal;)V (greylist-max-o, linking, denied)
262 2020-11-20 07:17:04.151 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->executeSql(Ljava/lang/String;[L
    java/lang/Object;)I (greylist-max-o, linking, denied)
```

```
263 2020-11-20 07:17:04.151 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1
    line
264 2020-11-20 07:17:04.152 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->executeSql(Ljava/lang/String;[
    Ljava/lang/Object;)I (greylist-max-o, linking, denied)
265 2020-11-20 07:17:04.152 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
266 2020-11-20 07:17:04.152 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist-max-o
    , linking, denied)
267 2020-11-20 07:17:04.152 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist-max-o
    , linking, denied)
268 2020-11-20 07:17:04.152 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseConnectionPool;->disableIdleConnectionHandler
    ()V (greylist-max-o, linking, denied)
269 2020-11-20 07:17:04.153 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseConnectionPool;->
    closeAvailableNonPrimaryConnectionsAndLogExceptions()V (
    greylist-max-o, linking, denied)
270 2020-11-20 07:17:04.153 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseConnectionPool;->
    closeAvailableNonPrimaryConnectionsAndLogExceptions()V (
    greylist-max-o, linking, denied)
271 2020-11-20 07:17:04.153 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o,
    linking, denied)
272 2020-11-20 07:17:04.153 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
273 2020-11-20 07:17:04.153 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist-max-o
    , linking, denied)
274 2020-11-20 07:17:04.154 8739-8831/me.xsg.hellosjtu W/e.xsg
```

```
274 .hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabaseConfiguration;->path:Ljava/lang/String; (greylist-max-o, linking, denied)  
275 2020-11-20 07:17:04.154 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->getLabel():Ljava/lang/String; (greylist-max-o, linking, denied)  
276 2020-11-20 07:17:04.154 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o, linking, denied)  
277 2020-11-20 07:17:04.154 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabaseConfiguration;->label:Ljava/lang/String; (greylist-max-o, linking, denied)  
278 2020-11-20 07:17:04.155 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o, linking, denied)  
279 2020-11-20 07:17:04.155 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabaseConfiguration;->path:Ljava/lang/String; (greylist-max-o, linking, denied)  
280 2020-11-20 07:17:04.156 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z)I (greylist-max-o, linking, denied)  
281 2020-11-20 07:17:04.156 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o, linking, denied)  
282 2020-11-20 07:17:04.157 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o, linking, denied)  
283 2020-11-20 07:17:04.157 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteSession;->hasTransaction()Z (greylist-max-o, linking, denied)  
284 2020-11-20 07:17:04.157 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/content/  
ContentValues;->isEmpty()Z (greylist-max-o, linking, denied)  
285 2020-11-20 07:17:04.158 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteSession;->hasConnection()Z (greylist-max-o,
```

```
285 linking, denied)
286 2020-11-20 07:17:04.159 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isInMemoryDatabase()Z (greylist-
    max-o, linking, denied)
287 2020-11-20 07:17:04.159 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
288 2020-11-20 07:17:04.159 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseConfiguration;->isInMemoryDb()Z (
    greylist-max-o, linking, denied)
289 2020-11-20 07:17:04.160 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
290 2020-11-20 07:17:04.160 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
291 2020-11-20 07:17:04.161 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isReadOnlyLocked()Z (greylist-max-
    o, linking, denied)
292 2020-11-20 07:17:04.161 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
293 2020-11-20 07:17:04.162 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
294 2020-11-20 07:17:04.163 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o,
    linking, denied)
295 2020-11-20 07:17:04.163 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->onCorruption()V (greylist-max-o,
    linking, denied)
296 2020-11-20 07:17:04.163 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (
    greylist-max-o, linking, denied)
297 2020-11-20 07:17:04.165 8739-8831/me.xsg.hellosjtu W/e.xsg
```

```
297 .hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mCursorFactory:Landroid/database/sqlite/  
SQLiteDatabase$CursorFactory; (greylist-max-o, linking,  
denied)  
298 2020-11-20 07:17:04.165 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o  
, linking, denied)  
299 2020-11-20 07:17:04.166 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-  
max-o, linking, denied)  
300 2020-11-20 07:17:04.167 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o  
, linking, denied)  
301 2020-11-20 07:17:04.167 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-  
max-o, linking, denied)  
302 2020-11-20 07:17:04.168 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o  
, linking, denied)  
303 2020-11-20 07:17:04.169 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-  
max-o, linking, denied)  
304 2020-11-20 07:17:04.169 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o  
, linking, denied)  
305 2020-11-20 07:17:04.170 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-  
max-o, linking, denied)  
306 2020-11-20 07:17:04.171 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->setTransactionSuccessful()V (greylist-max-o  
, linking, denied)  
307 2020-11-20 07:17:04.171 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/content/  
ContentValues;->isEmpty()Z (greylist-max-o, linking,  
denied)  
308 2020-11-20 07:17:04.171 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/
```

```
308 sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z)
    I (greylist-max-o, linking, denied)
309 2020-11-20 07:17:04.172 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
    greylist-max-o, linking, denied)
310 2020-11-20 07:17:04.172 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1
    line
311 2020-11-20 07:17:04.173 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
    greylist-max-o, linking, denied)
312 2020-11-20 07:17:04.309 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;-><clinit>()V (blacklist, linking,
    denied)
313 2020-11-20 07:17:04.309 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->DEBUG_CLOSE_IDLE_CONNECTIONS:Z (greylist
    -max-o, linking, denied)
314 2020-11-20 07:17:04.309 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
315 2020-11-20 07:17:04.309 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;-><init>(Ljava/lang/String;ILandroid
    /database/sqlite/SQLiteDatabase$CursorFactory;Landroid/
    database/DatabaseErrorHandler;IIJLjava/lang/String;Ljava/
    lang/String;)V (greylist-max-o, linking, denied)
316 2020-11-20 07:17:04.309 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/-$$Lambda$RBWjWVyGrOTsQrLCYzJ_G8Uk25Q;-><init>(
    Landroid/database/sqlite/SQLiteDatabase;)V (blacklist,
    linking, denied)
317 2020-11-20 07:17:04.309 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z)
    I (greylist-max-o, linking, denied)
318 2020-11-20 07:17:04.309 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
319 2020-11-20 07:17:04.309 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
```

```
319 sqlite/SQLiteDatabasePool; ->collectDbStats(Ljava/util/ArrayList;)V (greylist-max-o, linking, denied)
320 2020-11-20 07:17:04.310 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase$OpenHelper; ->toBuilder()Landroid/database/sqlite/SQLiteDatabase$OpenHelper$Builder; (
        greylist-max-o, linking, denied)
321 2020-11-20 07:17:04.310 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase; ->deleteDatabase(Ljava/io/File;Z)Z (
        blacklist, linking, denied)
322 2020-11-20 07:17:04.310 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase; ->deleteDatabase(Ljava/io/File;Z)Z (
        blacklist, linking, denied)
323 2020-11-20 07:17:04.310 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase$1; -><init>(Ljava/lang/String;)V (
        blacklist, linking, denied)
324 2020-11-20 07:17:04.310 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase; ->dispose(Z)V (greylist-max-o,
        linking, denied)
325 2020-11-20 07:17:04.310 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteDatabase; ->mLock:Ljava/lang/Object; (greylist-max-o
        , linking, denied)
326 2020-11-20 07:17:04.310 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteDatabase; ->mCloseGuardLocked:Ldalvik/system/
        CloseGuard; (greylist-max-o, linking, denied)
327 2020-11-20 07:17:04.310 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1
    line
328 2020-11-20 07:17:04.311 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteDatabase; ->mCloseGuardLocked:Ldalvik/system/
        CloseGuard; (greylist-max-o, linking, denied)
329 2020-11-20 07:17:04.311 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteDatabase; ->sActiveDatabases:Ljava/util/WeakHashMap;
        (greylist-max-o, linking, denied)
330 2020-11-20 07:17:04.311 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteDatabase; ->sActiveDatabases:Ljava/util/WeakHashMap;
        (greylist-max-o, linking, denied)
```

```
331 2020-11-20 07:17:04.311 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dump(Landroid/util/Printer;
    ZZLandroid/util/ArraySet;)V (blacklist, linking, denied)
332 2020-11-20 07:17:04.311 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
333 2020-11-20 07:17:04.311 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;-->dump(Landroid/util/Printer;
    ZLandroid/util/ArraySet;)V (blacklist, linking, denied)
334 2020-11-20 07:17:04.312 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dumpAll(Landroid/util/Printer;ZZ)V
    (blacklist, linking, denied)
335 2020-11-20 07:17:04.312 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dump(Landroid/util/Printer;
    ZZLandroid/util/ArraySet;)V (blacklist, linking, denied)
336 2020-11-20 07:17:04.314 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dumpDatabaseDirectory(Landroid/
    util/Printer;Ljava/io/File;Z)V (blacklist, linking, denied
    )
337 2020-11-20 07:17:04.314 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dumpDatabaseDirectory(Landroid/
    util/Printer;Ljava/io/File;Z)V (blacklist, linking, denied
    )
338 2020-11-20 07:17:04.314 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /-$Lambda$SQLiteDatabase$1FsSJH2q7x3eeDFXCAu9l4piDsE;->
    INSTANCE:Landroid/database/sqlite/-
    $$Lambda$SQLiteDatabase$1FsSJH2q7x3eeDFXCAu9l4piDsE; (
    blacklist, linking, denied)
339 2020-11-20 07:17:04.315 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/
    String;)Ljava/lang/String; (blacklist, linking, denied)
340 2020-11-20 07:17:04.315 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
341 2020-11-20 07:17:04.315 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
```

```
341 /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap  
; (greylist-max-o, linking, denied)  
342 2020-11-20 07:17:04.316 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->getDbStats()Ljava/util/ArrayList  
; (greylist-max-o, linking, denied)  
343 2020-11-20 07:17:04.316 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/  
String;)Ljava/lang/String; (blacklist, linking, denied)  
344 2020-11-20 07:17:04.317 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o,  
linking, denied)  
345 2020-11-20 07:17:04.317 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->isReadOnlyLocked()Z (greylist-max-  
o, linking, denied)  
346 2020-11-20 07:17:04.317 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite/  
/SQLiteDatabaseConfiguration;->openFlags:I (greylist-max-o  
, linking, denied)  
347 2020-11-20 07:17:04.318 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->lambda$dumpDatabaseDirectory$0(  
Ljava/io/File;Ljava/io/File;)I (blacklist, linking, denied  
)  
348 2020-11-20 07:17:04.318 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->open()V (greylist-max-o, linking,  
denied)  
349 2020-11-20 07:17:04.318 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->openInner()V (greylist-max-o,  
linking, denied)  
350 2020-11-20 07:17:04.318 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (  
greylist-max-o, linking, denied)  
351 2020-11-20 07:17:04.318 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabaseCorruptException;->isCorruptException  
(Ljava/lang/Throwable;)Z (blacklist, linking, denied)  
352 2020-11-20 07:17:04.319 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;-><init>(Ljava/lang/String;ILandroid
```

```
352 /database/sqlite/SQLiteDatabase$CursorFactory;Landroid/
    database/DatabaseErrorHandler;IIJLjava/lang/String;Ljava/
    lang/String;)V (greylist-max-o, linking, denied)
353 2020-11-20 07:17:04.319 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase$OpenParams;->access$000(Landroid/
    database/sqlite/SQLiteDatabase$OpenParams;)I (blacklist,
    linking, denied)
354 2020-11-20 07:17:04.319 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->openInner()V (greylist-max-o,
    linking, denied)
355 2020-11-20 07:17:04.319 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
356 2020-11-20 07:17:04.319 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteConnectionPool;->open(Landroid/database/
    sqlite/SQLiteDatabaseConfiguration;)Landroid/database/
    sqlite/SQLiteConnectionPool; (greylist-max-o, linking,
    denied)
357 2020-11-20 07:17:04.319 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
358 2020-11-20 07:17:04.320 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabaseConfiguration;->label:Ljava/lang/String; (
    greylist-max-o, linking, denied)
359 2020-11-20 07:17:04.320 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->wipeDetected(Ljava/lang/String;
    Ljava/lang/String;)V (blacklist, linking, denied)
360 2020-11-20 07:17:04.321 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/
    String;)Ljava/lang/String; (blacklist, linking, denied)
361 2020-11-20 07:17:04.321 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->wtfAsSystemServer(Ljava/lang/
    String;Ljava/lang/String;Ljava/lang/Throwable;)V (
    blacklist, linking, denied)
362 2020-11-20 07:17:04.321 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/content/
    ContentResolver;->onDbCorruption(Ljava/lang/String;Ljava/
```

```
362 lang/String;Ljava/lang/Throwable;)V (blacklist, linking,
denied)
363 2020-11-20 07:17:04.321 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
greylist-max-o, linking, denied)
364 2020-11-20 07:17:04.321 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteSession;->yieldTransaction(JZLandroid/os/
CancellationSignal;)Z (greylist-max-o, linking, denied)
365 2020-11-20 07:17:04.321 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->addCustomFunction(Ljava/lang/
String;ILandroid/database/sqlite/
SQLiteDatabase$CustomFunction;)V (greylist-max-o, linking
, denied)
366 2020-11-20 07:17:04.321 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteCustomFunction;-><init>(Ljava/lang/String;
ILandroid/database/sqlite/SQLiteDatabase$CustomFunction;)V
(greylist-max-o, linking, denied)
367 2020-11-20 07:17:04.322 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->createSession()Landroid/database/
sqlite/SQLiteSession; (greylist-max-o, linking, denied)
368 2020-11-20 07:17:04.322 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
, linking, denied)
369 2020-11-20 07:17:04.322 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
max-o, linking, denied)
370 2020-11-20 07:17:04.323 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
, linking, denied)
371 2020-11-20 07:17:04.323 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
max-o, linking, denied)
372 2020-11-20 07:17:04.323 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
, linking, denied)
373 2020-11-20 07:17:04.323 8739-8831/me.xsg.hellosjtu W/e.xsg
```

```
373 .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
374 2020-11-20 07:17:04.323 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseSession;->endTransaction(Landroid/os/
    CancellationSignal;)V (greylist-max-o, linking, denied)
375 2020-11-20 07:17:04.324 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->executeSql(Ljava/lang/String;[
    Ljava/lang/Object;)I (greylist-max-o, linking, denied)
376 2020-11-20 07:17:04.324 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1
    line
377 2020-11-20 07:17:04.324 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->executeSql(Ljava/lang/String;[
    Ljava/lang/Object;)I (greylist-max-o, linking, denied)
378 2020-11-20 07:17:04.324 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
379 2020-11-20 07:17:04.325 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist-max-o
    , linking, denied)
380 2020-11-20 07:17:04.325 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist-max-o
    , linking, denied)
381 2020-11-20 07:17:04.325 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseConnectionPool;->disableIdleConnectionHandler
    ()V (greylist-max-o, linking, denied)
382 2020-11-20 07:17:04.325 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseConnectionPool;->
    closeAvailableNonPrimaryConnectionsAndLogExceptions()V (
    greylist-max-o, linking, denied)
383 2020-11-20 07:17:04.325 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseConnectionPool;->
    closeAvailableNonPrimaryConnectionsAndLogExceptions()V (
    greylist-max-o, linking, denied)
384 2020-11-20 07:17:04.325 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
```

```
384 sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o,
linking, denied)
385 2020-11-20 07:17:04.325 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
, linking, denied)
386 2020-11-20 07:17:04.325 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist-max-o
, linking, denied)
387 2020-11-20 07:17:04.325 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteDatabaseConfiguration;->path:Ljava/lang/String; (
greylist-max-o, linking, denied)
388 2020-11-20 07:17:04.325 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->getLabel():Ljava/lang/String; (
greylist-max-o, linking, denied)
389 2020-11-20 07:17:04.326 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
, linking, denied)
390 2020-11-20 07:17:04.326 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteDatabaseConfiguration;->label:Ljava/lang/String; (
greylist-max-o, linking, denied)
391 2020-11-20 07:17:04.326 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
, linking, denied)
392 2020-11-20 07:17:04.326 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteDatabaseConfiguration;->path:Ljava/lang/String; (
greylist-max-o, linking, denied)
393 2020-11-20 07:17:04.326 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z)
I (greylist-max-o, linking, denied)
394 2020-11-20 07:17:04.326 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o,
linking, denied)
395 2020-11-20 07:17:04.326 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o,
linking, denied)
```

```
396 2020-11-20 07:17:04.327 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteSession;->hasTransaction()Z (greylist-max-o,
    linking, denied)
397 2020-11-20 07:17:04.327 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/content/
    ContentValues;->isEmpty()Z (greylist-max-o, linking,
    denied)
398 2020-11-20 07:17:04.327 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteSession;->hasConnection()Z (greylist-max-o,
    linking, denied)
399 2020-11-20 07:17:04.328 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isInMemoryDatabase()Z (greylist-
    max-o, linking, denied)
400 2020-11-20 07:17:04.328 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
401 2020-11-20 07:17:04.328 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseConfiguration;->isInMemoryDb()Z (
    greylist-max-o, linking, denied)
402 2020-11-20 07:17:04.329 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
403 2020-11-20 07:17:04.329 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
404 2020-11-20 07:17:04.329 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isReadOnlyLocked()Z (greylist-max-
    o, linking, denied)
405 2020-11-20 07:17:04.329 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
406 2020-11-20 07:17:04.330 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
407 2020-11-20 07:17:04.330 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
```

```
407 sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o,
linking, denied)
408 2020-11-20 07:17:04.330 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->onCorruption()V (greylist-max-o,
linking, denied)
409 2020-11-20 07:17:04.331 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (
greylist-max-o, linking, denied)
410 2020-11-20 07:17:04.332 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteDatabase;->mCursorFactory:Landroid/database/sqlite/
SQLiteDatabase$CursorFactory; (greylist-max-o, linking,
denied)
411 2020-11-20 07:17:04.332 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
, linking, denied)
412 2020-11-20 07:17:04.332 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
max-o, linking, denied)
413 2020-11-20 07:17:04.333 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
, linking, denied)
414 2020-11-20 07:17:04.333 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
max-o, linking, denied)
415 2020-11-20 07:17:04.333 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
, linking, denied)
416 2020-11-20 07:17:04.333 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
max-o, linking, denied)
417 2020-11-20 07:17:04.334 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
, linking, denied)
418 2020-11-20 07:17:04.334 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
```

```
418 max-o, linking, denied)
419 2020-11-20 07:17:04.334 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->setTransactionSuccessful()V (
        greylist-max-o, linking, denied)
420 2020-11-20 07:17:04.334 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/content/
    ContentValues;->isEmpty()Z (greylist-max-o, linking,
    denied)
421 2020-11-20 07:17:04.335 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z)
    I (greylist-max-o, linking, denied)
422 2020-11-20 07:17:04.335 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
        greylist-max-o, linking, denied)
423 2020-11-20 07:17:04.336 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1
    line
424 2020-11-20 07:17:04.336 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
        greylist-max-o, linking, denied)
425 2020-11-20 07:17:04.483 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Current dex file has more than one class in it
    . Calling RetransformClasses on this class might fail if
    no transformations are applied to it!
426 2020-11-20 07:17:04.484 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;-><init>(Landroid/database/sqlite/
    SQLiteDatabase;Ljava/lang/String;[Ljava/lang/Object;
    Landroid/os/CancellationSignal;)V (greylist-max-o, linking
    , denied)
427 2020-11-20 07:17:04.484 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->getSession()Landroid/database/
    sqlite/SQLiteDatabase; (greylist-max-o, linking, denied)
428 2020-11-20 07:17:04.484 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->onCorruption()V (greylist-max-o,
    linking, denied)
429 2020-11-20 07:17:04.484 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->getSession()Landroid/database/
    sqlite/SQLiteDatabase; (greylist-max-o, linking, denied)
```

```
430 2020-11-20 07:17:04.484 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->onCorruption()V (greylist-max-o,
    linking, denied)
431 2020-11-20 07:17:04.484 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->getSession()Landroid/database/
    sqlite/SQLiteSession; (greylist-max-o, linking, denied)
432 2020-11-20 07:17:04.484 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->onCorruption()V (greylist-max-o,
    linking, denied)
433 2020-11-20 07:17:04.484 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->getSession()Landroid/database/
    sqlite/SQLiteSession; (greylist-max-o, linking, denied)
434 2020-11-20 07:17:04.484 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->onCorruption()V (greylist-max-o,
    linking, denied)
435 2020-11-20 07:17:04.484 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->getSession()Landroid/database/
    sqlite/SQLiteSession; (greylist-max-o, linking, denied)
436 2020-11-20 07:17:04.484 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->onCorruption()V (greylist-max-o,
    linking, denied)
437 2020-11-20 07:17:04.484 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->getSession()Landroid/database/
    sqlite/SQLiteSession; (greylist-max-o, linking, denied)
438 2020-11-20 07:17:04.484 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->onCorruption()V (greylist-max-o,
    linking, denied)
439 2020-11-20 07:17:04.484 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->getSql()Ljava/lang/String; (
    greylist-max-o, linking, denied)
440 2020-11-20 07:17:04.607 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;-><init>(Landroid/database/sqlite/
    SQLiteDatabase;Ljava/lang/String;[Ljava/lang/Object;
    Landroid/os/CancellationSignal;)V (greylist-max-o, linking
    , denied)
```

```
441 2020-11-20 07:17:04.607 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->getSession()Landroid/database/
    sqlite/SQLiteSession; (greylist-max-o, linking, denied)
442 2020-11-20 07:17:04.607 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->onCorruption()V (greylist-max-o,
    linking, denied)
443 2020-11-20 07:17:04.607 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->getSession()Landroid/database/
    sqlite/SQLiteSession; (greylist-max-o, linking, denied)
444 2020-11-20 07:17:04.607 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->onCorruption()V (greylist-max-o,
    linking, denied)
445 2020-11-20 07:17:04.607 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->getSession()Landroid/database/
    sqlite/SQLiteSession; (greylist-max-o, linking, denied)
446 2020-11-20 07:17:04.607 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->onCorruption()V (greylist-max-o,
    linking, denied)
447 2020-11-20 07:17:04.607 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->getSession()Landroid/database/
    sqlite/SQLiteSession; (greylist-max-o, linking, denied)
448 2020-11-20 07:17:04.607 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->onCorruption()V (greylist-max-o,
    linking, denied)
449 2020-11-20 07:17:04.608 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->getSession()Landroid/database/
    sqlite/SQLiteSession; (greylist-max-o, linking, denied)
450 2020-11-20 07:17:04.608 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->onCorruption()V (greylist-max-o,
    linking, denied)
451 2020-11-20 07:17:04.608 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->getSession()Landroid/database/
    sqlite/SQLiteSession; (greylist-max-o, linking, denied)
452 2020-11-20 07:17:04.608 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
```

```
452 sqlite/SQLiteProgram; ->onCorruption()V (greylist-max-o,
linking, denied)
453 2020-11-20 07:17:04.608 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteProgram; ->getSql()Ljava/lang/String; (
greylist-max-o, linking, denied)
454 2020-11-20 07:17:04.717 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteProgram; -><init>(Landroid/database/sqlite/
SQLiteDatabase;Ljava/lang/String;[Ljava/lang/Object;
Landroid/os/CancellationSignal;)V (greylist-max-o, linking
, denied)
455 2020-11-20 07:17:04.717 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteProgram; ->getSession()Landroid/database/
sqlite/SQLiteSession; (greylist-max-o, linking, denied)
456 2020-11-20 07:17:04.717 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteProgram; ->onCorruption()V (greylist-max-o,
linking, denied)
457 2020-11-20 07:17:04.717 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteProgram; ->getSession()Landroid/database/
sqlite/SQLiteSession; (greylist-max-o, linking, denied)
458 2020-11-20 07:17:04.717 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteProgram; ->onCorruption()V (greylist-max-o,
linking, denied)
459 2020-11-20 07:17:04.717 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteProgram; ->getSession()Landroid/database/
sqlite/SQLiteSession; (greylist-max-o, linking, denied)
460 2020-11-20 07:17:04.717 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteProgram; ->onCorruption()V (greylist-max-o,
linking, denied)
461 2020-11-20 07:17:04.717 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteProgram; ->getSession()Landroid/database/
sqlite/SQLiteSession; (greylist-max-o, linking, denied)
462 2020-11-20 07:17:04.717 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteProgram; ->onCorruption()V (greylist-max-o,
linking, denied)
463 2020-11-20 07:17:04.717 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
```

```
463 sqlite/SQLiteProgram;->getSession()Landroid/database/
    sqlite/SQLiteDatabase; (greylist-max-o, linking, denied)
464 2020-11-20 07:17:04.717 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->onCorruption()V (greylist-max-o,
    linking, denied)
465 2020-11-20 07:17:04.717 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->getSession()Landroid/database/
    sqlite/SQLiteDatabase; (greylist-max-o, linking, denied)
466 2020-11-20 07:17:04.717 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->onCorruption()V (greylist-max-o,
    linking, denied)
467 2020-11-20 07:17:04.717 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteProgram;->getSql()Ljava/lang/String; (
    greylist-max-o, linking, denied)
468 2020-11-20 07:17:04.834 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;-><clinit>()V (blacklist, linking,
    denied)
469 2020-11-20 07:17:04.835 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->DEBUG_CLOSE_IDLE_CONNECTIONS:Z (greylist
    -max-o, linking, denied)
470 2020-11-20 07:17:04.835 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
471 2020-11-20 07:17:04.835 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;-><init>(Ljava/lang/String;ILandroid
    /database/sqlite/SQLiteDatabase$CursorFactory;Landroid/
    database/DatabaseErrorHandler;IIJLjava/lang/String;Ljava/
    lang/String;)V (greylist-max-o, linking, denied)
472 2020-11-20 07:17:04.835 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/-$$Lambda$RBWjWVyGrOTsQrLCYzJ_G8Uk25Q;-><init>(
    Landroid/database/sqlite/SQLiteDatabase;)V (blacklist,
    linking, denied)
473 2020-11-20 07:17:04.836 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z)
    I (greylist-max-o, linking, denied)
474 2020-11-20 07:17:04.836 8739-8831/me.xsg.hellosjtu W/e.xsg
```

```
474 .hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o  
, linking, denied)  
475 2020-11-20 07:17:04.836 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabaseConnectionPool;->collectDbStats(Ljava/util/  
ArrayList;)V (greylist-max-o, linking, denied)  
476 2020-11-20 07:17:04.836 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase$OpenParams;->toBuilder()Landroid/  
database/sqlite/SQLiteDatabase$OpenParams$Builder; (  
greylist-max-o, linking, denied)  
477 2020-11-20 07:17:04.837 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->deleteDatabase(Ljava/io/File;Z)Z (  
blacklist, linking, denied)  
478 2020-11-20 07:17:04.837 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->deleteDatabase(Ljava/io/File;Z)Z (  
blacklist, linking, denied)  
479 2020-11-20 07:17:04.837 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase$1;-><init>(Ljava/lang/String;)V (  
blacklist, linking, denied)  
480 2020-11-20 07:17:04.838 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o,  
linking, denied)  
481 2020-11-20 07:17:04.838 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o  
, linking, denied)  
482 2020-11-20 07:17:04.838 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite/  
SQLiteDatabase;->mCloseGuardLocked:Ldalvik/system/  
CloseGuard; (greylist-max-o, linking, denied)  
483 2020-11-20 07:17:04.838 8739-8831/me.xsg.hellosjtu I/  
chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1  
line  
484 2020-11-20 07:17:04.838 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite/  
SQLiteDatabase;->mCloseGuardLocked:Ldalvik/system/  
CloseGuard; (greylist-max-o, linking, denied)  
485 2020-11-20 07:17:04.838 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite/  
SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
```

```
485 ; (greylist-max-o, linking, denied)
486 2020-11-20 07:17:04.838 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
487 2020-11-20 07:17:04.839 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dump(Landroid/util/Printer;
    ZZLandroid/util/ArraySet;)V (blacklist, linking, denied)
488 2020-11-20 07:17:04.839 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
489 2020-11-20 07:17:04.839 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabasePool;->dump(Landroid/util/Printer;
    ZLandroid/util/ArraySet;)V (blacklist, linking, denied)
490 2020-11-20 07:17:04.839 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dumpAll(Landroid/util/Printer;ZZ)V
    (blacklist, linking, denied)
491 2020-11-20 07:17:04.840 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dump(Landroid/util/Printer;
    ZZLandroid/util/ArraySet;)V (blacklist, linking, denied)
492 2020-11-20 07:17:04.840 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dumpDatabaseDirectory(Landroid/
    util/Printer;Ljava/io/File;Z)V (blacklist, linking, denied
    )
493 2020-11-20 07:17:04.841 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dumpDatabaseDirectory(Landroid/
    util/Printer;Ljava/io/File;Z)V (blacklist, linking, denied
    )
494 2020-11-20 07:17:04.841 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /-$Lambda$SQLiteDatabase$1FsSJH2q7x3eeDFXCAu9l4piDsE;->
    INSTANCE:Landroid/database/sqlite/-
    $$Lambda$SQLiteDatabase$1FsSJH2q7x3eeDFXCAu9l4piDsE; (
    blacklist, linking, denied)
495 2020-11-20 07:17:04.841 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/
    String;)Ljava/lang/String; (blacklist, linking, denied)
496 2020-11-20 07:17:04.842 8739-8831/me.xsg.hellosjtu W/e.xsg
```

```
496 .hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap  
; (greylist-max-o, linking, denied)  
497 2020-11-20 07:17:04.842 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap  
; (greylist-max-o, linking, denied)  
498 2020-11-20 07:17:04.843 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->getDbStats()Ljava/util/ArrayList  
; (greylist-max-o, linking, denied)  
499 2020-11-20 07:17:04.843 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/  
String;)Ljava/lang/String; (blacklist, linking, denied)  
500 2020-11-20 07:17:04.843 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o,  
linking, denied)  
501 2020-11-20 07:17:04.844 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->isReadOnlyLocked()Z (greylist-max-  
o, linking, denied)  
502 2020-11-20 07:17:04.844 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabaseConfiguration;->openFlags:I (greylist-max-o  
, linking, denied)  
503 2020-11-20 07:17:04.844 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->lambda$dumpDatabaseDirectory$0(  
Ljava/io/File;Ljava/io/File;)I (blacklist, linking, denied  
)  
504 2020-11-20 07:17:04.845 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->open()V (greylist-max-o, linking,  
denied)  
505 2020-11-20 07:17:04.845 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->openInner()V (greylist-max-o,  
linking, denied)  
506 2020-11-20 07:17:04.845 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (  
greylist-max-o, linking, denied)  
507 2020-11-20 07:17:04.845 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/
```

```
507  sqlite/SQLiteDatabaseCorruptException;->isCorruptException
      (Ljava/lang/Throwable;)Z (blacklist, linking, denied)
508  2020-11-20 07:17:04.846 8739-8831/me.xsg.hellosjtu W/e.xsg
      .hellosjt: Accessing hidden method Landroid/database/
      sqlite/SQLiteDatabase;-><init>(Ljava/lang/String;ILandroid
      /database/sqlite/SQLiteDatabase$CursorFactory;Landroid/
      database/DatabaseErrorHandler;IIJLjava/lang/String;Ljava/
      lang/String;)V (greylist-max-o, linking, denied)
509  2020-11-20 07:17:04.846 8739-8831/me.xsg.hellosjtu W/e.xsg
      .hellosjt: Accessing hidden method Landroid/database/
      sqlite/SQLiteDatabase$OpenHelper;->access$000(Landroid/
      database/sqlite/SQLiteDatabase$OpenHelper;)I (blacklist,
      linking, denied)
510  2020-11-20 07:17:04.846 8739-8831/me.xsg.hellosjtu W/e.xsg
      .hellosjt: Accessing hidden method Landroid/database/
      sqlite/SQLiteDatabase;->openInner()V (greylist-max-o,
      linking, denied)
511  2020-11-20 07:17:04.846 8739-8831/me.xsg.hellosjtu W/e.xsg
      .hellosjt: Accessing hidden field Landroid/database/sqlite
      /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
      , linking, denied)
512  2020-11-20 07:17:04.847 8739-8831/me.xsg.hellosjtu W/e.xsg
      .hellosjt: Accessing hidden method Landroid/database/
      sqlite/SQLiteDatabaseConnectionPool;->open(Landroid/database/
      sqlite/SQLiteDatabaseConfiguration;)Landroid/database/
      sqlite/SQLiteDatabaseConnectionPool; (greylist-max-o, linking,
      denied)
513  2020-11-20 07:17:04.847 8739-8831/me.xsg.hellosjtu W/e.xsg
      .hellosjt: Accessing hidden method Landroid/database/
      sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
      max-o, linking, denied)
514  2020-11-20 07:17:04.848 8739-8831/me.xsg.hellosjtu W/e.xsg
      .hellosjt: Accessing hidden field Landroid/database/sqlite
      /SQLiteDatabaseConfiguration;->label:Ljava/lang/String; ((
      greylist-max-o, linking, denied)
515  2020-11-20 07:17:04.848 8739-8831/me.xsg.hellosjtu W/e.xsg
      .hellosjt: Accessing hidden method Landroid/database/
      sqlite/SQLiteDatabase;->wipeDetected(Ljava/lang/String;
      Ljava/lang/String;)V (blacklist, linking, denied)
516  2020-11-20 07:17:04.848 8739-8831/me.xsg.hellosjtu W/e.xsg
      .hellosjt: Accessing hidden method Landroid/database/
      sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/
      String;)Ljava/lang/String; (blacklist, linking, denied)
517  2020-11-20 07:17:04.849 8739-8831/me.xsg.hellosjtu W/e.xsg
      .hellosjt: Accessing hidden method Landroid/database/
      sqlite/SQLiteDatabase;->wtfAsSystemServer(Ljava/lang/
```

```
517 String;Ljava/lang/String;Ljava/lang/Throwable;)V (
    blacklist, linking, denied)
518 2020-11-20 07:17:04.849 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/content/
    ContentResolver;->onDbCorruption(Ljava/lang/String;Ljava/
    lang/String;Ljava/lang/Throwable;)V (blacklist, linking,
    denied)
519 2020-11-20 07:17:04.850 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
    greylist-max-o, linking, denied)
520 2020-11-20 07:17:04.850 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteSession;->yieldTransaction(JZLandroid/os/
    CancellationSignal;)Z (greylist-max-o, linking, denied)
521 2020-11-20 07:17:04.851 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->addCustomFunction(Ljava/lang/
    String;ILandroid/database/sqlite/
    SQLiteDatabase$CustomFunction;)V (greylist-max-o, linking
    , denied)
522 2020-11-20 07:17:04.851 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteCustomFunction;-><init>(Ljava/lang/String;
    ILandroid/database/sqlite/SQLiteDatabase$CustomFunction;)V
    (greylist-max-o, linking, denied)
523 2020-11-20 07:17:04.852 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->createSession()Landroid/database/
    sqlite/SQLiteSession; (greylist-max-o, linking, denied)
524 2020-11-20 07:17:04.852 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
525 2020-11-20 07:17:04.853 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
526 2020-11-20 07:17:04.853 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
527 2020-11-20 07:17:04.854 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
```

```
528 2020-11-20 07:17:04.854 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
529 2020-11-20 07:17:04.854 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
530 2020-11-20 07:17:04.854 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteSession;->endTransaction(Landroid/os/
    CancellationSignal;)V (greylist-max-o, linking, denied)
531 2020-11-20 07:17:04.854 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->executeSql(Ljava/lang/String;[
    Ljava/lang/Object;)I (greylist-max-o, linking, denied)
532 2020-11-20 07:17:04.855 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1
    line
533 2020-11-20 07:17:04.855 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->executeSql(Ljava/lang/String;[
    Ljava/lang/Object;)I (greylist-max-o, linking, denied)
534 2020-11-20 07:17:04.856 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
535 2020-11-20 07:17:04.856 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist-max-o
    , linking, denied)
536 2020-11-20 07:17:04.856 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist-max-o
    , linking, denied)
537 2020-11-20 07:17:04.856 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteConnectionPool;->disableIdleConnectionHandler
    ()V (greylist-max-o, linking, denied)
538 2020-11-20 07:17:04.856 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteConnectionPool;->
    closeAvailableNonPrimaryConnectionsAndLogExceptions()V (
    greylist-max-o, linking, denied)
539 2020-11-20 07:17:04.856 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
```

```
539 sqlite/SQLiteDatabasePool; ->
    closeAvailableNonPrimaryConnectionsAndLogExceptions()V (
        greylist-max-o, linking, denied)
540 2020-11-20 07:17:04.857 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase; ->dispose(Z)V (greylist-max-o,
        linking, denied)
541 2020-11-20 07:17:04.857 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase; ->mLock:Ljava/lang/Object; (greylist-max-o
        , linking, denied)
542 2020-11-20 07:17:04.857 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase; ->mHasAttachedDbsLocked:Z (greylist-max-o
        , linking, denied)
543 2020-11-20 07:17:04.858 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabaseConfiguration; ->path:Ljava/lang/String; (
        greylist-max-o, linking, denied)
544 2020-11-20 07:17:04.858 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase; ->getLabel()Ljava/lang/String; (
        greylist-max-o, linking, denied)
545 2020-11-20 07:17:04.858 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase; ->mLock:Ljava/lang/Object; (greylist-max-o
        , linking, denied)
546 2020-11-20 07:17:04.858 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabaseConfiguration; ->label:Ljava/lang/String; (
        greylist-max-o, linking, denied)
547 2020-11-20 07:17:04.859 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase; ->mLock:Ljava/lang/Object; (greylist-max-o
        , linking, denied)
548 2020-11-20 07:17:04.859 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabaseConfiguration; ->path:Ljava/lang/String; (
        greylist-max-o, linking, denied)
549 2020-11-20 07:17:04.859 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase; ->getThreadDefaultConnectionFlags(Z)
    I (greylist-max-o, linking, denied)
550 2020-11-20 07:17:04.860 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase; ->isMainThread()Z (greylist-max-o,
```

```
550 linking, denied)
551 2020-11-20 07:17:04.861 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o,
    linking, denied)
552 2020-11-20 07:17:04.861 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteSession;->hasTransaction()Z (greylist-max-o,
    linking, denied)
553 2020-11-20 07:17:04.861 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/content/
    ContentValues;->isEmpty()Z (greylist-max-o, linking,
    denied)
554 2020-11-20 07:17:04.862 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteSession;->hasConnection()Z (greylist-max-o,
    linking, denied)
555 2020-11-20 07:17:04.862 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isInMemoryDatabase()Z (greylist-
    max-o, linking, denied)
556 2020-11-20 07:17:04.862 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
557 2020-11-20 07:17:04.863 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseConfiguration;->isInMemoryDb()Z (
    greylist-max-o, linking, denied)
558 2020-11-20 07:17:04.863 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
559 2020-11-20 07:17:04.864 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
560 2020-11-20 07:17:04.864 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isReadOnlyLocked()Z (greylist-max-
    o, linking, denied)
561 2020-11-20 07:17:04.864 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
562 2020-11-20 07:17:04.865 8739-8831/me.xsg.hellosjtu W/e.xsg
```

```
562 .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
563 2020-11-20 07:17:04.865 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o,
    linking, denied)
564 2020-11-20 07:17:04.866 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->onCorruption()V (greylist-max-o,
    linking, denied)
565 2020-11-20 07:17:04.866 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (
    greylist-max-o, linking, denied)
566 2020-11-20 07:17:04.867 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mCursorFactory:Landroid/database/sqlite/
    SQLiteDatabase$CursorFactory; (greylist-max-o, linking,
    denied)
567 2020-11-20 07:17:04.868 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
568 2020-11-20 07:17:04.868 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
569 2020-11-20 07:17:04.869 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
570 2020-11-20 07:17:04.869 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
571 2020-11-20 07:17:04.870 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
572 2020-11-20 07:17:04.871 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
573 2020-11-20 07:17:04.871 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
```

```
573 /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
574 2020-11-20 07:17:04.872 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
575 2020-11-20 07:17:04.873 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseSession;->setTransactionSuccessful()V (
    greylist-max-o, linking, denied)
576 2020-11-20 07:17:04.874 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/content/
    ContentValues;->isEmpty()Z (greylist-max-o, linking,
    denied)
577 2020-11-20 07:17:04.874 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z)
    I (greylist-max-o, linking, denied)
578 2020-11-20 07:17:04.875 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
    greylist-max-o, linking, denied)
579 2020-11-20 07:17:04.875 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1
    line
580 2020-11-20 07:17:04.875 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
    greylist-max-o, linking, denied)
581 2020-11-20 07:17:05.029 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;-><clinit>()V (blacklist, linking,
    denied)
582 2020-11-20 07:17:05.029 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->DEBUG_CLOSE_IDLE_CONNECTIONS:Z (greylist-
    max-o, linking, denied)
583 2020-11-20 07:17:05.029 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
584 2020-11-20 07:17:05.029 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;-><init>(Ljava/lang/String;ILandroid
    /database/sqlite/SQLiteDatabase$CursorFactory;Landroid/
    database/DatabaseErrorHandler;IIJLjava/lang/String;Ljava/
```

```
584 lang/String;)V (greylist-max-o, linking, denied)
585 2020-11-20 07:17:05.029 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        sqlite/-$Lambda$RBWjWVyGrOTsQrLCYzJ_G8Uk25Q;-><init>(
            Landroid/database/sqlite/SQLiteDatabase;)V (blacklist,
            linking, denied)
586 2020-11-20 07:17:05.029 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z)
        I (greylist-max-o, linking, denied)
587 2020-11-20 07:17:05.029 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
        /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
        , linking, denied)
588 2020-11-20 07:17:05.029 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteConnectionPool;->collectDbStats(Ljava/util/
        ArrayList;)V (greylist-max-o, linking, denied)
589 2020-11-20 07:17:05.029 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteDatabase$OpenHelper;->toBuilder()Landroid/
        database/sqlite/SQLiteDatabase$OpenHelper$Builder; (
        greylist-max-o, linking, denied)
590 2020-11-20 07:17:05.030 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteDatabase;->deleteDatabase(Ljava/io/File;Z)Z (
        blacklist, linking, denied)
591 2020-11-20 07:17:05.030 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteDatabase;->deleteDatabase(Ljava/io/File;Z)Z (
        blacklist, linking, denied)
592 2020-11-20 07:17:05.030 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteDatabase$1;-><init>(Ljava/lang/String;)V (
        blacklist, linking, denied)
593 2020-11-20 07:17:05.030 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o,
        linking, denied)
594 2020-11-20 07:17:05.030 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
        /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
        , linking, denied)
595 2020-11-20 07:17:05.030 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
        /SQLiteDatabase;->mCloseGuardLocked:Ldalvik/system/
```

```
595 CloseGuard; (greylist-max-o, linking, denied)
596 2020-11-20 07:17:05.030 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1
    line
597 2020-11-20 07:17:05.031 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mCloseGuardLocked:Ldalvik/system/
    CloseGuard; (greylist-max-o, linking, denied)
598 2020-11-20 07:17:05.031 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
599 2020-11-20 07:17:05.031 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
600 2020-11-20 07:17:05.032 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dump(Landroid/util/Printer;
    ZZLandroid/util/ArraySet;)V (blacklist, linking, denied)
601 2020-11-20 07:17:05.032 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
602 2020-11-20 07:17:05.032 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dump(Landroid/util/Printer;
    ZLandroid/util/ArraySet;)V (blacklist, linking, denied)
603 2020-11-20 07:17:05.032 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dumpAll(Landroid/util/Printer;ZZ)V
    (blacklist, linking, denied)
604 2020-11-20 07:17:05.033 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dump(Landroid/util/Printer;
    ZZLandroid/util/ArraySet;)V (blacklist, linking, denied)
605 2020-11-20 07:17:05.033 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dumpDatabaseDirectory(Landroid/
    util/Printer;Ljava/io/File;Z)V (blacklist, linking, denied
    )
606 2020-11-20 07:17:05.033 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dumpDatabaseDirectory(Landroid/
    util/Printer;Ljava/io/File;Z)V (blacklist, linking, denied
    )
```

```
607 2020-11-20 07:17:05.033 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /-$Lambda$SQLiteDatabase$1FsSJH2q7x3eeDFXCAu9l4piDsE;->
    INSTANCE:Landroid/database/sqlite/-_
    $$Lambda$SQLiteDatabase$1FssJH2q7x3eeDFXCAu9l4piDsE; (
        blacklist, linking, denied)
608 2020-11-20 07:17:05.033 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/
    String;)Ljava/lang/String; (blacklist, linking, denied)
609 2020-11-20 07:17:05.033 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
610 2020-11-20 07:17:05.034 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
611 2020-11-20 07:17:05.034 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getDbStats()Ljava/util/ArrayList
    ; (greylist-max-o, linking, denied)
612 2020-11-20 07:17:05.034 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/
    String;)Ljava/lang/String; (blacklist, linking, denied)
613 2020-11-20 07:17:05.035 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o,
    linking, denied)
614 2020-11-20 07:17:05.035 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isReadOnlyLocked()Z (greylist-max-
    o, linking, denied)
615 2020-11-20 07:17:05.036 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabaseConfiguration;->openFlags:I (greylist-max-o
    , linking, denied)
616 2020-11-20 07:17:05.036 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->lambda$dumpDatabaseDirectory$0(
        Ljava/io/File;Ljava/io/File;)I (blacklist, linking, denied
    )
617 2020-11-20 07:17:05.036 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->open()V (greylist-max-o, linking,
```

```
617 denied)
618 2020-11-20 07:17:05.036 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->openInner()V (greylist-max-o,
    linking, denied)
619 2020-11-20 07:17:05.037 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (
    greylist-max-o, linking, denied)
620 2020-11-20 07:17:05.037 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseCorruptException;->isCorruptException
    (Ljava/lang/Throwable;)Z (blacklist, linking, denied)
621 2020-11-20 07:17:05.037 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;-><init>(Ljava/lang/String;ILandroid
    /database/sqlite/SQLiteDatabase$CursorFactory;Landroid/
    database/DatabaseErrorHandler;IIJLjava/lang/String;Ljava/
    lang/String;)V (greylist-max-o, linking, denied)
622 2020-11-20 07:17:05.037 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase$OpenHelper;->access$000(Landroid/
    database/sqlite/SQLiteDatabase$OpenHelper;)I (blacklist,
    linking, denied)
623 2020-11-20 07:17:05.037 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->openInner()V (greylist-max-o,
    linking, denied)
624 2020-11-20 07:17:05.038 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
625 2020-11-20 07:17:05.038 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteConnectionPool;->open(Landroid/database/
    sqlite/SQLiteDatabaseConfiguration;)Landroid/database/
    sqlite/SQLiteConnectionPool; (greylist-max-o, linking,
    denied)
626 2020-11-20 07:17:05.038 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
627 2020-11-20 07:17:05.038 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabaseConfiguration;->label:Ljava/lang/String; (
    greylist-max-o, linking, denied)
```

628 2020-11-20 07:17:05.039 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->wipeDetected(Ljava/lang/String;
Ljava/lang/String;)V (blacklist, linking, denied)
629 2020-11-20 07:17:05.039 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/
String;)Ljava/lang/String; (blacklist, linking, denied)
630 2020-11-20 07:17:05.039 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->wtfAsSystemServer(Ljava/lang/
String;Ljava/lang/String;Ljava/lang/Throwable;)V (
blacklist, linking, denied)
631 2020-11-20 07:17:05.039 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/content/
ContentResolver;->onDbCorruption(Ljava/lang/String;Ljava/
lang/String;Ljava/lang/Throwable;)V (blacklist, linking,
denied)
632 2020-11-20 07:17:05.040 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
greylist-max-o, linking, denied)
633 2020-11-20 07:17:05.040 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabaseSession;->yieldTransaction(JZLandroid/os/
CancellationSignal;)Z (greylist-max-o, linking, denied)
634 2020-11-20 07:17:05.040 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->addCustomFunction(Ljava/lang/
String;ILandroid/database/sqlite/
SQLiteDatabase\$CustomFunction;)V (greylist-max-o, linking
, denied)
635 2020-11-20 07:17:05.040 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteCustomFunction;-><init>(Ljava/lang/String;
ILandroid/database/sqlite/SQLiteDatabase\$CustomFunction;)V
(greylist-max-o, linking, denied)
636 2020-11-20 07:17:05.040 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->createSession()Landroid/database/
sqlite/SQLiteSession; (greylist-max-o, linking, denied)
637 2020-11-20 07:17:05.041 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
, linking, denied)
638 2020-11-20 07:17:05.041 8739-8831/me.xsg.hellosjtu W/e.xsg

```
638 .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
639 2020-11-20 07:17:05.041 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
640 2020-11-20 07:17:05.041 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
641 2020-11-20 07:17:05.041 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
642 2020-11-20 07:17:05.041 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
643 2020-11-20 07:17:05.042 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->endTransaction(Landroid/os/
    CancellationSignal;)V (greylist-max-o, linking, denied)
644 2020-11-20 07:17:05.042 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->executeSql(Ljava/lang/String;[
    Ljava/lang/Object;)I (greylist-max-o, linking, denied)
645 2020-11-20 07:17:05.042 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1
    line
646 2020-11-20 07:17:05.042 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->executeSql(Ljava/lang/String;[
    Ljava/lang/Object;)I (greylist-max-o, linking, denied)
647 2020-11-20 07:17:05.042 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
648 2020-11-20 07:17:05.043 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist-max-o
    , linking, denied)
649 2020-11-20 07:17:05.043 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist-max-o
    , linking, denied)
```

650 2020-11-20 07:17:05.043 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteConnectionPool;->disableIdleConnectionHandler
()V (greylist-max-o, linking, denied)
651 2020-11-20 07:17:05.043 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteConnectionPool;->
closeAvailableNonPrimaryConnectionsAndLogExceptions()V (greylist-max-o, linking, denied)
652 2020-11-20 07:17:05.043 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteConnectionPool;->
closeAvailableNonPrimaryConnectionsAndLogExceptions()V (greylist-max-o, linking, denied)
653 2020-11-20 07:17:05.043 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o, linking, denied)
654 2020-11-20 07:17:05.044 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o, linking, denied)
655 2020-11-20 07:17:05.044 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist-max-o, linking, denied)
656 2020-11-20 07:17:05.044 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteDatabaseConfiguration;->path:Ljava/lang/String; (greylist-max-o, linking, denied)
657 2020-11-20 07:17:05.044 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (greylist-max-o, linking, denied)
658 2020-11-20 07:17:05.044 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o, linking, denied)
659 2020-11-20 07:17:05.044 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteDatabaseConfiguration;->label:Ljava/lang/String; (greylist-max-o, linking, denied)
660 2020-11-20 07:17:05.044 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o, linking, denied)

```
661 2020-11-20 07:17:05.044 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabaseConfiguration;->path:Ljava/lang/String; (greylist-max-o, linking, denied)
662 2020-11-20 07:17:05.044 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z)I (greylist-max-o, linking, denied)
663 2020-11-20 07:17:05.044 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o, linking, denied)
664 2020-11-20 07:17:05.044 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o, linking, denied)
665 2020-11-20 07:17:05.045 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseSession;->hasTransaction()Z (greylist-max-o, linking, denied)
666 2020-11-20 07:17:05.045 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/content/
    ContentValues;->isEmpty()Z (greylist-max-o, linking, denied)
667 2020-11-20 07:17:05.045 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseSession;->hasConnection()Z (greylist-max-o, linking, denied)
668 2020-11-20 07:17:05.045 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isInMemoryDatabase()Z (greylist-max-o, linking, denied)
669 2020-11-20 07:17:05.045 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o, linking, denied)
670 2020-11-20 07:17:05.045 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseConfiguration;->isInMemoryDb()Z (greylist-max-o, linking, denied)
671 2020-11-20 07:17:05.045 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o, linking, denied)
672 2020-11-20 07:17:05.045 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
```

```
672 /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
673 2020-11-20 07:17:05.045 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isReadOnlyLocked()Z (greylist-max-
    o, linking, denied)
674 2020-11-20 07:17:05.045 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
675 2020-11-20 07:17:05.045 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
676 2020-11-20 07:17:05.046 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o,
    linking, denied)
677 2020-11-20 07:17:05.046 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->onCorruption()V (greylist-max-o,
    linking, denied)
678 2020-11-20 07:17:05.046 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (
    greylist-max-o, linking, denied)
679 2020-11-20 07:17:05.046 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mCursorFactory:Landroid/database/sqlite/
    SQLiteDatabase$CursorFactory; (greylist-max-o, linking,
    denied)
680 2020-11-20 07:17:05.046 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
681 2020-11-20 07:17:05.046 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
682 2020-11-20 07:17:05.046 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
683 2020-11-20 07:17:05.046 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
```

```
683 max-o, linking, denied)
684 2020-11-20 07:17:05.046 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
685 2020-11-20 07:17:05.047 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
686 2020-11-20 07:17:05.047 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
687 2020-11-20 07:17:05.047 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
688 2020-11-20 07:17:05.047 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->setTransactionSuccessful()V (
    greylist-max-o, linking, denied)
689 2020-11-20 07:17:05.047 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/content/
    ContentValues;->isEmpty()Z (greylist-max-o, linking,
    denied)
690 2020-11-20 07:17:05.047 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z)
    I (greylist-max-o, linking, denied)
691 2020-11-20 07:17:05.047 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
    greylist-max-o, linking, denied)
692 2020-11-20 07:17:05.047 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1
    line
693 2020-11-20 07:17:05.048 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
    greylist-max-o, linking, denied)
694 2020-11-20 07:17:05.178 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;-><clinit>()V (blacklist, linking,
    denied)
695 2020-11-20 07:17:05.179 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
```

```
695 /SQLiteDatabase;->DEBUG_CLOSE_IDLE_CONNECTIONS:Z (greylist  
-max-o, linking, denied)  
696 2020-11-20 07:17:05.179 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite/  
SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap  
; (greylist-max-o, linking, denied)  
697 2020-11-20 07:17:05.179 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;-><init>(Ljava/lang/String;ILandroid/  
database/sqlite/SQLiteDatabase$CursorFactory;Landroid/  
database/DatabaseErrorHandler;IIJLjava/lang/String;Ljava/  
lang/String;)V (greylist-max-o, linking, denied)  
698 2020-11-20 07:17:05.179 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/-$$Lambda$RBWjWVyGrOTsQrLCYzJ_G8Uk25Q;-><init>(  
Landroid/database/sqlite/SQLiteDatabase;)V (blacklist,  
linking, denied)  
699 2020-11-20 07:17:05.179 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z)  
I (greylist-max-o, linking, denied)  
700 2020-11-20 07:17:05.179 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite/  
SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o  
, linking, denied)  
701 2020-11-20 07:17:05.179 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteConnectionPool;->collectDbStats(Ljava/util/  
ArrayList;)V (greylist-max-o, linking, denied)  
702 2020-11-20 07:17:05.179 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase$OpenParams;->toBuilder()Landroid/  
database/sqlite/SQLiteDatabase$OpenParams$Builder; (greylist-max-o  
, linking, denied)  
703 2020-11-20 07:17:05.180 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->deleteDatabase(Ljava/io/File;Z)Z (blacklist,  
linking, denied)  
704 2020-11-20 07:17:05.180 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->deleteDatabase(Ljava/io/File;Z)Z (blacklist,  
linking, denied)  
705 2020-11-20 07:17:05.180 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase$1;-><init>(Ljava/lang/String;)V (blacklist,  
linking, denied)
```

```
706 2020-11-20 07:17:05.180 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o,
    linking, denied)
707 2020-11-20 07:17:05.181 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
708 2020-11-20 07:17:05.181 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mCloseGuardLocked:Ldalvik/system/
    CloseGuard; (greylist-max-o, linking, denied)
709 2020-11-20 07:17:05.181 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1
    line
710 2020-11-20 07:17:05.181 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mCloseGuardLocked:Ldalvik/system/
    CloseGuard; (greylist-max-o, linking, denied)
711 2020-11-20 07:17:05.181 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
712 2020-11-20 07:17:05.181 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
713 2020-11-20 07:17:05.182 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dump(Landroid/util/Printer;
    ZZ)Landroid/util/ArraySet;)V (blacklist, linking, denied)
714 2020-11-20 07:17:05.182 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
715 2020-11-20 07:17:05.182 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteConnectionPool;->dump(Landroid/util/Printer;
    Z)Landroid/util/ArraySet;)V (blacklist, linking, denied)
716 2020-11-20 07:17:05.182 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dumpAll(Landroid/util/Printer;ZZ)V
    (blacklist, linking, denied)
717 2020-11-20 07:17:05.183 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dump(Landroid/util/Printer;
```

```
717 ZZLandroid/util/ArraySet;)V (blacklist, linking, denied)
718 2020-11-20 07:17:05.183 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteDatabase;->dumpDatabaseDirectory(Landroid/
            util/Printer;Ljava/io/File;Z)V (blacklist, linking, denied
        )
719 2020-11-20 07:17:05.183 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteDatabase;->dumpDatabaseDirectory(Landroid/
            util/Printer;Ljava/io/File;Z)V (blacklist, linking, denied
        )
720 2020-11-20 07:17:05.184 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
        /-$Lambda$SQLiteDatabase$1FsSJH2q7x3eeDFXCAu9l4piDsE;->
        INSTANCE:Landroid/database/sqlite/-
        $$Lambda$SQLiteDatabase$1FsSJH2q7x3eeDFXCAu9l4piDsE; (
            blacklist, linking, denied)
721 2020-11-20 07:17:05.184 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/
            String;)Ljava/lang/String; (blacklist, linking, denied)
722 2020-11-20 07:17:05.184 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
        /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
        ; (greylist-max-o, linking, denied)
723 2020-11-20 07:17:05.185 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
        /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
        ; (greylist-max-o, linking, denied)
724 2020-11-20 07:17:05.185 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteDatabase;->getDbStats()Ljava/util/ArrayList
        ; (greylist-max-o, linking, denied)
725 2020-11-20 07:17:05.185 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/
            String;)Ljava/lang/String; (blacklist, linking, denied)
726 2020-11-20 07:17:05.186 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o,
        linking, denied)
727 2020-11-20 07:17:05.186 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteDatabase;->isReadOnlyLocked()Z (greylist-max-
        o, linking, denied)
728 2020-11-20 07:17:05.186 8739-8831/me.xsg.hellosjtu W/e.xsg
```

```
728 .hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabaseConfiguration;->openFlags:I (greylist-max-o  
, linking, denied)  
729 2020-11-20 07:17:05.187 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->lambdadb$dumpDatabaseDirectory$0(  
Ljava/io/File;Ljava/io/File;)I (blacklist, linking, denied  
)  
730 2020-11-20 07:17:05.187 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->open()V (greylist-max-o, linking,  
denied)  
731 2020-11-20 07:17:05.187 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->openInner()V (greylist-max-o,  
linking, denied)  
732 2020-11-20 07:17:05.187 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (  
greylist-max-o, linking, denied)  
733 2020-11-20 07:17:05.187 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabaseCorruptException;->isCorruptException  
(Ljava/lang/Throwable;)Z (blacklist, linking, denied)  
734 2020-11-20 07:17:05.188 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;-><init>(Ljava/lang/String;ILandroid  
/database/sqlite/SQLiteDatabase$CursorFactory;Landroid/  
database/DatabaseErrorHandler;IIJLjava/lang/String;Ljava/  
lang/String;)V (greylist-max-o, linking, denied)  
735 2020-11-20 07:17:05.188 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase$OpenParams;->access$000(Landroid/  
database/sqlite/SQLiteDatabase$OpenParams;)I (blacklist,  
linking, denied)  
736 2020-11-20 07:17:05.188 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->openInner()V (greylist-max-o,  
linking, denied)  
737 2020-11-20 07:17:05.188 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o  
, linking, denied)  
738 2020-11-20 07:17:05.188 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabaseConnectionPool;->open(Landroid/database/
```

```
738 sqlite/SQLiteDatabaseConfiguration;)Landroid/database/
    sqlite/SQLiteConnectionPool; (greylist-max-o, linking,
    denied)
739 2020-11-20 07:17:05.189 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
740 2020-11-20 07:17:05.189 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabaseConfiguration;->label:Ljava/lang/String; (
    greylist-max-o, linking, denied)
741 2020-11-20 07:17:05.189 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->wipeDetected(Ljava/lang/String;
    Ljava/lang/String;)V (blacklist, linking, denied)
742 2020-11-20 07:17:05.190 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/
    String;)Ljava/lang/String; (blacklist, linking, denied)
743 2020-11-20 07:17:05.191 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->wtfAsSystemServer(Ljava/lang/
    String;Ljava/lang/String;Ljava/lang/Throwable;)V (
    blacklist, linking, denied)
744 2020-11-20 07:17:05.191 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/content/
    ContentResolver;->onDbCorruption(Ljava/lang/String;Ljava/
    lang/String;Ljava/lang/Throwable;)V (blacklist, linking,
    denied)
745 2020-11-20 07:17:05.191 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
    greylist-max-o, linking, denied)
746 2020-11-20 07:17:05.191 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteSession;->yieldTransaction(JZLandroid/os/
    CancellationSignal;)Z (greylist-max-o, linking, denied)
747 2020-11-20 07:17:05.192 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->addCustomFunction(Ljava/lang/
    String;ILandroid/database/sqlite/
    SQLiteDatabase$CustomFunction;)V (greylist-max-o, linking
    , denied)
748 2020-11-20 07:17:05.192 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteCustomFunction;-><init>(Ljava/lang/String;
```

```
748 Iandroid/database/sqlite/SQLiteDatabase$CustomFunction;)V  
    (greylist-max-o, linking, denied)  
749 2020-11-20 07:17:05.192 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden method Landroid/database/  
    sqlite/SQLiteDatabase;->createSession()Landroid/database/  
    sqlite/SQLiteSession; (greylist-max-o, linking, denied)  
750 2020-11-20 07:17:05.193 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden field Landroid/database/sqlite/  
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o  
    , linking, denied)  
751 2020-11-20 07:17:05.193 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden method Landroid/database/  
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-  
    max-o, linking, denied)  
752 2020-11-20 07:17:05.193 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden field Landroid/database/sqlite/  
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o  
    , linking, denied)  
753 2020-11-20 07:17:05.193 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden method Landroid/database/  
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-  
    max-o, linking, denied)  
754 2020-11-20 07:17:05.194 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden field Landroid/database/sqlite/  
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o  
    , linking, denied)  
755 2020-11-20 07:17:05.194 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden method Landroid/database/  
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-  
    max-o, linking, denied)  
756 2020-11-20 07:17:05.194 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden method Landroid/database/  
    sqlite/SQLiteSession;->endTransaction(Landroid/os/  
    CancellationSignal;)V (greylist-max-o, linking, denied)  
757 2020-11-20 07:17:05.194 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden method Landroid/database/  
    sqlite/SQLiteDatabase;->executeSql(Ljava/lang/String;[  
    Ljava/lang/Object;)I (greylist-max-o, linking, denied)  
758 2020-11-20 07:17:05.194 8739-8831/me.xsg.hellosjtu I/  
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1  
    line  
759 2020-11-20 07:17:05.195 8739-8831/me.xsg.hellosjtu W/e.xsg  
    .hellosjt: Accessing hidden method Landroid/database/  
    sqlite/SQLiteDatabase;->executeSql(Ljava/lang/String;[  
    Ljava/lang/Object;)I (greylist-max-o, linking, denied)  
760 2020-11-20 07:17:05.195 8739-8831/me.xsg.hellosjtu W/e.xsg
```

```
760 .hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o  
, linking, denied)  
761 2020-11-20 07:17:05.196 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist-max-o  
, linking, denied)  
762 2020-11-20 07:17:05.196 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist-max-o  
, linking, denied)  
763 2020-11-20 07:17:05.196 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteConnectionPool;->disableIdleConnectionHandler  
()V (greylist-max-o, linking, denied)  
764 2020-11-20 07:17:05.196 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteConnectionPool;->  
closeAvailableNonPrimaryConnectionsAndLogExceptions()V (greylist-max-o,  
linking, denied)  
765 2020-11-20 07:17:05.196 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteConnectionPool;->  
closeAvailableNonPrimaryConnectionsAndLogExceptions()V (greylist-max-o,  
linking, denied)  
766 2020-11-20 07:17:05.197 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o,  
linking, denied)  
767 2020-11-20 07:17:05.197 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o  
, linking, denied)  
768 2020-11-20 07:17:05.197 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist-max-o  
, linking, denied)  
769 2020-11-20 07:17:05.197 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabaseConfiguration;->path:Ljava/lang/String; (greylist-max-o,  
linking, denied)  
770 2020-11-20 07:17:05.199 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (greylist-max-o,  
linking, denied)  
771 2020-11-20 07:17:05.199 8739-8831/me.xsg.hellosjtu W/e.xsg
```

```
771 .hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o  
, linking, denied)  
772 2020-11-20 07:17:05.200 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabaseConfiguration;->label:Ljava/lang/String; (greylist-max-o  
, linking, denied)  
773 2020-11-20 07:17:05.201 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o  
, linking, denied)  
774 2020-11-20 07:17:05.201 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabaseConfiguration;->path:Ljava/lang/String; (greylist-max-o  
, linking, denied)  
775 2020-11-20 07:17:05.201 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z)  
I (greylist-max-o, linking, denied)  
776 2020-11-20 07:17:05.202 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o,  
linking, denied)  
777 2020-11-20 07:17:05.202 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o,  
linking, denied)  
778 2020-11-20 07:17:05.203 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->hasTransaction()Z (greylist-max-o,  
linking, denied)  
779 2020-11-20 07:17:05.203 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/content/  
ContentValues;->isEmpty()Z (greylist-max-o, linking,  
denied)  
780 2020-11-20 07:17:05.204 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->hasConnection()Z (greylist-max-o,  
linking, denied)  
781 2020-11-20 07:17:05.204 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->isInMemoryDatabase()Z (greylist-  
max-o, linking, denied)  
782 2020-11-20 07:17:05.204 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
```

```
782 , linking, denied)
783 2020-11-20 07:17:05.205 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseConfiguration;->isInMemoryDb()Z (
        greylist-max-o, linking, denied)
784 2020-11-20 07:17:05.205 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
785 2020-11-20 07:17:05.205 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
786 2020-11-20 07:17:05.206 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isReadOnlyLocked()Z (greylist-max-
    o, linking, denied)
787 2020-11-20 07:17:05.206 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
788 2020-11-20 07:17:05.207 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
789 2020-11-20 07:17:05.207 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o,
    linking, denied)
790 2020-11-20 07:17:05.208 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->onCorruption()V (greylist-max-o,
    linking, denied)
791 2020-11-20 07:17:05.208 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (
        greylist-max-o, linking, denied)
792 2020-11-20 07:17:05.209 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->mCursorFactory:Landroid/database/sqlite/
    SQLiteDatabase$CursorFactory; (greylist-max-o, linking,
    denied)
793 2020-11-20 07:17:05.210 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
```

```
794 2020-11-20 07:17:05.211 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
795 2020-11-20 07:17:05.211 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
796 2020-11-20 07:17:05.211 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
797 2020-11-20 07:17:05.212 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
798 2020-11-20 07:17:05.212 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
799 2020-11-20 07:17:05.212 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
800 2020-11-20 07:17:05.212 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
801 2020-11-20 07:17:05.213 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->setTransactionSuccessful()V (
    greylist-max-o, linking, denied)
802 2020-11-20 07:17:05.213 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/content/
    ContentValues;->isEmpty()Z (greylist-max-o, linking,
    denied)
803 2020-11-20 07:17:05.214 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z)
    I (greylist-max-o, linking, denied)
804 2020-11-20 07:17:05.214 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
    greylist-max-o, linking, denied)
805 2020-11-20 07:17:05.214 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1
```

```
805 line
806 2020-11-20 07:17:05.214 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
            greylist-max-o, linking, denied)
807 2020-11-20 07:17:05.328 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Current dex file has more than one class in it
        . Calling RetransformClasses on this class might fail if
            no transformations are applied to it!
808 2020-11-20 07:17:05.328 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
        /SQLiteCursor;->mCount:I (greylist-max-o, linking, denied)
809 2020-11-20 07:17:05.329 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/os/StrictMode
        ;->vmSqliteObjectLeaksEnabled()Z (greylist-max-o, linking
        , denied)
810 2020-11-20 07:17:05.329 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteCursor;->fillWindow(I)V (greylist, linking,
        allowed)
811 2020-11-20 07:17:05.329 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        AbstractWindowedCursor;->clearOrCreateWindow(Ljava/lang/
        String;)V (greylist, linking, allowed)
812 2020-11-20 07:17:05.330 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Lcom/android/internal/
        util/Preconditions;->checkArgumentNonnegative(ILjava/lang/
        String;)I (blacklist, linking, denied)
813 2020-11-20 07:17:05.330 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
        AbstractWindowedCursor;->closeWindow()V (greylist, linking
        , allowed)
814 2020-11-20 07:17:05.331 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
        /SQLiteCursor;->mQuery:Landroid/database/sqlite/
        SQLiteQuery; (greylist, linking, allowed)
815 2020-11-20 07:17:05.331 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
        /SQLiteCursor;->mDriver:Landroid/database/sqlite/
        SQLiteCursorDriver; (greylist-max-o, linking, denied)
816 2020-11-20 07:17:05.331 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
        /SQLiteCursor;->mDriver:Landroid/database/sqlite/
        SQLiteCursorDriver; (greylist-max-o, linking, denied)
817 2020-11-20 07:17:05.331 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
```

```
817 /SQLiteCursor; ->mStackTrace:Ljava/lang/Throwable; ( greylist-max-o, linking, denied)
818 2020-11-20 07:17:05.332 8739-8831/me.xsg.hellosjtu W/e.xsg .hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteProgram;->getSql()Ljava/lang/String; ( greylist-max-o, linking, denied)
819 2020-11-20 07:17:05.332 8739-8831/me.xsg.hellosjtu W/e.xsg .hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteCursor;->mColumnNameMap:Ljava/util/Map; (greylist-max-o, linking, denied)
820 2020-11-20 07:17:05.332 8739-8831/me.xsg.hellosjtu W/e.xsg .hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteCursor;->mColumns:[Ljava/lang/String; (greylist-max-o, linking, denied)
821 2020-11-20 07:17:05.332 8739-8831/me.xsg.hellosjtu W/e.xsg .hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteCursor;->mColumnNameMap:Ljava/util/Map; (greylist-max-o, linking, denied)
822 2020-11-20 07:17:05.332 8739-8831/me.xsg.hellosjtu W/e.xsg .hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteCursor;->mColumnNameMap:Ljava/util/Map; (greylist-max-o, linking, denied)
823 2020-11-20 07:17:05.332 8739-8831/me.xsg.hellosjtu W/e.xsg .hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteCursor;->mColumns:[Ljava/lang/String; (greylist-max-o, linking, denied)
824 2020-11-20 07:17:05.332 8739-8831/me.xsg.hellosjtu W/e.xsg .hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteCursor;->mCount:I (greylist-max-o, linking, denied)
825 2020-11-20 07:17:05.333 8739-8831/me.xsg.hellosjtu W/e.xsg .hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteCursor;->mCount:I (greylist-max-o, linking, denied)
826 2020-11-20 07:17:05.333 8739-8831/me.xsg.hellosjtu W/e.xsg .hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteProgram;->getDatabase()Landroid/database/sqlite/SQLiteDatabase; (greylist-max-o, linking, denied)
827 2020-11-20 07:17:05.333 8739-8831/me.xsg.hellosjtu W/e.xsg .hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteProgram;->getDatabase()Landroid/database/sqlite/SQLiteDatabase; (greylist-max-o, linking, denied)
828 2020-11-20 07:17:05.333 8739-8831/me.xsg.hellosjtu W/e.xsg .hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteCursor;->mFillWindowForwardOnly:Z (greylist-max-o, linking, denied)
829 2020-11-20 07:17:05.333 8739-8831/me.xsg.hellosjtu W/e.xsg .hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteCursor;->mFillWindowForwardOnly:Z (greylist-max-o, linking, denied)
```

```
829 /SQLiteCursor; ->mDriver:Landroid/database/sqlite/
    SQLiteCursorDriver; (greylist-max-o, linking, denied)
830 2020-11-20 07:17:05.333 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteCursor; ->mCount:I (greylist-max-o, linking, denied)
831 2020-11-20 07:17:05.472 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteCursor; ->mCount:I (greylist-max-o, linking, denied)
832 2020-11-20 07:17:05.472 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/os/StrictMode
    ; ->vmSqliteObjectLeaksEnabled()Z (greylist-max-o, linking
    , denied)
833 2020-11-20 07:17:05.472 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Lcom/android/internal/
    util/Preconditions;->checkArgumentNonnegative(ILjava/lang/
    String;)I (blacklist, linking, denied)
834 2020-11-20 07:17:05.472 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteCursor; ->mDriver:Landroid/database/sqlite/
    SQLiteCursorDriver; (greylist-max-o, linking, denied)
835 2020-11-20 07:17:05.472 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteCursor; ->mDriver:Landroid/database/sqlite/
    SQLiteCursorDriver; (greylist-max-o, linking, denied)
836 2020-11-20 07:17:05.473 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteCursor; ->mStackTrace:Ljava/lang/Throwable; (
    greylist-max-o, linking, denied)
837 2020-11-20 07:17:05.473 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getSql()Ljava/lang/String; (
    greylist-max-o, linking, denied)
838 2020-11-20 07:17:05.474 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteCursor; ->mColumnNameMap:Ljava/util/Map; (greylist-
    max-o, linking, denied)
839 2020-11-20 07:17:05.474 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteCursor; ->mColumns:[Ljava/lang/String; (greylist-max
    -o, linking, denied)
840 2020-11-20 07:17:05.474 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteCursor; ->mColumnNameMap:Ljava/util/Map; (greylist-
    max-o, linking, denied)
841 2020-11-20 07:17:05.474 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
```

```
841 /SQLiteCursor; ->mColumnNameMap:Ljava/util/Map; (greylist-
max-o, linking, denied)
842 2020-11-20 07:17:05.474 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteCursor; ->mColumns:[Ljava/lang/String; (greylist-max
-o, linking, denied)
843 2020-11-20 07:17:05.475 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteCursor; ->mCount:I (greylist-max-o, linking, denied)
844 2020-11-20 07:17:05.475 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteCursor; ->mCount:I (greylist-max-o, linking, denied)
845 2020-11-20 07:17:05.475 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->getDatabase()Landroid/database/
sqlite/SQLiteDatabase; (greylist-max-o, linking, denied)
846 2020-11-20 07:17:05.475 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->getDatabase()Landroid/database/
sqlite/SQLiteDatabase; (greylist-max-o, linking, denied)
847 2020-11-20 07:17:05.475 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteCursor; ->mFillWindowForwardOnly:Z (greylist-max-o,
linking, denied)
848 2020-11-20 07:17:05.475 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteCursor; ->mDriver:Landroid/database/sqlite/
SQLiteCursorDriver; (greylist-max-o, linking, denied)
849 2020-11-20 07:17:05.475 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteCursor; ->mCount:I (greylist-max-o, linking, denied)
850 2020-11-20 07:17:05.599 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteCursor; ->mCount:I (greylist-max-o, linking, denied)
851 2020-11-20 07:17:05.599 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/os/StrictMode
;->vmSqliteObjectLeaksEnabled()Z (greylist-max-o, linking
, denied)
852 2020-11-20 07:17:05.600 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Lcom/android/internal/
util/Preconditions;->checkArgumentNonnegative(ILjava/lang/
String;)I (blacklist, linking, denied)
853 2020-11-20 07:17:05.600 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteCursor; ->mDriver:Landroid/database/sqlite/
SQLiteCursorDriver; (greylist-max-o, linking, denied)
```

```
854 2020-11-20 07:17:05.600 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteCursor;->mDriver:Landroid/database/sqlite/
    SQLiteCursorDriver; (greylist-max-o, linking, denied)
855 2020-11-20 07:17:05.600 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteCursor;->mStackTrace:Ljava/lang/Throwable; (
    greylist-max-o, linking, denied)
856 2020-11-20 07:17:05.600 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getSql()Ljava/lang/String; (
    greylist-max-o, linking, denied)
857 2020-11-20 07:17:05.601 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteCursor;->mColumnNameMap:Ljava/util/Map; (greylist-
    max-o, linking, denied)
858 2020-11-20 07:17:05.601 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteCursor;->mColumns:[Ljava/lang/String; (greylist-
    max-o, linking, denied)
859 2020-11-20 07:17:05.601 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteCursor;->mColumnNameMap:Ljava/util/Map; (greylist-
    max-o, linking, denied)
860 2020-11-20 07:17:05.601 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteCursor;->mColumnNameMap:Ljava/util/Map; (greylist-
    max-o, linking, denied)
861 2020-11-20 07:17:05.601 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteCursor;->mColumns:[Ljava/lang/String; (greylist-
    max-o, linking, denied)
862 2020-11-20 07:17:05.602 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteCursor;->mCount:I (greylist-max-o, linking, denied)
863 2020-11-20 07:17:05.602 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    /SQLiteCursor;->mCount:I (greylist-max-o, linking, denied)
864 2020-11-20 07:17:05.602 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getDatabase()Landroid/database/
    sqlite/SQLiteDatabase; (greylist-max-o, linking, denied)
865 2020-11-20 07:17:05.602 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getDatabase()Landroid/database/
    sqlite/SQLiteDatabase; (greylist-max-o, linking, denied)
```

866 2020-11-20 07:17:05.602 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteCursor; ->mFillWindowForwardOnly:Z (greylist-max-o,
linking, denied)

867 2020-11-20 07:17:05.603 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteCursor; ->mDriver:Landroid/database/sqlite/
SQLiteCursorDriver; (greylist-max-o, linking, denied)

868 2020-11-20 07:17:05.603 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteCursor; ->mCount:I (greylist-max-o, linking, denied)

869 2020-11-20 07:17:05.729 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteCursor; ->mCount:I (greylist-max-o, linking, denied)

870 2020-11-20 07:17:05.729 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/os/StrictMode;
->vmSqliteObjectLeaksEnabled()Z (greylist-max-o, linking
, denied)

871 2020-11-20 07:17:05.730 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Lcom/android/internal/
util/Preconditions; ->checkArgumentNonnegative(ILjava/lang/
String;)I (blacklist, linking, denied)

872 2020-11-20 07:17:05.730 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteCursor; ->mDriver:Landroid/database/sqlite/
SQLiteCursorDriver; (greylist-max-o, linking, denied)

873 2020-11-20 07:17:05.730 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteCursor; ->mDriver:Landroid/database/sqlite/
SQLiteCursorDriver; (greylist-max-o, linking, denied)

874 2020-11-20 07:17:05.730 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteCursor; ->mStackTrace:Ljava/lang/Throwable; (
greylist-max-o, linking, denied)

875 2020-11-20 07:17:05.731 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase; ->getSql()Ljava/lang/String; (
greylist-max-o, linking, denied)

876 2020-11-20 07:17:05.731 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteCursor; ->mColumnNameMap:Ljava/util/Map; (greylist-
max-o, linking, denied)

877 2020-11-20 07:17:05.731 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/
SQLiteCursor; ->mColumns:[Ljava/lang/String; (greylist-max
-o, linking, denied)

878 2020-11-20 07:17:05.731 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteCursor;->mColumnNameMap:Ljava/util/Map; (greylist-
max-o, linking, denied)

879 2020-11-20 07:17:05.731 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteCursor;->mColumnNameMap:Ljava/util/Map; (greylist-
max-o, linking, denied)

880 2020-11-20 07:17:05.731 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteCursor;->mColumns:[Ljava/lang/String; (greylist-max
-o, linking, denied)

881 2020-11-20 07:17:05.731 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteCursor;->mCount:I (greylist-max-o, linking, denied)

882 2020-11-20 07:17:05.731 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteCursor;->mCount:I (greylist-max-o, linking, denied)

883 2020-11-20 07:17:05.731 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->getDatabase()Landroid/database/
sqlite/SQLiteDatabase; (greylist-max-o, linking, denied)

884 2020-11-20 07:17:05.732 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->getDatabase()Landroid/database/
sqlite/SQLiteDatabase; (greylist-max-o, linking, denied)

885 2020-11-20 07:17:05.732 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteCursor;->mFillWindowForwardOnly:Z (greylist-max-o,
linking, denied)

886 2020-11-20 07:17:05.732 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteCursor;->mDriver:Landroid/database/sqlite/
SQLiteCursorDriver; (greylist-max-o, linking, denied)

887 2020-11-20 07:17:05.732 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteCursor;->mCount:I (greylist-max-o, linking, denied)

888 2020-11-20 07:17:05.853 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;-><clinit>()V (blacklist, linking,
denied)

889 2020-11-20 07:17:05.853 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite
/SQLiteDatabase;->DEBUG_CLOSE_IDLE_CONNECTIONS:Z (greylist
-max-o, linking, denied)

890 2020-11-20 07:17:05.853 8739-8831/me.xsg.hellosjtu W/e.xsg

```
890 .hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap  
; (greylist-max-o, linking, denied)  
891 2020-11-20 07:17:05.854 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;-><init>(Ljava/lang/String;ILandroid  
/database/sqlite/SQLiteDatabase$CursorFactory;Landroid/  
database/DatabaseErrorHandler;IIJLjava/lang/String;Ljava/  
lang/String;)V (greylist-max-o, linking, denied)  
892 2020-11-20 07:17:05.854 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/-$$Lambda$RBWjWVyGrOTsQrLCYzJ_G8Uk25Q;-><init>(L  
android/database/sqlite/SQLiteDatabase;)V (blacklist,  
linking, denied)  
893 2020-11-20 07:17:05.854 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z)  
I (greylist-max-o, linking, denied)  
894 2020-11-20 07:17:05.854 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden field Landroid/database/sqlite  
/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o  
, linking, denied)  
895 2020-11-20 07:17:05.854 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteConnectionPool;->collectDbStats(Ljava/util/  
ArrayList;)V (greylist-max-o, linking, denied)  
896 2020-11-20 07:17:05.854 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase$OpenHelper;->toBuilder()Landroid/  
database/sqlite/SQLiteDatabase$OpenHelper$Builder; (greylist-max-o  
, linking, denied)  
897 2020-11-20 07:17:05.854 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->deleteDatabase(Ljava/io/File;Z)Z (blacklist,  
linking, denied)  
898 2020-11-20 07:17:05.855 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->deleteDatabase(Ljava/io/File;Z)Z (blacklist,  
linking, denied)  
899 2020-11-20 07:17:05.855 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase$1;-><init>(Ljava/lang/String;)V (blacklist,  
linking, denied)  
900 2020-11-20 07:17:05.855 8739-8831/me.xsg.hellosjtu W/e.xsg  
.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o,
```

```
900 linking, denied)
901 2020-11-20 07:17:05.855 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
902 2020-11-20 07:17:05.855 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mCloseGuardLocked:Ldalvik/system/
    CloseGuard; (greylist-max-o, linking, denied)
903 2020-11-20 07:17:05.855 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1
    line
904 2020-11-20 07:17:05.856 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mCloseGuardLocked:Ldalvik/system/
    CloseGuard; (greylist-max-o, linking, denied)
905 2020-11-20 07:17:05.856 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
906 2020-11-20 07:17:05.856 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
907 2020-11-20 07:17:05.856 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dump(Landroid/util/Printer;
    ZZLandroid/util/ArraySet;)V (blacklist, linking, denied)
908 2020-11-20 07:17:05.856 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
909 2020-11-20 07:17:05.856 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dump(Landroid/util/Printer;
    ZLandroid/util/ArraySet;)V (blacklist, linking, denied)
910 2020-11-20 07:17:05.856 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dumpAll(Landroid/util/Printer;ZZ)V
    (blacklist, linking, denied)
911 2020-11-20 07:17:05.856 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dump(Landroid/util/Printer;
    ZZLandroid/util/ArraySet;)V (blacklist, linking, denied)
912 2020-11-20 07:17:05.857 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
```

```
912 sqlite/SQLiteDatabase;->dumpDatabaseDirectory(Landroid/
    util/Printer;Ljava/io/File;Z)V (blacklist, linking, denied
    )
913 2020-11-20 07:17:05.857 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dumpDatabaseDirectory(Landroid/
    util/Printer;Ljava/io/File;Z)V (blacklist, linking, denied
    )
914 2020-11-20 07:17:05.857 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /-$Lambda$SQLiteDatabase$1FsSJH2q7x3eeDFXCAu9l4piDsE;->
    INSTANCE:Landroid/database/sqlite/-
    $$Lambda$SQLiteDatabase$1FsSJH2q7x3eeDFXCAu9l4piDsE; (
    blacklist, linking, denied)
915 2020-11-20 07:17:05.857 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/
    String;)Ljava/lang/String; (blacklist, linking, denied)
916 2020-11-20 07:17:05.857 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
917 2020-11-20 07:17:05.857 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->sActiveDatabases:Ljava/util/WeakHashMap
    ; (greylist-max-o, linking, denied)
918 2020-11-20 07:17:05.858 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getDbStats()Ljava/util/ArrayList
    ; (greylist-max-o, linking, denied)
919 2020-11-20 07:17:05.858 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/
    String;)Ljava/lang/String; (blacklist, linking, denied)
920 2020-11-20 07:17:05.858 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o,
    linking, denied)
921 2020-11-20 07:17:05.858 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isReadOnlyLocked()Z (greylist-max-
    o, linking, denied)
922 2020-11-20 07:17:05.858 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabaseConfiguration;->openFlags:I (greylist-max-o
    , linking, denied)
```

```
923 2020-11-20 07:17:05.858 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->lambda$dumpDatabaseDirectory$0(
        Ljava/io/File;Ljava/io/File;)I (blacklist, linking, denied
    )
924 2020-11-20 07:17:05.859 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->open()V (greylist-max-o, linking,
    denied)
925 2020-11-20 07:17:05.859 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->openInner()V (greylist-max-o,
    linking, denied)
926 2020-11-20 07:17:05.859 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (
        greylist-max-o, linking, denied)
927 2020-11-20 07:17:05.859 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseCorruptException;->isCorruptException
        (Ljava/lang/Throwable;)Z (blacklist, linking, denied)
928 2020-11-20 07:17:05.859 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;-><init>(Ljava/lang/String;ILandroid
        /database/sqlite/SQLiteDatabase$CursorFactory;Landroid/
        database/DatabaseErrorHandler;IIJLjava/lang/String;Ljava/
        lang/String;)V (greylist-max-o, linking, denied)
929 2020-11-20 07:17:05.860 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase$OpenHelper;->access$000(Landroid/
        database/sqlite/SQLiteDatabase$OpenHelper;)I (blacklist,
    linking, denied)
930 2020-11-20 07:17:05.860 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->openInner()V (greylist-max-o,
    linking, denied)
931 2020-11-20 07:17:05.860 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite/
    SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
932 2020-11-20 07:17:05.860 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteConnectionPool;->open(Landroid/database/
    sqlite/SQLiteDatabaseConfiguration;)Landroid/database/
    sqlite/SQLiteConnectionPool; (greylist-max-o, linking,
    denied)
```

933 2020-11-20 07:17:05.861 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-max-o, linking, denied)

934 2020-11-20 07:17:05.861 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteDatabaseConfiguration;->label:Ljava/lang/String; (greylist-max-o, linking, denied)

935 2020-11-20 07:17:05.861 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->wipeDetected(Ljava/lang/String; Ljava/lang/String;)V (blacklist, linking, denied)

936 2020-11-20 07:17:05.861 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/String;)Ljava/lang/String; (blacklist, linking, denied)

937 2020-11-20 07:17:05.861 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->wtfAsSystemServer(Ljava/lang/String;Ljava/lang/String;Ljava/lang/Throwable;)V (blacklist, linking, denied)

938 2020-11-20 07:17:05.861 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/content/ContentResolver;->onDbCorruption(Ljava/lang/String;Ljava/lang/String;Ljava/lang/Throwable;)V (blacklist, linking, denied)

939 2020-11-20 07:17:05.861 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (greylist-max-o, linking, denied)

940 2020-11-20 07:17:05.862 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabaseSession;->yieldTransaction(JZLandroid/os/CancellationSignal;)Z (greylist-max-o, linking, denied)

941 2020-11-20 07:17:05.862 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->addCustomFunction(Ljava/lang/String;ILandroid/database/sqlite/SQLiteDatabase\$CustomFunction;)V (greylist-max-o, linking, denied)

942 2020-11-20 07:17:05.862 8739-8831/me.xsg.hellosjtu W/e.xsg
.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabaseCustomFunction;-><init>(Ljava/lang/String;ILandroid/database/sqlite/SQLiteDatabase\$CustomFunction;)V (greylist-max-o, linking, denied)

943 2020-11-20 07:17:05.862 8739-8831/me.xsg.hellosjtu W/e.xsg

```
943 .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->createSession()Landroid/database/
    sqlite/SQLiteSession; (greylist-max-o, linking, denied)
944 2020-11-20 07:17:05.863 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
945 2020-11-20 07:17:05.863 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
946 2020-11-20 07:17:05.863 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
947 2020-11-20 07:17:05.863 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
948 2020-11-20 07:17:05.863 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
949 2020-11-20 07:17:05.864 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
    max-o, linking, denied)
950 2020-11-20 07:17:05.864 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->endTransaction(Landroid/os/
    CancellationSignal;)V (greylist-max-o, linking, denied)
951 2020-11-20 07:17:05.864 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->executeSql(Ljava/lang/String;[
    Ljava/lang/Object;)I (greylist-max-o, linking, denied)
952 2020-11-20 07:17:05.864 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1
    line
953 2020-11-20 07:17:05.864 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->executeSql(Ljava/lang/String;[
    Ljava/lang/Object;)I (greylist-max-o, linking, denied)
954 2020-11-20 07:17:05.864 8739-8831/me.xsg.hellosjtu W/e.xsg
    .hellosjt: Accessing hidden field Landroid/database/sqlite
    /SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o
    , linking, denied)
```

```
955 2020-11-20 07:17:05.864 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden field Landroid/database/  
sqlite/SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist  
-max-o, linking, denied)  
956 2020-11-20 07:17:05.865 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden field Landroid/database/  
sqlite/SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist  
-max-o, linking, denied)  
957 2020-11-20 07:17:05.865 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteConnectionPool;->  
disableIdleConnectionHandler()V (greylist-max-o, linking  
, denied)  
958 2020-11-20 07:17:05.865 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteConnectionPool;->  
closeAvailableNonPrimaryConnectionsAndLogExceptions()V (   
greylist-max-o, linking, denied)  
959 2020-11-20 07:17:05.865 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteConnectionPool;->  
closeAvailableNonPrimaryConnectionsAndLogExceptions()V (   
greylist-max-o, linking, denied)  
960 2020-11-20 07:17:05.865 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o,  
linking, denied)  
961 2020-11-20 07:17:05.865 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden field Landroid/database/  
sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (   
greylist-max-o, linking, denied)  
962 2020-11-20 07:17:05.865 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden field Landroid/database/  
sqlite/SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist  
-max-o, linking, denied)  
963 2020-11-20 07:17:05.866 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden field Landroid/database/  
sqlite/SQLiteDatabaseConfiguration;->path:Ljava/lang/  
String; (greylist-max-o, linking, denied)  
964 2020-11-20 07:17:05.866 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (   
greylist-max-o, linking, denied)  
965 2020-11-20 07:17:05.866 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden field Landroid/database/  
sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
```

```
965 greylist-max-o, linking, denied)
966 2020-11-20 07:17:05.866 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabaseConfiguration;->label:Ljava/lang/
    String; (greylist-max-o, linking, denied)
967 2020-11-20 07:17:05.866 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
    greylist-max-o, linking, denied)
968 2020-11-20 07:17:05.866 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabaseConfiguration;->path:Ljava/lang/
    String; (greylist-max-o, linking, denied)
969 2020-11-20 07:17:05.867 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z
)I (greylist-max-o, linking, denied)
970 2020-11-20 07:17:05.867 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o,
linking, denied)
971 2020-11-20 07:17:05.867 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o,
linking, denied)
972 2020-11-20 07:17:05.868 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseSession;->hasTransaction()Z (greylist-max-o
, linking, denied)
973 2020-11-20 07:17:05.868 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/content/
    ContentValues;->isEmpty()Z (greylist-max-o, linking,
denied)
974 2020-11-20 07:17:05.869 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseSession;->hasConnection()Z (greylist-max-o,
linking, denied)
975 2020-11-20 07:17:05.870 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isInMemoryDatabase()Z (greylist-
max-o, linking, denied)
976 2020-11-20 07:17:05.870 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
    greylist-max-o, linking, denied)
977 2020-11-20 07:17:05.871 8739-8831/me.xsg.hellosjtu W/e.
```

```
977 xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseConfiguration;->isInMemoryDb()Z (
        greylist-max-o, linking, denied)
978 2020-11-20 07:17:05.871 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
        greylist-max-o, linking, denied)
979 2020-11-20 07:17:05.871 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
        greylist-max-o, linking, denied)
980 2020-11-20 07:17:05.871 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isReadOnlyLocked()Z (greylist-max-
        -o, linking, denied)
981 2020-11-20 07:17:05.872 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
        greylist-max-o, linking, denied)
982 2020-11-20 07:17:05.872 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-
        -max-o, linking, denied)
983 2020-11-20 07:17:05.873 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o,
        linking, denied)
984 2020-11-20 07:17:05.873 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->onCorruption()V (greylist-max-o,
        linking, denied)
985 2020-11-20 07:17:05.873 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (
        greylist-max-o, linking, denied)
986 2020-11-20 07:17:05.874 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mCursorFactory:Landroid/database/
    sqlite/SQLiteDatabase$CursorFactory; (greylist-max-o,
        linking, denied)
987 2020-11-20 07:17:05.875 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
        greylist-max-o, linking, denied)
988 2020-11-20 07:17:05.875 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
```

```
988 sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist  
-max-o, linking, denied)  
989 2020-11-20 07:17:05.876 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden field Landroid/database/  
sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (  
greylist-max-o, linking, denied)  
990 2020-11-20 07:17:05.876 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist  
-max-o, linking, denied)  
991 2020-11-20 07:17:05.876 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden field Landroid/database/  
sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (  
greylist-max-o, linking, denied)  
992 2020-11-20 07:17:05.876 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist  
-max-o, linking, denied)  
993 2020-11-20 07:17:05.877 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden field Landroid/database/  
sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (  
greylist-max-o, linking, denied)  
994 2020-11-20 07:17:05.877 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist  
-max-o, linking, denied)  
995 2020-11-20 07:17:05.878 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabaseSession;->setTransactionSuccessful()V (  
greylist-max-o, linking, denied)  
996 2020-11-20 07:17:05.878 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden method Landroid/content/  
ContentValues;->isEmpty()Z (greylist-max-o, linking,  
denied)  
997 2020-11-20 07:17:05.878 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z  
)I (greylist-max-o, linking, denied)  
998 2020-11-20 07:17:05.879 8739-8831/me.xsg.hellosjtu W/e.  
xsg.hellosjt: Accessing hidden method Landroid/database/  
sqlite/SQLiteDatabase;->yieldIfContendedHelper(ZJ)Z (  
greylist-max-o, linking, denied)  
999 2020-11-20 07:17:05.879 8739-8831/me.xsg.hellosjtu I/  
chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1  
line  
1000 2020-11-20 07:17:05.879 8739-8831/me.xsg.hellosjtu W/e.
```

```
1000 xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
        greylist-max-o, linking, denied)
1001 2020-11-20 07:17:05.989 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;-><clinit>()V (blacklist, linking,
    denied)
1002 2020-11-20 07:17:05.989 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->DEBUG_CLOSE_IDLE_CONNECTIONS:Z (
        greylist-max-o, linking, denied)
1003 2020-11-20 07:17:05.989 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->sActiveDatabases:Ljava/util/
    WeakHashMap; (greylist-max-o, linking, denied)
1004 2020-11-20 07:17:05.990 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;-><init>(Ljava/lang/String;
    I)I (greylist-max-o, linking, denied)
1005 2020-11-20 07:17:05.990 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/-$$Lambda$RBWjWVyGr0TsQrLCYzJ_G8Uk25Q;-><init>(
    Landroid/database/sqlite/SQLiteDatabase;)V (blacklist,
    linking, denied)
1006 2020-11-20 07:17:05.990 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z
    )I (greylist-max-o, linking, denied)
1007 2020-11-20 07:17:05.990 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
        greylist-max-o, linking, denied)
1008 2020-11-20 07:17:05.990 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteConnectionPool;->collectDbStats(Ljava/util/
    ArrayList;)V (greylist-max-o, linking, denied)
1009 2020-11-20 07:17:05.990 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase$OpenHelper;->toBuilder()Landroid/
    database/sqlite/SQLiteDatabase$OpenHelper$Builder; (
        greylist-max-o, linking, denied)
1010 2020-11-20 07:17:05.990 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
```

```
1010 sqlite/SQLiteDatabase;->deleteDatabase(Ljava/io/File;Z)Z
    (blacklist, linking, denied)
1011 2020-11-20 07:17:05.991 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->deleteDatabase(Ljava/io/File;Z)Z
    (blacklist, linking, denied)
1012 2020-11-20 07:17:05.991 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase$1;-><init>(Ljava/lang/String;)V (
    blacklist, linking, denied)
1013 2020-11-20 07:17:05.992 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o,
    linking, denied)
1014 2020-11-20 07:17:05.992 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
    greylist-max-o, linking, denied)
1015 2020-11-20 07:17:05.992 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mCloseGuardLocked:Ldalvik/system/
    CloseGuard; (greylist-max-o, linking, denied)
1016 2020-11-20 07:17:05.992 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1
    line
1017 2020-11-20 07:17:05.992 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mCloseGuardLocked:Ldalvik/system/
    CloseGuard; (greylist-max-o, linking, denied)
1018 2020-11-20 07:17:05.992 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->sActiveDatabases:Ljava/util/
    WeakHashMap; (greylist-max-o, linking, denied)
1019 2020-11-20 07:17:05.992 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->sActiveDatabases:Ljava/util/
    WeakHashMap; (greylist-max-o, linking, denied)
1020 2020-11-20 07:17:05.993 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->dump(Landroid/util/Printer;
    ZZLandroid/util/ArrayList;)V (blacklist, linking, denied)
1021 2020-11-20 07:17:05.993 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
    greylist-max-o, linking, denied)
1022 2020-11-20 07:17:05.993 8739-8831/me.xsg.hellosjtu W/e.
```

```
1022 xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;:->dump(Landroid/util/Printer;
    ZLandroid/util/ArrayList;)V (blacklist, linking, denied)
1023 2020-11-20 07:17:05.993 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;:->dumpAll(Landroid/util/Printer;ZZ)
    V (blacklist, linking, denied)
1024 2020-11-20 07:17:05.993 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;:->dump(Landroid/util/Printer;
    ZZLandroid/util/ArrayList;)V (blacklist, linking, denied)
1025 2020-11-20 07:17:05.994 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;:->dumpDatabaseDirectory(Landroid/
    util/Printer;Ljava/io/File;Z)V (blacklist, linking,
    denied)
1026 2020-11-20 07:17:05.994 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;:->dumpDatabaseDirectory(Landroid/
    util/Printer;Ljava/io/File;Z)V (blacklist, linking,
    denied)
1027 2020-11-20 07:17:05.994 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/-
    $$Lambda$SQLiteDatabase$1FsSJH2q7x3eeDFXCAu9l4piDsE; ->
    INSTANCE:Landroid/database/sqlite/-
    $$Lambda$SQLiteDatabase$1FsSJH2q7x3eeDFXCAu9l4piDsE; ((
    blacklist, linking, denied)
1028 2020-11-20 07:17:05.995 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;:->getFileTimestamps(Ljava/lang/
    String;)Ljava/lang/String; (blacklist, linking, denied)
1029 2020-11-20 07:17:05.995 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;:->sActiveDatabases:Ljava/util/
    WeakHashMap; (greylist-max-o, linking, denied)
1030 2020-11-20 07:17:05.995 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;:->sActiveDatabases:Ljava/util/
    WeakHashMap; (greylist-max-o, linking, denied)
1031 2020-11-20 07:17:05.995 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;:->getDbStats()Ljava/util/ArrayList
    ; (greylist-max-o, linking, denied)
1032 2020-11-20 07:17:05.995 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
```

```
1032 sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/String;)Ljava/lang/String; (blacklist, linking, denied)
1033 2020-11-20 07:17:05.996 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o, linking, denied)
1034 2020-11-20 07:17:05.996 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->isReadOnlyLocked()Z (greylist-max-o, linking, denied)
1035 2020-11-20 07:17:05.996 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteDatabaseConfiguration;->openFlags:I (greylist-max-o, linking, denied)
1036 2020-11-20 07:17:05.996 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->lambda$dumpDatabaseDirectory$0(Ljava/io/File;Ljava/io/File;)I (blacklist, linking, denied)
1037 2020-11-20 07:17:05.997 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->open()V (greylist-max-o, linking, denied)
1038 2020-11-20 07:17:05.997 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->openInner()V (greylist-max-o, linking, denied)
1039 2020-11-20 07:17:05.997 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (greylist-max-o, linking, denied)
1040 2020-11-20 07:17:05.997 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabaseCorruptException;->isCorruptException(Ljava/lang/Throwable;)Z (blacklist, linking, denied)
1041 2020-11-20 07:17:05.998 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;-><init>(Ljava/lang/String;ILandroid/database/sqlite/SQLiteDatabase$CursorFactory;Landroid/database/DatabaseErrorHandler;IIJLjava/lang/String;Ljava/lang/String;)V (greylist-max-o, linking, denied)
1042 2020-11-20 07:17:05.998 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase$OpenParams;->access$000(Landroid/
```

```
1042 database/sqlite/SQLiteDatabase$OpenParams;)I (blacklist,
linking, denied)
1043 2020-11-20 07:17:05.998 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->openInner()V (greylist-max-o,
linking, denied)
1044 2020-11-20 07:17:05.998 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden field Landroid/database/
sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
greylist-max-o, linking, denied)
1045 2020-11-20 07:17:05.998 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabaseConnectionPool;->open(Landroid/database/
sqlite/SQLiteDatabaseConfiguration;)Landroid/database/
sqlite/SQLiteDatabaseConnectionPool; (greylist-max-o, linking,
denied)
1046 2020-11-20 07:17:05.999 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist
-max-o, linking, denied)
1047 2020-11-20 07:17:05.999 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden field Landroid/database/
sqlite/SQLiteDatabaseConfiguration;->label:Ljava/lang/
String; (greylist-max-o, linking, denied)
1048 2020-11-20 07:17:05.999 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->wipeDetected(Ljava/lang/String;
Ljava/lang/String;)V (blacklist, linking, denied)
1049 2020-11-20 07:17:05.999 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->getFileTimestamps(Ljava/lang/
String;)Ljava/lang/String; (blacklist, linking, denied)
1050 2020-11-20 07:17:05.999 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->wtfAsSystemServer(Ljava/lang/
String;Ljava/lang/String;Ljava/lang/Throwable;)V (
blacklist, linking, denied)
1051 2020-11-20 07:17:06.000 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/content/
ContentResolver;->onDbCorruption(Ljava/lang/String;Ljava/
lang/String;Ljava/lang/Throwable;)V (blacklist, linking,
denied)
1052 2020-11-20 07:17:06.000 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/
sqlite/SQLiteDatabase;->yieldIfContendedHelper(Z)Z (
greylist-max-o, linking, denied)
```

```
1053 2020-11-20 07:17:06.000 8739-8831/me.xsg.hellosjtu W/e.  
    xsg.hellosjt: Accessing hidden method Landroid/database/  
        sqlite/SQLiteDatabaseSession;->yieldTransaction(JZLandroid/os/  
            CancellationSignal;)Z (greylist-max-o, linking, denied)  
1054 2020-11-20 07:17:06.000 8739-8831/me.xsg.hellosjtu W/e.  
    xsg.hellosjt: Accessing hidden method Landroid/database/  
        sqlite/SQLiteDatabase;->addCustomFunction(Ljava/lang/  
            String;ILandroid/database/sqlite/  
                SQLiteDatabase$CustomFunction;)V (greylist-max-o, linking  
            , denied)  
1055 2020-11-20 07:17:06.000 8739-8831/me.xsg.hellosjtu W/e.  
    xsg.hellosjt: Accessing hidden method Landroid/database/  
        sqlite/SQLiteDatabaseCustomFunction;-><init>(Ljava/lang/String;  
            ILandroid/database/sqlite/SQLiteDatabase$CustomFunction;)  
            V (greylist-max-o, linking, denied)  
1056 2020-11-20 07:17:06.001 8739-8831/me.xsg.hellosjtu W/e.  
    xsg.hellosjt: Accessing hidden method Landroid/database/  
        sqlite/SQLiteDatabase;->createSession()Landroid/database/  
            sqlite/SQLiteDatabaseSession; (greylist-max-o, linking, denied)  
1057 2020-11-20 07:17:06.001 8739-8831/me.xsg.hellosjtu W/e.  
    xsg.hellosjt: Accessing hidden field Landroid/database/  
        sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (  
            greylist-max-o, linking, denied)  
1058 2020-11-20 07:17:06.002 8739-8831/me.xsg.hellosjtu W/e.  
    xsg.hellosjt: Accessing hidden method Landroid/database/  
        sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist  
            -max-o, linking, denied)  
1059 2020-11-20 07:17:06.002 8739-8831/me.xsg.hellosjtu W/e.  
    xsg.hellosjt: Accessing hidden field Landroid/database/  
        sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (  
            greylist-max-o, linking, denied)  
1060 2020-11-20 07:17:06.002 8739-8831/me.xsg.hellosjtu W/e.  
    xsg.hellosjt: Accessing hidden method Landroid/database/  
        sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist  
            -max-o, linking, denied)  
1061 2020-11-20 07:17:06.002 8739-8831/me.xsg.hellosjtu W/e.  
    xsg.hellosjt: Accessing hidden field Landroid/database/  
        sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (  
            greylist-max-o, linking, denied)  
1062 2020-11-20 07:17:06.003 8739-8831/me.xsg.hellosjtu W/e.  
    xsg.hellosjt: Accessing hidden method Landroid/database/  
        sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist  
            -max-o, linking, denied)  
1063 2020-11-20 07:17:06.003 8739-8831/me.xsg.hellosjtu W/e.  
    xsg.hellosjt: Accessing hidden method Landroid/database/  
        sqlite/SQLiteDatabaseSession;->endTransaction(Landroid/os/
```

```
1063 CancellationSignal;)V (greylist-max-o, linking, denied)
1064 2020-11-20 07:17:06.003 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteDatabase;->executeSql(Ljava/lang/String;[L
        java/lang/Object;)I (greylist-max-o, linking, denied)
1065 2020-11-20 07:17:06.004 8739-8831/me.xsg.hellosjtu I/
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1
    line
1066 2020-11-20 07:17:06.004 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteDatabase;->executeSql(Ljava/lang/String;[L
        java/lang/Object;)I (greylist-max-o, linking, denied)
1067 2020-11-20 07:17:06.004 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
        sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
    greylist-max-o, linking, denied)
1068 2020-11-20 07:17:06.005 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
        sqlite/SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist
        -max-o, linking, denied)
1069 2020-11-20 07:17:06.005 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
        sqlite/SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist
        -max-o, linking, denied)
1070 2020-11-20 07:17:06.005 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteConnectionPool;->
        disableIdleConnectionHandler()V (greylist-max-o, linking
        , denied)
1071 2020-11-20 07:17:06.005 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteConnectionPool;->
        closeAvailableNonPrimaryConnectionsAndLogExceptions()V (greylist-max-o, linking, denied)
1072 2020-11-20 07:17:06.005 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteConnectionPool;->
        closeAvailableNonPrimaryConnectionsAndLogExceptions()V (greylist-max-o, linking, denied)
1073 2020-11-20 07:17:06.005 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
        sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o, linking, denied)
1074 2020-11-20 07:17:06.006 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
        sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
```

```
1074 greylist-max-o, linking, denied)
1075 2020-11-20 07:17:06.006 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mHasAttachedDbsLocked:Z (greylist-
    -max-o, linking, denied)
1076 2020-11-20 07:17:06.006 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabaseConfiguration;->path:Ljava/lang/
    String; (greylist-max-o, linking, denied)
1077 2020-11-20 07:17:06.006 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getLabel():Ljava/lang/String; (
    greylist-max-o, linking, denied)
1078 2020-11-20 07:17:06.006 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
    greylist-max-o, linking, denied)
1079 2020-11-20 07:17:06.006 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabaseConfiguration;->label:Ljava/lang/
    String; (greylist-max-o, linking, denied)
1080 2020-11-20 07:17:06.006 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
    greylist-max-o, linking, denied)
1081 2020-11-20 07:17:06.007 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabaseConfiguration;->path:Ljava/lang/
    String; (greylist-max-o, linking, denied)
1082 2020-11-20 07:17:06.007 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z
    )I (greylist-max-o, linking, denied)
1083 2020-11-20 07:17:06.007 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o,
    linking, denied)
1084 2020-11-20 07:17:06.007 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->isMainThread()Z (greylist-max-o,
    linking, denied)
1085 2020-11-20 07:17:06.008 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabaseSession;->hasTransaction()Z (greylist-max-o
    , linking, denied)
1086 2020-11-20 07:17:06.008 8739-8831/me.xsg.hellosjtu W/e.
```

```
1086 xsg.hellosjt: Accessing hidden method Landroid/content/ContentValues;->isEmpty()Z (greylist-max-o, linking, denied)
1087 2020-11-20 07:17:06.009 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteSession;->hasConnection()Z (greylist-max-o, linking, denied)
1088 2020-11-20 07:17:06.009 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->isInMemoryDatabase()Z (greylist-max-o, linking, denied)
1089 2020-11-20 07:17:06.010 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o, linking, denied)
1090 2020-11-20 07:17:06.010 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabaseConfiguration;->isInMemoryDb()Z (greylist-max-o, linking, denied)
1091 2020-11-20 07:17:06.010 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o, linking, denied)
1092 2020-11-20 07:17:06.010 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o, linking, denied)
1093 2020-11-20 07:17:06.010 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->isReadOnlyLocked()Z (greylist-max-o, linking, denied)
1094 2020-11-20 07:17:06.011 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden field Landroid/database/sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (greylist-max-o, linking, denied)
1095 2020-11-20 07:17:06.011 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist-max-o, linking, denied)
1096 2020-11-20 07:17:06.012 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->dispose(Z)V (greylist-max-o, linking, denied)
1097 2020-11-20 07:17:06.012 8739-8831/me.xsg.hellosjtu W/e.
xsg.hellosjt: Accessing hidden method Landroid/database/sqlite/SQLiteDatabase;->onCorruption()V (greylist-max-o,
```

```
1097 linking, denied)
1098 2020-11-20 07:17:06.012 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->getLabel()Ljava/lang/String; (
    greylist-max-o, linking, denied)
1099 2020-11-20 07:17:06.013 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mCursorFactory:Landroid/database/
    sqlite/SQLiteDatabase$CursorFactory; (greylist-max-o,
    linking, denied)
1100 2020-11-20 07:17:06.014 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
    greylist-max-o, linking, denied)
1101 2020-11-20 07:17:06.015 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist
    -max-o, linking, denied)
1102 2020-11-20 07:17:06.015 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
    greylist-max-o, linking, denied)
1103 2020-11-20 07:17:06.015 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist
    -max-o, linking, denied)
1104 2020-11-20 07:17:06.016 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
    greylist-max-o, linking, denied)
1105 2020-11-20 07:17:06.016 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist
    -max-o, linking, denied)
1106 2020-11-20 07:17:06.017 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden field Landroid/database/
    sqlite/SQLiteDatabase;->mLock:Ljava/lang/Object; (
    greylist-max-o, linking, denied)
1107 2020-11-20 07:17:06.017 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->throwIfNotOpenLocked()V (greylist
    -max-o, linking, denied)
1108 2020-11-20 07:17:06.018 8739-8831/me.xsg.hellosjtu W/e.
    xsg.hellosjt: Accessing hidden method Landroid/database/
    sqlite/SQLiteDatabase;->setTransactionSuccessful()V (greylist
    -max-o, linking, denied)
```

```
1109 2020-11-20 07:17:06.018 8739-8831/me.xsg.hellosjtu W/e.  
    xsg.hellosjt: Accessing hidden method Landroid/content/  
    ContentValues;->isEmpty()Z (greylist-max-o, linking,  
    denied)  
1110 2020-11-20 07:17:06.018 8739-8831/me.xsg.hellosjtu W/e.  
    xsg.hellosjt: Accessing hidden method Landroid/database/  
    sqlite/SQLiteDatabase;->getThreadDefaultConnectionFlags(Z  
    )I (greylist-max-o, linking, denied)  
1111 2020-11-20 07:17:06.019 8739-8831/me.xsg.hellosjtu W/e.  
    xsg.hellosjt: Accessing hidden method Landroid/database/  
    sqlite/SQLiteDatabase;->yieldIfContendedHelper(ZJ)Z (greylist-max-o, linking, denied)  
1112 2020-11-20 07:17:06.019 8739-8831/me.xsg.hellosjtu I/  
    chatty: uid=10133(me.xsg.hellosjtu) Thread-2 identical 1  
    line  
1113 2020-11-20 07:17:06.020 8739-8831/me.xsg.hellosjtu W/e.  
    xsg.hellosjt: Accessing hidden method Landroid/database/  
    sqlite/SQLiteDatabase;->yieldIfContendedHelper(ZJ)Z (greylist-max-o, linking, denied)  
1114 2020-11-20 07:17:08.788 8739-8739/me.xsg.hellosjtu D/  
    MainActivity: clicked  
1115 2020-11-20 07:17:14.163 8739-8739/me.xsg.hellosjtu D/  
    MainActivity: clicked  
1116 2020-11-20 07:17:14.874 8739-8739/me.xsg.hellosjtu D/  
    MainActivity: clicked  
1117 2020-11-20 07:17:15.800 8739-8739/me.xsg.hellosjtu I/  
    chatty: uid=10133(me.xsg.hellosjtu) identical 4 lines  
1118 2020-11-20 07:17:16.005 8739-8739/me.xsg.hellosjtu D/  
    MainActivity: clicked  
1119
```