



FD	Description
0	stdin (terminal)
1	stdout (terminal)
2	stderr (terminal)
3	pipefd[0] (read end of pipe)
4	pipefd[1] (write end of pipe)



FD	Description
0	stdin (terminal)
1	stdout (terminal)
2	stderr (terminal)
3	pipefd[0] (read end of pipe)
4	pipefd[1] (write end of pipe)




FD	Description
0	stdin (terminal)
1	pipe write-end (pipefd[1]) (was stdout)
2	stderr (terminal)
3	pipefd[0] (inherited but unused)

FD	Description
0	pipe read-end (pipefd[0]) (was stdin)
1	stdout (terminal)
2	stderr (terminal)
4	pipefd[1] (inherited but unused)

FD	Description
0	stdin (terminal)
1	stdout (terminal)
2	stderr (terminal)
3	pipefd[0] (read end of pipe)
4	pipefd[1] (write end of pipe)

Cleanup!
close()



FD	Description
0	stdin (terminal)
1	pipe write-end (pipefd[1]) (was stdout)
2	stderr (terminal)
3	pipefd[0] (inherited but unused)

FD	Description
0	pipe read-end (pipefd[0]) (was stdin)
1	stdout (terminal)
2	stderr (terminal)
4	pipefd[1] (inherited but unused)

