
NBICS Technologies

Alexander Aksentyev

National Research Institute "MEPhI"

Carbon allotropes

Allotropy is the property of some chemical elements to exist in several different geometries (known as *allotropes*) in the same physical phase.



The Buckyball

- ► The Buckminsterfullerene (named after inventor Richard Buckminster Fuller) was one of the first nanoparticles to be discovered (1985)
- ► Number of atoms: 20 to over 100; the most common type (C60) contains 60 carbon atoms
- Modifying a buckyball by adding or replacing an atom in order to change the properties of the buckyball is called functionalization





Uses

- ► **Armor**. Hard as diamonds, buckyballs are potentially useful within armor
- ▶ **Medicine**. Functionalized buckyballs can be made soluble by body cells, and hence find the following medical applications:
 - As antioxidants, because of their ability to absorb electrons in free radicals
 - ▶ In targeted drug delivery. The buckyball encases a minute dose of a particular drug. By controlling the functionalization of the buckyball the drug remains encased until the buckyball reaches the site where the drug is required. The buckyball then releases it
- ► **Fiber optics**. Because of their perfect spherical shape, bucky balls are able to transmit light

The nanotube

- ▶ Diameter < 1 nm</p>
- A few nano- up to a millimeter in length
- Symmetry: armchair, zig-zag, chiral
- ► Single/multiple wall CNTs
- Compared to steel:
 - ► 100 × more difficult to tear apart
 - ▶ 5 × as elastic
 - a quarter density
- High thermal conductivity
- Metallic/semi-conductive contingent on symmetry





Uses

- Medicine: functionalization, as well as their natural fluorescence, enable the use of CNTs as chemical sensors; they have also been shown to fuse well with bone, which could be used to diminish the implant rejection rate
- 2. **Conductive plastics**: CNTs are the best known conductive fillers because of their high aspect ratio
- 3. **Energy storage**: good battery electrodes due to high surface area ($\sim 1000~\text{m}^2/\text{g}$), good electrical conductivity, and linear geometry; the high surface area and thermal conductivity also make them useful as electrode catalysts in fuel cells
- 4. **Molecular electronics**: their geometry, electrical conductivity, and the ability to be precisely derived, make CNTs invaluable connectors between switches at the nanoscale; their properties as semiconductors also make them usable as switches themselves

The nanobud

A nanobud is a nanotube with a fullerene ball attached to it.

