1. Account needs to be active



2. Active Options – default + alias manager (for recurring payments)



3. Add currency form config



4. Activate payment methods



5. Add API User (no screenshot)
6. Technical information, many changes


https://secure.ogone.com/ncol/test/frame_ogone.asp?BRANDING=ogone&ISP=ODE&SubID=5&SOLPRO=&MODE=STD&ACountry=DE&Lang=5
[Test]
EN FR NL IT DE
HOME | SUPPORT
Logoff /logon
Configuration
Password
Account
Payment methods
Users
Support
Alias
Technical information
Create production account
Advanced
Fraud detection
Operations
Financial history
New transaction
View transactions
New file
View files
Electronic reporting
Explanation of your menu
Userid : megustaenterprise
PSPID : megustaenterprise
Profile : Admin
Your technical settings
Subscription Type
Subscription: Ogone e-Commerce Pro
ISP: ODE
Subsidiary: Germany
Active transaction submission modes
eCommerce
eTerminal
DirectLink
Direct Maintenance
Global transaction parameters
Global security parameters
Payment Page layout
Data and origin verification
Transaction feedback
Transaction e-mails
Test Info
Default operation code
Sale
Authorisation
With Ogone e-Terminal, the default operation code you configured above will be valid for all transactions.
With Ogone e-Commerce, Ogone DirectLink, Ogone Batch, you can overwrite the default operation code configured above by sending along an operation code in the transaction details.
Default data capture (payment) procedure
The default data capture (payment) procedure is only applicable if you have 'Authorisation' as the default operation code for your account or you included the 'Authorisation' operation code in the transaction details.
Data capture by the merchant (manual or automatic).
Automatic data capture by our system at the end of the day.
Automatic data capture by our system after 0 days.
Payment retry
The number of times you allow a customer to try the payment on the secure Ogone payment pages (with the same or different payment details) within a single order: 10
Processing for individual transactions
Always online (Immediate).
Online but switch to offline in intervals when the online acquiring system is unavailable.
Always offline (Scheduled).
Default ECI value
It is vital that the ECI is defined in accordance with your acquirer's specifications. If an incorrect ECI is sent, it could infringe the rules set out in your acquiring agreement.
7 - E-commerce with SSL encryption
With Ogone e-Commerce, the ECI will be determined dynamically depending on the transaction context.
With Ogone e-Terminal, Ogone DirectLink, Ogone Batch, you can overwrite the default ECI value configured above by submitting another ECI value in the transaction details.
Go back to 'Homepage'
Confirm and go back to 'Homepage'
Confirm and go to 'Global security parameters'
Userid: megustaenterprise - Christian.Rommel@MegustaEnterprise.de Last login: 30/04/2012 11:57:47 - PSPID: megustaenterprise | Profile: Admin | 30/04/2012 15:10:31 | Print
DE
15:10
30.04.2012


https://secure.ogone.com/ncol/test/frame_ogone.asp?BRANDING=ogone&ISP=ODE&SubID=5&SOLPRO=&MODE=STD&ACountry=DE&Lang=5
[Test]
EN FR NL IT DE
HOME | SUPPORT
Logoff /logon
Configuration
Password
Account
Payment methods
Users
Support
Alias
Technical information
Create production account
Advanced
Fraud detection
Operations
Financial history
New transaction
View transactions
New file
View files
Electronic reporting
Explanation of your menu
Userid : megustaenterprise
PSPID : megustaenterprise
Profile : Admin
Your technical settings
Subscription Type
Subscription: Ogone e-Commerce Pro
ISP: ODE
Subsidiary: Germany
Active transaction submission modes
eCommerce
eTerminal
DirectLink
Direct Maintenance
Global transaction parameters
Global security parameters
Payment Page layout
Data and origin verification
Transaction feedback
Transaction e-mails
Test Info
Hashing method
This configuration affects all signature checks of which the pass phrases are configured under "Data and origin verification" and "Transaction feedback".
Hash algorithm:
SHA-1
SHA-256
SHA-512
Character encoding:
Use the character encoding expected with the initial transaction request (depending on the URL called)
ISO-8859-1
UTF-8
Go back to 'Global transaction parameters'
Confirm and go back to 'Homepage'
Confirm and go to 'Payment Page layout'
Userid: megustaenterprise - Christian.Rommel@MegustaEnterprise.de Last login: 30/04/2012 11:57:47 - PSPID: megustaenterprise | Profile: Admin | 30/04/2012 15:10:56 | Print
DE
15:10
30.04.2012


ogone sa [BE] https://secure.ogone.com/ncol/test/frame_ogone.asp?BRANDING=ogone&ISP=ODE&SubID=5&SOLPRO=&MODE=STD&ACountry=DE&Lang=5
ogone payment services
[Test]
EN FR NL IT DE
HOME | SUPPORT
Logoff /logon
Configuration
Password
Account
Payment methods
Users
Support
Alias
Technical information
Create production account
Advanced
Fraud detection
Operations
Financial history
New transaction
View transactions
New file
View files
Electronic reporting
Explanation of your menu
Your technical settings
Subscription Type
Subscription: Ogone e-Commerce Pro
ISP: ODE
Subsidiary: Germany
Active transaction submission modes
eCommerce
eTerminal
DirectLink
Direct Maintenance
Global transaction parameters
Global security parameters
Payment Page layout
Data and origin verification
Transaction feedback
Transaction e-mails
Test Info
Cancel button
Hide the "Cancel" button on the Ogone secure payment pages.
Back button redirection
URL of the web page to display to the customer when he clicks the "back" button on our secure payment page.
Go back to 'Global security parameters'
Confirm and go back to 'Homepage'
Confirm and go to 'Data and origin verification'
Userid: megustaenterprise - Christian.Rommel@MegustaEnterprise.de Last login: 30/04/2012 11:57:47 - PSPID: megustaenterprise | Profile: Admin | 30/04/2012 15:11:33 | Print
15:11
30.04.2012


ogone sa [BE] https://secure.ogone.com/ncol/test/frame_ogone.asp?BRANDING=ogone&ISP=ODE&SubID=5&SOLPRO=&MODE=STD&ACountry=DE&Lang=5
ogone payment services
[Test]
EN FR NL IT DE
HOME | SUPPORT
Logoff /logon
Configuration
Password
Account
Payment methods
Users
Support
Alias
Technical information
Create production account
Advanced
Fraud detection
Operations
Financial history
New transaction
View transactions
New file
View files
Electronic reporting
Explanation of your menu
Your technical settings
Subscription Type
Subscription: Ogone e-Commerce Pro
ISP: ODE
Subsidiary: Germany
Active transaction submission modes
eCommerce
eTerminal
DirectLink
Direct Maintenance
Global transaction parameters
Global security parameters
Payment Page layout
Data and origin verification
Transaction feedback
Transaction e-mails
Test Info
Checks for e-Commerce
URL of the merchant page containing the payment form that will call the page:orderstandard.asp
You may enter several URL, separated by ";".
SHA-IN Pass phrase
Visible
Checks for Ogone e-Terminal and Ogone Batch (Manual)
When using these transaction submission modes, you have to log into the back-office beforehand.
Checks for Ogone DirectLink
When using these transaction submission modes, login details have to be transmitted in the HTTP parameters.
IP address of the server calling the APIs used for any automatic or direct processing.
You may enter several IP addresses, separated by ";".
SHA-IN Pass phrase
Go back to 'Payment Page layout'
Confirm and go back to 'Homepage'
Confirm and go to 'Transaction feedback'
Userid: megustaenterprise - Christian.Rommel@MegustaEnterprise.de Last login: 30/04/2012 11:57:47 - PSPID: megustaenterprise | Profile: Admin | 30/04/2012 15:11:48 | Print
15:11
30.04.2012


ogone payment services
[Test]
EN FR NL IT DE
HOME | SUPPORT
Logoff /logon
Configuration
Password
Account
Payment methods
Users
Support
Alias
Technical information
Create production account
Advanced
Fraud detection
Operations
Financial history
New transaction
View transactions
New file
View files
Electronic reporting
Explanation of your menu
Userid : megusteenterprise
PSPID : megusteenterprise
Profile : Admin
Your technical settings
Subscription Type
Subscription: Ogone e-Commerce Pro
ISP: ODE
Subsidiary: Germany
Active transaction submission modes
eCommerce
eTerminal
DirectLink
Direct Maintenance
Global transaction parameters
Global security parameters
Payment Page layout
Data and origin verification
Transaction feedback
Transaction e-mails
Test Info
e-Commerce
HTTP redirection in the browser
URL of the web page to be displayed to the customer after the payment process:
Accepturl: displayed when the payment has been authorized, stored, accepted or is waiting to be accepted.
Declineurl: displayed when the acquirer declines the authorization more than the maximum permissible number of times (as defined in the payment retry section of the Global transaction parameters tab).
Exceptionurl: displayed when the payment result is uncertain.
Cancelurl: displayed when the customer cancels the payment.
You can overwrite the default redirection URLs configured above by sending along redirection URLs in the transaction details.
I want to receive transaction feedback parameters on the redirection URLs.
I want Ogone to display a short text to the customer on the secure payment page if a redirection to my website is detected immediately after the payment process.
Direct HTTP server-to-server request
Timing of the request
No request.
Always deferred (not immediately after the payment).
Always online (immediately after the payment to allow customisation of the response seen by the customer).
Online but switch to a deferred request in intervals when the online requests fail.
URL of the merchant's post-payment page:
If the payment's status is "accepted", "on hold" or "uncertain".
http://ec2-79-125-80-37.eu-west-1.compute.amazonaws.com/ogone-use/
If the payment's status is "cancelled by the client" or "too many rejections by the acquirer".
http://ec2-79-125-80-37.eu-west-1.compute.amazonaws.com/ogone-use/
Request method
DE
15:12
30.04.2012


ogone payment services
[Test]
EN FR NL IT DE
HOME | SUPPORT
Logoff /logon
Configuration
Password
Account
Payment methods
Users
Support
Alias
Technical information
Create production account
Advanced
Fraud detection
Operations
Financial history
New transaction
View transactions
New file
View files
Electronic reporting
Explanation of your menu
Userid : megusteenterprise
PSPID : megusteenterprise
Profile : Admin
Request method
POST
GET
Dynamic e-Commerce Parameters
This exchange box allows you to select or deselect the parameters you wish to receive as feedback for a transaction and move them from one box to another. Please note that NCERROR, PAYID, ORDERID, STATUS are default parameters and selected as such and cannot be removed.
Available
Selected
AAVADDRESS
AAVCHECK
AAVZIP
ACCEPTANCE
ALIAS
AMOUNT
BIN
BRAND
CARDNO
CCCTY
General
I want Ogone to display a "processing" message to the customer during payment processing.
I want Ogone to re-launch the "end of transaction" (post-payment request/redirection) process if required.
All transaction submission modes
Security for request parameters
SHA-OUT Pass phrase
Visible
HTTP request for status changes
Timing of the request
No request.
Only at the authorisation request of the order.
For each offline status change (payment, cancellation...).
URL on which the merchant wishes to get a deferred HTTP request, should the status of a transaction change offline.
Directlink
Dynamic Parameters
This exchange box allows you to select or deselect the parameters you wish to receive as feedback for a transaction and move them from one box to another. Please note that NCERROR, PAYID, ORDERID, STATUS are default parameters and selected as such and cannot be removed.
Available
Selected
DE
15:12
30.04.2012


ogone
payment services
[Test]
EN FR NL IT DE
HOME | SUPPORT
Logoff /logon
Configuration
Password
Account
Payment methods
Users
Support
Alias
Technical information
Create production account
Advanced
Fraud detection
Operations
Financial history
New transaction
View transactions
New file
View files
Electronic reporting
Explanation of your menu
Userid : megustaenterprise
PSPID : megustaenterprise
Profile : Admin
AMOUNT
BIN
BRAND
CARDNO
CCCTY
General
I want Ogone to display a "processing" message to the customer during payment processing.
I want Ogone to re-launch the "end of transaction" (post-payment request/redirection) process if required.
All transaction submission modes
Security for request parameters
SHA-OUT Pass phrase
Visible
HTTP request for status changes
Timing of the request
No request.
Only at the authorisation request of the order.
For each offline status change (payment, cancellation...).
URL on which the merchant wishes to get a deferred HTTP request, should the status of a transaction change offline.
Directlink
Dynamic Parameters
This exchange box allows you to select or deselect the parameters you wish to receive as feedback for a transaction and move them from one box to another. Please note that NCERROR, PAYID, ORDERID, STATUS are default parameters and selected as such and cannot be removed.
Available
Selected
AAVADDRESS
AAVCHECK
AAVZIP
ACCEPTANCE
ALIAS
AMOUNT
BATCHID
BRAND
CCCTY
CURRENCY
Go back to 'Data and origin verification'
Confirm and go back to 'Homepage'
Confirm and go to 'Transaction e-mails'
Userid: megustaenterprise - Christian.Rommel@MegustaEnterprise.de Last login: 30/04/2012 11:57:47 - PSPID: megustaenterprise | Profile: Admin | 30/04/2012 15:12:06 | Print
15:12
30.04.2012