Made With Gsap

# 023
# Infinite circular movement

This effect displays a list of images that continuously rotate around a large circle based on the user's scroll. The faster the scroll, the more certain images will drift away from their orbit. Let's dive in!

## HTML Structure

The HTML structure is fairly simple: each media element has a parent that matches the `container` 's size. The `container` extends beyond the screen to create a curved path effect.

```
<section class="mwg_effect023">
    <div class="container">
        <div class="inner-media">
            <img class="media" src="./assets/medias/01.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="./assets/medias/02.png" />
```

BATCH 001 — 050 EFFECTS

COPY/PASTE TO WEBFLOW AVAILABLE SEE HOW EASY IT IS

Made With Gsap

```
</section>
```

## Some CSS

The root of our component will take up the full viewport height. The component itself will be much wider than the screen. The wider it is, the shallower the visible curve will be. This is the division that will rotate.

```
.mwg_effect023 {
    height: 100vh;
}
.mwg_effect023 .container {
    position: absolute;
    width: 300vw;
    height: 300vw;
    left: -100vw;
    will-change: transform;
}
```

Both elements are positioned that way:

Each direct child of the `container` will match its size exactly:

```
.mwg_effect023 .inner-media {
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    display: flex; // To position the child image
    justify-content: center; // The child image will be centered horizontally
}
```

Next, we position the `media` element exactly at half the screen height using CSS `margin` and `transform` properties.

```
.mwg_effect023 .media {
    width: 20vw;
```

BATCH 001 — 050 EFFECTS

COPY/PASTE TO WEBFLOW AVAILABLE SEE HOW EASY IT IS

```
Made With Gsap                    );
    object-fit: contain;
    object-position: 50% 100%; // Aligning the media to its bottom
    will-change: transform;
}
```

At this point, all images are stacked in the same position. The final step is to evenly rotate their parent elements to form a perfect circular arrangement.

## Evenly distributing images

In JavaScript, we begin by centering each card vertically using the the `gsap.set()` method, which immediately sets properties of the target accordingly.

```
gsap.set('.mwg_effect023 .media', {yPercent: -50})
```

Then, we continue by evenly rotating each `inner-media` division using the `gsap.set()` method again. To assign different values to each card, we use the native `forEach()` method:

```
const medias = document.querySelectorAll('.mwg_effect023 .inner-media')
const mediasTotal = medias.length

medias.forEach((media, index) => {
    gsap.set(media, {
        rotation: 360 / mediasTotal * index
    })
})
```

We divide 360 by the number of images in our effect to determine the angle between two images. Multiplying this angle by the `media` index places each element directly in its correct position. Now, our image circle is set!

## Rotating the container

BATCH 001 — 050 EFFECTS

COPY/PASTE TO WEBFLOW AVAILABLE SEE HOW EASY IT IS
Made With Gsap

on the user's scroll. This will t for the images. We use the `gsap.quickTo()` method, which is an optimized function tied to one particular numeric property. This approach avoids multiple `gsap.to()` calls, improving performance.

```
// We listen to the rotation property of the container
const rotTo = gsap.quickTo('.mwg_effect023 .container', 'rotation', {
    duration: 0.8, // The movement will last 0.8
    ease: 'power4'
})
```

Now, we create a `wheel` event to detect the direction and speed of the user's scroll. We then pass this value to `rotTo` for the rotation to work.

```
let incr = 0;

window.addEventListener('wheel', (e) => {
    const deltaY = e.deltaY
    incr -= deltaY / 40 // Divided by a number to slow incrementation's speed

    rotTo(incr) // Our quickTo() method
}, {passive: true})
```

Rotation is applied only to the parent element. This way, we avoid rotating each `inner-media`, maintaining optimal performance.

## Orbital effect

To take the effect further (and add some fun), we will push images away from the center of gravity at different intensities based on the user's scroll velocity. We start by assigning each image a randomly chosen class number between 1 and 3.

The following calculation returns a random integer between 1 and 3:

```
Math.floor(Math.random() * 3) + 1)
```

BATCH 001 — 050 EFFECTS

COPY/PASTE TO WEBFLOW AVAILABLE SEE HOW EASY IT IS

like `media-1` , `media-2` , or

```
medias.forEach((media, index) => {
    media.classList.add('media-' + (Math.floor(Math.random() * 3) + 1))
})
```

Next, we declare three new `gsap.quickTo()` functions, each targeting one of the newly assigned classes. This time, we manipulate the `yPercent` property, using different `duration` values for each one.

```
const yTo1 = gsap.quickTo('.mwg_effect023 .media-1 .media', 'yPercent', {
    duration: 1,
    ease: 'power3'
})
const yTo2 = gsap.quickTo('.mwg_effect023 .media-2 .media', 'yPercent', {
    duration: 2,
    ease: 'power3'
})
const yTo3 = gsap.quickTo('.mwg_effect023 .media-3 .media', 'yPercent', {
    duration: 3,
    ease: 'power3'
})
```

Now, we update our `wheel` event by calling the three new functions inside.

```
let incr = 0;

window.addEventListener('wheel', (e) => {
    const deltaY = e.deltaY
    incr -= deltaY / 40 // Divided by a number to slow incrementation's speed
    rotTo(incr)

    // FURTHER
    const val = -Math.abs(deltaY/4) - 50 // Minus 50 to keep the image vertically cente
    yTo1(val)
    yTo2(val)
    yTo3(val)
})
```

And that's it! Now, the images move away from the center when the user scrolls and return to their place at different speeds.

BATCH 001 — 050 EFFECTS

COPY/PASTE TO WEBFLOW AVAILABLE SEE HOW EASY IT IS

Made With Gsap

with three different values in our final three `quickTo()` methods. This would create different movement distances for the images.

This type of effect is not optimized for touch devices, especially on mobile. In those cases, I prefer to disable the effect and display a simpler version for the user. If you want to see how to do that, check out our Go Further page.

## Final code

HTML CSS JAVASCRIPT

```html
<section class="mwg_effect023">
    <div class="header">
        <p>From November 1285</p>
        <p>Cabinet of Curiosities</p>
        <p>To January 2025</p>
    </div>
    <div class="container">
        <div class="inner-media">
            <img class="media" src="assets/medias/01.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/02.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/03.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/04.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/05.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/06.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/07.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/08.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/09.png" />
```

BATCH 001 — 050 EFFECTS

COPY/PASTE TO WEBFLOW AVAILABLE SEE HOW EASY IT IS

```
Made With Gsap                rc="assets/medias/10.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/11.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/12.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/13.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/14.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/01.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/02.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/03.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/04.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/05.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/06.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/07.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/08.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/09.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/10.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/11.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/12.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/13.png" />
        </div>
        <div class="inner-media">
            <img class="media" src="assets/medias/14.png" />
```

BATCH 001 — 050 EFFECTS

COPY/PASTE TO WEBFLOW AVAILABLE SEE HOW EASY IT IS

Made With Gsap

Wanna learn something else?

BACK TO THE COLLECTION

BATCH 001 — 050 EFFECTS

COPY/PASTE TO WEBFLOW AVAILABLE SEE HOW EASY IT IS

Made With Gsap

Your email

SUBMIT

By submitting your email, you'll be the first to know about upcoming updates for Made With Gsap. You can unsubscribe at any time.

SOCIAL

X(TWITTER)
INSTAGRAM
BLUESKY
LINKEDIN

PAGES

HOME
COLLECTION
FAQ
PRICING

CONTACT

REACH US
SUPPORT

Made With Gsap

2025©

PERMISSIONS & TERMS

PRIVACY POLICY