Namespace NewBalanceStore.Application.DTOs

Classes

AddToCartDto

AuthResponseDto

CartDto

CartItemDto

CreateOrderDto

CreateOrderItemDto

CreateProductDto

CreateProductVariantDto

OrderDto

OrderItemDto

ProductDto

ProductFilterDto

UserLoginDto

UserRegisterDto

Class AddToCartDto

Namespace: NewBalanceStore.Application.DTOs

Assembly: NewBalanceStore.Application.dll

```
public class AddToCartDto
```

Inheritance

object ← AddToCartDto

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

ProductId

```
public string ProductId { get; set; }
```

Property Value

string

Quantity

```
public int Quantity { get; set; }
```

Property Value

int

Size

```
public string Size { get; set; }
```

Property Value

string

Class AuthResponseDto

Namespace: NewBalanceStore.Application.DTOs

Assembly: NewBalanceStore.Domain.dll

```
public class AuthResponseDto
```

Inheritance

object ← AuthResponseDto

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Email

```
public string Email { get; set; }
```

Property Value

string

FullName

```
public string FullName { get; set; }
```

Property Value

string

Role

```
public string Role { get; set; }
```

Property Value

string

Token

```
public string Token { get; set; }
```

Property Value

string

Class CartDto

Namespace: NewBalanceStore.Application.DTOs

Assembly: NewBalanceStore.Application.dll

```
public class CartDto
```

Inheritance

object ← CartDto

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Items

```
public List<CartItemDto> Items { get; set; }
```

Property Value

List<CartItemDto>

TotalAmount

```
public decimal TotalAmount { get; }
```

Property Value

decimal

UserId

```
public string UserId { get; set; }
```

Property Value

string

Class CartItemDto

Namespace: NewBalanceStore.Application.DTOs

Assembly: NewBalanceStore.Application.dll

```
public class CartItemDto
```

Inheritance

object ← CartItemDto

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

ImageUrl

```
public string ImageUrl { get; set; }
```

Property Value

string

Price

```
public decimal Price { get; set; }
```

Property Value

decimal

ProductId

```
public string ProductId { get; set; }
```

Property Value

string

ProductName

```
public string ProductName { get; set; }
```

Property Value

string

Quantity

```
public int Quantity { get; set; }
```

Property Value

int

Size

```
public string Size { get; set; }
```

Property Value

string

Class CreateOrderDto

Namespace: NewBalanceStore.Application.DTOs

Assembly: NewBalanceStore.Application.dll

```
public class CreateOrderDto
```

Inheritance

object ← CreateOrderDto

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

CustomerEmail

```
public string CustomerEmail { get; set; }
```

Property Value

string

CustomerName

```
public string CustomerName { get; set; }
```

Property Value

string

CustomerPhone

```
public string CustomerPhone { get; set; }
```

Property Value

string

Items

```
public List<CreateOrderItemDto> Items { get; set; }
```

Property Value

List <CreateOrderItemDto>

ShippingAddress

```
public string ShippingAddress { get; set; }
```

Property Value

string

Class CreateOrderItemDto

Namespace: NewBalanceStore.Application.DTOs

Assembly: NewBalanceStore.Application.dll

```
public class CreateOrderItemDto
```

Inheritance

object ← CreateOrderItemDto

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Color

```
public string Color { get; set; }
```

Property Value

string

ProductId

```
public int ProductId { get; set; }
```

Property Value

int

Quantity

```
public int Quantity { get; set; }
```

Property Value

int

Size

```
public string Size { get; set; }
```

Property Value

string

Class CreateProductDto

Namespace: NewBalanceStore.Application.DTOs

Assembly: NewBalanceStore.Application.dll

```
public class CreateProductDto
```

Inheritance

object ← CreateProductDto

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Activity

```
public string Activity { get; set; }
```

Property Value

string

Category

```
public string Category { get; set; }
```

Property Value

string

Colors

```
public List<string> Colors { get; set; }
```

Property Value

List<string>

Description

```
public string Description { get; set; }
```

Property Value

string

Gender

```
public Gender Gender { get; set; }
```

Property Value

Gender

Images

```
public List<string> Images { get; set; }
```

Property Value

List<string>

IsNew

```
public bool IsNew { get; set; }
```

Property Value

bool

Name

```
public string Name { get; set; }
```

Property Value

string

OldPrice

```
public decimal? OldPrice { get; set; }
```

Property Value

decimal?

Price

```
public decimal Price { get; set; }
```

Property Value

decimal

Type

```
public ProductType Type { get; set; }
```

Property Value

ProductType

Variants

```
public List<ProductVariant> Variants { get; set; }
```

Property Value

List <ProductVariant>

Class CreateProductVariantDto

Namespace: NewBalanceStore.Application.DTOs

Assembly: NewBalanceStore.Application.dll

```
public class CreateProductVariantDto
```

Inheritance

object ← CreateProductVariantDto

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Color

```
public string Color { get; set; }
```

Property Value

string

Quantity

```
public int Quantity { get; set; }
```

Property Value

int

Size

```
public string Size { get; set; }
```

Property Value

string

Class OrderDto

Namespace: NewBalanceStore.Application.DTOs

Assembly: NewBalanceStore.Application.dll

```
public class OrderDto
```

Inheritance

object ← OrderDto

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

CreatedAt

```
public DateTime CreatedAt { get; set; }
```

Property Value

DateTime

CustomerEmail

```
public string CustomerEmail { get; set; }
```

Property Value

string

CustomerName

```
public string CustomerName { get; set; }
```

Property Value

string

CustomerPhone

```
public string CustomerPhone { get; set; }
```

Property Value

string

Id

```
public int Id { get; set; }
```

Property Value

int

Items

```
public List<OrderItemDto> Items { get; set; }
```

Property Value

List<OrderItemDto>

ShippingAddress

```
public string ShippingAddress { get; set; }
```

Property Value

string

Status

```
public string Status { get; set; }
```

Property Value

string

TotalAmount

```
public decimal TotalAmount { get; set; }
```

Property Value

decimal

Class OrderItemDto

Namespace: NewBalanceStore.Application.DTOs

Assembly: NewBalanceStore.Application.dll

```
public class OrderItemDto
```

Inheritance

object ← OrderItemDto

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Color

```
public string Color { get; set; }
```

Property Value

string

Price

```
public decimal Price { get; set; }
```

Property Value

decimal

ProductId

```
public int ProductId { get; set; }
```

Property Value

int

ProductName

```
public string ProductName { get; set; }
```

Property Value

string

Quantity

```
public int Quantity { get; set; }
```

Property Value

int

Size

```
public string Size { get; set; }
```

Property Value

string

Class ProductDto

Namespace: NewBalanceStore.Application.DTOs

Assembly: NewBalanceStore.Application.dll

```
public class ProductDto
```

Inheritance

object ← ProductDto

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Category

```
public string Category { get; set; }
```

Property Value

string

Description

```
public string Description { get; set; }
```

Property Value

string

Gender

```
public Gender Gender { get; set; }
```

Property Value

Gender

Id

```
public string Id { get; set; }
```

Property Value

string

Images

```
public List<string> Images { get; set; }
```

Property Value

List <string>

IsNew

```
public bool IsNew { get; set; }
```

Property Value

bool

Name

```
public string Name { get; set; }
```

Property Value

string

OldPrice

```
public decimal? OldPrice { get; set; }
```

Property Value

decimal?

Price

```
public decimal Price { get; set; }
```

Property Value

decimal

Type

```
public ProductType Type { get; set; }
```

Property Value

ProductType

Variants

```
public List<ProductVariant> Variants { get; set; }
```

Property Value

List <ProductVariant>

Class ProductFilterDto

Namespace: NewBalanceStore.Application.DTOs

Assembly: NewBalanceStore.Application.dll

```
public class ProductFilterDto
```

Inheritance

object ← ProductFilterDto

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Category

```
public string? Category { get; set; }
```

Property Value

string

IsBoosted

```
public bool? IsBoosted { get; set; }
```

Property Value

bool?

MaxPrice

```
public decimal? MaxPrice { get; set; }
```

Property Value

decimal?

MinPrice

```
public decimal? MinPrice { get; set; }
```

Property Value

decimal?

PageNumber

```
public int PageNumber { get; set; }
```

Property Value

int

PageSize

```
public int PageSize { get; set; }
```

Property Value

int

SearchTerm

```
public string? SearchTerm { get; set; }
```

Property Value

string

SortBy

```
public string? SortBy { get; set; }
```

Property Value

string

Class UserLoginDto

Namespace: NewBalanceStore.Application.DTOs

Assembly: NewBalanceStore.Domain.dll

```
public class UserLoginDto
```

Inheritance

object ← UserLoginDto

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Email

```
public string Email { get; set; }
```

Property Value

string

Password

```
public string Password { get; set; }
```

Property Value

string

Class UserRegisterDto

Namespace: NewBalanceStore.Application.DTOs

Assembly: NewBalanceStore.Domain.dll

```
public class UserRegisterDto
```

Inheritance

object ← UserRegisterDto

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Email

```
public string Email { get; set; }
```

Property Value

string

FullName

```
public string FullName { get; set; }
```

Property Value

string

Password

```
public string Password { get; set; }
```

Property Value

string

Namespace NewBalanceStore.Application.Interfaces

Interfaces

IAuthService

IProductRepository

IProductService

Interface IAuthService

Namespace: NewBalanceStore.Application.Interfaces

Assembly: NewBalanceStore.Domain.dll

```
public interface IAuthService
```

Methods

LoginAsync(UserLoginDto)

```
Task<AuthResponseDto> LoginAsync(UserLoginDto loginDto)
```

Parameters

`loginDto` UserLoginDto

Returns

Task<AuthResponseDto>

RegisterAsync(UserRegisterDto)

```
Task<AuthResponseDto> RegisterAsync(UserRegisterDto registerDto)
```

Parameters

`registerDto` UserRegisterDto

Returns

Task<AuthResponseDto>

Interface IProductRepository

Namespace: NewBalanceStore.Application.Interfaces

Assembly: NewBalanceStore.Application.dll

```
public interface IProductRepository
```

Methods

CreateAsync(Product)

```
Task CreateAsync(Product product)
```

Parameters

`product` Product

Returns

Task

DeleteAsync(string)

```
Task DeleteAsync(string id)
```

Parameters

`id` string

Returns

Task

GetAllAsync()

```
Task<List<Product>> GetAllAsync()
```

Returns

Task <List <Product>>

GetByIdAsync(string)

```
Task<Product?> GetByIdAsync(string id)
```

Parameters

`id` string

Returns

Task <Product>

UpdateAsync(Product)

```
Task UpdateAsync(Product product)
```

Parameters

`product` Product

Returns

Task

Interface IProductService

Namespace: NewBalanceStore.Application.Interfaces

Assembly: NewBalanceStore.Application.dll

```
public interface IProductService
```

Methods

CreateAsync(CreateProductDto)

```
Task<ProductDto> CreateAsync(CreateProductDto dto)
```

Parameters

`dto` CreateProductDto

Returns

Task<ProductDto>

DeleteAsync(string)

```
Task<bool> DeleteAsync(string id)
```

Parameters

`id` string

Returns

Task<bool>

GetAllAsync()

```
Task<IEnumerable<ProductDto>> GetAllAsync()
```

Returns

Task<IEnumerable<ProductDto>>

GetByIdAsync(string)

```
Task<ProductDto?> GetByIdAsync(string id)
```

Parameters

`id` string

Returns

Task<ProductDto>

UpdateAsync(string, CreateProductDto)

```
Task<bool> UpdateAsync(string id, CreateProductDto dto)
```

Parameters

`id` string

`dto` CreateProductDto

Returns

Task<bool>

Namespace NewBalanceStore.Application.Mappings

Classes

OrderMappingProfile

Class OrderMappingProfile

Namespace: NewBalanceStore.Application.Mappings

Assembly: NewBalanceStore.Application.dll

```
public sealed class OrderMappingProfile : Profile, IProfileExpression, IProfileConfiguration
```

Inheritance

object ← Profile ← OrderMappingProfile

Implements

IProfileExpression, IProfileConfiguration

Inherited Members

Profile.DisableConstructorMapping() , Profile.CreateProjection<TSource, TDestination>() , Profile.CreateProjection<TSource, TDestination>(MemberList) , Profile.CreateMap<TSource, TDestination>() , Profile.CreateMap<TSource, TDestination>(MemberList) , Profile.CreateMap(Type, Type) , Profile.CreateMap(Type, Type, MemberList) , Profile.ClearPrefixes() , Profile.ReplaceMemberName(string, string) , Profile.RecognizePrefixes(params string[]) , Profile.RecognizePostfixes(params string[]) , Profile.RecognizeDestinationPrefixes(params string[]) , Profile.RecognizeDestinationPostfixes(params string[]) , Profile.AddGlobalIgnore(string) , Profile.IncludeSourceExtensionMethods(Type) , Profile.ProfileName , Profile.AllowNullDestinationValues , Profile.AllowNullCollections , Profile.ShouldMapProperty , Profile.ShouldMapField , Profile.ShouldMapMethod , Profile.ShouldUseConstructor , Profile.SourceMemberNamingConvention , Profile.DestinationMemberNamingConvention , Profile.ValueTransformers , Profile.PolymorphicProjectionsEnabled , object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

OrderMappingProfile()

```
public OrderMappingProfile()
```

Namespace NewBalanceStore.Application.Services

Classes

OrderService

ProductService

Interfaces

IOrderService

Interface IOrderService

Namespace: NewBalanceStore.Application.Services

Assembly: NewBalanceStore.Application.dll

```
public interface IOrderService
```

Methods

CreateOrderAsync(CreateOrderDto)

```
Task<OrderDto> CreateOrderAsync(CreateOrderDto dto)
```

Parameters

`dto` CreateOrderDto

Returns

Task<OrderDto>

GetAllOrdersAsync()

```
Task<IEnumerable<OrderDto>> GetAllOrdersAsync()
```

Returns

Task<IEnumerable<OrderDto>>

GetOrderByIdAsync(int)

```
Task<OrderDto?> GetOrderByIdAsync(int id)
```

Parameters

`id` int

Returns

Task<OrderDto>

UpdateOrderStatusAsync(int, string)

```
Task UpdateOrderStatusAsync(int id, string status)
```

Parameters

`id` int

`status` string

Returns

Task

Class OrderService

Namespace: NewBalanceStore.Application.Services

Assembly: NewBalanceStore.Application.dll

```
public class OrderService : IOrderService
```

Inheritance

object ← OrderService

Implements

IOrderService

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

OrderService(IOrderRepository, IProductRepository, IMapper)

```
public OrderService(IOrderRepository orderRepository, IProductRepository productRepository,
IMapper mapper)
```

Parameters

`orderRepository` IOrderRepository

`productRepository` IProductRepository

`mapper` IMapper

Methods

CreateOrderAsync(CreateOrderDto)

```
public Task<OrderDto> CreateOrderAsync(CreateOrderDto dto)
```

Parameters

`dto` CreateOrderDto

Returns

Task<OrderDto>

GetAllOrdersAsync()

```
public Task<IEnumerable<OrderDto>> GetAllOrdersAsync()
```

Returns

Task<IEnumerable<OrderDto>>

GetOrderByIdAsync(int)

```
public Task<OrderDto?> GetOrderByIdAsync(int id)
```

Parameters

`id` int

Returns

Task<OrderDto>

UpdateOrderStatusAsync(int, string)

```
public Task UpdateOrderStatusAsync(int id, string status)
```

Parameters

`id` int

`status` string

Returns

Task

Class ProductService

Namespace: NewBalanceStore.Application.Services

Assembly: NewBalanceStore.Application.dll

```
public class ProductService : IProductService
```

Inheritance

object ← ProductService

Implements

IProductService

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

ProductService(IProductRepository)

```
public ProductService(IProductRepository repository)
```

Parameters

`repository` IProductRepository

ProductService(IProductRepository)

```
public ProductService(IProductRepository repository)
```

Parameters

`repository` IProductRepository

Methods

CreateAsync(CreateProductDto)

```
public Task<ProductDto> CreateAsync(CreateProductDto dto)
```

Parameters

`dto` CreateProductDto

Returns

Task<ProductDto>

DeleteAsync(string)

```
public Task<bool> DeleteAsync(string id)
```

Parameters

`id` string

Returns

Task<bool>

GetAllAsync()

```
public Task<IEnumerable<ProductDto>> GetAllAsync()
```

Returns

Task<IEnumerable<ProductDto>>

GetByIdAsync(string)

```
public Task<ProductDto?> GetByIdAsync(string id)
```

Parameters

`id` string

Returns

Task<ProductDto>

GetFilteredProductsAsync(ProductFilterDto)

```
public Task<IEnumerable<ProductDto>> GetFilteredProductsAsync(ProductFilterDto filter)
```

Parameters

`filter` ProductFilterDto

Returns

Task<IEnumerable<ProductDto>>

UpdateAsync(string, CreateProductDto)

```
public Task<bool> UpdateAsync(string id, CreateProductDto dto)
```

Parameters

`id` string

`dto` CreateProductDto

Returns

Task<bool>

Namespace NewBalanceStore.Domain.Entities

Classes

Cart

CartItem

CustomerInfo

Order

OrderItem

Product

ProductVariant

ShippingAddress

User

Class Cart

Namespace: NewBalanceStore.Domain.Entities

Assembly: NewBalanceStore.Domain.dll

```
public class Cart
```

Inheritance

object ← Cart

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Id

```
public string Id { get; set; }
```

Property Value

string

Items

```
public List<CartItem> Items { get; set; }
```

Property Value

List <CartItem>

UpdatedAt

```
public DateTime UpdatedAt { get; set; }
```

Property Value

DateTime

UserId

```
public string UserId { get; set; }
```

Property Value

string

Class CartItem

Namespace: NewBalanceStore.Domain.Entities

Assembly: NewBalanceStore.Domain.dll

```
public class CartItem
```

Inheritance

object ← CartItem

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Color

```
public string Color { get; set; }
```

Property Value

string

ProductId

```
public string ProductId { get; set; }
```

Property Value

string

Quantity

```
public int Quantity { get; set; }
```

Property Value

int

Size

```
public string Size { get; set; }
```

Property Value

string

Class CustomerInfo

Namespace: NewBalanceStore.Domain.Entities

Assembly: NewBalanceStore.Domain.dll

```
public class CustomerInfo
```

Inheritance

object ← CustomerInfo

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Email

```
public string Email { get; set; }
```

Property Value

string

FirstName

```
public string FirstName { get; set; }
```

Property Value

string

LastName

```
public string LastName { get; set; }
```

Property Value

string

Phone

```
public string Phone { get; set; }
```

Property Value

string

Class Order

Namespace: NewBalanceStore.Domain.Entities

Assembly: NewBalanceStore.Domain.dll

```
public class Order
```

Inheritance

object ← Order

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

CreatedAt

```
public DateTime CreatedAt { get; set; }
```

Property Value

DateTime

Customer

```
public CustomerInfo Customer { get; set; }
```

Property Value

CustomerInfo

CustomerEmail

```
public string CustomerEmail { get; set; }
```

Property Value

string

CustomerName

```
public string CustomerName { get; set; }
```

Property Value

string

CustomerPhone

```
public string CustomerPhone { get; set; }
```

Property Value

string

Id

```
public string Id { get; set; }
```

Property Value

string

Items

```
public List<OrderItem> Items { get; set; }
```

Property Value

List<OrderItem>

ShippingAddress

```
public ShippingAddress ShippingAddress { get; set; }
```

Property Value

ShippingAddress

Status

```
public OrderStatus Status { get; set; }
```

Property Value

OrderStatus

TotalAmount

```
public decimal TotalAmount { get; set; }
```

Property Value

decimal

TotalPrice

```
public decimal TotalPrice { get; set; }
```

Property Value

decimal

UserId

```
public string UserId { get; set; }
```

Property Value

string

Class OrderItem

Namespace: NewBalanceStore.Domain.Entities

Assembly: NewBalanceStore.Domain.dll

```
public class OrderItem
```

Inheritance

object ← OrderItem

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Color

```
public string Color { get; set; }
```

Property Value

string

Price

```
public decimal Price { get; set; }
```

Property Value

decimal

ProductId

```
public string ProductId { get; set; }
```

Property Value

string

ProductName

```
public string ProductName { get; set; }
```

Property Value

string

Quantity

```
public int Quantity { get; set; }
```

Property Value

int

Size

```
public string Size { get; set; }
```

Property Value

string

Class Product

Namespace: NewBalanceStore.Domain.Entities

Assembly: NewBalanceStore.Domain.dll

```
public class Product
```

Inheritance

object ← Product

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Activity

```
public string Activity { get; set; }
```

Property Value

string

Category

```
public string Category { get; set; }
```

Property Value

string

Colors

```
public List<string> Colors { get; set; }
```

Property Value

List<string>

Description

```
public string Description { get; set; }
```

Property Value

string

Gender

```
public Gender Gender { get; set; }
```

Property Value

Gender

Id

```
public string Id { get; set; }
```

Property Value

string

Images

```
public List<string> Images { get; set; }
```

Property Value

List<string>

IsNew

```
public bool IsNew { get; set; }
```

Property Value

bool

Name

```
public string Name { get; set; }
```

Property Value

string

OldPrice

```
public decimal? OldPrice { get; set; }
```

Property Value

decimal?

Price

```
public decimal Price { get; set; }
```

Property Value

decimal

Type

```
public ProductType Type { get; set; }
```

Property Value

ProductType

Variants

```
public List<ProductVariant> Variants { get; set; }
```

Property Value

List <ProductVariant>

Class ProductVariant

Namespace: NewBalanceStore.Domain.Entities

Assembly: NewBalanceStore.Domain.dll

```
public class ProductVariant
```

Inheritance

object ← ProductVariant

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Color

```
public string Color { get; set; }
```

Property Value

string

Id

```
public int Id { get; set; }
```

Property Value

int

Product

```
public Product Product { get; set; }
```

Property Value

Product

ProductId

```
public int ProductId { get; set; }
```

Property Value

int

Quantity

```
public int Quantity { get; set; }
```

Property Value

int

Size

```
public string Size { get; set; }
```

Property Value

string

Class ShippingAddress

Namespace: NewBalanceStore.Domain.Entities

Assembly: NewBalanceStore.Domain.dll

```
public class ShippingAddress
```

Inheritance

object ← ShippingAddress

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

City

```
public string City { get; set; }
```

Property Value

string

Country

```
public string Country { get; set; }
```

Property Value

string

PostalCode

```
public string PostalCode { get; set; }
```

Property Value

string

Street

```
public string Street { get; set; }
```

Property Value

string

Class User

Namespace: NewBalanceStore.Domain.Entities

Assembly: NewBalanceStore.Domain.dll

```
public class User
```

Inheritance

object ← User

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Email

```
public string Email { get; set; }
```

Property Value

string

FirstName

```
public string FirstName { get; set; }
```

Property Value

string

FullName

```
public string FullName { get; }
```

Property Value

string

Id

```
public string Id { get; set; }
```

Property Value

string

LastName

```
public string LastName { get; set; }
```

Property Value

string

PasswordHash

```
public string PasswordHash { get; set; }
```

Property Value

string

Phone

```
public string Phone { get; set; }
```

Property Value

string

Role

```
public UserRole Role { get; set; }
```

Property Value

UserRole

Namespace NewBalanceStore.Domain.Enums

Enums

Gender

OrderStatus

ProductType

UserRole

Enum Gender

Namespace: NewBalanceStore.Domain.Enums

Assembly: NewBalanceStore.Domain.dll

```
public enum Gender
```

Fields

`Men = 0`

`Unisex = 2`

`Women = 1`

Enum OrderStatus

Namespace: NewBalanceStore.Domain.Enums

Assembly: NewBalanceStore.Domain.dll

```
public enum OrderStatus
```

Fields

`Cancelled = 4`

`Delivered = 3`

`Pending = 0`

`Processing = 1`

`Shipped = 2`

Enum ProductType

Namespace: NewBalanceStore.Domain.Enums

Assembly: NewBalanceStore.Domain.dll

```
public enum ProductType
```

Fields

Accessories = 2

Clothing = 1

Footwear = 0

Enum UserRole

Namespace: NewBalanceStore.Domain.Enums

Assembly: NewBalanceStore.Domain.dll

```
public enum UserRole
```

Fields

`Admin = 1`

`Customer = 0`

Namespace NewBalanceStore.Domain.Interfaces

Interfaces

IOrderRepository

IPhotoService

IProductRepository

IUserRepository

Interface IOrderRepository

Namespace: NewBalanceStore.Domain.Interfaces

Assembly: NewBalanceStore.Domain.dll

```
public interface IOrderRepository
```

Methods

CreateAsync(Order)

```
Task CreateAsync(Order order)
```

Parameters

`order` Order

Returns

Task

GetAllAsync()

```
Task<IEnumerable<Order>> GetAllAsync()
```

Returns

Task<IEnumerable<Order>>

GetByIdAsync(int)

```
Task<Order?> GetByIdAsync(int id)
```

Parameters

`id` int

Returns

Task<Order>

UpdateStatusAsync(int, string)

```
Task UpdateStatusAsync(int id, string status)
```

Parameters

`id` int

`status` string

Returns

Task

Interface IPhotoService

Namespace: NewBalanceStore.Domain.Interfaces

Assembly: NewBalanceStore.Domain.dll

```
public interface IPhotoService
```

Methods

AddPhotoAsync(Stream, string)

```
Task<string> AddPhotoAsync(Stream fileStream, string fileName)
```

Parameters

`fileStream` Stream

`fileName` string

Returns

Task<string>

Interface IProductRepository

Namespace: NewBalanceStore.Domain.Interfaces

Assembly: NewBalanceStore.Domain.dll

```
public interface IProductRepository
```

Methods

CreateAsync(Product)

```
Task CreateAsync(Product product)
```

Parameters

`product` Product

Returns

Task

DeleteAsync(string)

```
Task DeleteAsync(string id)
```

Parameters

`id` string

Returns

Task

GetAllAsync()

```
Task<List<Product>> GetAllAsync()
```

Returns

Task<List<Product>>

GetByIdAsync(string)

```
Task<Product?> GetByIdAsync(string id)
```

Parameters

`id` string

Returns

Task<Product>

UpdateAsync(Product)

```
Task UpdateAsync(Product product)
```

Parameters

`product` Product

Returns

Task

Interface IUserRepository

Namespace: NewBalanceStore.Domain.Interfaces

Assembly: NewBalanceStore.Domain.dll

```
public interface IUserRepository
```

Methods

CreateAsync(User)

```
Task CreateAsync(User user)
```

Parameters

`user` User

Returns

Task

GetAllAsync()

```
Task<IEnumerable<User>> GetAllAsync()
```

Returns

Task<IEnumerable<User>>

GetByEmailAsync(string)

```
Task<User?> GetByEmailAsync(string email)
```

Parameters

`email` string

Returns

Task <User>

Namespace NewBalanceStore.Infrastructure.Configurations

Classes

CloudinarySettings

Class CloudinarySettings

Namespace: NewBalanceStore.Infrastructure.Configurations

Assembly: NewBalanceStore.Infrastructure.dll

```
public class CloudinarySettings
```

Inheritance

object ← CloudinarySettings

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

ApiKey

```
public string ApiKey { get; set; }
```

Property Value

string

ApiSecret

```
public string ApiSecret { get; set; }
```

Property Value

string

CloudName

```
public string CloudName { get; set; }
```

Property Value

string

Namespace NewBalanceStore.Infrastructure.Repositories

Classes

FirebaseOrderRepository

FirebaseProductRepository

FirebaseUserRepository

Class FirebaseOrderRepository

Namespace: NewBalanceStore.Infrastructure.Repositories

Assembly: NewBalanceStore.Infrastructure.dll

```
[ExcludeFromCodeCoverage]
public class FirebaseOrderRepository : IOrderRepository
```

Inheritance

object ← FirebaseOrderRepository

Implements

IOrderRepository

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

FirebaseOrderRepository(FirebaseClient)

```
public FirebaseOrderRepository(FirebaseClient firebaseClient)
```

Parameters

`firebaseClient` FirebaseClient

Methods

CreateAsync(Order)

```
public Task CreateAsync(Order order)
```

Parameters

`order` Order

Returns

Task

GetAllAsync()

```
public Task<IEnumerable<Order>> GetAllAsync()
```

Returns

Task<IEnumerable<Order>>

GetByIdAsync(int)

```
public Task<Order?> GetByIdAsync(int id)
```

Parameters

`id` int

Returns

Task<Order>

UpdateStatusAsync(int, string)

```
public Task UpdateStatusAsync(int id, string status)
```

Parameters

`id` int

`status` string

Returns

Task

Class FirebaseProductRepository

Namespace: NewBalanceStore.Infrastructure.Repositories

Assembly: NewBalanceStore.Infrastructure.dll

```
public class FirebaseProductRepository : IProductRepository
```

Inheritance

object ← FirebaseProductRepository

Implements

IProductRepository

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

FirebaseProductRepository(IConfiguration)

```
public FirebaseProductRepository(IConfiguration config)
```

Parameters

`config` IConfiguration

Methods

CreateAsync(Product)

```
public Task CreateAsync(Product item)
```

Parameters

`item` Product

Returns

Task

DeleteAsync(string)

```
public Task DeleteAsync(string id)
```

Parameters

`id` string

Returns

Task

GetAllAsync()

```
public Task<List<Product>> GetAllAsync()
```

Returns

Task<List<Product>>

GetByIdAsync(string)

```
public Task<Product?> GetByIdAsync(string id)
```

Parameters

`id` string

Returns

Task<Product>

UpdateAsync(Product)

```
public Task UpdateAsync(Product item)
```

Parameters

`item` Product

Returns

Task

Class FirebaseUserRepository

Namespace: NewBalanceStore.Infrastructure.Repositories

Assembly: NewBalanceStore.Infrastructure.dll

```
[ExcludeFromCodeCoverage]
public class FirebaseUserRepository : IUserRepository
```

Inheritance

object ← FirebaseUserRepository

Implements

IUserRepository

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

FirebaseUserRepository(IConfiguration)

```
public FirebaseUserRepository(IConfiguration config)
```

Parameters

`config` IConfiguration

Methods

CreateAsync(User)

```
public Task CreateAsync(User user)
```

Parameters

`user` User

Returns

Task

GetAllAsync()

```
public Task<IEnumerable<User>> GetAllAsync()
```

Returns

Task<IEnumerable<User>>

GetByEmailAsync(string)

```
public Task<User?> GetByEmailAsync(string email)
```

Parameters

`email` string

Returns

Task<User>

Namespace NewBalanceStore.Infrastructure.Services

Classes

AuthService

PhotoService

Class AuthService

Namespace: NewBalanceStore.Infrastructure.Services

Assembly: NewBalanceStore.Infrastructure.dll

```
public class AuthService : IAuthService
```

Inheritance

object ← AuthService

Implements

IAuthService

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

AuthService(IUserRepository, IConfiguration)

```
public AuthService(IUserRepository userRepository, IConfiguration configuration)
```

Parameters

`userRepository` IUserRepository

`configuration` IConfiguration

Methods

LoginAsync(UserLoginDto)

```
public Task<AuthResponseDto> LoginAsync(UserLoginDto loginDto)
```

Parameters

`loginDto` UserLoginDto

Returns

Task<AuthResponseDto>

RegisterAsync(UserRegisterDto)

```
public Task<AuthResponseDto> RegisterAsync(UserRegisterDto registerDto)
```

Parameters

`registerDto` UserRegisterDto

Returns

Task<AuthResponseDto>

Class PhotoService

Namespace: NewBalanceStore.Infrastructure.Services

Assembly: NewBalanceStore.Infrastructure.dll

```
public class PhotoService : IPhotoService
```

Inheritance

object ← PhotoService

Implements

IPhotoService

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

PhotoService(IOptions<CloudinarySettings>)

```
public PhotoService(IOptions<CloudinarySettings> config)
```

Parameters

`config` IOptions<CloudinarySettings>

Methods

AddPhotoAsync(Stream, string)

```
public Task<string> AddPhotoAsync(Stream fileStream, string fileName)
```

Parameters

`fileStream` Stream

`fileName` string

Returns

Task<string>

Namespace NewBalanceStore.IntegrationTests

Classes

AuthAndStartupIntegrationTests

OrdersApiIntegrationTests

ProductsApiIntegrationTests

Class AuthAndStartupIntegrationTests

Namespace: NewBalanceStore.IntegrationTests

Assembly: NewBalanceStore.IntegrationTests.dll

```
[TestFixture]
public class AuthAndStartupIntegrationTests
```

Inheritance

object ← AuthAndStartupIntegrationTests

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

Application_StartsAndResolvesApplicationServicesWithLocalRepositories()

```
[Test]
public void Application_StartsAndResolvesApplicationServicesWithLocalRepositories()
```

RegisterAndLogin_UseRealAuthServiceAndReturnJsonToken()

```
[Test]
public Task RegisterAndLogin_UseRealAuthServiceAndReturnJsonToken()
```

Returns

Task

SetUp()

```
[SetUp]
public void SetUp()
```

TearDown()

```
[TearDown]
public void TearDown()
```

Class OrdersApiIntegrationTests

Namespace: NewBalanceStore.IntegrationTests

Assembly: NewBalanceStore.IntegrationTests.dll

```
[TestFixture]
public class OrdersApiIntegrationTests
```

Inheritance

object ← OrdersApiIntegrationTests

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

CreateOrder_CalculatesItemsPersistsAndReturnsCreatedResource()

```
[Test]
public Task CreateOrder_CalculatesItemsPersistsAndReturnsCreatedResource()
```

Returns

Task

GetOrder_WhenMissing_ReturnsNotFound()

```
[Test]
public Task GetOrder_WhenMissing_ReturnsNotFound()
```

Returns

Task

SetUp()

```
[SetUp]
public void SetUp()
```

TearDown()

```
[TearDown]
public void TearDown()
```

UpdateOrderStatus_PersistsNewStatus()

```
[Test]
public Task UpdateOrderStatus_PersistsNewStatus()
```

Returns

Task

Class ProductsApiIntegrationTests

Namespace: NewBalanceStore.IntegrationTests

Assembly: NewBalanceStore.IntegrationTests.dll

```
[TestFixture]
public class ProductsApiIntegrationTests
```

Inheritance

object ← ProductsApiIntegrationTests

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

GetById_ReturnsProductOrNotFound()

```
[Test]
public Task GetById_ReturnsProductOrNotFound()
```

Returns

Task

GetProducts_AppliesServiceFiltersAndSort()

```
[Test]
public Task GetProducts_AppliesServiceFiltersAndSort()
```

Returns

Task

GetProducts_ReturnsSeededProductsAsJson()

```
[Test]
public Task GetProducts_ReturnsSeededProductsAsJson()
```

Returns

Task

ProductWrites_EnforceAdminRoleAndPersistChanges()

```
[Test]
public Task ProductWrites_EnforceAdminRoleAndPersistChanges()
```

Returns

Task

SetUp()

```
[SetUp]
public void SetUp()
```

TearDown()

```
[TearDown]
public void TearDown()
```

UploadImage_UsesLocalPhotoService()

```
[Test]
public Task UploadImage_UsesLocalPhotoService()
```

Returns

Task

Namespace NewBalanceStore.IntegrationTests.Infrastructure

Classes

TestApiFactory

TestAuthenticationHandler

Class TestApiFactory

Namespace: NewBalanceStore.IntegrationTests.Infrastructure

Assembly: NewBalanceStore.IntegrationTests.dll

```
public sealed class TestApiFactory : WebApplicationFactory<Program>,
IDisposable, IAsyncDisposable
```

Inheritance

object ← WebApplicationFactory<Program> ← TestApiFactory

Implements

IDisposable, IAsyncDisposable

Inherited Members

WebApplicationFactory<Program>.WithWebHostBuilder(Action<IWebHostBuilder>) , WebApplicationFactory<Program>.UseKestrel() , WebApplicationFactory<Program>.UseKestrel(int) , WebApplicationFactory<Program>.UseKestrel(Action<KestrelServerOptions>) , WebApplicationFactory<Program>.StartServer() , WebApplicationFactory<Program>.CreateClient() , WebApplicationFactory<Program>.CreateClient(WebApplicationFactoryClientOptions) , WebApplicationFactory<Program>.CreateDefaultClient(params DelegatingHandler[]) , WebApplicationFactory<Program>.CreateDefaultClient(Uri, params DelegatingHandler[]) , WebApplicationFactory<Program>.Dispose() , WebApplicationFactory<Program>.DisposeAsync() , WebApplicationFactory<Program>.Server , WebApplicationFactory<Program>.Services , WebApplicationFactory<Program>.Factories , WebApplicationFactory<Program>.ClientOptions , object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.ReferenceEquals(object, object) , object.ToString()

Methods

ConfigureWebHost(IWebHostBuilder)

Gives a fixture an opportunity to configure the application before it gets built.

```
protected override void ConfigureWebHost(IWebHostBuilder builder)
```

Parameters

`builder` IWebHostBuilder

The IWebHostBuilder for the application.

Class TestAuthenticationHandler

Namespace: NewBalanceStore.IntegrationTests.Infrastructure

Assembly: NewBalanceStore.IntegrationTests.dll

```
public sealed class TestAuthenticationHandler :
AuthenticationHandler<AuthenticationSchemeOptions>, IAuthenticationHandler
```

Inheritance

object ← AuthenticationHandler<AuthenticationSchemeOptions> ← TestAuthenticationHandler

Implements

IAuthenticationHandler

Inherited Members

AuthenticationHandler<AuthenticationSchemeOptions>.InitializeAsync(AuthenticationScheme, HttpContext) , AuthenticationHandler<AuthenticationSchemeOptions>.AuthenticateAsync() , AuthenticationHandler<AuthenticationSchemeOptions>.ChallengeAsync(AuthenticationProperties) , AuthenticationHandler<AuthenticationSchemeOptions>.ForbidAsync(AuthenticationProperties) , AuthenticationHandler<AuthenticationSchemeOptions>.Scheme , AuthenticationHandler<AuthenticationSchemeOptions>.Options , object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

TestAuthenticationHandler(IOptionsMonitor<AuthenticationSchemeOptions>, ILoggerFactory, UrlEncoder)

```
public TestAuthenticationHandler(IOptionsMonitor<AuthenticationSchemeOptions> options,
ILoggerFactory logger, UrlEncoder encoder)
```

Parameters

`options` IOptionsMonitor<AuthenticationSchemeOptions>

`logger` ILoggerFactory

encoder UrlEncoder

Fields

SchemeName

```
public const string SchemeName = "IntegrationTest"
```

Field Value

string

Methods

HandleAuthenticateAsync()

Allows derived types to handle authentication.

```
protected override Task<AuthenticateResult> HandleAuthenticateAsync()
```

Returns

Task <AuthenticateResult>

The AuthenticateResult.

Namespace NewBalanceStore.UnitTests

Classes

ProductServiceTests

Class ProductServiceTests

Namespace: NewBalanceStore.UnitTests

Assembly: NewBalanceStore.UnitTests.dll

```
[TestFixture]
public class ProductServiceTests
```

Inheritance

object ← ProductServiceTests

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

ProductService

```
public ProductService ProductService { get; set; }
```

Property Value

ProductService

RepositoryMock

```
public Mock<IProductRepository> RepositoryMock { get; set; }
```

Property Value

Mock<IProductRepository>

Methods

CreateAsync_ShouldCallRepository()

```
[Test]
public Task CreateAsync_ShouldCallRepository()
```

Returns

Task

DeleteAsync_ShouldCallRepository_WhenProductExists()

```
[Test]
public Task DeleteAsync_ShouldCallRepository_WhenProductExists()
```

Returns

Task

DeleteAsync_WhenProductDoesNotExist_ShouldNotCallDelete()

```
[Test]
public Task DeleteAsync_WhenProductDoesNotExist_ShouldNotCallDelete()
```

Returns

Task

GetAllAsync_ShouldReturnAllProducts()

```
[Test]
public Task GetAllAsync_ShouldReturnAllProducts()
```

Returns

Task

GetByIdAsync_ShouldMapProductAndVariantProperties()

```
[Test]
public Task GetByIdAsync_ShouldMapProductAndVariantProperties()
```

Returns

Task

GetByIdAsync_WhenProductDoesNotExist_ShouldReturnNull()

```
[Test]
public Task GetByIdAsync_WhenProductDoesNotExist_ShouldReturnNull()
```

Returns

Task

GetByIdAsync_WhenProductExists_ShouldReturnProduct()

```
[Test]
public Task GetByIdAsync_WhenProductExists_ShouldReturnProduct()
```

Returns

Task

GetFilteredProductsAsync_ShouldFilterBySearchTerm()

```
[Test]
public Task GetFilteredProductsAsync_ShouldFilterBySearchTerm()
```

Returns

Task

GetFilteredProductsAsync_ShouldFilterCategoryAndInclusivePriceRange()

```
[Test]
public Task GetFilteredProductsAsync_ShouldFilterCategoryAndInclusivePriceRange()
```

Returns

Task

GetFilteredProductsAsync_ShouldReturnFilteredAndSortedResults()

```
[Test]
public Task GetFilteredProductsAsync_ShouldReturnFilteredAndSortedResults()
```

Returns

Task

GetFilteredProductsAsync_ShouldSearchDescriptionCaseInsensitively()

```
public Task GetFilteredProductsAsync_ShouldSearchDescriptionCaseInsensitively()
```

Returns

Task

GetFilteredProductsAsync_ShouldSortResults(string, int[])

```
[TestCase("price_asc", new int[] { 2, 3, 1 })]
[TestCase("price_desc", new int[] { 1, 3, 2 })]
```

```
[TestCase("name", new int[] { 2, 1, 3 })]
public Task GetFilteredProductsAsync_ShouldSortResults(string sortBy, int[] expectedIds)
```

Parameters

sortBy string

expectedIds int[]

Returns

Task

GetFilteredProductsAsync_WhenNoProductsMatch_ShouldReturnEmptyCollection()

```
[Test]
public Task GetFilteredProductsAsync_WhenNoProductsMatch_ShouldReturnEmptyCollection()
```

Returns

Task

SetUp()

```
[SetUp]
public void SetUp()
```

UpdateAsync_ShouldCallRepository_WhenProductExists()

```
[Test]
public Task UpdateAsync_ShouldCallRepository_WhenProductExists()
```

Returns

Task

UpdateAsync_WhenProductDoesNotExist_ShouldReturnFalseWithoutUpdating()

```
[Test]
public Task UpdateAsync_WhenProductDoesNotExist_ShouldReturnFalseWithoutUpdating()
```

Returns

Task

Namespace NewBalanceStore.UnitTests.Controllers

Classes

AuthControllerTests

OrdersControllerTests

ProductsControllerTests

Class AuthControllerTests

Namespace: NewBalanceStore.UnitTests.Controllers

Assembly: NewBalanceStore.UnitTests.dll

```
[TestFixture]
public class AuthControllerTests
```

Inheritance

object ← AuthControllerTests

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

Login_WhenCredentialsAreInvalid_ReturnsUnauthorized()

```
[Test]
public Task Login_WhenCredentialsAreInvalid_ReturnsUnauthorized()
```

Returns

Task

Login_WhenSuccessful_ReturnsOk()

```
[Test]
public Task Login_WhenSuccessful_ReturnsOk()
```

Returns

Task

Register_WhenEmailAlreadyExists_ReturnsBadRequest()

```
[Test]
public Task Register_WhenEmailAlreadyExists_ReturnsBadRequest()
```

Returns

Task

Register_WhenSuccessful_ReturnsOk()

```
[Test]
public Task Register_WhenSuccessful_ReturnsOk()
```

Returns

Task

SetUp()

```
[SetUp]
public void SetUp()
```

Class OrdersControllerTests

Namespace: NewBalanceStore.UnitTests.Controllers

Assembly: NewBalanceStore.UnitTests.dll

```
[TestFixture]
public class OrdersControllerTests
```

Inheritance

object ← OrdersControllerTests

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

Create_ReturnsCreatedAtAction()

```
[Test]
public Task Create_ReturnsCreatedAtAction()
```

Returns

Task

GetById_WhenOrderDoesNotExist_ReturnsNotFound()

```
[Test]
public Task GetById_WhenOrderDoesNotExist_ReturnsNotFound()
```

Returns

Task

GetById_WhenOrderExists_ReturnsOk()

```
[Test]
public Task GetById_WhenOrderExists_ReturnsOk()
```

Returns

Task

SetUp()

```
[SetUp]
public void SetUp()
```

UpdateStatus_DelegatesToServiceAndReturnsNoContent()

```
[Test]
public Task UpdateStatus_DelegatesToServiceAndReturnsNoContent()
```

Returns

Task

Class ProductsControllerTests

Namespace: NewBalanceStore.UnitTests.Controllers

Assembly: NewBalanceStore.UnitTests.dll

```
[TestFixture]
public class ProductsControllerTests
```

Inheritance

object ← ProductsControllerTests

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

Create_ReturnsCreatedAtAction()

```
[Test]
public Task Create_ReturnsCreatedAtAction()
```

Returns

Task

Delete_WhenProductDoesNotExist_ReturnsNotFound()

```
[Test]
public Task Delete_WhenProductDoesNotExist_ReturnsNotFound()
```

Returns

Task

Delete_WhenProductExists_ReturnsNoContent()

```
[Test]
public Task Delete_WhenProductExists_ReturnsNoContent()
```

Returns

Task

GetById_WhenProductDoesNotExist_ReturnsNotFound()

```
[Test]
public Task GetById_WhenProductDoesNotExist_ReturnsNotFound()
```

Returns

Task

GetById_WhenProductExists_ReturnsOk()

```
[Test]
public Task GetById_WhenProductExists_ReturnsOk()
```

Returns

Task

GetProducts_ReturnsOkAndPassesFilterToService()

```
[Test]
public Task GetProducts_ReturnsOkAndPassesFilterToService()
```

Returns

Task

SetUp()

```
[SetUp]
public void SetUp()
```

Update_WhenProductDoesNotExist_ReturnsNotFound()

```
[Test]
public Task Update_WhenProductDoesNotExist_ReturnsNotFound()
```

Returns

Task

Update_WhenProductExists_ReturnsNoContent()

```
[Test]
public Task Update_WhenProductExists_ReturnsNoContent()
```

Returns

Task

UploadImage_WhenFileIsEmpty_ReturnsBadRequestWithoutCallingPhotoService()

```
[Test]
public Task UploadImage_WhenFileIsEmpty_ReturnsBadRequestWithoutCallingPhotoService()
```

Returns

Task

UploadImage_WhenPhotoServiceReturnsNoUrl_ReturnsBadRequest()

```
[Test]
public Task UploadImage_WhenPhotoServiceReturnsNoUrl_ReturnsBadRequest()
```

Returns

Task

UploadImage_WhenPhotoServiceReturnsUrl_ReturnsOk()

```
[Test]
public Task UploadImage_WhenPhotoServiceReturnsUrl_ReturnsOk()
```

Returns

Task

Namespace NewBalanceStore.UnitTests.DTOs

Classes

CartTests

Class CartTests

Namespace: NewBalanceStore.UnitTests.DTOs

Assembly: NewBalanceStore.UnitTests.dll

```
[TestFixture]
public class CartTests
```

Inheritance

object ← CartTests

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

CartDto_TotalAmount_ShouldBeZero_WhenCartIsEmpty()

```
[Test]
public void CartDto_TotalAmount_ShouldBeZero_WhenCartIsEmpty()
```

CartDto_TotalAmount_ShouldCalculateCorrectly()

```
[Test]
public void CartDto_TotalAmount_ShouldCalculateCorrectly()
```

Namespace NewBalanceStore.UnitTests.Services

Classes

AuthServiceTests

AuthServiceTests.FakeUserRepository

OrderServiceTests

Class AuthServiceTests

Namespace: NewBalanceStore.UnitTests.Services

Assembly: NewBalanceStore.UnitTests.dll

```
public class AuthServiceTests
```

Inheritance

object ← AuthServiceTests

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

AuthServiceTests()

```
public AuthServiceTests()
```

Methods

LoginAsync_ShouldReturnToken_WhenCredentialsAreValid()

```
[Test]
public Task LoginAsync_ShouldReturnToken_WhenCredentialsAreValid()
```

Returns

Task

LoginAsync_ShouldReturnToken_WhenEmailDiffersOnlyByCase()

```
[Test]
public Task LoginAsync_ShouldReturnToken_WhenEmailDiffersOnlyByCase()
```

Returns

Task

LoginAsync_ShouldThrowException_WhenEmailDoesNotExist()

```
[Test]
public Task LoginAsync_ShouldThrowException_WhenEmailDoesNotExist()
```

Returns

Task

LoginAsync_ShouldThrowException_WhenPasswordIsInvalid()

```
[Test]
public Task LoginAsync_ShouldThrowException_WhenPasswordIsInvalid()
```

Returns

Task

RegisterAsync_ShouldReturnAuthResponseDto_WhenUserIsNew()

```
[Test]
public Task RegisterAsync_ShouldReturnAuthResponseDto_WhenUserIsNew()
```

Returns

Task

RegisterAsync_ShouldThrowException_WhenEmailAlreadyExists()

```
[Test]
public Task RegisterAsync_ShouldThrowException_WhenEmailAlreadyExists()
```

Returns

Task

Class AuthServiceTests.FakeUserRepository

Namespace: NewBalanceStore.UnitTests.Services

Assembly: NewBalanceStore.UnitTests.dll

```
public class AuthServiceTests.FakeUserRepository : IUserRepository
```

Inheritance

object ← AuthServiceTests.FakeUserRepository

Implements

IUserRepository

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

CreateAsync(User)

```
public Task CreateAsync(User user)
```

Parameters

`user` User

Returns

Task

GetAllAsync()

```
public Task<IEnumerable<User>> GetAllAsync()
```

Returns

Task<IEnumerable<User>>

GetByEmailAsync(string)

```
public Task<User?> GetByEmailAsync(string email)
```

Parameters

`email` string

Returns

Task<User>

Class OrderServiceTests

Namespace: NewBalanceStore.UnitTests.Services

Assembly: NewBalanceStore.UnitTests.dll

```
[TestFixture]
public class OrderServiceTests
```

Inheritance

object ← OrderServiceTests

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

CreateOrderAsync_ShouldCreateItemsAndCalculateTotalFromProducts()

```
[Test]
public Task CreateOrderAsync_ShouldCreateItemsAndCalculateTotalFromProducts()
```

Returns

Task

CreateOrderAsync_ShouldReturnCreatedOrderDto()

```
[Test]
public Task CreateOrderAsync_ShouldReturnCreatedOrderDto()
```

Returns

Task

GetAllOrdersAsync_ShouldReturnListOfOrders()

```
[Test]
public Task GetAllOrdersAsync_ShouldReturnListOfOrders()
```

Returns

Task

GetOrderByIdAsync_ShouldReturnNull_WhenOrderDoesNotExist()

```
[Test]
public Task GetOrderByIdAsync_ShouldReturnNull_WhenOrderDoesNotExist()
```

Returns

Task

GetOrderByIdAsync_ShouldReturnOrder_WhenExists()

```
[Test]
public Task GetOrderByIdAsync_ShouldReturnOrder_WhenExists()
```

Returns

Task

SetUp()

```
[SetUp]
public void SetUp()
```

UpdateOrderStatusAsync_ShouldCallRepository_WhenOrderExists()

```
[Test]
public Task UpdateOrderStatusAsync_ShouldCallRepository_WhenOrderExists()
```

Returns

Task

Namespace NewBalanceStore.UnitTests.Tests

Classes

DtoMappingTests

Class DtoMappingTests

Namespace: NewBalanceStore.UnitTests.Tests

Assembly: NewBalanceStore.UnitTests.dll

```
public class DtoMappingTests
```

Inheritance

object ← DtoMappingTests

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

CreateOrderDto_DefaultItemsList_ShouldNotBeNull()

```
[Test]
public void CreateOrderDto_DefaultItemsList_ShouldNotBeNull()
```

CreateOrderDto_ShouldCorrectlyInitializeProperties()

```
[Test]
public void CreateOrderDto_ShouldCorrectlyInitializeProperties()
```

Namespace NewBalanceStore.Web.Controllers

Classes

HomeController

Class HomeController

Namespace: NewBalanceStore.Web.Controllers

Assembly: NewBalanceStore.Web.dll

```
public class HomeController : Controller, IActionFilter, IAsyncActionFilter,
IFilterMetadata, IDisposable
```

Inheritance

object ← ControllerBase ← Controller ← HomeController

Implements

IActionFilter, IAsyncActionFilter, IFilterMetadata, IDisposable

Inherited Members

Controller.View() , Controller.View(string) , Controller.View(object) ,
Controller.View(string, object) , Controller.PartialView() , Controller.PartialView(string) ,
Controller.PartialView(object) , Controller.PartialView(string, object) ,
Controller.ViewComponent(string) , Controller.ViewComponent(Type) ,
Controller.ViewComponent(string, object) , Controller.ViewComponent(Type, object) ,
Controller.Json(object) , Controller.Json(object, object) ,
Controller.OnActionExecuting(ActionExecutingContext) ,
Controller.OnActionExecuted(ActionExecutedContext) ,
Controller.OnActionExecutionAsync(ActionExecutingContext, ActionExecutionDelegate) ,
Controller.Dispose() , Controller.Dispose(bool) , Controller.ViewData , Controller.TempData ,
Controller.ViewBag , ControllerBase.StatusCode(int) , ControllerBase.StatusCode(int, object) ,
ControllerBase.Content(string) , ControllerBase.Content(string, string) ,
ControllerBase.Content(string, string, Encoding) ,
ControllerBase.Content(string, MediaTypeHeaderValue) , ControllerBase.NoContent() ,
ControllerBase.Ok() , ControllerBase.Ok(object) , ControllerBase.Redirect(string) ,
ControllerBase.RedirectPermanent(string) , ControllerBase.RedirectPreserveMethod(string) ,
ControllerBase.RedirectPermanentPreserveMethod(string) , ControllerBase.LocalRedirect(string) ,
ControllerBase.LocalRedirectPermanent(string) , ControllerBase.LocalRedirectPreserveMethod(string) ,
ControllerBase.LocalRedirectPermanentPreserveMethod(string) , ControllerBase.RedirectToAction() ,
ControllerBase.RedirectToAction(string) , ControllerBase.RedirectToAction(string, object) ,
ControllerBase.RedirectToAction(string, string) ,
ControllerBase.RedirectToAction(string, string, object) ,
ControllerBase.RedirectToAction(string, string, string) ,
ControllerBase.RedirectToAction(string, string, object, string) ,

ControllerBase.RedirectToActionPreserveMethod(string, string, object, string) ,
ControllerBase.RedirectToActionPermanent(string) ,
ControllerBase.RedirectToActionPermanent(string, object) ,
ControllerBase.RedirectToActionPermanent(string, string) ,
ControllerBase.RedirectToActionPermanent(string, string, string) ,
ControllerBase.RedirectToActionPermanent(string, string, object) ,
ControllerBase.RedirectToActionPermanent(string, string, object, string) ,
ControllerBase.RedirectToActionPermanentPreserveMethod(string, string, object, string) ,
ControllerBase.RedirectToRoute(string) , ControllerBase.RedirectToRoute(object) ,
ControllerBase.RedirectToRoute(string, object) , ControllerBase.RedirectToRoute(string, string) ,
ControllerBase.RedirectToRoute(string, object, string) ,
ControllerBase.RedirectToRoutePreserveMethod(string, object, string) ,
ControllerBase.RedirectToRoutePermanent(string) ,
ControllerBase.RedirectToRoutePermanent(object) ,
ControllerBase.RedirectToRoutePermanent(string, object) ,
ControllerBase.RedirectToRoutePermanent(string, string) ,
ControllerBase.RedirectToRoutePermanent(string, object, string) ,
ControllerBase.RedirectToRoutePermanentPreserveMethod(string, object, string) ,
ControllerBase.RedirectToPage(string) , ControllerBase.RedirectToPage(string, object) ,
ControllerBase.RedirectToPage(string, string) , ControllerBase.RedirectToPage(string, string, object) ,
ControllerBase.RedirectToPage(string, string, string) ,
ControllerBase.RedirectToPage(string, string, object, string) ,
ControllerBase.RedirectToPagePermanent(string) ,
ControllerBase.RedirectToPagePermanent(string, object) ,
ControllerBase.RedirectToPagePermanent(string, string) ,
ControllerBase.RedirectToPagePermanent(string, string, string) ,
ControllerBase.RedirectToPagePermanent(string, string, object, string) ,
ControllerBase.RedirectToPagePreserveMethod(string, string, object, string) ,
ControllerBase.RedirectToPagePermanentPreserveMethod(string, string, object, string) ,
ControllerBase.File(byte[], string) , ControllerBase.File(byte[], string, bool) ,
ControllerBase.File(byte[], string, string) , ControllerBase.File(byte[], string, string, bool) ,
ControllerBase.File(byte[], string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(byte[], string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(byte[], string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(byte[], string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(Stream, string) , ControllerBase.File(Stream, string, bool) ,
ControllerBase.File(Stream, string, string) , ControllerBase.File(Stream, string, string, bool) ,
ControllerBase.File(Stream, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue) ,

ControllerBase.File(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(string, string) , ControllerBase.File(string, string, bool) ,
ControllerBase.File(string, string, string) , ControllerBase.File(string, string, string, bool) ,
ControllerBase.File(string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(string, string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.PhysicalFile(string, string) , ControllerBase.PhysicalFile(string, string, bool) ,
ControllerBase.PhysicalFile(string, string, string) ,
ControllerBase.PhysicalFile(string, string, string, bool) ,
ControllerBase.PhysicalFile(string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.PhysicalFile(string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.PhysicalFile(string, string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.PhysicalFile(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.Unauthorized() , ControllerBase.Unauthorized(object) , ControllerBase.NotFound() ,
ControllerBase.NotFound(object) , ControllerBase.BadRequest() ,
ControllerBase.BadRequest(object) , ControllerBase.BadRequest(ModelStateDictionary) ,
ControllerBase.UnprocessableEntity() , ControllerBase.UnprocessableEntity(object) ,
ControllerBase.UnprocessableEntity(ModelStateDictionary) , ControllerBase.Conflict() ,
ControllerBase.Conflict(object) , ControllerBase.Conflict(ModelStateDictionary) ,
ControllerBase.Problem(string, string, int?, string, string) ,
ControllerBase.Problem(string, string, int?, string, string, IDictionary<string, object>) ,
ControllerBase.ValidationProblem(ValidationProblemDetails) ,
ControllerBase.ValidationProblem(ModelStateDictionary) , ControllerBase.ValidationProblem() ,
ControllerBase.ValidationProblem(string, string, int?, string, string, ModelStateDictionary) ,
ControllerBase.ValidationProblem(string, string, int?, string, string, ModelStateDictionary,
IDictionary<string, object>) ,
ControllerBase.Created() , ControllerBase.Created(string, object) ,
ControllerBase.Created(Uri, object) , ControllerBase.CreatedAtAction(string, object) ,
ControllerBase.CreatedAtAction(string, object, object) ,
ControllerBase.CreatedAtAction(string, string, object, object) ,
ControllerBase.CreatedAtRoute(string, object) , ControllerBase.CreatedAtRoute(object, object) ,
ControllerBase.CreatedAtRoute(string, object, object) , ControllerBase.Accepted() ,
ControllerBase.Accepted(object) , ControllerBase.Accepted(Uri) , ControllerBase.Accepted(string) ,
ControllerBase.Accepted(string, object) , ControllerBase.Accepted(Uri, object) ,
ControllerBase.AcceptedAtAction(string) , ControllerBase.AcceptedAtAction(string, string) ,
ControllerBase.AcceptedAtAction(string, object) ,
ControllerBase.AcceptedAtAction(string, string, object) ,
ControllerBase.AcceptedAtAction(string, object, object) ,
ControllerBase.AcceptedAtAction(string, string, object, object) ,

ControllerBase.AcceptedAtRoute(object) , ControllerBase.AcceptedAtRoute(string) , ControllerBase.AcceptedAtRoute(string, object) , ControllerBase.AcceptedAtRoute(object, object) , ControllerBase.AcceptedAtRoute(string, object, object) , ControllerBase.Challenge() , ControllerBase.Challenge(params string[]) , ControllerBase.Challenge(AuthenticationProperties) , ControllerBase.Challenge(AuthenticationProperties, params string[]) , ControllerBase.Forbid() , ControllerBase.Forbid(params string[]) , ControllerBase.Forbid(AuthenticationProperties) , ControllerBase.Forbid(AuthenticationProperties, params string[]) , ControllerBase.SignIn(ClaimsPrincipal) , ControllerBase.SignIn(ClaimsPrincipal, string) , ControllerBase.SignIn(ClaimsPrincipal, AuthenticationProperties) , ControllerBase.SignIn(ClaimsPrincipal, AuthenticationProperties, string) , ControllerBase.SignOut() , ControllerBase.SignOut(AuthenticationProperties) , ControllerBase.SignOut(params string[]) , ControllerBase.SignOut(AuthenticationProperties, params string[]) , ControllerBase.TryUpdateModelAsync<TModel>(TModel) , ControllerBase.TryUpdateModelAsync<TModel>(TModel, string) , ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, IValueProvider) , ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, params Expression<Func<TModel, object>>[]) , ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, Func<ModelMetadata, bool>) , ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, IValueProvider, params Expression<Func<TModel, object>>[]) , ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, IValueProvider, Func<ModelMetadata, bool>) , ControllerBase.TryUpdateModelAsync(object, Type, string) , ControllerBase.TryUpdateModelAsync(object, Type, string, IValueProvider, Func<ModelMetadata, bool>) , ControllerBase.TryValidateModel(object) , ControllerBase.TryValidateModel(object, string) , ControllerBase.HttpContext , ControllerBase.Request , ControllerBase.Response , ControllerBase.RouteData , ControllerBase.ModelState , ControllerBase.ControllerContext , ControllerBase.MetadataProvider , ControllerBase.ModelBinderFactory , ControllerBase.Url , ControllerBase.ObjectValidator , ControllerBase.ProblemDetailsFactory , ControllerBase.User , ControllerBase.Empty , object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

Error()

```
[ResponseCache(Duration = 0, Location = ResponseCacheLocation.None, NoStore = true)]
public IActionResult Error()
```

Returns

IActionResult

Index()

```
public IActionResult Index()
```

Returns

IActionResult

Privacy()

```
public IActionResult Privacy()
```

Returns

IActionResult

Namespace NewBalanceStore.Web.Models

Classes

ErrorViewModel

Class ErrorViewModel

Namespace: NewBalanceStore.Web.Models

Assembly: NewBalanceStore.Web.dll

```
public class ErrorViewModel
```

Inheritance

object ← ErrorViewModel

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

RequestId

```
public string? RequestId { get; set; }
```

Property Value

string

ShowRequestId

```
public bool ShowRequestId { get; }
```

Property Value

bool

Namespace NewBalanceStore.WebApi.Controllers

Classes

AuthController

OrdersController

ProductsController

Class AuthController

Namespace: NewBalanceStore.WebApi.Controllers

Assembly: NewBalanceStore.WebApi.dll

```
[ApiController]
[Route("api/[controller]")]
public class AuthController : ControllerBase
```

Inheritance

object ← ControllerBase ← AuthController

Inherited Members

ControllerBase.StatusCode(int) , ControllerBase.StatusCode(int, object) ,
ControllerBase.Content(string) , ControllerBase.Content(string, string) ,
ControllerBase.Content(string, string, Encoding) ,
ControllerBase.Content(string, MediaTypeHeaderValue) , ControllerBase.NoContent() ,
ControllerBase.Ok() , ControllerBase.Ok(object) , ControllerBase.Redirect(string) ,
ControllerBase.RedirectPermanent(string) , ControllerBase.RedirectPreserveMethod(string) ,
ControllerBase.RedirectPermanentPreserveMethod(string) , ControllerBase.LocalRedirect(string) ,
ControllerBase.LocalRedirectPermanent(string) , ControllerBase.LocalRedirectPreserveMethod(string) ,
ControllerBase.LocalRedirectPermanentPreserveMethod(string) , ControllerBase.RedirectToAction() ,
ControllerBase.RedirectToAction(string) , ControllerBase.RedirectToAction(string, object) ,
ControllerBase.RedirectToAction(string, string) ,
ControllerBase.RedirectToAction(string, string, object) ,
ControllerBase.RedirectToAction(string, string, string) ,
ControllerBase.RedirectToAction(string, string, object, string) ,
ControllerBase.RedirectToActionPreserveMethod(string, string, object, string) ,
ControllerBase.RedirectToActionPermanent(string) ,
ControllerBase.RedirectToActionPermanent(string, object) ,
ControllerBase.RedirectToActionPermanent(string, string) ,
ControllerBase.RedirectToActionPermanent(string, string, string) ,
ControllerBase.RedirectToActionPermanent(string, string, object) ,
ControllerBase.RedirectToActionPermanent(string, string, object, string) ,
ControllerBase.RedirectToActionPermanentPreserveMethod(string, string, object, string) ,
ControllerBase.RedirectToRoute(string) , ControllerBase.RedirectToRoute(object) ,
ControllerBase.RedirectToRoute(string, object) , ControllerBase.RedirectToRoute(string, string) ,
ControllerBase.RedirectToRoute(string, object, string) ,
ControllerBase.RedirectToRoutePreserveMethod(string, object, string) ,

ControllerBase.RedirectToRoutePermanent(string) ,
ControllerBase.RedirectToRoutePermanent(object) ,
ControllerBase.RedirectToRoutePermanent(string, object) ,
ControllerBase.RedirectToRoutePermanent(string, string) ,
ControllerBase.RedirectToRoutePermanent(string, object, string) ,
ControllerBase.RedirectToRoutePermanentPreserveMethod(string, object, string) ,
ControllerBase.RedirectToPage(string) , ControllerBase.RedirectToPage(string, object) ,
ControllerBase.RedirectToPage(string, string) , ControllerBase.RedirectToPage(string, string, object) ,
ControllerBase.RedirectToPage(string, string, string) ,
ControllerBase.RedirectToPage(string, string, object, string) ,
ControllerBase.RedirectToPagePermanent(string) ,
ControllerBase.RedirectToPagePermanent(string, object) ,
ControllerBase.RedirectToPagePermanent(string, string) ,
ControllerBase.RedirectToPagePermanent(string, string, string) ,
ControllerBase.RedirectToPagePermanent(string, string, object, string) ,
ControllerBase.RedirectToPagePreserveMethod(string, string, object, string) ,
ControllerBase.RedirectToPagePermanentPreserveMethod(string, string, object, string) ,
ControllerBase.File(byte[], string) , ControllerBase.File(byte[], string, bool) ,
ControllerBase.File(byte[], string, string) , ControllerBase.File(byte[], string, string, bool) ,
ControllerBase.File(byte[], string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(byte[], string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(byte[], string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(byte[], string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(Stream, string) , ControllerBase.File(Stream, string, bool) ,
ControllerBase.File(Stream, string, string) , ControllerBase.File(Stream, string, string, bool) ,
ControllerBase.File(Stream, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(string, string) , ControllerBase.File(string, string, bool) ,
ControllerBase.File(string, string, string) , ControllerBase.File(string, string, string, bool) ,
ControllerBase.File(string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(string, string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.PhysicalFile(string, string) , ControllerBase.PhysicalFile(string, string, bool) ,
ControllerBase.PhysicalFile(string, string, string) ,
ControllerBase.PhysicalFile(string, string, string, bool) ,
ControllerBase.PhysicalFile(string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.PhysicalFile(string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,

ControllerBase.PhysicalFile(string, string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.PhysicalFile(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.Unauthorized() , ControllerBase.Unauthorized(object) , ControllerBase.NotFound() ,
ControllerBase.NotFound(object) , ControllerBase.BadRequest() ,
ControllerBase.BadRequest(object) , ControllerBase.BadRequest(ModelStateDictionary) ,
ControllerBase.UnprocessableEntity() , ControllerBase.UnprocessableEntity(object) ,
ControllerBase.UnprocessableEntity(ModelStateDictionary) , ControllerBase.Conflict() ,
ControllerBase.Conflict(object) , ControllerBase.Conflict(ModelStateDictionary) ,
ControllerBase.Problem(string, string, int?, string, string) ,
ControllerBase.Problem(string, string, int?, string, string, IDictionary<string, object>) ,
ControllerBase.ValidationProblem(ValidationProblemDetails) ,
ControllerBase.ValidationProblem(ModelStateDictionary) , ControllerBase.ValidationProblem() ,
ControllerBase.ValidationProblem(string, string, int?, string, string, ModelStateDictionary) ,
ControllerBase.ValidationProblem(string, string, int?, string, string, ModelStateDictionary,
IDictionary<string, object>) ,
ControllerBase.Created() , ControllerBase.Created(string, object) ,
ControllerBase.Created(Uri, object) , ControllerBase.CreatedAtAction(string, object) ,
ControllerBase.CreatedAtAction(string, object, object) ,
ControllerBase.CreatedAtAction(string, string, object, object) ,
ControllerBase.CreatedAtRoute(string, object) , ControllerBase.CreatedAtRoute(object, object) ,
ControllerBase.CreatedAtRoute(string, object, object) , ControllerBase.Accepted() ,
ControllerBase.Accepted(object) , ControllerBase.Accepted(Uri) , ControllerBase.Accepted(string) ,
ControllerBase.Accepted(string, object) , ControllerBase.Accepted(Uri, object) ,
ControllerBase.AcceptedAtAction(string) , ControllerBase.AcceptedAtAction(string, string) ,
ControllerBase.AcceptedAtAction(string, object) ,
ControllerBase.AcceptedAtAction(string, string, object) ,
ControllerBase.AcceptedAtAction(string, object, object) ,
ControllerBase.AcceptedAtAction(string, string, object, object) ,
ControllerBase.AcceptedAtRoute(object) , ControllerBase.AcceptedAtRoute(string) ,
ControllerBase.AcceptedAtRoute(string, object) , ControllerBase.AcceptedAtRoute(object, object) ,
ControllerBase.AcceptedAtRoute(string, object, object) , ControllerBase.Challenge() ,
ControllerBase.Challenge(params string[]) , ControllerBase.Challenge(AuthenticationProperties) ,
ControllerBase.Challenge(AuthenticationProperties, params string[]) , ControllerBase.Forbid() ,
ControllerBase.Forbid(params string[]) , ControllerBase.Forbid(AuthenticationProperties) ,
ControllerBase.Forbid(AuthenticationProperties, params string[]) ,
ControllerBase.SignIn(ClaimsPrincipal) , ControllerBase.SignIn(ClaimsPrincipal, string) ,
ControllerBase.SignIn(ClaimsPrincipal, AuthenticationProperties) ,
ControllerBase.SignIn(ClaimsPrincipal, AuthenticationProperties, string) , ControllerBase.SignOut() ,
ControllerBase.SignOut(AuthenticationProperties) , ControllerBase.SignOut(params string[]) ,
ControllerBase.SignOut(AuthenticationProperties, params string[]) ,

ControllerBase.TryUpdateModelAsync<TModel>(TModel) ,
ControllerBase.TryUpdateModelAsync<TModel>(TModel, string) ,
ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, IValueProvider) ,
ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, params Expression<Func<TModel, object>>[]) ,
ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, Func<ModelMetadata, bool>) ,
ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, IValueProvider, params Expression<Func<TModel, object>>[]) ,
ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, IValueProvider, Func<ModelMetadata, bool>) ,
ControllerBase.TryUpdateModelAsync(object, Type, string) ,
ControllerBase.TryUpdateModelAsync(object, Type, string, IValueProvider, Func<ModelMetadata, bool>) ,
ControllerBase.TryValidateModel(object) , ControllerBase.TryValidateModel(object, string) ,
ControllerBase.HttpContext , ControllerBase.Request , ControllerBase.Response ,
ControllerBase.RouteData , ControllerBase.ModelState , ControllerBase.ControllerContext ,
ControllerBase.MetadataProvider , ControllerBase.ModelBinderFactory , ControllerBase.Url ,
ControllerBase.ObjectValidator , ControllerBase.ProblemDetailsFactory , ControllerBase.User ,
ControllerBase.Empty , object.Equals(object) , object.Equals(object, object) ,
object.GetHashCode() , object.GetType() , object.MemberwiseClone() ,
object.ReferenceEquals(object, object) , object.ToString()

Constructors

AuthController(IAuthService)

```
public AuthController(IAuthService authService)
```

Parameters

`authService` IAuthService

Methods

Login(UserLoginDto)

```
[HttpPost("login")]
public Task<IActionResult> Login(UserLoginDto loginDto)
```

Parameters

`loginDto` UserLoginDto

Returns

Task<IActionResult>

Register(UserRegisterDto)

```
[HttpPost("register")]
public Task<IActionResult> Register(UserRegisterDto registerDto)
```

Parameters

`registerDto` UserRegisterDto

Returns

Task<IActionResult>

Class OrdersController

Namespace: NewBalanceStore.WebApi.Controllers

Assembly: NewBalanceStore.WebApi.dll

```
[ApiController]
[Route("api/[controller]")]
public class OrdersController : ControllerBase
```

Inheritance

object ← ControllerBase ← OrdersController

Inherited Members

ControllerBase.StatusCode(int) , ControllerBase.StatusCode(int, object) ,
ControllerBase.Content(string) , ControllerBase.Content(string, string) ,
ControllerBase.Content(string, string, Encoding) ,
ControllerBase.Content(string, MediaTypeHeaderValue) , ControllerBase.NoContent() ,
ControllerBase.Ok() , ControllerBase.Ok(object) , ControllerBase.Redirect(string) ,
ControllerBase.RedirectPermanent(string) , ControllerBase.RedirectPreserveMethod(string) ,
ControllerBase.RedirectPermanentPreserveMethod(string) , ControllerBase.LocalRedirect(string) ,
ControllerBase.LocalRedirectPermanent(string) , ControllerBase.LocalRedirectPreserveMethod(string) ,
ControllerBase.LocalRedirectPermanentPreserveMethod(string) , ControllerBase.RedirectToAction() ,
ControllerBase.RedirectToAction(string) , ControllerBase.RedirectToAction(string, object) ,
ControllerBase.RedirectToAction(string, string) ,
ControllerBase.RedirectToAction(string, string, object) ,
ControllerBase.RedirectToAction(string, string, string) ,
ControllerBase.RedirectToAction(string, string, object, string) ,
ControllerBase.RedirectToActionPreserveMethod(string, string, object, string) ,
ControllerBase.RedirectToActionPermanent(string) ,
ControllerBase.RedirectToActionPermanent(string, object) ,
ControllerBase.RedirectToActionPermanent(string, string) ,
ControllerBase.RedirectToActionPermanent(string, string, string) ,
ControllerBase.RedirectToActionPermanent(string, string, object) ,
ControllerBase.RedirectToActionPermanent(string, string, object, string) ,
ControllerBase.RedirectToActionPermanentPreserveMethod(string, string, object, string) ,
ControllerBase.RedirectToRoute(string) , ControllerBase.RedirectToRoute(object) ,
ControllerBase.RedirectToRoute(string, object) , ControllerBase.RedirectToRoute(string, string) ,
ControllerBase.RedirectToRoute(string, object, string) ,
ControllerBase.RedirectToRoutePreserveMethod(string, object, string) ,

ControllerBase.RedirectToRoutePermanent(string) ,
ControllerBase.RedirectToRoutePermanent(object) ,
ControllerBase.RedirectToRoutePermanent(string, object) ,
ControllerBase.RedirectToRoutePermanent(string, string) ,
ControllerBase.RedirectToRoutePermanent(string, object, string) ,
ControllerBase.RedirectToRoutePermanentPreserveMethod(string, object, string) ,
ControllerBase.RedirectToPage(string) , ControllerBase.RedirectToPage(string, object) ,
ControllerBase.RedirectToPage(string, string) , ControllerBase.RedirectToPage(string, string, object) ,
ControllerBase.RedirectToPage(string, string, string) ,
ControllerBase.RedirectToPage(string, string, object, string) ,
ControllerBase.RedirectToPagePermanent(string) ,
ControllerBase.RedirectToPagePermanent(string, object) ,
ControllerBase.RedirectToPagePermanent(string, string) ,
ControllerBase.RedirectToPagePermanent(string, string, string) ,
ControllerBase.RedirectToPagePermanent(string, string, object, string) ,
ControllerBase.RedirectToPagePreserveMethod(string, string, object, string) ,
ControllerBase.RedirectToPagePermanentPreserveMethod(string, string, object, string) ,
ControllerBase.File(byte[], string) , ControllerBase.File(byte[], string, bool) ,
ControllerBase.File(byte[], string, string) , ControllerBase.File(byte[], string, string, bool) ,
ControllerBase.File(byte[], string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(byte[], string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(byte[], string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(byte[], string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(Stream, string) , ControllerBase.File(Stream, string, bool) ,
ControllerBase.File(Stream, string, string) , ControllerBase.File(Stream, string, string, bool) ,
ControllerBase.File(Stream, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(string, string) , ControllerBase.File(string, string, bool) ,
ControllerBase.File(string, string, string) , ControllerBase.File(string, string, string, bool) ,
ControllerBase.File(string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(string, string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.PhysicalFile(string, string) , ControllerBase.PhysicalFile(string, string, bool) ,
ControllerBase.PhysicalFile(string, string, string) ,
ControllerBase.PhysicalFile(string, string, string, bool) ,
ControllerBase.PhysicalFile(string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.PhysicalFile(string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,

ControllerBase.PhysicalFile(string, string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.PhysicalFile(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.Unauthorized() , ControllerBase.Unauthorized(object) , ControllerBase.NotFound() ,
ControllerBase.NotFound(object) , ControllerBase.BadRequest() ,
ControllerBase.BadRequest(object) , ControllerBase.BadRequest(ModelStateDictionary) ,
ControllerBase.UnprocessableEntity() , ControllerBase.UnprocessableEntity(object) ,
ControllerBase.UnprocessableEntity(ModelStateDictionary) , ControllerBase.Conflict() ,
ControllerBase.Conflict(object) , ControllerBase.Conflict(ModelStateDictionary) ,
ControllerBase.Problem(string, string, int?, string, string) ,
ControllerBase.Problem(string, string, int?, string, string, IDictionary<string, object>) ,
ControllerBase.ValidationProblem(ValidationProblemDetails) ,
ControllerBase.ValidationProblem(ModelStateDictionary) , ControllerBase.ValidationProblem() ,
ControllerBase.ValidationProblem(string, string, int?, string, string, ModelStateDictionary) ,
ControllerBase.ValidationProblem(string, string, int?, string, string, ModelStateDictionary,
IDictionary<string, object>) ,
ControllerBase.Created() , ControllerBase.Created(string, object) ,
ControllerBase.Created(Uri, object) , ControllerBase.CreatedAtAction(string, object) ,
ControllerBase.CreatedAtAction(string, object, object) ,
ControllerBase.CreatedAtAction(string, string, object, object) ,
ControllerBase.CreatedAtRoute(string, object) , ControllerBase.CreatedAtRoute(object, object) ,
ControllerBase.CreatedAtRoute(string, object, object) , ControllerBase.Accepted() ,
ControllerBase.Accepted(object) , ControllerBase.Accepted(Uri) , ControllerBase.Accepted(string) ,
ControllerBase.Accepted(string, object) , ControllerBase.Accepted(Uri, object) ,
ControllerBase.AcceptedAtAction(string) , ControllerBase.AcceptedAtAction(string, string) ,
ControllerBase.AcceptedAtAction(string, object) ,
ControllerBase.AcceptedAtAction(string, string, object) ,
ControllerBase.AcceptedAtAction(string, object, object) ,
ControllerBase.AcceptedAtAction(string, string, object, object) ,
ControllerBase.AcceptedAtRoute(object) , ControllerBase.AcceptedAtRoute(string) ,
ControllerBase.AcceptedAtRoute(string, object) , ControllerBase.AcceptedAtRoute(object, object) ,
ControllerBase.AcceptedAtRoute(string, object, object) , ControllerBase.Challenge() ,
ControllerBase.Challenge(params string[]) , ControllerBase.Challenge(AuthenticationProperties) ,
ControllerBase.Challenge(AuthenticationProperties, params string[]) , ControllerBase.Forbid() ,
ControllerBase.Forbid(params string[]) , ControllerBase.Forbid(AuthenticationProperties) ,
ControllerBase.Forbid(AuthenticationProperties, params string[]) ,
ControllerBase.SignIn(ClaimsPrincipal) , ControllerBase.SignIn(ClaimsPrincipal, string) ,
ControllerBase.SignIn(ClaimsPrincipal, AuthenticationProperties) ,
ControllerBase.SignIn(ClaimsPrincipal, AuthenticationProperties, string) , ControllerBase.SignOut() ,
ControllerBase.SignOut(AuthenticationProperties) , ControllerBase.SignOut(params string[]) ,
ControllerBase.SignOut(AuthenticationProperties, params string[]) ,

ControllerBase.TryUpdateModelAsync<TModel>(TModel) ,
ControllerBase.TryUpdateModelAsync<TModel>(TModel, string) ,
ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, IValueProvider) ,
ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, params Expression<Func<TModel, object>>[]) ,
ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, Func<ModelMetadata, bool>) ,
ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, IValueProvider, params Expression<Func<TModel, object>>[]) ,
ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, IValueProvider, Func<ModelMetadata, bool>) ,
ControllerBase.TryUpdateModelAsync(object, Type, string) ,
ControllerBase.TryUpdateModelAsync(object, Type, string, IValueProvider, Func<ModelMetadata, bool>) ,
ControllerBase.TryValidateModel(object) , ControllerBase.TryValidateModel(object, string) ,
ControllerBase.HttpContext , ControllerBase.Request , ControllerBase.Response ,
ControllerBase.RouteData , ControllerBase.ModelState , ControllerBase.ControllerContext ,
ControllerBase.MetadataProvider , ControllerBase.ModelBinderFactory , ControllerBase.Url ,
ControllerBase.ObjectValidator , ControllerBase.ProblemDetailsFactory , ControllerBase.User ,
ControllerBase.Empty , object.Equals(object) , object.Equals(object, object) ,
object.GetHashCode() , object.GetType() , object.MemberwiseClone() ,
object.ReferenceEquals(object, object) , object.ToString()

Constructors

OrdersController(IOrderService)

```
public OrdersController(IOrderService orderService)
```

Parameters

`orderService` IOrderService

Methods

Create(CreateOrderDto)

```
[HttpPost]
public Task<IActionResult> Create(CreateOrderDto dto)
```

Parameters

`dto` CreateOrderDto

Returns

Task<IActionResult>

GetById(int)

```
[HttpGet("{id}")]
public Task<IActionResult> GetById(int id)
```

Parameters

`id` int

Returns

Task<IActionResult>

UpdateStatus(int, string)

```
[HttpPatch("{id}/status")]
public Task<IActionResult> UpdateStatus(int id, string status)
```

Parameters

`id` int

`status` string

Returns

Task <IActionResult>

Class ProductsController

Namespace: NewBalanceStore.WebApi.Controllers

Assembly: NewBalanceStore.WebApi.dll

```
[ApiController]
[Route("api/[controller]")]
public class ProductsController : ControllerBase
```

Inheritance

object ← ControllerBase ← ProductsController

Inherited Members

ControllerBase.StatusCode(int) , ControllerBase.StatusCode(int, object) ,
ControllerBase.Content(string) , ControllerBase.Content(string, string) ,
ControllerBase.Content(string, string, Encoding) ,
ControllerBase.Content(string, MediaTypeHeaderValue) , ControllerBase.NoContent() ,
ControllerBase.Ok() , ControllerBase.Ok(object) , ControllerBase.Redirect(string) ,
ControllerBase.RedirectPermanent(string) , ControllerBase.RedirectPreserveMethod(string) ,
ControllerBase.RedirectPermanentPreserveMethod(string) , ControllerBase.LocalRedirect(string) ,
ControllerBase.LocalRedirectPermanent(string) , ControllerBase.LocalRedirectPreserveMethod(string) ,
ControllerBase.LocalRedirectPermanentPreserveMethod(string) , ControllerBase.RedirectToAction() ,
ControllerBase.RedirectToAction(string) , ControllerBase.RedirectToAction(string, object) ,
ControllerBase.RedirectToAction(string, string) ,
ControllerBase.RedirectToAction(string, string, object) ,
ControllerBase.RedirectToAction(string, string, string) ,
ControllerBase.RedirectToAction(string, string, object, string) ,
ControllerBase.RedirectToActionPreserveMethod(string, string, object, string) ,
ControllerBase.RedirectToActionPermanent(string) ,
ControllerBase.RedirectToActionPermanent(string, object) ,
ControllerBase.RedirectToActionPermanent(string, string) ,
ControllerBase.RedirectToActionPermanent(string, string, string) ,
ControllerBase.RedirectToActionPermanent(string, string, object) ,
ControllerBase.RedirectToActionPermanent(string, string, object, string) ,
ControllerBase.RedirectToActionPermanentPreserveMethod(string, string, object, string) ,
ControllerBase.RedirectToRoute(string) , ControllerBase.RedirectToRoute(object) ,
ControllerBase.RedirectToRoute(string, object) , ControllerBase.RedirectToRoute(string, string) ,
ControllerBase.RedirectToRoute(string, object, string) ,
ControllerBase.RedirectToRoutePreserveMethod(string, object, string) ,

ControllerBase.RedirectToRoutePermanent(string) ,
ControllerBase.RedirectToRoutePermanent(object) ,
ControllerBase.RedirectToRoutePermanent(string, object) ,
ControllerBase.RedirectToRoutePermanent(string, string) ,
ControllerBase.RedirectToRoutePermanent(string, object, string) ,
ControllerBase.RedirectToRoutePermanentPreserveMethod(string, object, string) ,
ControllerBase.RedirectToPage(string) , ControllerBase.RedirectToPage(string, object) ,
ControllerBase.RedirectToPage(string, string) , ControllerBase.RedirectToPage(string, string, object) ,
ControllerBase.RedirectToPage(string, string, string) ,
ControllerBase.RedirectToPage(string, string, object, string) ,
ControllerBase.RedirectToPagePermanent(string) ,
ControllerBase.RedirectToPagePermanent(string, object) ,
ControllerBase.RedirectToPagePermanent(string, string) ,
ControllerBase.RedirectToPagePermanent(string, string, string) ,
ControllerBase.RedirectToPagePermanent(string, string, object, string) ,
ControllerBase.RedirectToPagePreserveMethod(string, string, object, string) ,
ControllerBase.RedirectToPagePermanentPreserveMethod(string, string, object, string) ,
ControllerBase.File(byte[], string) , ControllerBase.File(byte[], string, bool) ,
ControllerBase.File(byte[], string, string) , ControllerBase.File(byte[], string, string, bool) ,
ControllerBase.File(byte[], string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(byte[], string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(byte[], string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(byte[], string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(Stream, string) , ControllerBase.File(Stream, string, bool) ,
ControllerBase.File(Stream, string, string) , ControllerBase.File(Stream, string, string, bool) ,
ControllerBase.File(Stream, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(string, string) , ControllerBase.File(string, string, bool) ,
ControllerBase.File(string, string, string) , ControllerBase.File(string, string, string, bool) ,
ControllerBase.File(string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.File(string, string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.File(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.PhysicalFile(string, string) , ControllerBase.PhysicalFile(string, string, bool) ,
ControllerBase.PhysicalFile(string, string, string) ,
ControllerBase.PhysicalFile(string, string, string, bool) ,
ControllerBase.PhysicalFile(string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.PhysicalFile(string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,

ControllerBase.PhysicalFile(string, string, string, DateTimeOffset?, EntityTagHeaderValue) ,
ControllerBase.PhysicalFile(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool) ,
ControllerBase.Unauthorized() , ControllerBase.Unauthorized(object) , ControllerBase.NotFound() ,
ControllerBase.NotFound(object) , ControllerBase.BadRequest() ,
ControllerBase.BadRequest(object) , ControllerBase.BadRequest(ModelStateDictionary) ,
ControllerBase.UnprocessableEntity() , ControllerBase.UnprocessableEntity(object) ,
ControllerBase.UnprocessableEntity(ModelStateDictionary) , ControllerBase.Conflict() ,
ControllerBase.Conflict(object) , ControllerBase.Conflict(ModelStateDictionary) ,
ControllerBase.Problem(string, string, int?, string, string) ,
ControllerBase.Problem(string, string, int?, string, string, IDictionary<string, object>) ,
ControllerBase.ValidationProblem(ValidationProblemDetails) ,
ControllerBase.ValidationProblem(ModelStateDictionary) , ControllerBase.ValidationProblem() ,
ControllerBase.ValidationProblem(string, string, int?, string, string, ModelStateDictionary) ,
ControllerBase.ValidationProblem(string, string, int?, string, string, ModelStateDictionary,
IDictionary<string, object>) ,
ControllerBase.Created() , ControllerBase.Created(string, object) ,
ControllerBase.Created(Uri, object) , ControllerBase.CreatedAtAction(string, object) ,
ControllerBase.CreatedAtAction(string, object, object) ,
ControllerBase.CreatedAtAction(string, string, object, object) ,
ControllerBase.CreatedAtRoute(string, object) , ControllerBase.CreatedAtRoute(object, object) ,
ControllerBase.CreatedAtRoute(string, object, object) , ControllerBase.Accepted() ,
ControllerBase.Accepted(object) , ControllerBase.Accepted(Uri) , ControllerBase.Accepted(string) ,
ControllerBase.Accepted(string, object) , ControllerBase.Accepted(Uri, object) ,
ControllerBase.AcceptedAtAction(string) , ControllerBase.AcceptedAtAction(string, string) ,
ControllerBase.AcceptedAtAction(string, object) ,
ControllerBase.AcceptedAtAction(string, string, object) ,
ControllerBase.AcceptedAtAction(string, object, object) ,
ControllerBase.AcceptedAtAction(string, string, object, object) ,
ControllerBase.AcceptedAtRoute(object) , ControllerBase.AcceptedAtRoute(string) ,
ControllerBase.AcceptedAtRoute(string, object) , ControllerBase.AcceptedAtRoute(object, object) ,
ControllerBase.AcceptedAtRoute(string, object, object) , ControllerBase.Challenge() ,
ControllerBase.Challenge(params string[]) , ControllerBase.Challenge(AuthenticationProperties) ,
ControllerBase.Challenge(AuthenticationProperties, params string[]) , ControllerBase.Forbid() ,
ControllerBase.Forbid(params string[]) , ControllerBase.Forbid(AuthenticationProperties) ,
ControllerBase.Forbid(AuthenticationProperties, params string[]) ,
ControllerBase.SignIn(ClaimsPrincipal) , ControllerBase.SignIn(ClaimsPrincipal, string) ,
ControllerBase.SignIn(ClaimsPrincipal, AuthenticationProperties) ,
ControllerBase.SignIn(ClaimsPrincipal, AuthenticationProperties, string) , ControllerBase.SignOut() ,
ControllerBase.SignOut(AuthenticationProperties) , ControllerBase.SignOut(params string[]) ,
ControllerBase.SignOut(AuthenticationProperties, params string[]) ,

ControllerBase.TryUpdateModelAsync<TModel>(TModel) ,
ControllerBase.TryUpdateModelAsync<TModel>(TModel, string) ,
ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, IValueProvider) ,
ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, params Expression<Func<TModel, object>>[]) ,
ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, Func<ModelMetadata, bool>) ,
ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, IValueProvider, params Expression<Func<TModel, object>>[]) ,
ControllerBase.TryUpdateModelAsync<TModel>(TModel, string, IValueProvider, Func<ModelMetadata, bool>) ,
ControllerBase.TryUpdateModelAsync(object, Type, string) ,
ControllerBase.TryUpdateModelAsync(object, Type, string, IValueProvider, Func<ModelMetadata, bool>) ,
ControllerBase.TryValidateModel(object) , ControllerBase.TryValidateModel(object, string) ,
ControllerBase.HttpContext , ControllerBase.Request , ControllerBase.Response ,
ControllerBase.RouteData , ControllerBase.ModelState , ControllerBase.ControllerContext ,
ControllerBase.MetadataProvider , ControllerBase.ModelBinderFactory , ControllerBase.Url ,
ControllerBase.ObjectValidator , ControllerBase.ProblemDetailsFactory , ControllerBase.User ,
ControllerBase.Empty , object.Equals(object) , object.Equals(object, object) ,
object.GetHashCode() , object.GetType() , object.MemberwiseClone() ,
object.ReferenceEquals(object, object) , object.ToString()

Constructors

ProductsController(IProductService)

```
public ProductsController(IProductService productService)
```

Parameters

`productService` IProductService

ProductsController(IProductService, IPhotoService)

```
public ProductsController(IProductService productService, IPhotoService photoService)
```

Parameters

`productService` IProductService

`photoService` IPhotoService

Methods

Create(CreateProductDto)

```
[HttpPost]
public Task<ActionResult<ProductDto>> Create(CreateProductDto dto)
```

Parameters

`dto` CreateProductDto

Returns

Task<ActionResult<ProductDto>>

Delete(string)

```
[HttpDelete("{id}")]
public Task<IActionResult> Delete(string id)
```

Parameters

`id` string

Returns

Task<IActionResult>

GetAll()

```
[HttpGet]
public Task<ActionResult<IEnumerable<ProductDto>>> GetAll()
```

Returns

Task<ActionResult<IEnumerable<ProductDto>>>

GetById(string)

```
[HttpGet("{id}")]
public Task<ActionResult<ProductDto>> GetById(string id)
```

Parameters

`id` string

Returns

Task<ActionResult<ProductDto>>

GetProducts(ProductFilterDto)

Получить список товаров с возможностью фильтрации

```
[HttpGet]
public Task<IActionResult> GetProducts(ProductFilterDto filter)
```

Parameters

`filter` ProductFilterDto

Параметры фильтрации товаров (категория, бренд, цена и т.д.)

Returns

Task<IActionResult>

Список отфильтрованных товаров

Update(string, CreateProductDto)

```
[HttpPut("{id}")]
public Task<IActionResult> Update(string id, CreateProductDto dto)
```

Parameters

`id` string

`dto` CreateProductDto

Returns

Task<IActionResult>

UploadImage(IFormFile)

Загрузить изображение товара в облачное хранилище Cloudinary (доступно только администратору).

```
[HttpPost("upload-image")]
[Authorize(Roles = "Admin")]
public Task<IActionResult> UploadImage(IFormFile file)
```

Parameters

`file` IFormFile

Файл изображения

Returns

Task<IActionResult>

Ссылка на загруженное изображение