

Blackjack Analytics API 1.0.0 OAS 3.1

/openapi.json

A REST API for recording blackjack gameplay sessions and analysing player performance.

Features include:

- User and session management
- Recording blackjack hands
- Session statistics and analytics
- Strategy recommendation based on Blackjack Basic Strategy
- Evaluation of player decisions against optimal strategy

Users



POST

/users/ Create User

Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{
  "username": "string",
  "password": "string"
}
```

Responses

Code	Description	Links
201	Successful Response Media type application/json Controls Accept header. Example Value Schema	No links

Code	Description	Links
	<pre>{ "id": 0, "username": "string", "created_at": "2026-03-18T16:57:18.947Z" }</pre>	
400	User already exists	No links
422	Validation Error	No links
	Media type	
	application/json	
	Example Value	Schema
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

GET

/users/{user_id} Get User

Parameters

Try it out

Name	Description
user_id * required integer (path)	user_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header.	No links

Code	Description	Links
	Example ValueSchema <pre>{ "id": 0, "username": "string", "created_at": "2026-03-18T16:57:18.948Z" }</pre>	
404	User not found	No links
422	Validation Error	No links
	Media type application/json Example ValueSchema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

PUT

/users/{user_id} Update User

Parameters

Try it out

Name	Description
user_id * required integer (path)	user_id

Request body required

application/json

Example ValueSchema

```
{
  "username": "string",
  "password": "string"
}
```

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "username": "string", "created_at": "2026-03-18T16:57:18.949Z" }</pre>	
404	User not found	No links
422	Validation Error	No links
	Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

DELETE /users/{user_id} Delete User



Parameters

Try it out

Name	Description
user_id * required integer (path)	user_id

Responses

Code	Description	Links
204	Successful Response	No links
404	User not found	No links
422	Validation Error	No links

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

Sessions



POST /sessions/ Create Session



Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "user_id": 0
}
```

Responses

Code	Description	Links
201	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "user_id": 0, "started_at": "2026-03-18T16:57:18.952Z" }</pre>	
404	User not found	No links
422	Validation Error	No links
	Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

GET /sessions/{session_id} Get Session



Parameters

Try it out

Name	Description
session_id * required integer (path)	session_id

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema "string"	
404	Session not found	No links
422	Validation Error	No links
	Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	

DELETE /sessions/{session_id} Delete Session



Parameters

Try it out

Name	Description
session_id * required integer (path)	session_id

Responses

Code	Description	Links
204	Successful Response	No links
404	Session not found	No links
422	Validation Error	No links

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET /sessions/user/{user_id} Get all sessions for a user

Parameters Try it out

Name	Description
user_id * required integer (path)	user_id

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Code	Description	Links
	Example Value Schema	
	<code>"string"</code>	
404	Sessions not found	No links
422	Validation Error	No links
	Media type	
	application/json	
	Example Value Schema	
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

Hands

^

POST	/sessions/{session_id}/hands/	Create Hand	^
Parameters			Try it out
Name	Description		
session_id * required integer (path)	session_id		
Request body required		application/json	
Example Value	Schema		
	<pre>{ "player_action": "string", "bet_amount": 0, "player_score": 0, "dealer_score": 0, }</pre>		

```
"is_blackjack": true,
"is_win": true
}
```

Responses

Code	Description	Links
201	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "session_id": 0, "player_action": "string", "bet_amount": 0, "player_score": 0, "dealer_score": 0, "is_blackjack": true, "is_win": true }</pre>	No links
404	Session not found	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

GET /sessions/{session_id}/hands/ Get Hands

Parameters

Try it out

Name	Description
session_id * required integer (path)	session_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema [{ "id": 0, "session_id": 0, "player_action": "string", "bet_amount": 0, "player_score": 0, "dealer_score": 0, "is_blackjack": true, "is_win": true }]	No links
404	Session not found	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

PUT

/sessions/{session_id}/hands/{hand_id} Update Hand



Parameters

Try it out

Name	Description
session_id * required integer (path)	session_id
hand_id * required integer (path)	hand_id

Request body required

application/json

Example Value Schema

```
{
  "player_action": "string",
  "bet_amount": 0,
  "player_score": 0,
  "dealer_score": 0,
  "is_blackjack": true,
  "is_win": true
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "session_id": 0, "player_action": "string", "bet_amount": 0, "player_score": 0, "dealer_score": 0, "is_blackjack": true, "is_win": true }</pre>	No links

Code	Description	Links
404	Hand not found	No links
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>		

DELETE

/sessions/{session_id}/hands/{hand_id}

Delete Hand

⌵

Parameters

Try it out

Name	Description
session_id * required integer (path)	session_id
hand_id * required integer (path)	hand_id

Responses

Code	Description	Links
204	Successful Response	No links
404	Hand not found	No links
422	Validation Error	No links

Code	Description	Links
	Media type application/json	
	Example Value <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	

Analytics



GET	/session/{session_id}/analytics	Session Analytics	^
Parameters		Try it out	
Name	Description		
session_id * required integer (path)	session_id		
Responses			
Code	Description	Links	
200	Successful Response	No links	
	Media type application/json Controls Accept header.		
	Example Value <pre>{ "session_id": 0, "total_hands": 0,</pre>		

Code	Description	Links
	<pre>"win_rate": 0, "blackjack_rate": 0, "profit": 0, "average_bet": 0, "average_player_score": 0 }</pre>	
404	Session not found	No links
422	Validation Error	No links
	Media type application/json	
	Example Value Schema	
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

GET

/user/{user_id}/analytics

User Analytics

⌵

Parameters

Try it out

Name	Description
user_id * required integer (path)	user_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header.	No links

Code	Description	Links
	Example ValueSchema <pre>{ "user_id": 0, "total_hands": 0, "win_rate": 0, "profit": 0, "total_bet": 0 }</pre>	
404	User not found	No links
422	Validation Error	No links
	Media type application/json Example ValueSchema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

GET/session/{session_id}/strategy_accuracySession Strategy Accuracy

Parameters

Try it out

Name	Description
session_id * required integer (path)	session_id

Responses

Code	Description	Links
200	Successful Response	No links

Code	Description	Links
	Media type application/json Controls Accept header. Example Value Schema <pre>{ "session_id": 0, "hands_evaluated": 0, "correct_moves": 0, "incorrect_moves": 0, "strategy_accuracy": 0 }</pre>	
404	Session not found	No links
422	Validation Error	No links
	Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

Strategy

GET	/strategy/recommendation	Get Strategy	^
Parameters		Try it out	
Name		Description	
player_total * required			
integer (query)	player_total		
dealer_card * required			
integer (query)	dealer_card		

Name	Description
hand_type * required string (query)	hand_type

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "player_total": 0, "dealer_card": 0, "hand_type": "string", "recommended_action": "string" }</pre>	No links
404	Strategy not found	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

default

^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links

Schemas



```
HTTPValidationError ^ Collapse all object
  detail ^ Collapse all array<object>
    Items ^ Collapse all object
      loc* ^ Collapse all array<(string | integer)>
        Items ^ Collapse all (string | integer)
          Any of ^ Collapse all (string | integer)
            #0 string
            #1 integer
          msg* string
          type* string
          input any
          ctx object
```

```
HandCreate ^ Collapse all object
  player_action ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
```

```
#0 string
#1 null

bet_amount* number
player_score* integer
dealer_score* integer
is_blackjack* boolean
is_win* boolean
```

HandResponse ^ Collapse all object

```
id* integer
session_id* integer
player_action ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
bet_amount* number
player_score* integer
dealer_score* integer
is_blackjack* boolean
is_win* boolean
```

HandUpdate ^ Collapse all object

```
player_action ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
bet_amount ^ Collapse all (number | null)
  Any of ^ Collapse all (number | null)
    #0 number
    #1 null
player_score ^ Collapse all (integer | null)
  Any of ^ Collapse all (integer | null)
    #0 integer
    #1 null
dealer_score ^ Collapse all (integer | null)
  Any of ^ Collapse all (integer | null)
    #0 integer
    #1 null
is_blackjack ^ Collapse all (boolean | null)
  Any of ^ Collapse all (boolean | null)
```

```
#0 boolean
#1 null
is_win ^ Collapse all (boolean | null)
Any of ^ Collapse all (boolean | null)
#0 boolean
#1 null
```

SessionAnalyticsResponse ^ Collapse all object

```
session_id* integer
total_hands* integer
win_rate* number
blackjack_rate* number
profit* number
average_bet* number
average_player_score* number
```

SessionCreate ^ Collapse all object

```
user_id* integer
```

SessionResponse ^ Collapse all object

```
id* integer
user_id* integer
started_at* string date-time
```

StrategyAccuracyResponse ^ Collapse all object

```
session_id* integer
hands_evaluated* integer
correct_moves* integer
incorrect_moves* integer
strategy_accuracy* number
```

StrategyRecommendationResponse ^ Collapse all object

```
player_total* integer
dealer_card* integer
hand_type* string
recommended_action* string
```

UserAnalyticsResponse ^ Collapse all object

```
user_id* integer
total_hands* integer
win_rate* number
profit* number
total_bet* number
```

UserCreate ^ Collapse all object

```
username* string
password* string
```

UserResponse ^ Collapse all object

```
id* integer
username* string
created_at* string date-time
```

UserUpdate ^ Collapse all object

```
username ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
password ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
```

ValidationError ^ Collapse all object

```
loc* ^ Collapse all array<(string | integer)>
  Items ^ Collapse all (string | integer)
    Any of ^ Collapse all (string | integer)
      #0 string
      #1 integer
msg* string
type* string
input any
ctx object
```