AKADEMIJA TEHNIČKO UMETNIČKIH STRUKOVNIH STUDIJA

VISOKA ŠKOLA STRUKOVNIH STUDIJA
ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

INTERNET TEHNOLOGIJE

Web aplikacija za potrebe kozmetičkog salona "Špela beauty"

WEB APLIKACIJA U LARAVEL FRAMEWORKU

Z a v r š n i r a d

Mentor:

Dr Nenad Kojić, dipl. inž.

Student:

Aleksandra Fridl 311/14

Beograd, 2021.

AKADEMIJA TEHNIČKO UMETNIČKIH STRUKOVNIH STUDIJA

VISOKA ŠKOLA STRUKOVNIH STUDIJA
ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

INTERNET TEHNOLOGIJE

Predmet: Web programiranje PHP2
Tema: **Web aplikacija za potrebe kozmetičkog salona "Špela beauty"**

Ocena ___ ()

Članovi komisije:

_____

_____

_____

SADRŽAJ

1. UVOD 7
2. RADNO OKRUŽENJE 8
3. ORGANIZACIJA 9
   3.1 Blok šema 9
   3.2 Stranice 10
      3.2.1 Početna 10
      3.2.2 Tretmani 11
      3.2.3 Opis tretmana 12
      3.2.4 Blog 13
      3.2.5 Zakazivanje 14
      3.2.6 Logovanje 15
      3.2.7 Bloger – Blog 16
      3.2.8 Bloger – Unesi Blog 17
      3.2.9 Bloger – Admin Blogova 18
      3.2.10 Zaposleni – Zakaži termin 19
      3.2.11 Zaposleni – Zakazani Termini 20
      3.2.12 Zaposleni – Otkazani Termini 21
      3.2.13 Administrator – Tip Tretmana 22
      3.2.14 Administrator – Tretmani 23
      3.2.15 Administrator – Slajder 24
      3.2.16 Administrator – Korisnici 25
      3.2.17 Administrator – Blog 26
      3.2.18 Administrator – Zakazani Termini 27
      3.2.19 Administrator – Otkazani Termini 28
      3.2.20 Administrator – Podaci 29
4. KODOVI 30
   4.1. Controllers 30
      4.1.1. app/Http/Controllers/BackendController.php 30
      4.1.2. app/Http/Controllers/BaseFrontendController.php 32
      4.1.3. app/Http/Controllers/BlogBackendController.php 32
      4.1.4. app/Http/Controllers/BlogerController.php 36

4.1.5. app/Http/Controllers/FrontendController.php 41
4.1.6. app/Http/Controllers/KorisnikBackendController.php 45
4.1.7. app/Http/Controllers/LogController.php 47
4.1.8. app/Http/Controllers/SlajderBackendController.php 49
4.1.9. app/Http/Controllers/TipTretmanaBackendController.php 51
4.1.10. app/Http/Controllers/TretmanBackendController.php 53
4.1.11. app/Http/Controllers/ZakazaniBackendController.php 57
4.1.12. app/Http/Controllers/ZakazaniController.php 63
4.2. Middleware 69
4.2.1. app/Http/Middleware/AdminMiddleware.php 69
4.2.2. app/Http/Middleware/BlogerMiddleware.php 70
4.2.3. app/Http/Middleware/ZaposleniMiddleware.php 70
4.3. Requests 71
4.3.1. app/Http/Requests/BlogRequest.php 71
4.3.2. app/Http/Requests/BlogUpdateRequest.php 72
4.3.3. app/Http/Requests/KorisnikRequest.php 73
4.3.4. app/Http/Requests/KorisnikUpdateRequest.php 74
4.3.5. app/Http/Requests/SlajderRequest.php 74
4.3.6. app/Http/Requests/ SlajderUpdateRequest.php 75
4.3.7. app/Http/Requests/ TipTretmanaRequest.php 76
4.3.8. app/Http/Requests/ TipTretmanaUpdateRequest.php 77
4.3.9. app/Http/Requests/ TretmanRequest.php 77
4.3.10. app/Http/Requests/ TretmanUpdateRequest.php 78
4.3.11. app/Http/Requests/ ZakazaniRequest.php 79
4.3.12. app/Http/Requests/ ZakazaniUpdateRequest.php 80
4.4. Models 81
4.4.1. app/Http/Models/Blog.php 81
4.4.2. app/Http/Models/Korisnik.php 82
4.4.3. app/Http/Models/Podaci.php 84
4.4.4. app/Http/Models/Slajder.php 84
4.4.5. app/Http/Models/Termini.php 85
4.4.6. app/Http/Models/TipTretmana.php 86
4.4.7. app/Http/Models/Tretman.php 87
4.4.8. app/Http/Models/Uloga.php 90

4.4.9. app/Http/Models/Zakazano.php 90
4.5. public 92
4.5.1. public/css/mojStil.css 92
4.5.2. public/script/script.js 93
4.6. resources 99
4.6.1. resources/views/components/carusel.blade.php 99
4.6.2. resources/views/components/footer.blade.php 100
4.6.3. resources/views/components/head.blade.php 102
4.6.4. resources/views/components/nav.blade.php 102
4.6.5. resources/views/components/sidebar_nav.blade.php 105
4.6.6. resources/views/layout/index.blade.php 105
4.6.7. resources/views/pages/blog.blade.php 105
4.6.8. resources/views/pages/logovanje.blade.php 107
4.6.9. resources/views/pages/oneBlog.blade.php 108
4.6.10. resources/views/pages/opisTretmana.blade.php 109
4.6.11. resources/views/pages/pocetna.blade.php 109
4.6.12. resources/views/pages/tretmani.blade.php 110
4.6.13. resources/views/pages/zakazati.blade.php 111
4.6.14. resources/views/pages/admin/adminPanel_blog.blade.php 113
4.6.15. resources/views/pages/admin/adminPanel_blog_insert.blade.php 114
4.6.16. resources/views/pages/admin/adminPanel_blog_update.blade.php 116
4.6.17. resources/views/pages/admin/adminPanel_korisnici.blade.php 117
4.6.18. resources/views/pages/admin/adminPanel_korisnici_insert.blade.php 119
4.6.19.resources/views/pages/admin/adminPanel_korisnici_update.blade.php 120
4.6.20. resources/views/pages/admin/adminPanel_podaci.blade.php 122
4.6.21. resources/views/pages/admin/adminPanel_podaci_update.blade.php 123
4.6.22. resources/views/pages/admin/adminPanel_slajder.blade.php 124
4.6.23. resources/views/pages/admin/adminPanel_slajder_insert.blade.php 125
4.6.24. resources/views/pages/admin/adminPanel_slajder _ update.blade.php 127
4.6.25.resources/views/pages/admin/adminPanel_tipTretmana.blade.php 128
4.6.26.resources/views/pages/admin/adminPanel_tipTretmana_insert.blade.php 129
4.6.27.resources/views/pages/admin/adminPanel_tipTretmana_update.blade.php 131
4.6.28.resources/views/pages/admin/adminPanel_tretmani.blade.php 132
4.6.29. resources/views/pages/admin/adminPanel_ tretmani_insert.blade.php 133

4.6.30.resources/views/pages/admin/adminPanel_tretmani_update.blade.php 135
4.6.31. resources/views/pages/admin/otkazani.blade.php 137
4.6.32. resources/views/pages/admin/zakazani.blade.php 138
4.6.33.resources/views/pages/admin/zakazani_insertblade.php 140
4.6.34. resources/views/pages/admin/zakazani_update.blade.php 142
4.6.35.resources/views/pages/blog/blog.blade.php 144
4.6.36. resources/views/pages/ blog / izmeniBlog .blade.php 146
4.6.37.resources/views/pages/ blog /oneBlog.blade.php 147
4.6.38. resources/views/pages/ blog /sviBlogovi.blade.php 148
4.6.39. resources/views/pages/ blog /unosBlog.blade.php 150
4.6.40.resources/views/pages/zaposleni/otkazani.blade.php 151
4.6.41. resources/views/pages/ zaposleni /zakazani.blade.php 153
4.6.42.resources/views/pages/zaposleni/ zakazani_update.blade.php 154
4.6.43. resources/views/pages/ zaposleni /zakazi.blade.php 157
4.7. routes 159
4.7.1. web.php 159
5. BAZA PODATAKA 164
5.1 Baza 164
6. ZAKLJUČAK 165
7. LITERATURA 166

1. UVOD

Web aplikacija koja je napravljena za potrebe kozmetičkog salona "Špela beauty" kreiranea je prvenstveno sa ciljem prezentacije ponude kozmetičkog salona ali i radi realizovanja još nekoliko funkcionalnosti. Cela aplikacija je podeljena na nekoliko segmenata koji su podeljeni po ulogama korisnika i samim tim po određenim ovlašćenjima.

Korisnički segment obuhvata prezentaciju i opis dostupnih tretmana u salonu, lokaciju i mogućnost pronalaska lokacije na google mapi, kao i pristup stranicama kozmetičkog salona na društvenim mrežama. Takođe, u ovom segmentu korisnik je u mogućnosti da uradi pregled i pretragu bloga, kao i da zakaže tretman u salonu u nekom od dostupnih termina.

Segment za blogera obuhvata prikaz i pretragu bloga onako kako ga obični korisnik može videti. Na stranici za blogera moguće je uraditi unos novog bloga, izmeniti postojeći, uradi pretragu svih blogova po datumu postavljanja, ali i da se deaktivira ili obriše postojeći.

Segment koji se odnosi na zaposlenog omogućava zakazivanje tretmana u nekom od dostupnih termina, pregled zakazanih termnina i njihovu pretragu po datumu, kao i prikaz otkazanih termina i njihovu pretragu po datumu. Ovde je zakazane termine moguće izmeniti i otkazati.

Segment koji se odnosi na admnistratora predstavlja administratorski panel na kojem je moguće upravljati sadržajem sajta. Sadržaj koji se može menjati tiče se mogućnosti pregleda, kreiranja, izmene i deaktiviranja ili brisanja tipa tretmana kojem određeni tretman pripada, samog tretmana, korisnika, slike slajdera, bloga, zakazanih i otkazanih termina kao i podataka o kozmetičkom salonu. Ovde je moguće uraditi i pretragu po datumu kod sadržaja kao što su blog kao i zakazanih i otkazanih termina.

Cilj web aplikacije je kako prezentacija kozmetičkog salona tako i lakše upravljanje sadržajem sajta, kao i mogućnost nekog oblika davanja osnovnih saveta korisnicima salona putem bloga i mogućnost zakazivanja tretmana u salonu.

2. RADNO OKRUŽENJE

U toku izrade sajta korišćeno je razvojno okruženje:
• Php Storm

Programski jezici koji su korišćeni za izradu aplikacije:
• HTML5
• CSS
• Bootstrap v4.3.1
• PHP Framework Laravel
• JavaScript
• jQuery

Baza podataka:
• MySql

Biblioteke korišćeme za izradu sajta:
• bootstrap.min.css
• font-awesome.min.css
• jquery-1.12.1.min.js

3. ORGANIZACIJA

3.1 Blok šema

Na slici 1. prikazana je organizaciona šema stranica web aplikacije. Imena stranica predstavljaju imena kontrolera u MVC strukturi. Organizovano je tako da svaka strana može da vodi na svaku stranu, dok na stranicu admin mogu da udje samo admin, jer se na toj strani vrši import csv-a.



Slika 1 – Organizaciona struktura sajta

3.2 Stranice

3.2.1 Početna

Na slici 2. prikazana je indeks stranica koja predstavlja početnu stranicu na kojoj je moguće dobiti kratak opis salona “Špela beauty”, videti adresu salona, istu naći na google mapi, kao I uraditi logovanje.



Slika 2 – Početna stranica

3.2.2 Tretmani

Na slici 3. se nalaze pregledi tretmana. Moguće je u navigacionom meniju odabrati tip tretmana i na osnovu toga se desava prikaz tretmana. Na ovoj stranici je moguće pregledati sve tretmane po odabranu tipu tretmana, ali i san je otići na prikaz pojašnjenja pojedinačnog tretmana.



Slika 3 – Tretmani

3.2.3 Opis tretmana

Slika 4. Prikazuje izgled stranice na kojoj se nalazi opis odabranog tretmana.



Slika 4 – Opis tretmana

3.2.4 Blog

Slika 5. je stranica za prikaz svih blogova. Na ovoj stranici moguće je uraditi I pretragu blogova po ključnoj reči.



Slika 5 – Blog

3.2.5 Zakazivanje

Slika 6 je stranica za zakazivanje tretmana u nekom od dostupnih termina.



Slika 6 – Zakazivanje

3.2.6 Logovanje

Na slici 7 nalazi se login forma za logovanje. Moguće je ulogovati se kao bloger, zaposleni ili administrator.



Slika 7 Login forma

3.2.7 Bloger – Blog

Na slici 8 nalazi se prikaz svih blogova gde je moguće uraditi i pretragu blogova po ključnoj reči za ulogovanog korisnika sa ulogom blog.



Slika 8 – Bloger – Blog

3.2.8 Bloger – Unesi Blog

Na slici 9 nalazi se forma za unos bloga za ulogovanog korisnika sa ulogom blog.



Slika 9 – Bloger – Unesi Blog

3.2.9 Bloger – Admin Blogova

Na slici 10 nalazi se pregled svih blogova u formi tabele za ulogovanog korisnika sa ulogom blog. Ovde je moguće izmeniti postojeći blog, kao i deaktivirati tj. promeniti mu status ili ga obrisati. Takođe moguće je uraditi i pretragu bloga po odabranom datumu.



Slika 10 – Bloger – Admin Blogova

3.2.10 Zaposleni – Zakaži termin

Na slici 11 nalazi se forma za zakazivanje tretmana u nekom od dostupnih termina za ulogovanog korisnika sa ulogom zaposleni.



Slika 11 – Zaposleni – Zakaži termin

3.2.11 Zaposleni – Zakazani Termini

Na slici 12 nalazi se tabelarni prikaz zakazanih termina za ulogovanog korisnika sa ulogom zaposleni. Ovde je moguće uraditi izmenu zakazanog termina, otkazivanje zakazanog termina, kao i pretragu zakazanog termina po datumu.



Slika 12 – Zaposleni – Zakazani termini

3.2.12 Zaposleni – Otkazani Termini

Na slici 13 nalazi se tabelarni prikaz otkazanih termina za ulogovanog korisnika sa ulogom zaposleni. Ovde je moguće uraditi pretragu zakazanog termina po datumu.



Slika 13 – Zaposleni – Otkazani termini

3.2.13 Administrator – Tip Tretmana

Na slici 14 nalazi se tabelarni prikaz postojećih Tipova tretmana za ulogovanog korisnika sa ulogom administrator. Ovde je moguće uraditi dodavanje novog tipa tretmana, izmenu postojećeg tipa tretmana, deaktiviranje postojećeg tipa tretmana ili brisanje deaktiviranog tipa tretmana.



Slika 14 – Administrator – Tip tretmana

3.2.14 Administrator – Tretmani

Na slici 15 nalazi se tabelarni prikaz postojećih Tretmana soritarnih po tipu tretmana za ulogovanog korisnika sa ulogom administrator. Ovde je moguće uraditi dodavanje novog tretmana, izmenu postojećeg tretmana, deaktiviranje postojećeg tretmana ili brisanje deaktiviranog tretmana.



Slika 15 – Administrator – Tretmani

3.2.15 Administrator – Slajder

Na slici 16 nalazi se tabelarni prikaz slika slajder za ulogovanog korisnika sa ulogom administrator. Ovde je moguće uraditi dodavanje nove slike za slajder, izmenu podataka o već postojećoj slici slajder, deaktiviranje slike slajdera ili brisanje slike slajdera.



Slika 16 – Administrator – Slajder

3.2.16 Administrator – Korisnici

Na slici 17 nalazi se tabelarni prikaz svih korisnika koji se loguju na aplikaciju sa određenom ulogom. Ovde je moguće uraditi dodavanje novog korisnika, izmenu podataka o postojećem korisniku, deaktiviranje korisnika ili brisanje korisnika.



Slika 17 – Administrator – Korisnici

3.2.17 Administrator – Blog

Na slici 18 nalazi se tabelarni prikaz svih blogova za ulogovanog korisnika sa ulogom administrator. Ovde je moguće uraditi dodavanje novog bloga izmenu podataka bloga, deaktiviranje bloga ili brisanje bloga. Takođe, moguće je uraditi pretragu bloga po odabranom datumu.



Slika 18 – Administrator – Blog

3.2.18 Administrator – Zakazani Termini

Na slici 19 nalazi se tabelarni prikaz svih zakazanih termina za ulogovanog korisnika sa ulogom administrator. Ovde je moguće uraditi zakazivanje novog termina, izmenu podataka već zakazanog termina, otkazivanje zakazanog termina ili brisanje zakazanog termina. Takođe, moguće je uraditi pretragu zakazanih termina po odabranom datumu.



Slika 19 – Administrator – Zakazani termini

3.2.19 Administrator – Otkazani Termini

Na slici 20 nalazi se tabelarni prikaz svih otkazanih termina za ulogovanog korisnika sa ulogom administrator. Ovde je moguće uraditi brisanje zakazanog termina. Takođe, moguće je uraditi pretragu otkazanih termina po odabranom datumu.



Slika 20 – Administrator – Otkazani termini

3.2.20 Administrator – Podaci

Na slici 20 nalazi se prikaz osnovnih podataka o salonu za ulogovanog korisnika sa ulogom administrator. Ovde je moguće uraditi izmenu podataka o salonu.



Slika 20 – Administrator – Podaci

4. KODOVI

4.1. Controllers

4.1.1. app/Http/Controllers/BackendController.php

```php
<?php

namespace App\Http\Controllers;

use App\Models\Blog;
use App\Models\Korisnik;
use App\Models\Podaci;
use App\Models\TipTretmana;
use App\Models\Tretman;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\File;
use Psy\Output\ProcOutputPager;

class BackendController extends Controller
{
    public $data = [];
    public function __construct()
    {
        $tipTretmana = new TipTretmana();
        $podaci = new Podaci();
        try{

            $this->data['tipTretmana'] = $tipTretmana->getAll();
            $this->data['podaci'] = $podaci->getAll();
            //dd($this->data['tipTretmana']);
        }
        catch(\Exception $ex){
            \Log::error("Greska:" .$ex->getMessage());
        }
    }

    public function adminPanel_podaci(){
        $podaci = new Podaci();
        try {
            $this->data['podaci'] = $podaci->getAll();
            return view('pages.admin.adminPanel_podaci', $this->data);
        }
        catch(\Exception $ex){
            \Log::error("Greska:" .$ex->getMessage());
        }
    }


    public  function adminPanel_podaci_update($id)
    {  $podaci = new Podaci();
        $this->data['podaci'] = $podaci->getOne($id);
        return view('pages.admin.adminPanel_podaci_update',$this->data);
    }

    public function doAdminPanel_podaci_update($id,Request $request){
        if($request->has('btnIzmeni')){
            $tekst = $request->input('text');
            $ulica = $request->input('ulica');
            $mesto = $request->input('mesto');
```

```
            $tel1 = $request->input('tell');

            $slika = $request->file('slika');

            if($slika) {
                $tmp_path = $slika->getPathname();
                $extension = $slika->getClientOriginalExtension();
                $slika_ime = time() . '.' . $extension;
                $new_path = 'img/' . $slika_ime;

                if (File::move($tmp_path, $new_path)) {
                    $podaci = Podaci::find($id);
                    $podaci->id = $id;
                    $podaci->tekst = $tekst;
                    $podaci->ulica = $ulica;
                    $podaci->mesto = $mesto;
                    $podaci->kontakt_tel = $tel1;
                    $podaci->podaci_slika = $slika_ime;

                    try {
                        $rez = $podaci->save();
                        if ($rez) {
                            return redirect()->route('adminPanel_podaci')-
>with('poruka', 'Uspešna izmena podataka!');
                        }
                        else {
                            return redirect()->route('adminPanel_podaci_update', ['id'
=> $id])->with('poruka', 'Neuspešna izmena podataka!');
                        }

                    } catch (\Exception $ex) {
                        \Log::error("Greska:" . $ex->getMessage());
                    }
                }
                else{
                    return redirect()->route('adminPanel_podaci_update',['id'=>$id])-
>with('porukporukaa','Greška pri postavljanju slike na server!');
                }
            }
            else {
                $podaci = Podaci::find($id);
                $podaci->id = $id;
                $podaci->tekst = $tekst;
                $podaci->ulica = $ulica;
                $podaci->mesto = $mesto;
                $podaci->kontakt_tel = $tel1;

                try {
                    $rez = $podaci->save();

                    if ($rez) {
                        return redirect()->route('adminPanel_podaci')->with('poruke',
'Uspešna izmena podataka!');
                    } else {
                        return redirect()->route('adminPanel_podaci_update', ['id' =>
$id])->with('poruke', 'Neuspešna izmena podataka!');
                    }
                }
                catch (\Exception $ex) {
                    \Log::error("Greska:" . $ex->getMessage());
                }
            }
        }
```

```
    }
    public function adminPanel_podaci_delete($id){
        $podaci = new Podaci();
        $podaci->id = $id;
        try{
            $podaci->deleteOne($id);
            return redirect()->route('adminPanel_podaci')->with('poruka','Uspešno
izvršenp brisanje!');
        }
        catch(\Exception $ex){
            \Log::error("Greska:" .$ex->getMessage());
        }
    }
}
```

4.1.2. app/Http/Controllers/BaseFrontendController.php

```
<?php

namespace App\Http\Controllers;

use App\Models\Podaci;
use App\Models\Slajder;
use App\Models\TipTretmana;
use Illuminate\Http\Request;

class BaseFrontendController extends Controller
{
    public $data = [];
    public function __construct()
    {
        try{
            $tipTretmana = new TipTretmana();
            $this->data['tipTretmana'] = $tipTretmana->getAll();

            $slajder = new Slajder();
            $this->data['slajder']  = $slajder->getAll();
//            dd($this->data['slajder']);

            $podaci = new Podaci();
            $this->data['podaci'] = $podaci->getAll();
//            dd($this->data['podaci']);
            return view('pages.pocetna',$this->data);
        }
        catch(\Exception $ex){
            \Log::error("Greska:" .$ex->getMessage());
        }
    }
}
```

4.1.3. app/Http/Controllers/BlogBackendController.php

```
<?php

namespace App\Http\Controllers;

use App\Models\Blog;
```

```
use App\Http\Requests\BlogRequest;
use App\Http\Requests\BlogUpdateRequest;
use App\Models\Zakazano;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\File;

class BlogBackendController extends BackendController
{
    public function adminPanel_blog()
    {
        $blog = new Blog();
        try {
            $this->data['blog'] = $blog->getAllAdmin();
            return view('pages.admin.adminPanel_blog', $this->data);
        } catch (\Exception $ex) {
            \Log::error("Greska:" . $ex->getMessage());
        }
    }

    public function adminPanel_blog_insert()
    {
        return view('pages.admin.adminPanel_blog_insert', $this->data);
    }

    public function doAdminPanel_blog_insert(BlogRequest $request)
    {
        if ($request->has('btnDodaj')) {
            $naslov = $request->input('tbNaslovBlog');
            $podnaslov = $request->input('tbPodnaslovBlog');
            $tekst = $request->input('tbTekstBlog');
            $slika = $request->file('unosSlike');

            $tmp_path = $slika->getPathname();
            $extension = $slika->getClientOriginalExtension();
            $slika_ime = time() . '.' . $extension;
            $new_path = 'img/' . $slika_ime;
            $prenos = File::move($tmp_path, $new_path);

            if ($prenos) {
                $blog = new Blog();
                $blog->naslov_blog = $naslov;
                $blog->podnaslov_blog = $podnaslov;
                $blog->text_blog = $tekst;
                $blog->putanja_slika_blog = $slika_ime;
                $blog->postavljeno = time();
                $blog->status = '1';
//              $blog->updated_at = false;
//              $blog->created_at = false;

                try {
                    $rez = $blog->save();
                    if ($rez) {
                        return redirect()->route('adminPanel_blog')->with('poruka',
"Uspešno ste uneli blog!");
                    } else {
                        return redirect()->route('adminPanel_blog_insert')-
>with('poruka', "Neuspešan unos bloga!");
                    }
                } catch (\Exception $ex) {
                    \Log::error("Greska:" . $ex->getMessage());
                }
            } else {
                return redirect()->route('adminPanel_blog_insert')->with('poruka',
```

```
"Greka!Neuspešan unos bloga!");
            }
        }
    }

    public function adminPanel_blog_update($id_blog)
    {
        $blog = new Blog();
        $blog->id_blog = $id_blog;
        try {
            $this->data['blog'] = $blog->getOne($id_blog);
            // dd($this->data['blog']);
            return view('pages.admin.adminPanel_blog_update', $this->data);
        } catch (\Exception $ex) {
            \Log::error("Greska:" . $ex->getMessage());
        }
    }

    public function doAdminPanel_blog_update($id_blog, BlogUpdateRequest $request)
    {
        if ($request->has('btnIzmeni')) {
//            dd($id_blog);
            $naslov = $request->input('tbNaslovBlog');
            $podnaslov = $request->input('tbPodnaslovBlog');
            $tekst = $request->input('tbTekstBlog');
            $status = $request->input('ddlBlog');
            $slika = $request->file('unosSlike');
            if ($slika) {
                $tmp_path = $slika->getPathname();
                $extension = $slika->getClientOriginalExtension();
                $slika_ime = time() . '.' . $extension;
                $new_path = 'img/' . $slika_ime;

                if (File::move($tmp_path, $new_path)) {
                    $newBlog = Blog::find($id_blog);
                    $newBlog->naslov_blog = $naslov;
                    $newBlog->podnaslov_blog = $podnaslov;
                    $newBlog->text_blog = $tekst;
                    $newBlog->putanja_slika_blog = $slika_ime;
                    $newBlog->postavljeno = time();
                    $newBlog->status = $status;

                    try {
                        $rez = $newBlog->save();
                        if ($rez) {
                            return redirect()->route('adminPanel_blog')-
>with('poruka', 'Uspešno ste izmenili blog sa slikom!');
                        } else {
                            return redirect()->route('adminPanel_blog_update',
['id_blog' => $id_blog])->with('poruka', "Neuspešna izmena bloga sa slikom!");
                        }
                    } catch (\Exception $ex) {
                        \Log::error("Greska:" . $ex->getMessage());
                    }
                } else {
                    return redirect()->route('adminPanel_blog_update', ['id_blog' =>
$id_blog])->with('poruka', "Greka!Neuspešna izmena bloga!");
                }
            } else {
                $newBlog = Blog::find($id_blog);
                $newBlog->naslov_blog = $naslov;
                $newBlog->podnaslov_blog = $podnaslov;
                $newBlog->text_blog = $tekst;
```

```
                $newBlog->postavljeno = time();
                $newBlog->status = $status;
                try {
                    $rez = $newBlog->save();
                    if ($rez) {
                        return redirect()->route('adminPanel_blog')->with('poruka',
'Uspešno ste izmenili blog!');
                    } else {
                        return redirect()->route('adminPanel_blog_update', ['id_blog'
=> $id_blog])->with('poruka', "Neuspešna izmena bloga!");
                    }
                } catch (\Exception $ex) {
                    \Log::error("Greska:" . $ex->getMessage());
                }
            }
        }
    }

    public function adminPanel_blog_delete($id_blog)
    {
        $blog = new Blog();
        $blog->id_blog = $id_blog;
        $thisBlog = $blog->getOne($id_blog);
//        dd($thisBlog);
        try {
            if ($thisBlog->status == 1) {
                $blog->deleteOne($id_blog);
                return redirect()->route('adminPanel_blog')->with('poruka', 'Uspešno
deaktiviranje bloga!');
            } else {
                $blog->realDeleteOne($id_blog);
                return redirect()->route('adminPanel_blog')->with('poruka', 'Uspešno
brisanje bloga!');
            }
        } catch (\Exception $ex) {
            \Log::error("Greska:" . $ex->getMessage());
        }
    }

    public function sortByDate_blog(Request $request)
    {
        $unos = $request->post('unos'); //2021-09-11
//        return json_encode($unos);
        list($year_sort, $month_sort, $day_sort) = explode('-', $unos);
//        dd($day_sort);

        $blog = new Blog();
        $rez = $blog->getAll();

        $podaci = null;
        $array = null;

        $podaci .= "<table class='table table-striped adminTable'>";
        $podaci .= "<thead>";
        $podaci .= "<tr>";
        $podaci .= "<th scope='col'>#</th>";
        $podaci .= "<th scope='col'>Naslov</th>";
        $podaci .= "<th scope='col'>Podnaslov</th>";
        $podaci .= "<th scope='col'>Text</th>";
        $podaci .= "<th scope='col'>Slika</th>";
        $podaci .= "<th scope='col'>Postavljeno</th>";
        $podaci .= "<th scope='col'>Status</th>";
        $podaci .= "<th scope='col'>Izmeni</th>";
```

```
        $podaci .= "<th scope='col'>Obrisi</th>";
        $podaci .= "</tr>";
        $podaci .= "</thead>";
        $podaci .= "<tbody>";
        $i = 1;
        foreach ($rez as $b) {
            $array .= $b->id_blog;
//            dd($b->postavljeno);
            $date = date("Y-m-d", $b->postavljeno);

            list($year, $month, $day) = explode('-', $date);
            //dd($day);
            if ($unos == $date) {
                $podaci .= "<tr>";
                $podaci .= "<th scope='row'>" . $i . "</th>";
                $i++;
                $podaci .= "<td>" . $b->naslov_blog . "</td>";
                $podaci .= "<td>" . $b->podnaslov_blog . "</td>";
                $podaci .= "<td>" . $b->text_blog . "</td>";
                $podaci .= "<td><img class='img-fluid' src='" . asset('/') . "img/" .
$b->putanja_slika_blog . " ' width='200px' height='250px' alt='" . $b->naslov_blog .
"'/></td>";
                $podaci .= "<td>" . date('d.m.Y.', $b->postavljeno) . "</td>";
                if ($b->status == 1) {
                    $podaci .= "<td>Aktivan</td>";
                } else {
                    $podaci .= "<td>Neaktivan</td>";
                }
                $podaci .= "<td><a class='linkA'  href='" .
route('adminPanel_blog_update', ['id_blog' => $b->id_blog]) . "'>Izmeni</a></td>";
                $podaci .= "<td><a  class='linkA'  href='" .
route('adminPanel_blog_delete', ['id_blog' => $b->id_blog]) . "'>Obrisi</a></td>";
                $podaci .= "</tr>";
            }
        }
        $podaci .= "</tbody>";
        $podaci .= "</table>";
        return json_encode($podaci);

    }
}
```

4.1.4. app/Http/Controllers/BlogerController.php

```
<?php

namespace App\Http\Controllers;

use App\Http\Requests\BlogRequest;
use App\Http\Requests\BlogUpdateRequest;
use App\Models\Blog;
use App\Models\Tretman;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\File;

class BlogerController extends BaseFrontendController
{
    public function blog()
    {
        $blog = new Blog();
        $tretmani = new Tretman();
```

```
        try {
            $this->data['tretmani'] = $tretmani->getTretamane();
            $this->data['blog'] = $blog->getAllBloger();
            return view('pages.blog.blog', $this->data);
        } catch (\Exception $ex) {
            \Log::error("Greska:" . $ex->getMessage());
        }
    }

    public function oneBlog($id_blog)
    {
        $blog = new Blog();
        try {
            $this->data['oneBlog'] = $blog->getOne($id_blog);
            return view('pages.blog.oneBlog', ['id_blog' => $id_blog], $this->data);
        } catch (\Exception $ex) {
            \Log::error("Greska:" . $ex->getMessage());
        }
    }

    public function blog_blog()
    {
        $blog = new Blog();
        try {
            $this->data['blog'] = $blog->getAllAdmin();
            return view('pages.blog.sviBlogovi', $this->data);
        } catch (\Exception $ex) {
            \Log::error("Greska:" . $ex->getMessage());
        }
    }

    public function blog_insert()
    {
        return view('pages.blog.unosBlog', $this->data);
    }

    public function doBlog_insert(BlogRequest $request)
    {
        if ($request->has('btnDodaj')) {
            $naslov = $request->input('tbNaslovBlog');
            $podnaslov = $request->input('tbPodnaslovBlog');
            $tekst = $request->input('tbTekstBlog');
            $slika = $request->file('unosSlike');
//            dd($slika);

            if ($slika) {
                $tmp_path = $slika->getPathname();
                $extension = $slika->getClientOriginalExtension();
                $slika_ime = time() . '.' . $extension;
                $new_path = 'img/' . $slika_ime;

                $pak = File::move($tmp_path, $new_path);

                if ($pak) {
                    $blog = new Blog();
                    $blog->naslov_blog = $naslov;
                    $blog->podnaslov_blog = $podnaslov;
                    $blog->text_blog = $tekst;
                    $blog->putanja_slika_blog = $slika_ime;
                    $blog->postavljeno = time();
                    $blog->status = '1';

                    try {
```

```
                        $rez = $blog->save();
                        if ($rez) {
                            return redirect()->route('all_blog')->with('poruka',
"Uspešno ste uneli blog!");
                        } else {
                            return redirect()->route('blog_insert')->with('poruka',
"Neuspešan unos bloga!");
                        }
                    } catch (\Exception $ex) {
                        \Log::error("Greska:" . $ex->getMessage());
                    }
                }
            } else {
                return redirect()->route('blog_insert')->with('poruka', "Morate
odabrati sliku!");
            }
        }
    }

    public function blog_update($id_blog)
    {
        $blog = new Blog();
        $blog->id_blog = $id_blog;
        try {
            $this->data['blog'] = $blog->getOne($id_blog);
            // dd($this->data['blog']);
            return view('pages.blog.izmeniBlog', $this->data);
        } catch (\Exception $ex) {
            \Log::error("Greska:" . $ex->getMessage());
        }

//        return view('pages.blog.izmeniBlog',['id_blog'=>$id_blog],$this->data);
    }

    public function doBlog_update($id_blog, Request $request)
    {
        if ($request->has('btnIzmeni')) {
//            dd($id_blog);
            $naslov = $request->input('tbNaslovBlog');
            $podnaslov = $request->input('tbPodnaslovBlog');
            $tekst = $request->input('tbTekstBlog');
            $status = $request->input('ddlBlog');
            $slika = $request->file('unosSlike');
            if ($slika) {
                $tmp_path = $slika->getPathname();
                $extension = $slika->getClientOriginalExtension();
                $slika_ime = time() . '.' . $extension;
                $new_path = 'img/' . $slika_ime;

                if (File::move($tmp_path, $new_path)) {
                    $newBlog = Blog::find($id_blog);
                    $newBlog->naslov_blog = $naslov;
                    $newBlog->podnaslov_blog = $podnaslov;
                    $newBlog->text_blog = $tekst;
                    $newBlog->putanja_slika_blog = $slika_ime;
                    $newBlog->postavljeno = time();
                    $newBlog->status = $status;
                    try {
                        $rez = $newBlog->save();
                        if ($rez) {
                            return redirect()->route('all_blog')->with('poruka',
'Uspešno ste izmenili blog sa slikom!');
                        } else {
```

```
                            return redirect()->route('izmeniBlog', ['id_blog' =>
$id_blog])->with('poruka', "Neuspešna izmena bloga sa slikom!");
                        }
                    } catch (\Exception $ex) {
                        \Log::error("Greska:" . $ex->getMessage());
                    }
                } else {
                    return redirect()->route('izmeniBlog', ['id_blog' => $id_blog])-
>with('poruka', "Greka!Neuspešna izmena bloga!");
                }
            } else {
                $newBlog = Blog::find($id_blog);
                $newBlog->naslov_blog = $naslov;
                $newBlog->podnaslov_blog = $podnaslov;
                $newBlog->text_blog = $tekst;
                $newBlog->postavljeno = time();
                $newBlog->status = $status;
                try {
                    $rez = $newBlog->save();
                    if ($rez) {
                        return redirect()->route('all_blog')->with('poruka', 'Uspešno
ste izmenili blog!');
                    } else {
                        return redirect()->route('izmeniBlog', ['id_blog' =>
$id_blog])->with('poruka', "Neuspešna izmena bloga!");
                    }
                } catch (\Exception $ex) {
                    \Log::error("Greska:" . $ex->getMessage());
                }
            }
        }


    }

    public function blog_delete($id_blog)
    {
        $blog = new Blog();
        $blog->id_blog = $id_blog;
        $thisBlog = $blog->getOne($id_blog);
//        dd($thisBlog);
        try {
            if ($thisBlog->status == 1) {
                $blog->deleteOne($id_blog);
                return redirect()->route('all_blog')->with('poruka', 'Uspešno
deaktiviranje bloga!');
            } else {
                $blog->realDeleteOne($id_blog);
                return redirect()->route('all_blog')->with('poruka', 'Uspešno brisanje
bloga!');
            }
        } catch (\Exception $ex) {
            \Log::error("Greska:" . $ex->getMessage());
        }
    }

    public function sortByDateBlog(Request $request)
    {
        $unos = $request->post('unos'); //2021-09-11
//        return json_encode($unos);
        list($year_sort, $month_sort, $day_sort) = explode('-', $unos);
//        dd($day_sort);
```

```
        $blog = new Blog();
        $rez = $blog->getAll();
//    return json_encode($rez);
        $podaci = null;
        $array = null;

        $podaci .= "<table class='table table-striped adminTable'>";
        $podaci .= "<thead>";
        $podaci .= "<tr>";
        $podaci .= "<th scope='col'>#</th>";
        $podaci .= "<th scope='col'>Naslov</th>";
        $podaci .= "<th scope='col'>Podnaslov</th>";
        $podaci .= "<th scope='col'>Text</th>";
        $podaci .= "<th scope='col'>Slika</th>";
        $podaci .= "<th scope='col'>Postavljeno</th>";
        $podaci .= "<th scope='col'>Status</th>";
        $podaci .= "<th scope='col'>Izmeni</th>";
        $podaci .= "<th scope='col'>Obrisi</th>";
        $podaci .= "</tr>";
        $podaci .= "</thead>";
        $podaci .= "<tbody>";
        $i = 1;
        foreach ($rez as $b) {
            $array .= $b->id_blog;
//                        dd($b->postavljeno);
            $date = date("Y-m-d", $b->postavljeno);

            list($year, $month, $day) = explode('-', $date);
            //dd($day);
            if ($unos == $date) {
                $podaci .= "<tr>";
                $podaci .= "<th scope='row'>" . $i . "</th>";
                $i++;
                $podaci .= "<td>" . $b->naslov_blog . "</td>";
                $podaci .= "<td>" . $b->podnaslov_blog . "</td>";
                $podaci .= "<td>" . $b->text_blog . "</td>";
                $podaci .= "<td><img class='img-fluid' src='" . asset('/') . "img/" .
$b->putanja_slika_blog . " ' width='200px' height='250px' alt='" . $b->naslov_blog .
"'/></td>";
                $podaci .= "<td>" . date('d.m.Y.', $b->postavljeno) . "</td>";
                if ($b->status == 1) {
                    $podaci .= "<td>Aktivan</td>";
                } else {
                    $podaci .= "<td>Neaktivan</td>";
                }
                $podaci .= "<td><a class='linkA'  href='" .
route('adminPanel_blog_update', ['id_blog' => $b->id_blog]) . "'>Izmeni</a></td>";
                $podaci .= "<td><a  class='linkA'  href='" .
route('adminPanel_blog_delete', ['id_blog' => $b->id_blog]) . "'>Obrisi</a></td>";
                $podaci .= "</tr>";
            }
        }
        $podaci .= "</tbody>";
        $podaci .= "</table>";
        return json_encode($podaci);

    }

    public function searchBlog(Request $request)
    {
        if ($request->has('btnSearch')) {
            $unos = $request->post('unos');
```

```
            $blog = new Blog();
            $rez = $blog->searchBlog($unos);
            //dd($rez);

            $podaci = null;

            //return json_encode($rez);
            foreach ($rez as $item) {
                $podaci .= "<article class='blog_item'>";
                $podaci .= "<div class='blog_item_img'>";
                $podaci .= "<img class='card-img rounded-0' width='400px'
height='400px' src='" . asset('/') . "img/" . $item->putanja_slika_blog . "' alt='" .
$item->naslov_blog . "'>";
                $podaci .= "</div>";
                $podaci .= "<div class='blog_details'>";
                $podaci .= "<a class='d-inline-block' href='" . route('one_Blog',
['id_blog' => $item->id_blog]) . "'>";
                $podaci .= "<h2>" . $item->naslov_blog . "</h2>";
                $podaci .= "</a>";
                $podaci .= "<h4>" . $item->podnaslov_blog . "</h4>";
                $podaci .= "<p>";
                $podaci .= substr($item->text_blog, 0, 200);
                $podaci .= "(...)</p>";
                $podaci .= "<b><a href='" . route('one_Blog', ['id_blog' => $item-
>id_blog]) . "' style='color:#B08EAD;'>Više</a></b>";
                $podaci .= "</div>";
                $podaci .= "</article>";
            }
            return json_encode($podaci);
        }
    }
}
```

4.1.5. app/Http/Controllers/FrontendController.php

```
<?php

namespace App\Http\Controllers;

use App\Http\Requests\ZakazaniRequest;
use App\Models\Podaci;
use App\Models\Termini;
use App\Models\TipTretmana;
use App\Models\Tretman;
use App\Models\Zakazano;
use App\Models\Blog;

use Illuminate\Http\Request;

class FrontendCotroller extends BaseFrontendController
{
    public function index(){
        try{
            $podaci = new Podaci();
            $this->data['podaci'] = $podaci->getAll();
//            dd($this->data['podaci']);
            return view('pages.pocetna',$this->data);
        }
        catch(\Exception $ex){
```

```
            \Log::error("Greska:" .$ex->getMessage());
        }
    }
    public function zakazati(){
        $this->data['tipTretmana'] = TipTretmana::all();
        $this->data['termini'] = Termini::all();
        $tretman = new Tretman();
        $this->data['tretman'] = $tretman->getAll();
//        dd($this->data['termini']);
        return view('pages.zakazati',$this->data);
    }

    public function doZakazati(ZakazaniRequest $request){
        if($request->has('btnZakazi')){
//            dd($request);
            $ime = $request->input('ime');
//            dd($ime);
            $prezime = $request->input('prezime');
            $email = $request->input('email');
            $brTel = $request->input('brTel');
            $datum = $request->input('datum');
//            dd($datum);
//            $tipTretmana = $request->input('ddlTipTretman');
            $tretman = $request->input('ddlTretman');
            $termin = $request->input('ddlTermini');
            $status_termina = 1;
            //datum
            $datum = explode("-", $datum);
            $godina = intval($datum[0]);
            $mesec = intval($datum[1]);
            $dan = intval($datum[2]);
            $tmStmDatumPokupljeni = mktime(0, 0, 0, $mesec, $dan, $godina);

            $tmStDanasnjiDatum = time();
            $tmpokupljeni = date('Y-m-d',$tmStDanasnjiDatum);
            $datum_now = explode("-", $tmpokupljeni);
            $godina_now = intval($datum[0]);
            $mesec_now = intval($datum[1]);
            $dan_now = intval($datum[2]);
            $tmStmDatumPokupljeni_now = mktime(0, 0, 0, $mesec_now, $dan_now,
$godina_now);

            try{
                if ($tmStmDatumPokupljeni > $tmStmDatumPokupljeni_now ||
$tmStmDatumPokupljeni == $tmStmDatumPokupljeni_now) {
                    $rez = Zakazano::create(array(
                        'ime' => $ime,
                        'prezime' => $prezime,
                        'email' => $email,
                        'datum' => $tmStmDatumPokupljeni,
                        'br_tel' => $brTel,
                        'tretman_id' => $tretman,
                        'termin_id' => $termin,
                        'status_termina' => $status_termina
                    ));
                }
                else{
                    return redirect()->route('zakazati')->with('poruka','Morate
odabrati datum posle današnjeg datuma!');
                }
                if($rez){
                    return redirect()->route('zakazati')->with('poruka','Uspešno ste
izvršili zakazivanje!');
```

```
                }
                else{
                    return redirect()->route('zakazati')->with('poruka','Niste obavili
zakazivanje!');
                }
            }
            catch (\Exception $ex) {
                \Log::error("Greska:" . $ex->getMessage());
            }
        }
    }
    public function tretmani($id_tt){
        try{
           $tipTretmana = new TipTretmana();
            $this->data['tip_tretmana'] = $tipTretmana->getAllTretmane($id_tt);
            //sidebar_nav promenljiva
            $this->data['tretmani'] = $tipTretmana->getTretmanPoTT($id_tt);
//              dd($this->data['tip_tretmana']);
//              dd($this->data['tretmani']);
            return view('pages.tretmani',$this->data);
        }
        catch(\Exception $ex){
            \Log::error("Greska:" .$ex->getMessage());
        }
    }
    public function opisTretmana($id_tt, $id_tretman){
//        dd($id_tretman);
        $tipTretmana = new TipTretmana();
        $tretman = new Tretman();

        try{
            //za sidebar nav promenljiva
            $this->data['tretmani'] = $tipTretmana->getTretmanPoTT($id_tt);
            $this->data['tretman'] = $tretman->getOneTretman($id_tt,$id_tretman);
//              dd($this->data['tretman']);
            return view('pages.opisTretmana',$this->data);
        }
        catch(\Exception $ex){
            \Log::error("Greska:" .$ex->getMessage());
        }
    }

    public function blog(){
        $blog = new Blog();
        $tretmani = new Tretman();
        try{
            $this->data['tretmani'] = $tretmani->getTretamane();
            $this->data['blog'] = $blog->getAll();
            return view('pages.blog',$this->data);
        }
        catch(\Exception $ex){
            \Log::error("Greska:" .$ex->getMessage());
        }
    }
    public function oneBlog($id_blog){
        $blog = new Blog();
        try{
            $this->data['oneBlog'] = $blog->getOne($id_blog);
            return view('pages.oneBlog',['id_blog'=>$id_blog],$this->data);
        }
        catch(\Exception $ex){
            \Log::error("Greska:" .$ex->getMessage());
        }
```

```
    }

    public function search(Request $request)
    {
            $unos = $request->post('unos');

            $blog = new Blog();
            $rez = $blog->searchBlog($unos);
            //return json_encode($rez);
            $podaci = null;

            foreach ($rez as $item) {
                $podaci .= "<article class='blog_item'>";
                $podaci .= "<div class='blog_item_img'>";
                $podaci .= "<img class='card-img rounded-0' width='400px'
height='400px' src='".asset('/')."img/".$item->putanja_slika_blog."' alt='".$item-
>naslov_blog."'>";
                $podaci .= "</div>";
                $podaci .= "<div class='blog_details'>";
                $podaci .= "<a class='d-inline-block'
href='".route('one_Blog',['id_blog'=>$item->id_blog])."'>";
                $podaci .= "<h2>".$item->naslov_blog."</h2>";
                $podaci .= "</a>";
                $podaci .= "<h4>".$item->podnaslov_blog."</h4>";
                $podaci .= "<p>";
                $podaci .= substr($item->text_blog,0,200);
                $podaci .= "(...)</p>";
                $podaci .= "<b><a href='".route('one_Blog',['id_blog'=>$item-
>id_blog])."' style='color:#B08EAD;'>Više</a></b>";
                $podaci .= "</div>";
                $podaci .= "</article>";
            }
            return json_encode($podaci);
        }

    public function zakazati_ajax(Request $request){
        //2021-09-16
        $unos = $request->post('unos');
//        return json_encode($unos);
        $datum = explode("-", $unos);
        $godina = intval($datum[0]);
        $mesec = intval($datum[1]);
        $dan = intval($datum[2]);
        $tmStmDatumPokupljeni = mktime(0, 0, 0, $mesec, $dan, $godina);

        $termin = new Termini();
        $zakazani_rez = $termin->getDateTermin($tmStmDatumPokupljeni); //PO DATUMU

        $termini_rez = $termin->getAllTermin(); //SVI TERMINI

        $podaci = null;

        if(count($zakazani_rez) != 0) {
            $p = array();
            $bla = array();
            $podaci .= "<option class='form-control' value='0'>Odaberite
termin</option>";

            foreach ($termini_rez as $t) {
                $bla[] = $t->id_termini;
                foreach ($zakazani_rez as $z) {
                    if($t->id_termini == $z->termin_id){
                        $p[] = $t->id_termini;
```

```
                        //$podaci .= "<option class='form-control' value='$t-
>id_termini'>$t->vreme</option>";
                    }
                }
            }
            $termini_rez_array = array($termini_rez);
            $differente = array_diff($bla, $p);

            foreach ($differente as $d){
                $slobodni_rez = $termin->getFreeTermin($d);
                foreach ($slobodni_rez as $sr) {
                    $podaci .= "<option class='form-control' value='$sr-
>id_termini'>$sr->vreme</option>";
                }
            }
//            dd($differente);
            return json_encode($podaci);
        }
        else{
            $podaci .= "<option class='form-control' value='0'>Odaberite
termin</option>";
            foreach ($termini_rez as $t) {
                //$podaci .= "<option class='form-control' value='$t-
>id_termini'>ELSE</option>";
                $podaci .= "<option class='form-control' value='$t->id_termini'>$t-
>vreme</option>";
            }
            return json_encode($podaci);
        }
    }

}
```

4.1.6. app/Http/Controllers/KorisnikBackendController.php

```
<?php

namespace App\Http\Controllers;

use App\Http\Requests\KorisnikRequest;
use App\Http\Requests\KorisnikUpdateRequest;
use App\Models\Korisnik;
use App\Models\Uloga;
use Illuminate\Http\Request;

class KorisnikBackendController extends BackendController
{
    public function adminPanel_korisnici(){
        $korisnik = new Korisnik();
        try{
            $this->data['korisnici'] = $korisnik->getAll();
        //        dd($this->data['korisnici']);
            return view('pages.admin.adminPanel_korisnici',$this->data);
        }
        catch(\Exception $ex){
            \Log::error("Greska:" .$ex->getMessage());
        }
    }
```

```
    public function adminPanel_korisnik_insert(){

        $this->data['uloga']= Uloga::all();
        return view('pages.admin.adminPanel_korisnici_insert',$this->data);
    }

    public  function doAdminPanel_korisnik_insert(KorisnikRequest $request){
        if($request->has('btnUnesi')){
            $korIme = $request->input('tbKorIme');
            $lozinka = $request->input('tbLozinka');
            $uloga = $request->input('ddlUloga');

            try{
                $rez = Korisnik::create(array(
                    'korisnicko_ime'=>$korIme,
                    'lozinka'=>md5($lozinka),
                    'status'=>'1',
                    'uloga_id'=>$uloga
                ));
                if($rez){
                    return redirect()->route('adminPanel_korisnici')-
>with('poruka','Uspešno ste uneli korisnika!');
                }
                else{
                    return redirect()->route('adminPanel_korisnik_insert')-
>with('poruka','Niste uneli korisnika!');
                }
            }
            catch(\Exception $ex){
                \Log::error("Greska:" .$ex->getMessage());
            }
        }
    }

    public function adminPanel_korisnici_update($id_korisnik)
    {
        $korisnik = new Korisnik();
        $uloga = new Uloga();

        try{
            $korisnik->id_korisnik = $id_korisnik;
            $this->data['korisnik'] = $korisnik->getOne($id_korisnik);
            $this->data['uloga'] = $uloga->getAll();
            //dd($this->data['korisnik']);
            return view('pages.admin.adminPanel_korisnici_update',$this->data);
        }
        catch(\Exception $ex){
            \Log::error("Greska:" .$ex->getMessage());
        }
    }

    public function doAdminPanel_korisnici_update($id_korisnik,KorisnikUpdateRequest
$request){
        if($request->has('btnIzmeni')){

            $korIme = $request->input('tbKorIme');
            $lozinka = $request->input('tbLozinka');
            $uloga = $request->input('ddlUloga');
            $status = $request->input('ddlStatus');

            $korisnik = Korisnik::find($id_korisnik);

            $korisnik->id_korisnik = $id_korisnik;
```

```
            $korisnik->korisnicko_ime = $korIme;
            $korisnik->lozinka = md5($lozinka);
            $korisnik->status = $status;
            $korisnik->uloga_id = $uloga;

            try{
                $rez = $korisnik->updateKorisnika($id_korisnik);
//                dd($korisnik->korisnicko_ime);
                if($rez){
                    return redirect()->route('adminPanel_korisnici')-
>with('poruka','Uspešno ste izmenili korisnika!');
                }
                else{
                    return redirect()-
>route('adminPanel_korisnik_update',['id_korisnik'=>$id_korisnik])-
>with('poruka','Niste izmenili korisnika!');
                }
            }
            catch (\Exception $ex) {
                \Log::error("Greska:" . $ex->getMessage());
            }
        }
    }
    public  function adminPanel_korisnici_delete($id_korisnik){
//        dd($id_korisnik);
        $korisnik = new Korisnik();
        $korisnik->id_korisnik = $id_korisnik;
        $thisKorisnik = $korisnik->getOne($id_korisnik);
//        dd($thisKorisnik);
        try{
            if($thisKorisnik->k_status == 1){
                $korisnik->deleteOne($id_korisnik);
                return redirect()->route('adminPanel_korisnici')-
>with('poruka','Uspešno deaktiviranje korisnika!');
            }
            else{
                $korisnik->realDeleteOne($id_korisnik);
                return redirect()->route('adminPanel_korisnici')-
>with('poruka','Uspešno brisanje korisnika!');
            }
        }
        catch(\Exception $ex){
            \Log::error("Greska:" .$ex->getMessage());
        }
    }

    }
```

4.1.7. app/Http/Controllers/LogController.php

```
<?php

namespace App\Http\Controllers;

use App\Models\Korisnik;
use Illuminate\Http\Request;


class LogController extends BaseFrontendController
{
    public function logovanje(){
```

```
        return view('pages.logovanje',$this->data);
    }
    public function doLogovanje(Request $request)
    {
        if ($request->has('tbPotvrdi')) {
            $korIme = trim($request->input('tbKorIme'));
            $lozinka = trim($request->input('tbPassword'));

            $korisnik = new Korisnik();
            $korisnik->korisnicko_ime = $korIme;
            $korisnik->lozinka = md5($lozinka);
//            dd($korisnik);
            try {
                $user = $korisnik->Logovanje($korIme, $lozinka);

                if ($user) {
                    $request->session()->put('user', $user);
//                    dd(session()->get('user'));
                    if (session()->has('user') && session()->get('user')->naziv ==
'admin') {
                        return redirect()->route('adminPanel_tipTretman')-
>with('poruka', 'Uspešno logovanje kao administrator!');
                    }
                    elseif (session()->has('user') && session()->get('user')->naziv ==
'bloger') {
                        return redirect()->route('blog')->with('poruka', 'Uspešno
logovanje kao bloger!');
                    }
                    elseif (session()->has('user') && session()->get('user')->naziv ==
'zaposleni') {
                        return redirect()->route('zakazani')->with('poruka', 'Uspešno
logovanje kao zaposleni!');
                    }
                    else {
                        return redirect()->route('index')->with('poruka', 'Ne možete
se ulogovati!');
                    }
                }
                else{
                    return redirect()->route('index')->with('poruka', 'Ne možete se
ulogovati!');
                }
            }
            catch (\Exception $e) {
                \Log::error('MOJA GRESKA: ' . $e->getMessage());
            }
        }
    }
    public function logout(Request $request){
        $request->session()->flash('user');
        $request->session()->forget('user');

        return redirect()->route('index');
    }

}
```

4.1.8. app/Http/Controllers/SlajderBackendController.php

```
<?php

namespace App\Http\Controllers;

use App\Http\Requests\SlajderRequest;
use App\Http\Requests\SlajderUpdateRequest;
use Illuminate\Http\Request;
use App\Models\Slajder;
use Illuminate\Support\Facades\File;

class SlajderBackendController extends BackendController{

    public function adminPanel_slajder(){
        $slajder = new Slajder();
        $this->data['slajder']  = $slajder->getAllAdmin();
       // dd($this->data['slajder']);
        return view('pages.admin.adminPanel_slajder',$this->data);
    }

    public  function adminPanel_slajder_insert(){
        return view('pages.admin.adminPanel_slajder_insert',$this->data);
    }
    public function doAdminPanel_slajder_insert(SlajderRequest $request){
        if($request->has('btnUnesi')){
            $naslov = $request->input('tbNaslov');
            $status = $request->input('ddlStatus');
            $slika = $request->file('fSlika');

            if($slika){
                $tmp_path = $slika->getPathname();
                $extension = $slika->getClientOriginalExtension();
                $slika_ime = time() . '.' . $extension;
                $new_path = 'img/' . $slika_ime;

                if(File::move($tmp_path, $new_path)) {
                    try {
                        $rez = Slajder::create(
                            array(
                                'naslov_slajder' => $naslov,
                                'putanja_slajder' =>$slika_ime,
                                'postavljeno' => time(),
                                'status' => $status
                            )
                        );
                        if($rez){
                            return redirect()->route('adminPanel_slajder')-
>with('poruka','Uspešno ste uneli sliku za sajder!');
                        }
                        else{
                            return redirect()->route('adminPanel_slajder_insert')-
>with('poruka','Niste uneli sliku za slajder!');
                        }
                    }
                    catch (\Exception $ex) {
                        \Log::error("Greska:" . $ex->getMessage());
                    }
                }
                else{
                    return redirect()->route('adminPanel_slajder')-
>with('poruka','Greška pri postavljanju slike na server!');
```

```
                }
            }
            else{
                return redirect()->route('adminPanel_slajder_insert')-
>with('poruka','Morate odabrati sliku!');
            }
        }


    }

    public  function adminPanel_slajder_update($id_slajder)
    {
        $slajder = new Slajder();
        $slajder->id_slajder = $id_slajder;
        $this->data['slajder'] = $slajder->getOne($id_slajder);
        return view('pages.admin.adminPanel_slajder_update',$this->data);
    }
    public function doAdminPanel_slajder_update($id_slajder,SlajderUpdateRequest
$request){
      if($request->has('btnIzmeni')){
            $naslov = $request->input('tbNaslov');
            $status = $request->input('ddlStatus');
            $slika = $request->file('fSlika');

            if($slika){
                $tmp_path = $slika->getPathname();
                $extension = $slika->getClientOriginalExtension();
                $slika_ime = time() . '.' . $extension;
                $new_path = 'img/' . $slika_ime;

                if(File::move($tmp_path, $new_path)) {
                    $slajd = Slajder::find($id_slajder);
                    $slajd->id_slajder = $id_slajder;
                    $slajd->naslov_slajder = $naslov;
                    $slajd->putanja_slajder = $slika_ime;
                    $slajd->postavljeno = time();
                    $slajd->status = $status;
                    try {
                        $rez = $slajd->save();
                        if($rez){
                            return redirect()->route('adminPanel_slajder')-
>with('poruka','Uspešno ste uneli sliku za sajder!');
                        }
                        else{
                            return redirect()->route('adminPanel_slajder_update')-
>with('poruka','Niste uneli sliku za slajder!');
                        }
                    }
                    catch (\Exception $ex) {
                        \Log::error("Greska:" . $ex->getMessage());
                    }
                }
                else{
                    return redirect()->route('adminPanel_slajder')-
>with('poruka','Greška pri postavljanju slike na server!');
                }
            }
            else{
                $slajd = Slajder::find($id_slajder);
                $slajd->id_slajder = $id_slajder;
                $slajd->naslov_slajder = $naslov;
                $slajd->postavljeno = time();
```

```
                $slajd->status = $status;
                try {
                    $rez = $slajd->save();
                    if($rez){
                        return redirect()->route('adminPanel_slajder')-
>with('poruka','Uspešno ste izmenili podatke za slajder!');
                    }
                    else{
                        return redirect()->route('adminPanel_slajder_update')-
>with('poruka','Izmena nije uspela!');
                    }
                }
                catch (\Exception $ex) {
                    \Log::error("Greska:" . $ex->getMessage());
                }
            }
        }
    }

    public function adminPanel_slajder_delete($id_slajder){
        $slajder = new Slajder();
        $slajder->id_slajder = $id_slajder;
        $sveSlike = $slajder->getOne($id_slajder);
        //dd($sveSlike);
        try{
            if($sveSlike->status == 1){
                $slajder->deleteOne($id_slajder);
                return redirect()->route('adminPanel_slajder')->with('poruka','Uspešno
deaktiviranje slike slajdera!');
            }
            else{
                $slajder->realDeleteOne($id_slajder);
                return redirect()->route('adminPanel_slajder')->with('poruka','Uspešno
brisanje slike slajdera!');
            }
        }
        catch(\Exception $ex){
            \Log::error("Greska:" .$ex->getMessage());
        }
    }

}
```

4.1.9. app/Http/Controllers/TipTretmanaBackendController.php

```
<?php

namespace App\Http\Controllers;

use App\Http\Requests\TipTretmanaRequest;
use App\Http\Requests\TipTretmanaUpdateRequest;
use App\Models\TipTretmana;
use App\Models\Tretman;
use Illuminate\Http\Request;

class
TipTretmanaBackendController extends BackendController
{
    public $data = [];
```

```
//TIP TRETMANA
    public function adminPanel_tipTretman()
    {
        $tipTretman = new TipTretmana();
        try {
            $this->data['tipTretman'] = $tipTretman->getAllTipTretmana();
//            dd($this->data['tipTretman']);
            return view('pages.admin.adminPanel_tipTretmana', $this->data);
        } catch (\Exception $ex) {
            \Log::error("Greska:" . $ex->getMessage());
        }
    }

    public function adminPanel_tipTretman_insert()
    {
        return view('pages.admin.adminPanel_tipTretmana_insert', $this->data);
    }
    public function doAdminPanel_tipTretman_insert(TipTretmanaRequest $request){
        if($request->has('btnUnesi')){
            $naziv = $request->input('tbNazivTipTretmana');
//            dd($naziv);
            $status = $request->input('ddlStatus');

            try{
                $rez = TipTretmana::create(array(
                    'tt_naziv'=>$naziv,
                    'tt_status'=>$status
                ));
                if($rez){
                    return redirect()->route('adminPanel_tipTretman')-
>with('poruka','Uspešno ste uneli tip tretmana!');
                }
                else{
                    return redirect()->route('adminPanel_tipTretman_insert')-
>with('poruka','Niste uneli tip tretmana!');
                }
            }
            catch (\Exception $ex) {
                \Log::error("Greska:" . $ex->getMessage());
            }
        }
    }

    public function adminPanel_tipTretman_update($id_tt)
    {
//        dd($id_tt);
        $tipTretman = new TipTretmana();
        $tipTretman->id_tt = $id_tt;
        try{
            $this->data['tipTretman'] = TipTretmana::find($id_tt);
//            dd($this->data['tipTretman']);
            return view('pages.admin.adminPanel_tipTretmana_update',['id_tt'=>$id_tt],
$this->data);
        }
        catch (\Exception $ex) {
            \Log::error("Greska:" . $ex->getMessage());
        }
    }

    public function doAdminPanel_tipTretman_update($id_tt,TipTretmanaUpdateRequest
$request){
        if($request->has('btnIzmena')){
```

```
            $naziv = $request->input('naziv');

            $status = $request->input('ddlStatus');
//            dd($request);
            try{
                $tipTretmana = TipTretmana::find($id_tt);
                $tipTretmana->id_tt = $id_tt;
                $tipTretmana->tt_naziv = $naziv;
                $tipTretmana->tt_status = $status;

                $rez = $tipTretmana->save();
//                dd($rez);
                if($rez){
                    return redirect()->route('adminPanel_tipTretman')-
>with('poruka','Uspešno ste izmenili tip tretmana!');
                }
                else{
                    return redirect()->route('adminPanel_tipTretman_insert')-
>with('poruka','Niste izmenili tip tretmana!');
                }
            }
            catch (\Exception $ex) {
                \Log::error("Greska:" . $ex->getMessage());
            }
        }
    }

    public function adminPanel_tipTretman_delete($id_tt)
    {
        $tipTretman = new TipTretmana();
        $tipTretman->id_tt = $id_tt;
        $thisTipTretmani = TipTretmana::find($id_tt);
//        dd($thisTipTretmani);
//        dd($id_tt);
        try {
            if($thisTipTretmani->tt_status == 1){
                $tipTretman->deleteTipTretman($id_tt);
                return redirect()->route('adminPanel_tipTretman')->with('poruka',
'Uspešno deaktiviranje tipa tretmana!');
            }
            else{
                $tipTretman->realDeleteTipTretman($id_tt);
                return redirect()->route('adminPanel_tipTretman')->with('poruka',
'Uspešno brisanje tipa tretmana!');
            }
        }
        catch (\Exception $ex) {
            \Log::error("Greska:" . $ex->getMessage());
        }
    }
}
```

4.1.10. app/Http/Controllers/TretmanBackendController.php

```
<?php

namespace App\Http\Controllers;

use App\Http\Requests\TretmanRequest;
```

```
use App\Http\Requests\TretmanUpdateRequest;
use App\Models\TipTretmana;
use App\Models\Tretman;

use Illuminate\Http\Request;
use Illuminate\Support\Facades\File;

class TretmanBackendController extends BackendController
{
    public $data = [];

    public function adminPanel_tretmani($id_tt){
        try{
            $tipTretmana = new Tretman();
            $tipTretmana->id_tt = $id_tt;
            $this->data['tip_tretmana'] = $tipTretmana->getTretmane($id_tt);
//            dd($this->data['tip_tretmana']);
            return view('pages.admin.adminPanel_tretmani',$this->data);
        }
        catch(\Exception $ex){
            \Log::error("Greska:" .$ex->getMessage());
        }
    }

    public function adminPanel_tretmani_insert()
    {
        $tipTretmana = new TipTretmana();
        try {
            $this->data['tip_tretmana'] = $tipTretmana->getAll();
            return view('pages.admin.adminPanel_tretmani_insert', $this->data);
        }
        catch(\Exception $ex){
            \Log::error("Greska:" .$ex->getMessage());
        }
    }

    public function doAdminPanel_tretmani_insert(TretmanRequest $request){
        if($request->has('btnUnesi')){
            $naziv = $request->input('tbNaziv');
            $tekst = $request->input('taTekst');
            $tipTretmana = $request->input('ddlTipTretmana');
            $slika = $request->file('fSlika');
            $status = $request->input('ddlStatus');

            if($slika){
                $tmp_path = $slika->getPathname();
                $extension = $slika->getClientOriginalExtension();
                $slika_ime = time() . '.' . $extension;
                $new_path = 'img/' . $slika_ime;

                if(File::move($tmp_path, $new_path)) {
                    $tretman = new Tretman();
                    $tretman->t_naziv = $naziv;
                    $tretman->text_tretman = $tekst;
                    $tretman->t_status = $status;
                    $tretman->tt_id = $tipTretmana;
                    $tretman->putanja_slika = $slika_ime;
                    try {
                        $rez = $tretman->insertTretman();

                        if($rez){
                            return redirect()-
>route('adminPanel_tretmani',['id_tt'=>$tipTretmana])->with('poruka','Uspešan unos
```

```
tretmana!');
                        }
                        else{
                            return redirect()->route('adminPanel_tretmani_insert')-
>with('poruka','Greška pri unosu tretmana!');
                        }
                    }
                    catch(\Exception $ex){
                        \Log::error("Greska:" .$ex->getMessage());
                    }
                }
                else{
                    return redirect()->route('adminPanel_tretmani_insert')-
>with('poruka','Greška pri postavljanju slike na server!!');
                }
            }
            else{
                return redirect()->route('adminPanel_tretmani_insert')-
>with('poruka','Morate odabrali sliku!');
            }
        }
    }

    public function adminPanel_tretmani_update($id_tretman){
        $tretman = new Tretman();
        $tretman->id_tretman = $id_tretman;

        $tipTretmana = new TipTretmana();

        try {
            $this->data['tretman'] = $tretman->getOneTretmanUpdate($id_tretman);

            $this->data['tip_tretmana'] = $tipTretmana->getAll();
//            dd($this->data['tretman']);
            return
view('pages.admin.adminPanel_tretmani_update',['id_tretman'=>$id_tretman], $this-
>data);
        }
        catch(\Exception $ex){
            \Log::error("Greska:" .$ex->getMessage());
        }
    }

    public function doAdminPanel_tretmani_update($id_tretman, TretmanUpdateRequest
$request){
        if($request->has('btnIzmeni')){
            $naziv = $request->input('tbNaziv');
            $tekst = $request->input('taTekst');
            $tipTretmana = $request->input('ddlTipTretmana');
            $slika = $request->file('fSlika');
            $status = $request->input('ddlStatus');
            $tretman = new Tretman();

            if($slika){
                $tmp_path = $slika->getPathname();
                $extension = $slika->getClientOriginalExtension();
                $slika_ime = time() . '.' . $extension;
                $new_path = 'img/' . $slika_ime;

                if(File::move($tmp_path, $new_path)) {
                    try{
                        $tretman->id_tretman = $id_tretman;
                        $tretman->t_naziv = $naziv;
```

```
                        $tretman->text_tretman = $tekst;
                        $tretman->t_status = $status;
                        $tretman->tt_id = $tipTretmana;
                        $tretman->putanja_slika = $slika_ime;

                        $rez = $tretman->updateTretmanSaS($id_tretman);
                        if($rez){
                            return redirect()-
>route('adminPanel_tretmani',['id_tt'=>$tipTretmana])->with('poruka','Uspešna izmena
tretmana!');
                        }
                        else{
                            return redirect()-
>route('adminPanel_tretmani_update',['id_tretman'=>$id_tretman])-
>with('poruka','Neuspešna izmena tretmana! 1');
                        }
                    }
                    catch (\Exception $ex) {
                        \Log::error("Greska:" . $ex->getMessage());
                    }
                }
                else{
                    return redirect()-
>route('adminPanel_tretmani_update',['id_tretman'=>$id_tretman])-
>with('poruka','Greška pri postavljanju slike na server!');
                }
            }
            else{
                $tretman->t_naziv = $naziv;
                $tretman->text_tretman = $tekst;
                $tretman->t_status = $status;
                $tretman->tt_id = $tipTretmana;
                try{
                    $rez = $tretman->updateTretmanBezS($id_tretman);
                        return redirect()-
>route('adminPanel_tretmani',['id_tt'=>$tipTretmana])->with('poruka','Uspešna izmena
tretmana!');
                }
                catch (\Exception $ex) {
                        \Log::error("Greska:" . $ex->getMessage());
                }
            }
        }
    }

    public function adminPanel_tretmani_delete($id_tt,$id_tretman){
        $tretman = new Tretman();
        $tretman->id_tretman = $id_tretman;

        $thisTretman = $tretman->getOneTretman($id_tt,$id_tretman);
//        dd($thisTretman);
        try{
            if($thisTretman->t_status == 1){
                $this->data['tretman'] = $tretman->deleteOneTretman($id_tretman);
                return redirect()->route('adminPanel_tretmani',['id_tt'=>$id_tt])-
>with('poruka','Uspešno izvršeno deaktiviranje tretmana!');
            }
            else{
                $this->data['tretman'] = $tretman->realDeleteOneTretman($id_tretman);
                return redirect()->route('adminPanel_tretmani',['id_tt'=>$id_tt])-
>with('poruka','Uspešno brisanje tretmana!');
            }
        }
```

```
        catch(\Exception $ex){
            \Log::error("Greska:" .$ex->getMessage());
        }

    }
}
```

4.1.11. app/Http/Controllers/ZakazaniBackendController.php

```
<?php

namespace App\Http\Controllers;

use App\Models\Termini;
use App\Models\Tretman;
use App\Models\Zakazano;
use Illuminate\Http\Request;
use App\Http\Requests\ZakazaniRequest;
use App\Http\Requests\ZakazaniUpdateRequest;
class ZakazaniBackendController extends BackendController
{

    public function zakazaniA()
    {
        $zakazano = new Zakazano();
        $this->data['zakazani'] = $zakazano->getAll();
        return view('pages.admin.zakazani', $this->data);
    }

    public function adminPanel_zakazano_insert(Request $request)
    {
        $tretmani = new Tretman();
        $this->data['tretmani'] = $tretmani->getAll();
        $this->data['termin'] = Termini::all();
        return view('pages.admin.zakazani_insert', $this->data);
    }

    public function adminPanel_zakazano_insert_ajax(Request $request)
    {
        //2021-09-16
        $unos = $request->post('unos');
//        return json_encode($unos);
        $datum = explode("-", $unos);
        $godina = intval($datum[0]);
        $mesec = intval($datum[1]);
        $dan = intval($datum[2]);
        $tmStmDatumPokupljeni = mktime(0, 0, 0, $mesec, $dan, $godina);

        $termin = new Termini();
        $zakazani_rez = $termin->getDateTermin($tmStmDatumPokupljeni); //PO DATUMU

        $termini_rez = $termin->getAllTermin(); //SVI TERMINI

        $podaci = null;

        if(count($zakazani_rez) != 0) {
            $p = array();
            $bla = array();
            $podaci .= "<option class='form-control' value='0'>Odaberite
```

```
termin</option>";

            foreach ($termini_rez as $t) {
                $bla[] = $t->id_termini;
                foreach ($zakazani_rez as $z) {
                    if($t->id_termini == $z->termin_id){
                        $p[] = $t->id_termini;
                        //$podaci .= "<option class='form-control' value='$t-
>id_termini'>$t->vreme</option>";
                    }
                }
            }

            $termini_rez_array = array($termini_rez);
            $differente = array_diff($bla, $p);

            foreach ($differente as $d){
                $slobodni_rez = $termin->getFreeTermin($d);
                foreach ($slobodni_rez as $sr) {
                    $podaci .= "<option class='form-control' value='$sr-
>id_termini'>$sr->vreme</option>";
                }
            }
//            dd($differente);
            return json_encode($podaci);
        }
        else{
            $podaci .= "<option class='form-control' value='0'>Odaberite
termin</option>";
            foreach ($termini_rez as $t) {
                //$podaci .= "<option class='form-control' value='$t-
>id_termini'>ELSE</option>";
                $podaci .= "<option class='form-control' value='$t->id_termini'>$t-
>vreme</option>";
            }
            return json_encode($podaci);
        }
    }

    public function doAdminPanel_zakazano_insert( ZakazaniRequest $request)
    {
        if ($request->has('btnZakazi')) {
            $ime = $request->input('ime');
            $prezime = $request->input('prezime');
            $email = $request->input('email');
            $brTel = $request->input('brTel');
            $datum = $request->input('datum');
            $tretman = $request->input('ddlTretman');
            $termin = $request->input('ddlTermini');
            $status_termina = 1;
            //datum
            $datum = explode("-", $datum);
            $godina = intval($datum[0]);
            $mesec = intval($datum[1]);
            $dan = intval($datum[2]);
            $tmStmDatumPokupljeni = mktime(0, 0, 0, $mesec, $dan, $godina);

            $tmStDanasnjiDatum = time();
            $tmpokupljeni = date('Y-m-d',$tmStDanasnjiDatum);
            $datum_now = explode("-", $tmpokupljeni);
            $godina_now = intval($datum[0]);
            $mesec_now = intval($datum[1]);
            $dan_now = intval($datum[2]);
```

```
            $tmStmDatumPokupljeni_now = mktime(0, 0, 0, $mesec_now, $dan_now,
$godina_now);

//             dd($tmStmDatumPokupljeni);

            $datumZaUpis = date("Y-m-d", $tmStmDatumPokupljeni);

            try {
                if ($tmStmDatumPokupljeni > $tmStmDatumPokupljeni_now ||
$tmStmDatumPokupljeni == $tmStmDatumPokupljeni_now) {
                    $rez = Zakazano::create(array(
                        'ime' => $ime,
                        'prezime' => $prezime,
                        'email' => $email,
                        'datum' => $tmStmDatumPokupljeni,
                        'br_tel' => $brTel,
                        'tretman_id' => $tretman,
                        'termin_id' => $termin,
                        'status_termina' => $status_termina
                    ));
                    if ($rez) {
                        return redirect()->route('zakazaniA')->with('poruka', 'Uspešno
ste izvršili zakazivanje!');
                    } else {

                        return redirect()->route('adminPanel_zakazano_insert')-
>with('poruka', 'Niste obavili zakazivanje!');
                    }
                }
                else {
                    return redirect()->route('adminPanel_zakazano_insert')-
>with('poruka', 'Morate odabrati datum posle današnjeg datuma!');
                }
            }
            catch (\Exception $ex) {
                \Log::error("Greska:" . $ex->getMessage());
            }
        }
    }

    public function adminPanel_zakazano_update($id_zakazano)
    {
        $zakazano = new Zakazano();
        $this->data['zakazani'] = $zakazano->getOne($id_zakazano);
//         dd($this->data['zakazano']);
        $tretmani = new Tretman();
        $this->data['tretmani'] = $tretmani->getAll();
        $this->data['termin'] = Termini::all();
        return view('pages.admin.zakazani_update', $this->data);
    }

    public function doAdminPanel_zakazano_update($id_zakazano, ZakazaniUpdateRequest
$request)
    {
        if ($request->has('btnIzmeni')) {
            $ime = $request->input('ime');
            $prezime = $request->input('prezime');
            $email = $request->input('email');
            $brTel = $request->input('brTel');
            $datum = $request->input('datum');
//             dd($datum);
//             $tipTretmana = $request->input('ddlTipTretman');
            $tretman = $request->input('ddlTretman');
```

```
            $termin = $request->input('ddlTermini');
            $status_termina = $request->input('ddlStatus');
            //datum
            $datum = explode("-", $datum);
            $godina = intval($datum[0]);
            $mesec = intval($datum[1]);
            $dan = intval($datum[2]);
            $tmStmDatumPokupljeni = mktime(0, 0, 0, $mesec, $dan, $godina);

            $tmStDanasnjiDatum = time();
            $datumZaUpis = date("Y-m-d", $tmStmDatumPokupljeni);
            $zakazano = Zakazano::find($id_zakazano);
            try {
                if ($tmStmDatumPokupljeni > $tmStDanasnjiDatum ||
$tmStmDatumPokupljeni == $tmStDanasnjiDatum) {
                    $zakazano->ime = $ime;
                    $zakazano->prezime = $prezime;
                    $zakazano->email = $email;
                    $zakazano->datum = $tmStmDatumPokupljeni;
                    $zakazano->br_tel = $brTel;
                    $zakazano->tretman_id = $tretman;
                    $zakazano->status_termina = $status_termina;
                    $zakazano->termin_id = $termin;

                    $rez = $zakazano->save();

                    if ($rez) {
                        return redirect()->route('zakazaniA')->with('poruka', 'Uspešno
ste izmenili zakazani termin!');
                    } else {
                        return redirect()-
>route('adminPanel_zakazano_update',['id_zakazano'=>$zakazano->id_zakazano])-
>with('poruka', 'Niste obavili izmenu!');
                    }
                } else {
                    $zakazano->ime = $ime;
                    $zakazano->prezime = $prezime;
                    $zakazano->email = $email;
                    $zakazano->datum = $tmStmDatumPokupljeni;
                    $zakazano->br_tel = $brTel;
                    $zakazano->tretman_id = $tretman;
                    $zakazano->status_termina = $status_termina;
                    $zakazano->termin_id = $termin;

                    $rez = $zakazano->save();
                    return redirect()->route('zakazaniA')->with('poruka', 'Uspešno ste
izmenili zakazani termin!');
                }
            } catch (\Exception $ex) {
                \Log::error("Greska:" . $ex->getMessage());
            }
        }
    }

    public function adminPanel_zakazani_delete($id_zakazano)
    {
        $zakazano = new Zakazano();
        $zakazano->id_zakazano = $id_zakazano;
        $allZakazano = $zakazano->getOne($id_zakazano);
        //dd($allZakazano);
        try {
            if ($allZakazano->status_termina == 1) {
                $rez1 = $zakazano->otkazi($id_zakazano);
```

```
                return redirect()->route('zakazani')->with('poruka', 'Uspešno
otkazivanje zakazanog termina!');
            } else {
                $rez2 = $zakazano->obrisi($id_zakazano);
                return redirect()->route('zakazani')->with('poruka', 'Uspešno brisanje
zakazanog termina!');
            }
        } catch (\Exception $ex) {
            \Log::error("Greska:" . $ex->getMessage());
        }
    }

    public function sortByDate_zakazanoA(Request $request)
    {
        $unos = $request->post('unos'); //2021-09-11
         //return json_encode($unos);
        list($year_sort, $month_sort, $day_sort) = explode('-', $unos);
//         dd($day_sort);

        $zakazano = new Zakazano();
        $rez = $zakazano->getAllZakazane();
//     return json_encode($rez);
        $podaci = null;
        $array = null;

        $podaci .= "<table class='table table-striped adminTable'>";
        $podaci .= "<thead>";
        $podaci .= "<tr>";
        $podaci .= "<th scope='col'>#";
        $podaci .= "<th scope='col'>Ime</th>";
        $podaci .= "<th scope='col'>Prezime";
        $podaci .= "<th scope='col'>Email";
        $podaci .= "<th scope='col'>Broj telefona";
        $podaci .= "<th scope='col'>Datum";
        $podaci .= "<th scope='col'>Zakazni tretman";
        $podaci .= "<th scope='col'>Termin";
        $podaci .= "<th scope='col'>Status termina";
        $podaci .= "<th scope='col'>Izmeni";
        $podaci .= "<th scope='col'>Otkaži";

        $i = 1;
        foreach ($rez as $z) {
//             dd($rez);
            $array .=$z->id_zakazano;
            $date = date("Y-m-d", $z->datum);
//             dd($z->datum);
            list($year, $month, $day) = explode('-', $date);
//             dd($day);
            if ($unos == $date) {
                $podaci .= "<tr>";
                $podaci .= "<th scope='row'>".$i."</th>";
                $i++;
                $podaci .= "<td>".$z->ime."</td>";
                $podaci .= "<td>".$z->prezime."</td>";
                $podaci .= "<td>".$z->email."</td>";
                $podaci .= "<td>".$z->br_tel."</td>";
                $podaci .= "<td>".date('d.m.Y',$z->datum)."</td>";
                $podaci .= "<td>".$z->t_naziv."</td>";
                if ($z->status_termina == '0') {
                    $podaci .= "<td>Otkazano";
                } else {
                    $podaci .= "<td>Zakazano";
                }
```

```
                $podaci .= "<td>".$z->vreme."</td>";
                $podaci .= "<td><a class='linkA'
href='".route('adminPanel_zakazano_update',['id_zakazano'=>$z-
>id_zakazano])."'>Izmeni</a>";

                if ($z->status_termina == '0') {
                    $podaci .= "<td><a  class='linkA'
href='".route('adminPanel_zakazani_delete',['id_zakazano'=>$z-
>id_zakazano])."'>Obriši</a>";
                } else {
                    $podaci .= "<td><a  class='linkA'
href='".route('adminPanel_zakazani_delete',['id_zakazano'=>$z-
>id_zakazano])."'>Otkaži</a>";
                }
                $podaci .= "</tr>";
            }
        }
        return json_encode($podaci);
    }
    public function otkazaniA(){
        $zakazano = new Zakazano();
        $this->data['zakazani'] = $zakazano->getAllOtkazane();
//        dd($this->data['zakazani']);
        return view ('pages.admin.otkazani',$this->data);
    }

    public function doOtkazaniA($id_zakazano,Request $request){
        $zakazano = new Zakazano();
        $zakazano->id_zakazano = $id_zakazano;
        $rez = $zakazano->obrisi($id_zakazano);
        if($rez)
        {
            return redirect()->route('otkazaniA')->with('poruka',"Uspešno ste obrisali
otkazani termin!");
        }
        else{
            return redirect()->route('otkazaniA')->with('poruka',"Neuspešno brisanje
termina!");
        }

    }

    public function sortByDate_otkazanoA(Request $request){
        $unos = $request->post('unos'); //2021-09-11
//        return json_encode($unos);
        list($year_sort, $month_sort, $day_sort) = explode('-', $unos);
//        dd($day_sort);

        $zakazano = new Zakazano();
        $rez = $zakazano->getAllOtkazane();
//        dd($rez);
        $podaci = null;
        $array = null;

        $podaci .= "<table class='table table-striped adminTable'>";
        $podaci .= "<thead>";
        $podaci .= "<tr>";
        $podaci .= "<th scope='col'>#";
        $podaci .= "<th scope='col'>Ime</th>";
        $podaci .= "<th scope='col'>Prezime";
        $podaci .= "<th scope='col'>Email";
        $podaci .= "<th scope='col'>Broj telefona";
        $podaci .= "<th scope='col'>Datum";
```

```
        $podaci .= "<th scope='col'>Zakazni tretman";
        $podaci .= "<th scope='col'>Status termina";
        $podaci .= "<th scope='col'>Termin";
        $podaci .= "<th scope='col'>Obriši";
        $i = 1;
        foreach ($rez as $z) {
//            dd($rez);
            $array .=$z->id_zakazano;
            $date = date("Y-m-d", $z->datum);
//            dd($z->datum);
            list($year, $month, $day) = explode('-', $date);
//            dd($day);
            if ($unos == $date) {
                $podaci .= "<tr>";
                $podaci .= "<th scope='row'>".$i."</th>";
                $i++;
                $podaci .= "<td>".$z->ime."</td>";
                $podaci .= "<td>".$z->prezime."</td>";
                $podaci .= "<td>".$z->email."</td>";
                $podaci .= "<td>".$z->br_tel."</td>";
                $podaci .= "<td>".date('d.m.Y',$z->datum)."</td>";
                $podaci .= "<td>".$z->t_naziv."</td>";
                if ($z->status_termina == '0') {
                    $podaci .= "<td>Otkazano";
                } else {
                    $podaci .= "<td>Zakazano";
                }
                $podaci .= "<td>".$z->vreme."</td>";
                $podaci .= "<td><a  class='linkA'
href='".route('adminPanel_zakazani_delete',['id_zakazano'=>$z-
>id_zakazano])."'>Obriši</a>";
                $podaci .= "</tr>";
            }
        }
        return json_encode($podaci);
    }

}
```

4.1.12. app/Http/Controllers/ZakazaniController.php

```
<?php

namespace App\Http\Controllers;

use App\Http\Requests\ZakazaniRequest;
use App\Http\Requests\ZakazaniUpdateRequest;
use App\Models\Termini;
use App\Models\Tretman;
use App\Models\Zakazano;
use Illuminate\Http\Request;

class ZakazaniController extends BaseFrontendController
{
    public $data = [];
    public function zakazani()
    {
        $zakazano = new Zakazano();
        $this->data['zakazani'] = $zakazano->getAll();
```

```
        return view('pages.zaposleni.zakazani', $this->data);
    }

    public function zakazani_insert(){
        $tretmani = new Tretman();
        $this->data['tretmani'] = $tretmani->getAll();
        $this->data['termin'] = Termini::all();
        return view('pages.zaposleni.zakazi', $this->data);
    }
    public function doZakazani_insert(ZakazaniRequest $request){
        if($request->has('btnZakazi')){
            $ime = $request->input('ime');
            $prezime = $request->input('prezime');
            $email = $request->input('email');
            $brTel = $request->input('brTel');
            $datum = $request->input('datum');
//            dd($datum);
            $tretman = $request->input('ddlTretman');
            $termin = $request->input('ddlTermini');
            $status_termina = 1;
            //datum
            $datum = explode("-", $datum);
            $godina = intval($datum[0]);
            $mesec = intval($datum[1]);
            $dan = intval($datum[2]);
            $tmStmDatumPokupljeni = mktime(0, 0, 0, $mesec, $dan, $godina);

            $tmStDanasnjiDatum = time();
            $tmpokupljeni = date('Y-m-d',$tmStDanasnjiDatum);
            $datum_now = explode("-", $tmpokupljeni);
            $godina_now = intval($datum[0]);
            $mesec_now = intval($datum[1]);
            $dan_now = intval($datum[2]);
            $tmStmDatumPokupljeni_now = mktime(0, 0, 0, $mesec_now, $dan_now,
$godina_now);

            try{
                if ($tmStmDatumPokupljeni > $tmStmDatumPokupljeni_now ||
$tmStmDatumPokupljeni == $tmStmDatumPokupljeni_now) {
                    $rez = Zakazano::create(array(
                        'ime' => $ime,
                        'prezime' => $prezime,
                        'email' => $email,
                        'datum' => $tmStmDatumPokupljeni,
                        'br_tel' => $brTel,
                        'tretman_id' => $tretman,
                        'termin_id' => $termin,
                        'status_termina' => $status_termina
                    ));
                }
                else{
                    return redirect()->route('zakazani_insert')->with('poruka','Morate
odabrati datum posle današnjeg datuma!');
                }
                if($rez){
                    return redirect()->route('zakazani')->with('poruka','Uspešno ste
izvršili zakazivanje!');
                }
                else{
                    return redirect()->route('zakazani_insert')->with('poruka','Niste
obavili zakazivanje!');
                }
            }
```

```
            catch (\Exception $ex) {
                \Log::error("Greska:" . $ex->getMessage());
            }
        }
    }

    public function zakazani_update($id_zakazano)
    {
        $zakazano = new Zakazano();
        $this->data['zakazani'] = $zakazano->getOne($id_zakazano);
//        dd($this->data['zakazano']);
        $tretmani = new Tretman();
        $this->data['tretmani'] = $tretmani->getAll();
        $this->data['termin'] = Termini::all();
        return view('pages.zaposleni.zakazani_update', $this->data);
    }

    public function doZakazani_update($id_zakazano, ZakazaniUpdateRequest $request){
        if($request->has('btnIzmeni')){
            $ime = $request->input('ime');
            $prezime = $request->input('prezime');
            $email = $request->input('email');
            $brTel = $request->input('brTel');
            $datum = $request->input('datum');
//            dd($datum);
            $tretman = $request->input('ddlTretman');
            $termin = $request->input('ddlTermini');
            $status_termina = $request->input('ddlStatus');
            //datum
            $datum = explode("-", $datum);
            $godina = intval($datum[0]);
            $mesec = intval($datum[1]);
            $dan = intval($datum[2]);
            $tmStmDatumPokupljeni = mktime(0, 0, 0, $mesec, $dan, $godina);

            $tmStDanasnjiDatum = time();
            $tmpokupljeni = date('Y-m-d',$tmStDanasnjiDatum);
            $datum_now = explode("-", $tmpokupljeni);
            $godina_now = intval($datum[0]);
            $mesec_now = intval($datum[1]);
            $dan_now = intval($datum[2]);
            $tmStmDatumPokupljeni_now = mktime(0, 0, 0, $mesec_now, $dan_now,
$godina_now);

            $zakazano = Zakazano::find($id_zakazano);
            try{
                if ($tmStmDatumPokupljeni > $tmStmDatumPokupljeni_now ||
$tmStmDatumPokupljeni == $tmStmDatumPokupljeni_now) {
                    $zakazano->ime = $ime;
                    $zakazano->prezime = $prezime;
                    $zakazano->email = $email;
                    $zakazano->datum = $tmStmDatumPokupljeni;
                    $zakazano->br_tel = $brTel;
                    $zakazano->tretman_id = $tretman;
                    $zakazano->status_termina = $status_termina;
                    $zakazano->termin_id = $termin;
                    $rez = $zakazano->save();
                    if($rez){
                        return redirect()->route('zakazani')->with('poruka','Uspešno
ste izmenili zakazani termin!');
                    }
                    else{
                        return redirect()->route('zakazati')->with('poruka','Niste
```

```
obavili izmenu!');
                    }
                }
                else{
                    return redirect()->route('zakazati')->with('poruka','Morate
odabrati datum posle današnjeg datuma!');
                }
            }
            catch (\Exception $ex) {
                \Log::error("Greska:" . $ex->getMessage());
            }
        }
    }

    public function zakazani_delete($id_zakazano)
    {
        $zakazano = new Zakazano();
        $zakazano->id_zakazano = $id_zakazano;
        $allZakazano = $zakazano->getOne($id_zakazano);
        //dd($allZakazano);
        try {
            if ($allZakazano->status_termina == 1) {
                $rez1 = $zakazano->otkazi($id_zakazano);
                return redirect()->route('zakazani')->with('poruka', 'Uspešno
otkazivanje zakazanog termina!');
            } else {
                return redirect()->route('zakazani')->with('poruka', 'Ne možete
obrisati otkzakazani termin!');
            }
        } catch (\Exception $ex) {
            \Log::error("Greska:" . $ex->getMessage());
        }
    }

    public function zakazi_ajax(Request $request){
        $unos = $request->post('unos');
//        return json_encode($unos);
        $datum = explode("-", $unos);
        $godina = intval($datum[0]);
        $mesec = intval($datum[1]);
        $dan = intval($datum[2]);
        $tmStmDatumPokupljeni = mktime(0, 0, 0, $mesec, $dan, $godina);

        $termin = new Termini();
        $zakazani_rez = $termin->getDateTermin($tmStmDatumPokupljeni); //PO DATUMU

        $termini_rez = $termin->getAllTermin(); //SVI TERMINI

        $podaci = null;

        if(count($zakazani_rez) != 0) {
            $p = array();
            $bla = array();
            $podaci .= "<option class='form-control' value='0'>Odaberite
termin</option>";

            foreach ($termini_rez as $t) {
                $bla[] = $t->id_termini;
                foreach ($zakazani_rez as $z) {
                    if($t->id_termini == $z->termin_id){
                        $p[] = $t->id_termini;
                        //$podaci .= "<option class='form-control' value='$t-
>id_termini'>$t->vreme</option>";
```

```
                    }
                }
            }

            $termini_rez_array = array($termini_rez);
            $differente = array_diff($bla, $p);

            foreach ($differente as $d){
                $slobodni_rez = $termin->getFreeTermin($d);
                foreach ($slobodni_rez as $sr) {
                    $podaci .= "<option class='form-control' value='$sr-
>id_termini'>$sr->vreme</option>";
                }
            }
//            dd($differente);
            return json_encode($podaci);
        }
        else{
            $podaci .= "<option class='form-control' value='0'>Odaberite
termin</option>";
            foreach ($termini_rez as $t) {
                //$podaci .= "<option class='form-control' value='$t-
>id_termini'>ELSE</option>";
                $podaci .= "<option class='form-control' value='$t->id_termini'>$t-
>vreme</option>";
            }
            return json_encode($podaci);
        }
    }

    public function otkazani(){
        $zakazano = new Zakazano();
        $this->data['zakazani'] = $zakazano->getAllOtkazane();
//        dd($this->data['zakazani']);
        return view ('pages.zaposleni.otkazani',$this->data);
    }

    public function sortByDate_zakazanoZ(Request $request){
        $unos = $request->post('unos'); //2021-09-11
//        return json_encode($unos);
        list($year_sort, $month_sort, $day_sort) = explode('-', $unos);
//        dd($day_sort);

        $zakazano = new Zakazano();
        $rez = $zakazano->getAllZakazane();
//    return json_encode($rez);
        $podaci = null;
        $array = null;

        $podaci .= "<table class='table table-striped adminTable'>";
        $podaci .= "<thead>";
        $podaci .= "<tr>";
        $podaci .= "<th scope='col'>#";
        $podaci .= "<th scope='col'>Ime</th>";
        $podaci .= "<th scope='col'>Prezime";
        $podaci .= "<th scope='col'>Email";
        $podaci .= "<th scope='col'>Broj telefona";
        $podaci .= "<th scope='col'>Datum";
        $podaci .= "<th scope='col'>Zakazni tretman";
        $podaci .= "<th scope='col'>Termin";
        $podaci .= "<th scope='col'>Status termina";
        $podaci .= "<th scope='col'>Izmeni";
        $podaci .= "<th scope='col'>Otkaži";
```

```
        $i = 1;
        foreach ($rez as $z) {
            $array .=$z->id_zakazano;
            $date = date("Y-m-d", $z->datum);
//            dd($z->datum);
            list($year, $month, $day) = explode('-', $date);
//            dd($day);
            if ($unos == $date) {
                $podaci .= "<tr>";
                $podaci .= "<th scope='row'>".$i."</th>";
                $i++;
                $podaci .= "<td>".$z->ime."</td>";
                $podaci .= "<td>".$z->prezime."</td>";
                $podaci .= "<td>".$z->email."</td>";
                $podaci .= "<td>".$z->br_tel."</td>";
                $podaci .= "<td>".date('d.m.Y',$z->datum)."</td>";
                $podaci .= "<td>".$z->t_naziv."</td>";
                if ($z->status_termina == '0') {
                    $podaci .= "<td>Otkazano";
                } else {
                    $podaci .= "<td>Zakazano";
                }
                $podaci .= "<td>".$z->vreme."</td>";
                $podaci .= "<td><a class='linkA'
href='".route('zakazani_update',['id_zakazano'=>$z->id_zakazano])."'>Izmeni</a>";

                if ($z->status_termina == '0') {
                    $podaci .= "<td><a  class='linkA'
href='".route('zakazani_delete',['id_zakazano'=>$z->id_zakazano])."'>Obriši</a>";
                } else {
                    $podaci .= "<td><a  class='linkA'
href='".route('zakazani_delete',['id_zakazano'=>$z->id_zakazano])."'>Otkaži</a>";
                }
                $podaci .= "</tr>";
            }
        }
        return json_encode($podaci);
    }

    public function sortByDate_otkazanoZ(Request $request){
        $unos = $request->post('unos'); //2021-09-11
//        return json_encode($unos);

        list($year_sort, $month_sort, $day_sort) = explode('-', $unos);
//        dd($day_sort);

        $zakazano = new Zakazano();
        $rez = $zakazano->getAllZakazane();
//    return json_encode($rez);
        $podaci = null;
        $array = null;

        $podaci .= "<table class='table table-striped adminTable'>";
        $podaci .= "<thead>";
        $podaci .= "<tr>";
        $podaci .= "<th scope='col'>#";
        $podaci .= "<th scope='col'>Ime</th>";
        $podaci .= "<th scope='col'>Prezime";
        $podaci .= "<th scope='col'>Email";
        $podaci .= "<th scope='col'>Broj telefona";
        $podaci .= "<th scope='col'>Datum";
        $podaci .= "<th scope='col'>Zakazni tretman";
        $podaci .= "<th scope='col'>Termin";
```

```
        $podaci .= "<th scope='col'>Status termina";
        $i = 1;
        foreach ($rez as $z) {
//            dd($rez);
            $array .=$z->id_zakazano;
            $date = date("Y-m-d", $z->datum);
//            dd($z->datum);
            list($year, $month, $day) = explode('-', $date);
//            dd($day);
            if ($unos == $date) {
                $podaci .= "<tr>";
                //$podaci .= "<th scope='row'>".$z->id_zakazano."</th>";
                $podaci .= "<th scope='row'>".$i."</th>";
                $i++;
                $podaci .= "<td>".$z->ime."</td>";
                $podaci .= "<td>".$z->prezime."</td>";
                $podaci .= "<td>".$z->email."</td>";
                $podaci .= "<td>".$z->br_tel."</td>";
                $podaci .= "<td>".date('d.m.Y',$z->datum)."</td>";
                $podaci .= "<td>".$z->t_naziv."</td>";
                $podaci .= "<td>".$z->vreme."</td>";
                if ($z->status_termina == '0') {
                    $podaci .= "<td>Otkazano";
                } else {
                    $podaci .= "<td>Zakazano";
                }
                $podaci .= "</tr>";
            }
        }
        return json_encode($podaci);
    }
}
```

4.2. Middleware

4.2.1. app/Http/Middleware/AdminMiddleware.php

```
<?php

namespace App\Http\Middleware;

use Closure;
use Illuminate\Http\Request;

class AdminMiddleware
{
    /**
     * Handle an incoming request.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  \Closure  $next
     * @return mixed
     */
    public function handle(Request $request, Closure $next)
    {
        if($request->session()->has('user')){
            $user = $request->session()->get('user');
```

```
            if($user->naziv == 'admin'){
                return $next($request);
            }
        }
        return redirect()->route('logovanje')->with('poruka','Niste administrator!');
    }
}
```

4.2.2. app/Http/Middleware/BlogerMiddleware.php

```
<?php

namespace App\Http\Middleware;

use Closure;
use Illuminate\Http\Request;

class BlogerMiddleware
{
    /**
     * Handle an incoming request.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  \Closure  $next
     * @return mixed
     */
    public function handle(Request $request, Closure $next)
    {
        if($request->session()->has('user')){
            $user =$request->session()->get('user');

            if($user->naziv == 'bloger'){
                return $next($request);
            }
        }
        return redirect()->route('logovanje')->with('poruka','Niste bloger!');
    }
}
```

4.2.3. app/Http/Middleware/ZaposleniMiddleware.php

```
<?php

namespace App\Http\Middleware;

use Closure;
use Illuminate\Http\Request;

class ZaposleniMiddleware
{
    /**
     * Handle an incoming request.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  \Closure  $next
     * @return mixed
```

```
     */
    public function handle(Request $request, Closure $next)
    {
        if($request->session()->has('user')){
            $user = $request->session()->get('user');

            if($user->naziv == 'zaposleni'){
                return $next($request);
            }
        }
        return redirect()->route('logovanje')->with('poruka','Niste zaposleni!');
    }


}
```

4.3. Requests

4.3.1. app/Http/Requests/BlogRequest.php

```
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class BlogRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'tbNaslovBlog' => 'required|min:3,regex:/^([A-ZŠĐŽĆČa-
zđšžćč\d\s]{1,}){1,}$/',
            'tbPodnaslovBlog' => 'required',
            'tbTekstBlog' => 'required|regex:/^([A-ZŠĐŽĆČa-zđšžćč\d\s\.\:"\!\?\`\s\_\-
\/\,\\\*\+\\(\)]{1,}){1,}$/',
            'unosSlike' => 'required|mimes:jpeg,jpg,bmp,png,gif,JPEG,JPG,BMP,PNG|file'
        ];
    }

    public function messages()
    {
        return [
            'tbNaslovBlog.required' => 'Unesite naslov!',
```

```
            'tbNaslovBlog.min' => 'Naslov mora imati najmanje tri karaktera!',
            'tbPodnaslovBlog.required' => 'Unesite podnaslov!',
            'tbTekstBlog.required' => 'Unesite tekst!',
            'unosSlike.required' => 'Unesite sliku!',
            'unosSlike.mimes'=> 'Slika nije dobrog formata!'

        ];
    }



}
```

4.3.2. app/Http/Requests/BlogUpdateRequest.php

```
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class BlogUpdateRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {

        return [
//            'tbNaslovBlog' => 'regex:/^[A-Z a-z]{2,}(\s[\w\d]+)*$/',
            'tbNaslovBlog' => 'regex:/^([A-ZŠĐŽĆČa-zđšžćč\d\s]{1,}){1,}$/',
            'tbTekstBlog' => 'regex:/^([A-ZŠĐŽĆČa-zđšžćč\d\s\.\:"\!\?\`\s\_\-
\/\,\\\*\+\\(\)]{1,}){1,}$/',
            'unosSlike' => 'mimes:jpeg,jpg,bmp,png,gif,JPEG,JPG,BMP,PNG|file'

        ];
    }

    public function messages()
    {
        return [
            'tbNaslovBlog.regex' => 'Naslov nije dobrog formata!',
            'tbTekstBlog.regex' => 'Tekst nije dobrog formata',
            'unosSlike.mimes' => 'Slika nije dobrog formata!'
        ];
    }
}
```

4.3.3. app/Http/Requests/KorisnikRequest.php

```
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class KorisnikRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [

            'tbKorIme' => 'required|regex:/^[A-Z][a-
z]{2,}(\s[\w\d]+)*$/|unique:korisniks,korisnicko_ime',
            'tbLozinka' => 'required|regex:/^[\S]{4,10}$/',
            'ddlUloga' => 'required|not_in:0'
        ];
    }
    public function messages()
    {
        return [
            'tbKorIme.required' => 'Korisničko ime je obavezno!',
            'tbKorIme.regex' => 'Korisničko ime nije dobrog formata, mora sadrzati
najmanje tri slova!',
            'tbKorIme.unique' => 'Ovo korisničko ime već postoji, mora biti
jedinstveno!',
            'tbLozinka.required' => 'Lozinka je obavezna!',
            'tbLozinka.regex' => 'Lozinka mora imati od cetiri do deset karaktera!',
            'ddlUloga.required' => 'Odabrati ulogu!',
            'ddlUloga.not_in' => 'Morate odabrati ulogu!'

        ];
    }
}
```

4.3.4. app/Http/Requests/KorisnikUpdateRequest.php

```php
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class KorisnikUpdateRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'tbKorIme' => 'regex:/^[A-Z][a-z]{2,}(\s[\w\d]+)*$/',
            'tbLozinka' => 'required|regex:/^[\S]{4,10}$/'
        ];
    }
    public function messages()
    {
        return [
            'tbKorIme.regex' => 'Korisničko ime nije dobrog formata. Mora sadržati
najmanje tri karaktera sa velikim početnim slovom!',
            'tbLozinka.required' => 'Lozinka je obavezna!',
            'tbLozinka.regex' => 'Lozinka mora imati od cetiri do deset karaktera!'
        ];
    }
}
```

4.3.5. app/Http/Requests/SlajderRequest.php

```php
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class SlajderRequest extends FormRequest
```

```
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'tbNaslov' => 'required|regex:/^[\w\d]{2,}(\s[\w\d]+)*$/',
            'fSlika' => 'required'
        ];
    }

    public function messages()
    {
        return [
            'tbNaslov.required' => 'Unesite naziv slike slajdera!',
            'fSlika.required' => 'Odaberite sliku!'
        ];
    }
}
```

4.3.6. app/Http/Requests/ SlajderUpdateRequest.php

```
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class SlajderUpdateRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
```

```
            'tbNaslov'=>'regex:/^[\w\d]{2,}(\s[\w\d]+)*$/',
            'fSlika'=>'mimes:jpeg,jpg,bmp,png,gif,JPEG,JPG,BMP,PNG|file'
        ];
    }

    public function messages()
    {
        return [
            'tbNaslov.regex' => 'Naslov slike nije dobrog formata!',
            'fSlika' => 'Slika nije dobrog formata!'
        ];
    }
}
```

4.3.7. app/Http/Requests/ TipTretmanaRequest.php

```
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class TipTretmanaRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'tbNazivTipTretmana' => 'required|regex:/^([A-ZŠĐŽĆČa-
zđšžćč\d\s]{1,}){1,}$/'
//                      'tbNazivTipTretmana' => 'required|regex:/^[A-Z][a-
z]{2,}(\s[\w\d]+)*$/'
        ];
    }
    public function messages()
    {
        return [
            'tbNazivTipTretmana.required' => 'Unesite naziv tipa tretmana!',
            'tbNazivTipTretmana.regex' => 'Ime nije dobrog formata, mora sadrzati
najmanje tri slova!'
        ];
    }
}
```

4.3.8. app/Http/Requests/ TipTretmanaUpdateRequest.php

```php
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class TipTretmanaUpdateRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
//            'naziv' => 'regex:/^[A-Z][a-z0-9]{2,}(\s[\w\d]+)*$/'
            'naziv' => 'regex:/^([A-ZŠĐŽĆČa-zđšžćč\d\s]{1,}){1,}$/'
        ];
    }
    public function messages()
    {
        return [
            'naziv.regex' => 'Ime nije dobrog formata, mora sadrzati najmanje tri
slova!'

        ];
    }
}
```

4.3.9. app/Http/Requests/ TretmanRequest.php

```php
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class TretmanRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
```

```
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'tbNaziv' => 'unique:tretmans,t_naziv|required|regex:/^([A-ZŠĐŽĆČa-
zđšžćč\d\s]{1,}){1,}$/',
//            'tbNaziv' => 'unique:tretmans,t_naziv|required|regex:/^[A-Z][a-
z]{2,}(\s[\w\d]+)*$/',
            'taTekst' => 'required|regex:/^([A-ZŠĐŽĆČa-zđšžćč\d\s]{1,}){1,}$/',
            'ddlTipTretmana' => 'required|not_in:0',
            'fSlika' => 'required|mimes:jpeg,jpg,bmp,png,gif,JPEG,JPG,BMP,PNG|file',

        ];
    }
    public function messages()
    {
        return [
            'tbNaziv.unique' => 'Tretman već postoji u bazi!',
            'tbNaziv.required' => 'Unesite naziv tretmana!',
            'tbNaziv.regex' => 'Naziv nije dobrog formata, mora sadrzati najmanje tri
slova!',
            'taTekst.required' => 'Tekst je obavezan!',
            'fSlika.required' => 'Unesite sliku!',
            'ddlTipTretmana.not_in' => 'Morate odabrati tip tretmana!'
        ];
    }
}
```

4.3.10. app/Http/Requests/ TretmanUpdateRequest.php

```
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class TretmanUpdateRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
```

```
     * @return array
     */
    public function rules()
    {
        return [
            'tbNaziv' => 'regex:/^([A-ZŠĐŽĆČa-zđšžćč\d\s]{1,}){1,}$/',
//            'tbNaziv' => 'regex:/^[\w\d]{2,}(\s[\w\d]+)*$/',
            'taTekst' => 'regex:/^([A-ZŠĐŽĆČa-zđšžćč\d\s\.\:"\!\?\`\s\_\-
\/\,\*\+(\)]{1,}){1,}$/',
            'fSlika' => 'mimes:jpeg,jpg,bmp,png,gif,JPEG,JPG,BMP,PNG|file'
        ];
    }

    public function messages()
    {
        return [
            'tbNaziv.regex' => 'Naziv tretmana nije dobrog formata!',
            'taTekst.regex' => 'Tekst nije dobrog formata!',
            'fSlika.mimes' => 'Slika nije dobrog formata!'
        ];
    }
}
```

4.3.11. app/Http/Requests/ ZakazaniRequest.php

```
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class ZakazaniRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'ime'=>'required|regex:/^[A-Z][a-z]{2,}(\s[\w]+)*$/',
            'prezime'=>'required|regex:/^[A-Z][a-z]{2,}(\s[\w]+)*$/',
            'email'=>'required|email',
            'datum'=>'required|date',
            'brTel' => 'required',
            'ddlTretman' => 'required|not_in:0',
            'ddlTermini' => 'required|not_in:0'
        ];
    }
```

```
    public function messages()
    {
        return [
            'ime.required' => 'Unesite ime!',
            'ime.regex' => 'Ime nije dobrog formata, mora sadržati najmanje tri
slova!',
            'prezime.required' => 'Unesite prezime!',
            'prezime.regex'=>'Prezime nije dobrog formata, mora sadržati najmanje tri
slova!',
            'email.required'=>'Unesite email!',
            'email.email'=>'Email mora biti u formatu email-a!',
            'datum.required' => 'Odaberite datum!',
            'brTel.required' => 'Unesite broj telefona!',
            'ddlTretman.not_in' => 'Morate odabrati tretman!',
            'ddlTermini.not_in' => 'Morate odabrati termin!'
        ];
    }
}
```

4.3.12. app/Http/Requests/ ZakazaniUpdateRequest.php

```
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class ZakazaniUpdateRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'ime'=>'regex:/^[A-Z][a-z]{2,}(\s[\w]+)*$/',
            'prezime'=>'regex:/^[A-Z][a-z]{2,}(\s[\w]+)*$/',
            'email'=>'email',
            'datum'=>'date',
            'brTel' => 'required',
            'ddlTretman' => 'not_in:0',
            'ddlTermini' => 'not_in:0'
        ];
    }

    public function messages()
    {
        return [
```

```
            'ime.regex' => 'Ime nije dobrog formata, mora sadržati najmanje tri
slova!',
            'prezime.regex'=>'Prezime nije dobrog formata, mora sadržati najmanje tri
slova!',
            'email.email'=>'Email mora biti u formatu email-a!',
            'brTel.required' => 'Unesite broj telefona!',
            'ddlTretman.not_in' => 'Morate odabrati tretman!',
            'ddlTermini.not_in' => 'Morate odabrati termin!'
        ];
    }
}
```

4.4. Models

4.4.1. app/Http/Models/Blog.php

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\DB;

class Blog extends Model
{
    use HasFactory;

    public $timestamps = false;
    public $primaryKey = 'id_blog';

    protected $fillable = ["naslov_blog",
"text_blog","podnaslov_blog","status","putanja_slika_blog","postavljeno"];

    public function getAll(){
        return $rez = DB::table('blogs as b')
            ->select('*')
            ->where([
                ['b.status','=','1']
            ])
            ->orderBy('b.postavljeno','desc')
           ->simplePaginate(3);
    }

    public function getAllBloger(){
        return $rez = DB::table('blogs as b')
            ->select('*')
            ->where([
                ['b.status','=','1']
            ])
            ->orderBy('b.postavljeno','desc')
            ->simplePaginate(3);
    }

    public function getAllAdmin(){
            return $rez = DB::table('blogs as b')
                ->select('*')
                ->orderBy('b.postavljeno','desc')
                ->simplePaginate(6);
//                ->get();
    }
```

```
    public function getOne($id_blog){
        return $rez = DB::table('blogs')
            ->select('*')
            ->where(
                ['id_blog'=>$id_blog]
            )
            ->first();
    }

    public function deleteOne($id_blog){
        return $rez = DB::table('blogs as b')
            ->where(
                ['b.id_blog'=>$id_blog]
             )
            ->update(
                ['b.status'=>'0']
            );
    }

    public function realDeleteOne($id_blog){
        return $rez = DB::table('blogs')
            ->where(
                ['id_blog'=>$id_blog],
                ['status'=>'0']
            )
            ->delete();
    }

    public function searchBlog($unos){
        return $rez = DB::table('blogs as b')
//            ->join('slikas as s','b.slika_id','=','s.id_slika')
            ->select('*')
            ->where('b.naslov_blog','LIKE','%'.$unos.'%')
            ->orWhere('b.text_blog','LIKE','%'.$unos.'%')
            ->orWhere('b.podnaslov_blog','LIKE','%'.$unos.'%')
            ->orderBy('b.postavljeno','desc')
            ->get();
    }
}
```

4.4.2. app/Http/Models/Korisnik.php

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\DB;

class Korisnik extends Model
{
    use HasFactory;


    public $timestamps = false;
    public $primaryKey = 'id_korisnik';
    protected $fillable = ["korisnicko_ime", "lozinka","status","uloga_id"];

    public $korisnicko_ime;
    public $lozinka;
```

```
    public $status;
    public $uloga_id;

    public function ulogas(){
        return $this->hasOne(Ulogas::class);
    }

    public  function Logovanje($korIme,$lozinka){
        return DB::table('korisniks as k')
            ->join('ulogas as u','k.uloga_id','u.id_uloga')
            ->select('*')
            ->where([
                ['lozinka','=',$this->lozinka],
                ['korisnicko_ime','=',$this->korisnicko_ime]
                ])
            ->first();
    }

    public function getAll(){
        return DB::table('korisniks as k')
            ->join('ulogas as u','k.uloga_id','u.id_uloga')
            ->select('k.status as k_status','k.*','u.*','u.status as u_status')
            ->orderBy('k.uloga_id','desc')
            ->simplePaginate(6);
    }

    public function getOne($id_korisnik){
        return DB::table('korisniks as k','k.status as k_status')
            ->join('ulogas as u','k.uloga_id','u.id_uloga')
            ->select('k.status as k_status','k.*','u.*','u.status as u_status')
            ->where(
                ['id_korisnik'=>$id_korisnik]
            )
            ->first();
    }

    public function deleteOne($id_korisnik){
        return DB::table('korisniks as k','k.status as k_status')
            ->join('ulogas as u','k.uloga_id','u.id_uloga')
            ->where(
                ['id_korisnik'=>$id_korisnik]
            )
            ->update(
                ['k.status'=>'0']
            );
    }
    public function realDeleteOne($id_korisnik){
        return DB::table('korisniks as k')
            ->join('ulogas as u','k.uloga_id','u.id_uloga')
            ->where(
                ['id_korisnik'=>$id_korisnik],
                ['k_status'=>'0']
            )
            ->delete();
    }
    public function updateKorisnika($id_korisnik){
        return DB::table('korisniks as k')
            ->join('ulogas as u','k.uloga_id','u.id_uloga')
            ->where(
                ['id_korisnik'=>$id_korisnik]
             )
            ->update(
                ['korisnicko_ime'=>$this->korisnicko_ime,
```

```
                    'lozinka'=>$this->lozinka,
                     'k.status'=>$this->status,
                     'uloga_id'=>$this->uloga_id
                ]);
    }

}
```

4.4.3. app/Http/Models/Podaci.php

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\DB;

class Podaci extends Model
{
    use HasFactory;

    public $id;
    public $primaryKey = 'id';
    public $timestamps = false;

    protected $fillable = ["id",
"tekst","ulica","mesto","kontakt_tel","podaci_slika"];

    public function getAll(){
        return DB::table('podacis')
            ->select('*')
            ->get();
    }
    public function getOne($id){
        return DB::table('podacis as p')
            ->select('*')
            ->where([
                ['id','=',$id]
            ])
            ->first();
    }

    public function deleteOne($id){
        return DB::table('podacis')
            ->where([
                ['id','=',$id]
            ])
            ->update(
                ['status'=>'0']
            );
    }
}
```

4.4.4. app/Http/Models/Slajder.php

```
<?php
```

```php
namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\DB;

class Slajder extends Model
{
    public $timestamps = false;
    public $primaryKey = 'id_slajder';
    protected $fillable = ["naslov_slajder",
"putanja_slajder","postavljeno","status"];

    use HasFactory;
    public function getAll(){
        return $rez = DB::table('slajders as s')
            ->select('*')
            ->orderBy('s.postavljeno','desc')
            ->get();
    }

    public function getAllAdmin(){
        return $rez = DB::table('slajders as s')
            ->select('*')
            ->orderBy('s.postavljeno','desc')
            ->simplePaginate(6);
    }
    public function getOne($id_slajder){
        return $rez = DB::table('slajders as s')
            ->select('*')
            ->where([
                ['id_slajder','=',$id_slajder]
            ])
            ->first();
    }

    public function deleteOne($id_slajder){
        return DB::table('slajders')
            ->where(
                ['id_slajder'=>$id_slajder]
            )
            ->update(
                ['status'=>'0']
            );
    }

    public function realDeleteOne($id_slajder){
        return DB::table('slajders')
            ->where(
                ['id_slajder'=>$id_slajder],
                ['status'=>'1']
            )
            ->delete();
    }
}
```

4.4.5. app/Http/Models/Termini.php

```php
<?php

namespace App\Models;
```

```
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\DB;

class Termini extends Model
{
    use HasFactory;

    public $timestamps = false;
    public $primaryKey = 'id_termini';

    public function zakazanos(){
        return $this->belongsToMany(Zakaano::class);
    }

    public function getDateTermin($tmStmDatumPokupljeni){
        return $rez = DB::table('zakazanos as z')
            ->join('terminis as t','z.termin_id','=','t.id_termini')
            ->select('*')
            ->where(['z.datum'=>$tmStmDatumPokupljeni],
                    ['z.status_termina'=>'1'])
            ->get();
    }

    public function getAllTermin(){
        return $rez = DB::table('terminis as t')
            ->select('*')
            ->get();
    }
    public function getFreeTermin($id_termini){
        return $rez = DB::table('terminis as t')
            ->select('*')
            ->where(['t.id_termini'=>$id_termini],
                ['t.status'=>'1'])
            ->get();
    }
}
```

4.4.6. app/Http/Models/TipTretmana.php

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\DB;

class TipTretmana extends Model
{
    use HasFactory;

    public $primaryKey = 'id_tt';
    public $timestamps = false;
    protected $fillable = ["id_tt", "tt_naziv","tt_status"];

    public function tretmans(){
        return $this->belongsToMany(Tretman::class);
    }
```

```
    public function getAll(){
        return $rez = DB::table('tip_tretmanas as tt')
            ->select('*')
            ->where('tt_status','=','1  ')
            ->get();
    }

    public function getTipTretmana($id_tt){
        return $rez = DB::table('tip_tretmanas as tt')
            ->join('tretmans as t', 't.tt_id', '=', 'tt.id_tt')
            ->select('t.*','tt.*')
            ->where(['tt.id_tt' => $id_tt])
            ->first();
    }
    public function getAllTipTretmana()
    {
        return $rez = DB::table('tip_tretmanas as tt')
            ->select('*')
            ->orderBy('tt.tt_naziv','desc')
            ->simplePaginate(6);
    }

    public function getAllTretmane($id_tt){
        return $rez = DB::table('tip_tretmanas as tt')
            ->join('tretmans as t','t.tt_id','=','tt.id_tt')
            ->select('t.*','tt.*')
            ->where(['tt.id_tt'=>$id_tt])
            ->orderBy('t.id_tretman','asc')
            ->simplePaginate(5);
    }

    public  function  getTretmanPoTT($id_tt){
        return $rez = DB::table('tip_tretmanas as tt')
            ->join('tretmans as t','t.tt_id','=','tt.id_tt')
            ->select('t.*','tt.*')
            ->where(['tt.id_tt'=>$id_tt])
            ->get();
    }
    public function deleteTipTretman($id_tt){
        return $rez = DB::table('tip_tretmanas as tt')
            ->where(
                ['tt.id_tt'=>$id_tt]
            )
            ->update(
                ['tt.tt_status'=>'0']
            );
    }
    public function realDeleteTipTretman($id_tt){
        return $rez = DB::table('tip_tretmanas')
            ->where(
                ['id_tt'=>$id_tt],
                ['tt_status'=>'0']
            )
        ->delete();
    }
}
```

4.4.7. app/Http/Models/Tretman.php

```
<?php
```

```php
namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\DB;

class Tretman extends Model
{
    use HasFactory;

    public $t_naziv;
    public $text_tretman;
    public $t_status;
    public $tt_id;
    public $putanja_slika;


    public $primaryKey = 'id_tretman';
    public $foreignKey = 'tt_id';
    public $timestamps = false;

    protected $fillable = ["t_naziv",
"text_tretman","t_status","tt_id","putanja_slika"];

    public function tip_tretmanas(){
        return $this->hasOne(TipTretmana::class);
    }

    public function zakazanos(){
        $this->belongsToMany(Zakazano::class);
    }

    public function getAll(){
        return $rez = DB::table('tretmans')
            ->select('*')
            ->get();
    }
    public function getTretamane(){
        return $rez = DB::table('tip_tretmanas as tt')
            ->join('tretmans as t','t.tt_id','=','tt.id_tt')
            ->select('*')
            ->where([
                ['t.t_status','=','0'],
            ])
            ->get();
    }
    public function getTretmane($id_tt){
        return $rez = DB::table('tip_tretmanas as tt')
            ->join('tretmans as t','t.tt_id','=','tt.id_tt')
            ->select('*')
            ->where(
                ['id_tt'=>$id_tt]
            )
            ->orderBy('t.t_naziv','desc')
            ->simplePaginate(6);
    }

    public function getOneTretman($id_tt,$id_tretman){
        return $rez = DB::table('tretmans as t')
            ->select('t.*')
            ->where(
                ['t.tt_id'=>$id_tt])
            ->where(['t.id_tretman'=>$id_tretman])
```

```
            ->first();
    }
    public function getOneTretmanUpdate($id_tretman){
        return $rez = DB::table('tip_tretmanas as tt')
            ->join('tretmans as t','t.tt_id','=','tt.id_tt')
            ->select('*')
            ->where(['t.id_tretman'=>$id_tretman])
            ->first();

    }
    public function deleteOneTretman($id_tretman){
        return $rez = DB::table('tretmans as t')
            ->where(
                ['t.id_tretman'=>$id_tretman]
            )
            ->update(
                ['t.t_status'=>'0']
            );
    }

    public function realDeleteOneTretman($id_tretman){
        return $rez = DB::table('tretmans')
            ->where(
                ['id_tretman'=>$id_tretman],
                ['t_status'=>'0']
            )
            ->delete();
    }

    public function insertTretman(){
        return $rez = DB::table('tretmans')
            ->insert([
                't_naziv'=>$this->t_naziv,
                'text_tretman'=>$this->text_tretman,
                't_status'=>$this->t_status,
                'tt_id'=>$this->tt_id,
                'putanja_slika'=>$this->putanja_slika
            ]);
    }

    public function updateTretmanSaS($id_tretman){
        return $rez = DB::table('tretmans')
            ->where(
                ['id_tretman'=>$id_tretman]
            )
            ->update([
                't_naziv'=>$this->t_naziv,
                'text_tretman'=>$this->text_tretman,
                't_status'=>$this->t_status,
                'tt_id'=>$this->tt_id,
                'putanja_slika'=>$this->putanja_slika
            ]);
    }

    public function updateTretmanBezS($id_tretman){
        return $rez = DB::table('tretmans')
            ->where(['id_tretman'=>$id_tretman])
            ->update([
                't_naziv'=>$this->t_naziv,
                'text_tretman'=>$this->text_tretman,
                't_status'=>$this->t_status,
                'tt_id'=>$this->tt_id
            ]);
```

```
    }
}
```

4.4.8. app/Http/Models/Uloga.php

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\DB;

class Uloga extends Model
{
    use HasFactory;

    public function korisniks(){
        return $this->belongsToMany(Korisnik::class);
    }

    public function getAll(){
        return $rez = DB::table('ulogas as u')
            ->select('*')
            ->get();
    }

}
```

4.4.9. app/Http/Models/Zakazano.php

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\DB;

class Zakazano extends Model
{
    use HasFactory;


    public $timestamps = false;
    public $primaryKey = 'id_zakazano';
    public $foreignKey = 'tretman_id, status_terminas_id, termin_id';
    protected $fillable = ["ime",
"prezime","email","datum","br_tel","tretman_id","status_termina","termin_id"];

    public function termini(){
        $this->hasOne(Termini::class);
    }

    public function status_termin(){
        $this->hasOne(StatusTermina::class);
    }

    public function tretman(){
```

```
        $this->hasOne(Tretman::class);
    }

    public function getAll(){
        return $rez = DB::table('zakazanos as z')
            ->join('tretmans as t','z.tretman_id','=','t.id_tretman')
            ->join('terminis as te','z.termin_id','=','te.id_termini')
            ->select('*')
            ->where(['z.status_termina'=>'1'])
            ->orderBy('z.datum','desc')
            ->simplePaginate(6);
    }

    public function getOne($id_zakazano){
        return $rez = DB::table('zakazanos as z')
            ->join('tretmans as t','z.tretman_id','=','t.id_tretman')
            ->join('terminis as te','z.termin_id','=','te.id_termini')
            ->select('*')
            ->where(['z.id_zakazano'=>$id_zakazano])
            ->first();
    }

    public function otkazi($id_zakazano){
        return $rez = DB::table('zakazanos as z')
            ->join('tretmans as t','z.tretman_id','=','t.id_tretman')
            ->join('terminis as te','z.termin_id','=','te.id_termini')
            ->select('*')
            ->where(['z.id_zakazano'=>$id_zakazano])
            ->update(['status_termina'=>'0']);
    }
    public function obrisi($id_zakazano){
        return $rez = DB::table('zakazanos as z')
            ->join('tretmans as t','z.tretman_id','=','t.id_tretman')
            ->join('terminis as te','z.termin_id','=','te.id_termini')
            ->select('*')
            ->where(['z.id_zakazano'=>$id_zakazano])
            ->delete();
    }

    public function getAllZakazane(){
        return $rez = DB::table('zakazanos as z')
            ->join('tretmans as t','z.tretman_id','=','t.id_tretman')
            ->join('terminis as te','z.termin_id','=','te.id_termini')
            ->select('*')
            ->where(['status_termina'=>'1'])
            ->orderBy('te.id_termini','asc')
            ->get();
    }
    public function getAllOtkazane(){
        return $rez = DB::table('zakazanos as z')
            ->join('tretmans as t','z.tretman_id','=','t.id_tretman')
            ->join('terminis as te','z.termin_id','=','te.id_termini')
            ->select('*')
            ->where(['status_termina'=>'0'])
            ->orderBy('te.id_termini','asc')
            ->simplePaginate(6);
    }
}
```

4.5. public

4.5.1. public/css/mojStil.css

```
.divAdminTable{
    /*padding-left: 50px;*/
    padding-top: 70px;
}
.naslovAdminTable{
    color: #4B3049;
    margin-left: 295px;
}
.naslovAdminTableZakazani{
    color: #4B3049;
    margin-left: 295px;
}

.adminTable{
    margin-left: 350px;
    margin-bottom:50px;
    width:1000px;
    border: 2px solid #796f64;
}
.linkA{
    color: #4B3049;
}
a:hover {
    text-decoration: underline;
    color: #4B3049;
}
#log{
    padding-bottom: 50px;
}
#ponuda{
    padding-bottom: 50px;
    margin-right: 500px;
}
#opisTretmana{
    margin: 25px;
    text-align: justify;
}
.pocetnaTekst{
    text-align: justify;
    color:#4B3049/*#cd5c5c*/;
    font-weight: normal;
    font-family:'Rubik',sans-serif;
}

.navigacija:hover{
    background-color:#d9c7b2;
    width:100%;
}
.InsertTipTermina{
    color: #4B3049;
    margin-left: 286px;
}
.blog{
    width:250px;
    height: 200px;
}
.searchBlog{
    margin-left: 800px;
```

```
}
.search{
    width: 400px;
}

.blogSection{
    padding-top: 0px;
}
.hidden {
    opacity: 0.5;
}
.poruka{
    color: #4B3049;
    /*margin-left: 300px;*/
    padding-bottom: 50px;
    text-align: center;
    color: #4B3049;
    font-weight: bold;
}
.log{
    font-family:'Rubik, sans-serif';
    line-height: 2;
    font-size: 15px;
    margin-bottom: 0px;
    color: #795376;
    font-weight: 400;
}
.dropdown .dropdown-menu .dropdown-item{
    color: #4B3049 !important;
}
```

4.5.2. public/script/script.js

```
$(document).ready(function () {


//Search na blogu - bez logovanja
//      $(document).on('click', "#btnSearch", function () {
    $('#btnSearch').click(function () {
        // alert('Poydrav');
        //console.log("Greska");
        $unos = $('input[name="search"]').val();
        $ispis = $('#ispis');
        // alert($unos);
        //console.log($unos);
        $.ajax({
            url: baseUrl + '/search',
            type: 'POST',
            data: {unos: $unos, _token: token},
            dataType: 'json',
            success: function (data, xhr) {
                // alert(data);
                console.log(xhr);
                $ispis.html('');
                $ispis.html(data);
                //$ispis.html(showNews(data));
            },
            error: function (xhr, status, error) {
```

```
                // alert(xhr + " " + status + " " + error);
                console.log("Greska");
                console.log(xhr);
                console.log(status);
                console.log(error);
            }
        });
    });

    //Search na blogu - bloger
    $('#btnSearchBloger').click(function () {
        // alert('Poydrav');
        //console.log("Greska");
        $unos = $('input[name="searchBloger"]').val();
        $ispis = $('#ispis');
        alert($unos);
        //console.log($unos);
        $.ajax({
            url: baseUrl + '/searchBlog',
            type: 'POST',
            data: {unos: $unos, _token: token},
            dataType: 'json',
            success: function (data, xhr) {
                // alert(data);
                console.log(xhr);
                $ispis.html('');
                $ispis.html(data);
                //$ispis.html(showNews(data));
            },
            error: function (xhr, status, error) {
                // alert(xhr + " " + status + " " + error);
                console.log("Greska");
                console.log(xhr);
                console.log(status);
                console.log(error);
            }
        });
    });

//Prikaz termina koji nisu zakazani za odabrani datum - admin panel

    $('#datum').change(function () {

        $unos = $('#datum').val();
        $ispis = $('#ddlTermini');
        //$ispis.html("");
        //$ispis.html("Poydrav");

        //alert($ispis);
        //console.log($ispis);
        $.ajax({
            url: baseUrl + '/adminPanel_zakazano_insert_ajax',
            type: 'POST',
            data: {unos: $unos, _token: token},
            dataType:'json',
            success: function (data, xhr) {
                //alert (data);
                console.log(xhr);
                $ispis.html('');
                $ispis.html(data);
                $ispis.prop('disabled', false);
                //$ispis.html(showNews(data));
            },
```

```
            error: function (xhr, status, error) {
                // alert(xhr + " " + status + " " + error);
                console.log("Greska");
                console.log(xhr);
                console.log(status);
                console.log(error);
            }

        });
    });
//Prikaz termina koji nisu zakazani za odabrani datum - zaposleni
    $('#datum').change(function () {

        $unos = $('#datum').val();
        $ispis = $('#ddlTermini');
        //$ispis.html("");
        //$ispis.html("Poydrav");

        //alert($ispis);
        //console.log($ispis);
        $.ajax({
            url: baseUrl + '/zakazi_ajax',
            type: 'POST',
            data: {unos: $unos, _token: token},
            dataType:'json',
            success: function (data, xhr) {
                //alert (data);
                console.log(xhr);
                $ispis.html('');
                $ispis.html(data);
                $ispis.prop('disabled', false);
                //$ispis.html(showNews(data));
            },
            error: function (xhr, status, error) {
                // alert(xhr + " " + status + " " + error);
                console.log("Greska");
                console.log(xhr);
                console.log(status);
                console.log(error);
            }
        });
    });

    //Prikaz termina koji nisu zakazani za odabrani datum - korisnik
    $('#datum').change(function () {

        $unos = $('#datum').val();
        $ispis = $('#ddlTermini');
        //$ispis.html("");
        //$ispis.html("Poydrav");

        //alert($ispis);
        //console.log($ispis);
        $.ajax({
            url: baseUrl + '/zakazati_ajax',
            type: 'POST',
            data: {unos: $unos, _token: token},
            dataType:'json',
            success: function (data, xhr) {
                //alert (data);
                console.log(xhr);
                $ispis.html('');
                $ispis.html(data);
```

```
                $ispis.prop('disabled', false);
                //$ispis.html(showNews(data));
            },
            error: function (xhr, status, error) {
                // alert(xhr + " " + status + " " + error);
                console.log("Greska");
                console.log(xhr);
                console.log(status);
                console.log(error);
            }
        });
    });


//Filtriranje datuma termina - admin strani - zakazani termini

    $('#sortByDateAP').change(function () {

        $unos = $('input[name="sortByDateAP"]').val();
        // alert($unos);
        $ispis = $("#ispis");
        // console.log($unos);

        $.ajax({
            url: baseUrl + '/sortByDate_zakazanoA',
            type: 'POST',
            data: {unos: $unos, _token: token},
            dataType: 'json',
            success: function (data, xhr) {
                // alert(data);
                console.log("Upseh!");
                // console.log(xhr);
                // console.log(data);
                $ispis.html("");
                $ispis.html(data);
            },
            error: function (xhr, status, error) {
                console.log("Greska!");
                console.log(xhr);
                console.log(status);
                console.log(error);
            }
        });
    });

    //Filtriranje datuma termina - admin strani - otkazane termine

    $('#sortByDateOtkazane').change(function () {

        $unos = $('input[name="sortByDateOtkazane"]').val();
        // alert($unos);
        $ispis = $("#ispis");
        // console.log($unos);

        $.ajax({
            url: baseUrl + '/sortByDate_otkazanoA',
            type: 'POST',
            data: {unos: $unos, _token: token},
            dataType: 'json',
            success: function (data, xhr) {
                // alert(data);
                console.log("Upseh!");
                // console.log(xhr);
```

```
                // console.log(data);
                $ispis.html("");
                $ispis.html(data);
            },
            error: function (xhr, status, error) {
                console.log("Greska!");
                console.log(xhr);
                console.log(status);
                console.log(error);
            }
        });
    });

    //Filtriranje datuma termina - za zaposlene - zakazani termini
    $('#sortByDate').change(function () {

        $unos = $('input[name="sortByDate"]').val();
        // alert($unos);
        $ispis = $("#ispis");
        // console.log($unos);

        $.ajax({
            url: baseUrl + '/sortByDate_zakazanoZ',
            type: 'POST',
            data: {unos: $unos, _token: token},
            dataType: 'json',
            success: function (data, xhr) {
                // alert(data);
                console.log("Upseh!");
                // console.log(xhr);
                // console.log(data);
                $ispis.html("");
                $ispis.html(data);
            },
            error: function (xhr, status, error) {
                // alert(data);
                console.log("Greska!");
                console.log(xhr);
                console.log(status);
                console.log(error);
            }
        });
    });

    //Filtriranje datuma termina - za zaposlene - otkazani termini

    $('#sortByDateOtkazane').change(function () {

        $unos = $('input[name="sortByDateOtkazane"]').val();
        // alert($unos);
        $ispis = $("#ispis");
        // console.log($unos);

        $.ajax({
            url: baseUrl + '/sortByDate_otkazanoZ',
            type: 'POST',
            data: {unos: $unos, _token: token},
            dataType: 'json',
            success: function (data, xhr) {
                // alert(data);
                console.log("Upseh!");
                // console.log(xhr);
                // console.log(data);
```

```
                $ispis.html("");
                $ispis.html(data);
            },
            error: function (xhr, status, error) {
                // alert(data);
                console.log("Greska!");
                console.log(xhr);
                console.log(status);
                console.log(error);
            }
        });
    });

    //Filtriranje datuma bloga - admin strani - blog
    $('#sortByDateBlogAP').change(function () {

        $unos = $('input[name="sortByDateBlogAP"]').val();
        // alert($unos);
        $ispis = $("#ispis");
        // console.log($unos);

        $.ajax({
            url: baseUrl + '/sortByDate_blog',
            type: 'POST',
            data: {unos: $unos, _token: token},
            dataType: 'json',
            success: function (data, xhr) {
                // alert(data);
                console.log("Upseh!");
                // console.log(xhr);
                // console.log(data);
                $ispis.html("");
                $ispis.html(data);
            },
            error: function (xhr, status, error) {
                console.log("Greska!");
                console.log(xhr);
                console.log(status);
                console.log(error);
            }
        });
    });


    //Filtriranje datuma bloga - bloger
    $('#sortByDateBlog').change(function () {

        $unos = $('input[name="sortByDateBlog"]').val();
        // alert($unos);
        $ispis = $("#ispis");
        // console.log($unos);

        $.ajax({
            url: baseUrl + '/sortByDateBlog',
            type: 'POST',
            data: {unos: $unos, _token: token},
            dataType: 'json',
            success: function (data, xhr) {
                // alert(data);
                console.log("Upseh!");
                // console.log(xhr);
                // console.log(data);
                $ispis.html("");
```

```
                $ispis.html(data);
            },
            error: function (xhr, status, error) {
                console.log("Greska!");
                console.log(xhr);
                console.log(status);
                console.log(error);
            }
        });
    });
});
```

4.6. resources

4.6.1. resources/views/components/carusel.blade.php

```
<section class="breadcrumb_part">
    <div class="container">
        <div class="row">
            <div class="col-lg-12">
                <div class="breadcrumb_iner">
                    <div class="col-md-12">
{{--    //NOVI CARUSEL--}}
                        <div id="carouselExampleIndicators" class="carousel slide"
data-ride="carousel">
                            <ol class="carousel-indicators">
                                @for($i=0; $i<count($slajder); $i++)
                                    <li data-target="#carouselExampleIndicators"
@if($i == 0) class="active" @endif data-slide-to="{{$i+1}}"></li>
                                @endfor
                                {{--<li data-target="#carouselExampleIndicators" data-
slide-to="1"></li>
                                <li data-target="#carouselExampleIndicators" data-
slide-to="2"></li>--}}
                            </ol>
                            <div class="carousel-inner">
                                @foreach($slajder as $s)
                                    <div class="carousel-item @if($loop->index == 0)
active @endif">
                                        <img style="/*border:1px solid #4B3049;*/"
src="{{asset('/')}}img/{{$s->putanja_slajder}}" class="d-block w-100" width="550px"
height="350px" alt="{{$s->naslov_slajder}}">
                                    </div>
                                @endforeach
                            </div>
                            <a class="carousel-control-prev"
href="#carouselExampleIndicators" role="button" data-slide="prev">
                                <span class="carousel-control-prev-icon" aria-
hidden="true"></span>
                                <span class="sr-only">Previous</span>
                            </a>
                            <a class="carousel-control-next"
href="#carouselExampleIndicators" role="button" data-slide="next">
                                <span class="carousel-control-next-icon" aria-
hidden="true"></span>
                                <span class="sr-only">Next</span>
                            </a>
                        </div>
                    </div>
```

```
                </div>
            </div>
        </div>
    </div>
</section>

<section class="about_us padding_top" style="padding-top: 50px;">
    <div class="container">
        <div class="row justify-content-center" style="padding-bottom: 50px;">
```

4.6.2. resources/views/components/footer.blade.php

```
<!--::footer_part start::-->
<footer class="footer_part">
    <div class="footer_iner" style="padding-bottom:50px; padding-top:50px;border-
top:1px solid #F4EDF2;">
        <div class="container" style="padding-bottom: 50px;">
            <div class="row justify-content-between align-items-center" >
                <div class="col-lg-8">
                    <div class="footer_menu">
                        <div class="footer_logo">
                        <!-- <a href="index.html"><img
src="{{asset('/')}}img/logo.png" alt="#"></a> -->
                        </div>
                        <div class="footer_menu_item">

                            @foreach($podaci as $p)
                                <h3>Adresa</h3>
                                <h5>{{$p->ulica}}</h5>
                                <h5>{{$p->mesto}}</h5>
                                </br>
                                <h3>Kontakt</h3>
                                <h5>{{$p->kontakt_tel}}</h5>
                                </br>
                                @endforeach
                        </div>
                        <div>
                            <iframe style="width:300px;height:250px;margin-left:
100px;border:none;"
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d2851.2461701684742!2d20.253
2178153921!3d44.38706817910303!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x475
a01f97a69cdcd%3A0xb7d79b4f72361456!2sVeljka%20Vlahovi%C4%87a%2010%2C%20Lazarevac!5e0!3
m2!1sen!2srs!4v1632580762983!5m2!1sen!2srs" width="600" height="450" style="border:0;"
allowfullscreen="" loading="lazy"></iframe>
                        </div>
                        </div>

                </div>
                <div class="col-lg-4">
                    <div class="social_icon">
                        <a href="https://www.facebook.com/spelabeauty"><i class="fab
fa-facebook-f"></i></a>
                        <a href="https://www.instagram.com/spela_beauty/"><i
class="fab fa-instagram"></i></a>
                        <a href="https://www.youtube.com/channel/UC69bXX-AhSV67-Lg-
QyyFnw/featured"><i class="fab fa-google-plus-g"></i></a>
{{--                        <a href="#"><i class="fab fa-linkedin-in"></i></a>--}}
                    </div>
                </div>
            </div>
        </div>
```

```
    </div>

    <div class="copyright_part">
        <div class="container">
            <div class="row ">
                <div class="col-lg-12">
                    <div class="copyright_text">
                        <p><!-- Link back to Colorlib can't be removed. Template is
licensed under CC BY 3.0. -->
                            Copyright Špela Beauty | Design by AFridl
&copy;<script>document.write(new Date().getFullYear());</script>
                            <!-- Link back to Colorlib can't be removed. Template is
licensed under CC BY 3.0. --></p>
                        <div class="copyright_link">
                            @if(!session()->has('user'))
                              <a href="{{route('logovanje')}}" style="font-
family:'Rubik';
                                                                    sans-
serif:line-height: 2;
                                                                    font-size:
15px;
                                                                    margin-bottom:
0px;
                                                                    color:
#795376;
                                                                    font-weight:
400;">Logovanje</a>
                            @endif
                        </div>

                    </div>
                </div>
            </div>
        </div>
    </div>
</footer>
<!--::footer_part end::-->

<!-- jquery plugins here-->
<script src="{{asset('/')}}js/jquery-1.12.1.min.js"></script>
<!-- popper js -->
<script src="{{asset('/')}}js/popper.min.js"></script>
<!-- bootstrap js -->
<script src="{{asset('/')}}js/bootstrap.min.js"></script>
<!-- easing js -->
<script src="{{asset('/')}}js/jquery.magnific-popup.js"></script>
<!-- swiper js -->
<script src="{{asset('/')}}js/swiper.min.js"></script>
<!-- swiper js -->
<script src="{{asset('/')}}js/mixitup.min.js"></script>
<!-- particles js -->
<script src="{{asset('/')}}js/owl.carousel.min.js"></script>
<script src="{{asset('/')}}js/jquery.nice-select.min.js"></script>
<!-- slick js -->
<script src="{{asset('/')}}js/slick.min.js"></script>
<script src="{{asset('/')}}js/jquery.counterup.min.js"></script>
<script src="{{asset('/')}}js/waypoints.min.js"></script>
<script src="{{asset('/')}}js/contact.js"></script>
<script src="{{asset('/')}}js/jquery.ajaxchimp.min.js"></script>
<script src="{{asset('/')}}js/jquery.form.js"></script>
<script src="{{asset('/')}}js/jquery.validate.min.js"></script>
<script src="{{asset('/')}}js/mail-script.js"></script>
<!-- custom js -->
```

```
<script src="{{asset('/')}}js/custom.js"></script>
<script src="{{asset('/')}}js/script.js"></script>
<script type="text/javascript">
    const baseUrl = '<?php echo e(route("index")); ?>';
    const token = '<?php echo e(csrf_token()); ?>';
</script>
</body>

</html>
```

4.6.3. resources/views/components/head.blade.php

```
<!DOCTYPE html>
<html lang="zxx">

<head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-
fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>@yield('title')</title>

    <link rel="icon" href="{{asset('/')}}img/SomniCentar.jpg">
    <!-- Bootstrap CSS -->
    <link rel="stylesheet" href="{{asset('/')}}css/bootstrap.min.css">
    <!-- animate CSS -->
    <link rel="stylesheet" href="{{asset('/')}}css/animate.css">
    <!-- owl carousel CSS -->
    <link rel="stylesheet" href="{{asset('/')}}css/owl.carousel.min.css">
    <!-- font awesome CSS -->
    <link rel="stylesheet" href="{{asset('/')}}css/all.css">
    <!-- flaticon CSS -->
    <link rel="stylesheet" href="{{asset('/')}}css/flaticon.css">
    <link rel="stylesheet" href="{{asset('/')}}css/themify-icons.css">
    <!-- font awesome CSS -->
    <link rel="stylesheet" href="{{asset('/')}}css/magnific-popup.css">
    <!-- style CSS -->
    <link rel="stylesheet" href="{{asset('/')}}css/style.css">
    <link rel="stylesheet" href="{{asset('/')}}css/mojStil.css">

</head>
```

4.6.4. resources/views/components/nav.blade.php

```
<body>
<!--::header part start::-->
<header class="main_menu home_menu" style="border-bottom: /*1px solid #B08DAD;*/1px
solid #F4EDF2;">
    <div class="container" >
        <div class="row align-items-center justify-content-center">
            <div class="col-lg-12">
                <nav class="navbar navbar-expand-lg navbar-light">
                    <a class="navbar-brand" href="#">  <img
src="{{asset('/')}}img/spela_beauty3.jpg" with="50px" height="50px" alt="logo"> </a>
                    <div class="collapse navbar-collapse main-menu-item"
id="navbarSupportedContent">
```

```
                    @if(!session()->has('user'))
                        <ul class="navbar-nav">
                            <li class="nav-item">
                                <a class="nav-link navigacija"
href="{{route('index')}}">Početna</a>
                            </li>
                            <li class="nav-item dropdown">
                                <a class="nav-link dropdown-toggle navigacija"
href="#" id="navbarDropdown" role="button" data-bs-toggle="dropdown" aria-
expanded="false">
                                    Tretmani
                                </a>
                                <ul class="dropdown-menu"  aria-
labelledby="navbarDropdown" style="background-color:#d9c7b2;color: #4B3049;">
                                    @foreach($tipTretmana as $tt)
                                        <li style="color:#4B3049;"><a
class="dropdown-item" style="background-color:#d9c7b2;color: #4B3049;"
href="{{route('tretmani',['id_tt'=>$tt->id_tt])}}">{{$tt->tt_naziv}}</a></li>
                                    @endforeach
                                </ul>
                            </li>
                            <li class="nav-item">
                                <a class="nav-link navigacija"
href="{{route('blog')}}">Blog</a>
                            </li>
                            <li class="nav-item">
                                <a class="nav-link navigacija"
href="{{route('zakazati')}}">Zakazivanje</a>
                            </li>
                        </ul>

                    @elseif(session()->has('user') && session()->get('user')-
>naziv == 'admin')
                        <ul class="navbar-nav">
                            <li class="nav-item">
                                <a class="nav-link navigacija" style="color:
#4B3049;" href="{{route('adminPanel_tipTretman')}}">Tip tretmana</a>
                            </li>
                            <li class="nav-item dropdown">
                                <a class="nav-link  navigacija dropdown-toggle"
href="#" id="navbarDropdown" role="button" data-bs-toggle="dropdown" aria-
expanded="false">
                                    Tretmani
                                </a>
                                <ul class="dropdown-menu" style="background-
color:#d9c7b2;color: #4B3049;" aria-labelledby="navbarDropdown">
                                    @foreach($tipTretmana as $tt)
                                        <li style="color:#4B3049"><a
class="dropdown-item" style="background-color:#d9c7b2;color: #4B3049;"
href="{{route('adminPanel_tretmani',['id_tt'=>$tt->id_tt])}}">{{$tt-
>tt_naziv}}</a></li>
                                    @endforeach
                                    <li style="color:#4B3049"><a class="dropdown-
item" style="background-color:#d9c7b2;color: #4B3049;"
href="{{route('adminPanel_tretmani_insert')}}">Dodaj tretman</a></li>
                                </ul>
                            </li>
                            <li class="nav-item">
                                <a class="nav-link navigacija" style="color:
#4B3049;" href="{{route('adminPanel_slajder')}}">Slajder</a>
                            </li>
                            <li class="nav-item">
                                <a class="nav-link navigacija" style="color:
#4B3049;" href="{{route('adminPanel_korisnici')}}">Korisnici</a>
```

```
                                </li>
                                <li class="nav-item">
                                    <a class="nav-link navigacija"
href="{{route('adminPanel_blog')}}">Blog</a>
                                </li>
                                <li class="nav-item">
                                    <a class="nav-link navigacija"
href="{{route('zakazaniA')}}">Zakazani termini</a>
                                </li>
                                <li class="nav-item">
                                    <a class="nav-link navigacija"
href="{{route('otkazaniA')}}">Otkazani termini</a>
                                </li>
                                <li class="nav-item">
                                    <a class="nav-link navigacija" style="color:
#4B3049;" href="{{route('adminPanel_podaci')}}">Podaci</a>
                                </li>
                                <li class="nav-item">
                                    <a class="nav-link navigacija" style="color:
#4B3049;" href="{{route('logout')}}" class="log" style="font-family:'Rubik';sans-
serif:line-height: 2;font-size: 15px;margin-bottom: 0px;color: #795376;font-weight:
400;"> Odjava</a>
                                </li>
                            </ul>

                    @elseif(session()->has('user') && session()->get('user')->naziv ==
'bloger')
                            <ul class="navbar-nav">
                                <li class="nav-item">
                                    <a class="nav-link navigacija" style="color:
#4B3049;" href="{{route('bloger')}}">Blog</a>
                                </li>
                                <li class="nav-item">
                                    <a class="nav-link navigacija" style="color:
#4B3049;" href="{{route('blog_insert')}}">Unesi blog</a>
                                </li>
                                <li class="nav-item">
                                    <a class="nav-link navigacija" style="color:
#4B3049;" href="{{route('all_blog')}}">Admin Blogova</a>
                                </li>
                                <li class="nav-item">
                                    <a class="nav-link navigacija" style="color:
#4B3049;" href="{{route('logout')}}" class="log" style="font-family:'Rubik';sans-
serif:line-height: 2;font-size: 15px;margin-bottom: 0px;color: #795376;font-weight:
400;"> Odjava</a>
                                </li>
                            </ul>
                    @elseif(session()->has('user') && session()->get('user')->naziv ==
'zaposleni')
                            <ul class="navbar-nav">
                                <li class="nav-item">
                                    <a class="nav-link navigacija" style="color:
#4B3049;" href="{{route('zakazani_insert')}}">Zakaži termin</a>
                                </li>
                                <li class="nav-item">
                                    <a class="nav-link navigacija" style="color:
#4B3049;" href="{{route('zakazani')}}">Zakazani termini</a>
                                </li>

                                <li class="nav-item">
                                    <a class="nav-link navigacija" style="color:
#4B3049;" href="{{route('otkazani')}}">Otkazani termini</a>
                                </li>
```

```
                                <li class="nav-item">
                                    <a class="nav-link navigacija" style="color:
#4B3049;" href="{{route('logout')}}" class="log" style="/*font-family:'Rubik';sans-
serif:line-height: 2;font-size: 15px;margin-bottom: 0px;color: #795376;

font-weight: 400;*/"> Odjava</a>
                                </li>
                            </ul>
                    @endif
                    </div>
                </nav>
            </div>
        </div>
    </div>
</header>
<!-- Header part end-->
```

4.6.5. resources/views/components/sidebar_nav.blade.php

```
<div style="background-color:#B08EAD;float: left;width:250px;margin-bottom:
50px;height:100%;">
    <nav style="padding-top: 15px;padding-bottom:15px;font-size: 15px;font-
family:'Rubik', sans-serif;">
        <ul>
            @foreach($tretmani as $t)
            <li class="nav-item">
                <a style="color: #4B3049;" class="nav-link"
href="{{route('opisTretmana',['id_tretman'=>$t->id_tretman,'id_tt'=>$t-
>id_tt])}}">{{$t->t_naziv}}</a>
            </li>
            @endforeach
        </ul>
    </nav>
</div>
```

4.6.6. resources/views/layout/index.blade.php

```
@include('components.head')
@include('components.nav')
@if(!session()->has('user'))
    @include('components.carusel')
@endif
@yield('content')
@include('components.footer')
```

4.6.7. resources/views/pages/blog.blade.php

```
@extends('layout.index')

@section('title')
    Blog
@endsection
```

```
@section('content')

    <!--================Blog Area =================-->
    <section class="blog_area section_padding">
        <div class="container">
            <div class="row">
                <div class="col-lg-8 mb-5 mb-lg-0">
                    <div class="blog_left_sidebar">
                        <div class="move_right poruka">
                            @empty(!session('poruka'))
                                {{session('poruka')}}
                            @endempty
                        </div>
                        <div id="ispis">
                            @foreach($blog as $b)
                                <article class="blog_item ">
                                    <div class="blog_item_img">
                                        <img class="card-img rounded-0" width="400px"
height="400px" src="{{asset('/')}}img/{{$b->putanja_slika_blog}}" alt="{{$b-
>naslov_blog}}">
                                    </div>
                                    <div class="blog_details ">
                                        <a class="d-inline-block"
href="{{route('one_Blog',['id_blog'=>$b->id_blog])}}">
                                            <h2>{{$b->naslov_blog}}</h2>
                                        </a>
                                        <h4>{{$b->podnaslov_blog}}</h4>
                                        <p>
                                            {{$truncated = Str::limit($b->text_blog,
200, ' (...)')}}
                                        </p>
                                        <b><a href="{{route('one_Blog',['id_blog'=>$b-
>id_blog])}}" style="color:#B08EAD;">Više</a></b>
                                    </div>
                                </article>
                            @endforeach
                                <div style="margin-left: 450px;">
                                    {{ $blog->links() }}
                                </div>
                        </div>
                    </div>
                </div>
                <div class="col-lg-4">
                    <div class="blog_right_sidebar">
                        <aside class="single_sidebar_widget search_widget">
                            <div class="form-group">
                                <div class="input-group mb-3">
                                    <input type="text" name="search" id="search"
class="form-control" placeholder='Search Keyword'
                                           onfocus="this.placeholder = ''"
                                           onblur="this.placeholder = 'Search
Keyword'">
                                </div>
                            </div>
                            <input class="button rounded-0 primary-bg text-white w-100
btn_1 btnSearch" name="btnSearch" id="btnSearch"
                                   type="submit" value="Search"/>
                        </aside>

                    </div>
                </div>
            </div>
```

```
        </div>
    </section>
    <!--=================Blog Area =================-->
    </div>
    </div>
    </div>
    </div>
    </section>

@endsection
```

4.6.8. resources/views/pages/logovanje.blade.php

```
@extends('layout.index')

@section('title')
    Logovanje
@endsection

@section('content')
    <div class="move_right poruka">
        @empty(!session('poruka'))
            {{session('poruka')}}
        @endempty
    </div>
    <div id="log" class="col-lg-8">
    <div style="background-color:#d9c7b2;height: 350px;
/* display: flex;
   align-items: center;
   justify-content: center;*/">
        <div style="padding-top:70px;padding-left: 280px;padding-right: 220px;letter-
spacing: 2px;">
            <form method="POST" action="{{route('doLogovanje')}}">
                {{csrf_field()}}
                <table style="padding:50px;">
                    <h3>Logovanje</h3>
                    <tr align="center" >
                        <td style="padding-bottom: 10px;">Korisničko ime:</td>
                    </tr>
                    <tr>
                        <td><input type="text" name="tbKorIme" id="tbKorIme"
placeholder="Korisnicko ime"/></td>
                    </tr>
                    <tr align="center" >
                        <td style="padding-bottom: 10px;">Lozinka:</td>
                    </tr>
                    <tr>
                        <td><input type="password" name="tbPassword" id="tbPassword"
placeholder="Lozinka"/></td>
                    </tr>
                    <tr align="center">
                        <td style="padding-top: 10px;">
                            <input type="submit" name="tbPotvrdi" id="tbPotvrdi"
value="Uloguj se"/>
                        </td>
                    </tr>
                </table>
```

```
            </form>
        </div>
    </div>

    </div>
    </div>
    </section>


@endsection
```

4.6.9. resources/views/pages/oneBlog.blade.php

```
@extends('layout.index')

@section('title')
    Blog
@endsection

@section('content')
    <!--================Blog Area ================-->
    <section class="blog_area single-post-area section_padding blogSection"
style="padding-left: 250px;text-align: justify;">
        <div class="container">
            <div class="row">
                <div class="col-lg-8 posts-list">
                    <div class="single-post">
                        <div class="feature-img">
                            <img class="img-fluid" style="display: block;margin-left:
auto;margin-right: auto;" src="{{asset('/')}}img/{{$oneBlog->putanja_slika_blog}}"
alt="{{$oneBlog->naslov_blog}}">
                        </div>
                        <div class="blog_details">
                            <h2>{{$oneBlog->naslov_blog}}</h2>
                            <p class="excert">
                                {{$oneBlog->podnaslov_blog}}
                            </p>
                            <p>
                                {{$oneBlog->text_blog}}
                            </p>
                            <p>
                                {{date("d.m.Y",$oneBlog->postavljeno)}}
                            </p>
                        </div>
                    </div>
                    <div class="blog-author">
                        <div class="media align-items-center">
                            <img src="{{asset('/')}}img/spela4.gif" alt="spela">
                            <div class="media-body">
                                <a href="#">
                                    <h4>Špela Klajnšček Mikosavljević</h4>
                                </a>
                                <p>"Ljubavlju prema sebi negujemo unutrašnju i
spoljašnju lepotu."</p>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
    </section>
    <!--================Blog Area end ================-->
```

```
    </div>
    </div>
    </div>
    </section>

@endsection
```

4.6.10. resources/views/pages/opisTretmana.blade.php

```
@extends('layout.index')

@section('title')
    Ponuda
@endsection

@section('content')
    @include('components.sidebar_nav')

        <div style="width:750px;float: left;">
            <div class="about_us_content" id="opisTretmana">
                <h5>{{$tretman->t_naziv}}</h5>
                <p>{{$tretman->text_tretman}}</p>
                <div class="about_us_video">
                    <img class="img-fluid" src="{{asset('/')}}img/{{$tretman-
>putanja_slika}}" width="400px" height="300px" alt="{{$tretman->t_naziv}}"/>
                </div>
            </div>
        </div>
        </div>


        </div>
        </div>
        </div>
        </div>
        </section>


@endsection
```

4.6.11. resources/views/pages/pocetna.blade.php

```
@extends('layout.index')

@section('title')
    Početna
@endsection

@section('content')
    <div class="move_right" style="color: #4B3049;padding-bottom: 50px;font-weight:
bold;">
        @empty(!session('poruka'))
            {{session('poruka')}}
        @endempty
    </div>
    @foreach($podaci as $p)
        <div class="about_us_content" >
```

```
            <h2 style="text-align: justify;margin-left: 450px;">Špela beauty</h2>
            <div class="pocetnaTekst">
                <p style="">{{$p->tekst}}</p>
            </div>
            <div style="margin-left: 425px;padding-top: 50px;" class="about_us_video">
                <img src="{{asset('/')}}img/{{$p->podaci_slika}}" width="400px"
height="300px" alt="Špela beauty"/>
            </div>
        </div>
    @endforeach
    </div>
    </div>
    </div>
    </section>

@endsection
```

4.6.12. resources/views/pages/tretmani.blade.php

```
@extends('layout.index')

@section('title')
    Ponuda
@endsection

@section('content')
    @include('components.sidebar_nav')
@foreach($tip_tretmana as $t)

    <div style="width:350px;float: left;">
        <div class="about_us_content" id="opisTretmana">
            <h5><a style="color:#B08EAD;"
href="{{route('opisTretmana',['id_tretman'=>$t->id_tretman,'id_tt'=>$t-
>tt_id])}}">{{$t->t_naziv}}</a></h5>
            <p>
                {{$truncated = Str::limit($t->text_tretman, 200, ' (...)')}}
            </p>
            <p>
                <b><a href="{{route('opisTretmana',['id_tt'=>$t-
>id_tt,'id_tretman'=>$t->id_tretman])}}"
style="color:#4B3049/*#B08EAD*/;">Više</a></b>
            </p>
            <div class="about_us_video">
                <img class="img-fluid" src="{{asset('/')}}img/{{$t->putanja_slika}}"
style="" width="250px" height="150px" alt="{{$t->t_naziv}}"/>
            </div>
        </div>
    </div>
<br>
@endforeach
    </div>
    <div style="text-align:center;margin-top:25px;margin-bottom: 50px;">
        {{ $tip_tretmana->links() }}
    </div>

    </div>
    </div>
    </div>
    </div>
</section>
```

```
@endsection
```

4.6.13. resources/views/pages/zakazati.blade.php

```
@extends('layout.index')

@section('title')
    Zakazivanje
@endsection

@section('content')
    <div id="log" class="col-lg-8">
        <div style="height: 750px;width:1000px;
/* display: flex;
   align-items: center;
   justify-content: center;*/">
            <div style="padding-top:70px;letter-spacing: 2px;">
                <div class="row">
                    <div class="col-12">
                        <h2 class="contact-title">Zakazivanje</h2>
                    </div>
                    <div class="col-lg-8">
                        <div class="move_right poruka">
                            @empty(!session('poruka'))
                                {{session('poruka')}}
                            @endempty
                        </div>
                        @if($errors->any())
                            <div class="alert alert-danger" >
                                <ul>
                                    @foreach ($errors->all() as $error)
                                        <li>{{ $error }}</li>
                                    @endforeach
                                </ul>
                            </div>
                        @endif
                        <form method="POST" action="{{route('doZakazati')}}" >
                            @csrf
                            <div class="row">
                                <div class="col-12">
                                    <div class="form-group">
                                        <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="ime" id="ime" type="text"
onfocus="this.placeholder = ''"
                                               onblur="this.placeholder = 'Enter your
name'" placeholder='Unesite svoje ime'>
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="prezime" id="prezime" type="text"
onfocus="this.placeholder = ''"
                                                 onblur="this.placeholder = 'Enter email
address'" placeholder='Unesite svoje prezime'>
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <input class="form-control" style="border:1px
```

```
solid #4B3049;color:#4B3049;" name="email" id="email" type="email"
onfocus="this.placeholder = ''"
                                                onblur="this.placeholder = 'Enter
Subject'" placeholder='Unesite svoj email'>
                                            </div>
                                        </div>
                                        <div class="col-12">
                                            <div class="form-group">
                                                <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="brTel" id="brTel" type="text"
onfocus="this.placeholder = ''"
                                                onblur="this.placeholder = 'Enter
Subject'" placeholder='Unesite broj telefona'>
                                            </div>
                                        </div>

                                        <div class="col-12">
                                            <div class="form-group">
                                                <select class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="ddlTretman" id="ddlTretman">
                                                    <option class="form-control"
value="0">Odaberite tretman</option>
                                                    @foreach($tretman as $t)
                                                        <option class="form-control"
value="{{$t->id_tretman}}">{{$t->t_naziv}}</option>
                                                    @endforeach
                                                </select>
                                            </div>
                                        </div>
                                        <?php
                                        $danasnji_datum = time();
                                        $datum = date("Y-m-d",$danasnji_datum);
                                        //                                      dd($datum);
                                        ?>
                                        <div class="col-12">
                                            <div class="form-group">
                                                <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="datum" id="datum" type="date" min="{{$datum}}"
onfocus="this.placeholder = ''"
                                                onblur="this.placeholder = 'Enter
Subject'" placeholder='Odaberite datum'>
                                            </div>
                                        </div>
                                        <div class="col-12">
                                            <div class="form-group">
                                                <select class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="ddlTermini" id="ddlTermini">
                                                    <option class="form-control"
value="0">Odaberite termin</option>
                                                    @foreach($termini as $t)
                                                        <option class="form-control"
value="{{$t->id_termini}}">{{$t->vreme}}</option>
                                                    @endforeach
                                                </select>
                                            </div>
                                        </div>
                                    </div>
                                    <div class="form-group mt-3" align="center">
                                        <input type="submit" name="btnZakazi" id="btnZakazi"
style="background-color:  #B08EAD;" class="btn_3 button-contactForm" value="Zakaži" />
                                    </div>
                                </form>
                            </div>
```

```
                </div>

            </div>
        </div>

    </div>
    </div>
    </section>


@endsection
```

4.6.14. resources/views/pages/admin/adminPanel_blog.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel - Blog
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="naslovAdminTable" class="nav-link">Blog</h3>
            </div>
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <div style="margin-left: 600px;padding-bottom: 10px;">
                <label style="color: #4B3049;font-size: 16px;">Sortiraj po
datumu:</label>
                <input type="date"name="sortByDateBlogAP" id="sortByDateBlogAP"/>
            </div>
            @if(session()->has('user') && session()->get('user')->naziv == 'admin')
                <div style="padding-left: 1200px;">
                    <h5><a class="linkA"  class="nav-link"
href="{{route('adminPanel_blog_insert')}}">Dodaj blog</a></h5>
                </div>
            @endif
            <div id="ispis">
                <table class="table table-striped adminTable">
                    <thead>
                    <tr>
                        <th scope="col">#</th>
                        <th scope="col">Naslov</th>
                        <th scope="col">Podnaslov</th>
                        <th scope="col">Text</th>
                        <th scope="col">Slika</th>
                        <th scope="col">Postavljeno</th>
                        <th scope="col">Status</th>
                        <th scope="col">Izmeni</th>
                        <th scope="col">Obrisi</th>
                    </tr>
                    </thead>
                    <tbody>
                    <?php
                    if(isset($_GET['page'])){
```

```
                        $perPage = $_GET['page'];
                        if(!isset($perPage) || $perPage == 1){
                            $i = 1;
                        }
                        else{
                            $i = (($perPage -1 ) * 6) + 1;
                        }
                    }else{
                        $i = 1;
                    }
                    ?>
                    @foreach($blog as $b)
                        <tr>
                            <th scope="row">{{$i}}</th>
                            <?php $i++ ?>
                            <td>{{$b->naslov_blog}}</td>
                            <td>{{$b->podnaslov_blog}}</td>
                            <td>{{$b->text_blog}}</td>
                            <td>  <img class="img-fluid" src="{{asset('/')}}img/{{$b-
>putanja_slika_blog}}" width="200px" height="250px" alt="{{$b->naslov_blog}}"/></td>
                            <td>{{date('d.m.Y.',$b->postavljeno)}}</td>
                            @if($b->status == 1)
                                <td>Aktivan</td>
                            @else
                                <td>Neaktivan</td>
                            @endif
                            <td><a class="linkA"
href="{{route('adminPanel_blog_update',['id_blog'=>$b->id_blog])}}">Izmeni</a></td>
                            <td><a  class="linkA"
href="{{route('adminPanel_blog_delete',['id_blog'=>$b->id_blog])}}">Obrisi</a></td>
                        </tr>
                    @endforeach
                    </tbody>
                </table>
                <div style="margin-left:750px;padding-bottom: 50px;">
                    {{ $blog->links() }}
                </div>
            </div>
        </div>
    </div>
    </div>
    </div>

    </section>

@endsection
```

4.6.15. resources/views/pages/admin/adminPanel_blog_insert.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="naslovAdminTable" class="nav-link">Unesi blog</h3>
            </div>
            @if($errors->any())
```

```
                <div class="alert alert-danger" style="margin-left: 280px;margin-
right: 700px;">
                    <ul>
                        @foreach ($errors->all() as $error)
                            <li>{{ $error }}</li>
                        @endforeach
                    </ul>
                </div>
            @endif
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <form action="{{route('doAdminPanel_blog_insert')}}" method="POST"
enctype="multipart/form-data">
                {{csrf_field()}}
                <table class="adminTable">
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Naslov
bloga:</td>
                        <td style="padding-top: 15px;">
                            <input type="text" name="tbNaslovBlog" id="tbNaslovBlog"
placeholder="Unesi naslov bloga"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Podnaslov
bloga:</td>
                        <td style="padding-top: 25px;">
                            <textarea rows="8" cols="80"  name="tbPodnaslovBlog"
id="tbPodnaslovBlog" placeholder="Unesi podnaslov bloga"></textarea>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Tekst
bloga:</td>
                        <td style="padding-top: 25px;">
                            <textarea rows="8" cols="80" name="tbTekstBlog"
id="tbTekstBlog" placeholder="Unesi tekst bloga"></textarea>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Unesi
sliku:</td>
                        <td style="padding-top: 15px;">
                           <input type="file" name="unosSlike" id="unosSlike" />
                        </td>
                    </tr>
                    <tr  >
                        <td colspan="2" align="center" style="padding-
bottom:5px;padding-top: 15px;">
                            <input type="submit" name="btnDodaj" id="btnDodaj"
value="Dodaj"/>
                        </td>
                    </tr>
                </table>
            </form>
        </div>
    </div>
    </div>
    </div>
```

```
    </section>

@endsection
```

4.6.16. resources/views/pages/admin/adminPanel_blog_update.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="naslovAdminTable" class="nav-link">Izmeni blog</h3>
            </div>
            @if($errors->any())
                <div class="alert alert-danger" style="margin-left: 280px;margin-
right: 700px;">
                    <ul>
                        @foreach ($errors->all() as $error)
                            <li>{{ $error }}</li>
                        @endforeach
                    </ul>
                </div>
            @endif
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <form action="{{route('doAdminPanel_blog_update',['id_blog'=>$blog-
>id_blog])}}" method="POST" enctype="multipart/form-data">
                {{csrf_field()}}
                <table class="adminTable">
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Naslov
bloga:</td>
                        <td style="padding-top: 15px;">
                            <input type="text" name="tbNaslovBlog" id="tbNaslovBlog"
value="{{$blog->naslov_blog}}"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Podnaslov
bloga:</td>
                        <td style="padding-top: 25px;">
                            <textarea rows="8" cols="80"  name="tbPodnaslovBlog"
id="tbPodnaslovBlog" >{{$blog->podnaslov_blog}}</textarea>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Tekst
bloga:</td>
                        <td style="padding-top: 25px;">
                            <textarea rows="8" cols="80" name="tbTekstBlog"
id="tbTekstBlog" >{{$blog->text_blog}}</textarea>
                        </td>
                    </tr>
```

```
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Slika:</td>
                        <td style="padding-top: 25px;">  <img class="img-fluid"
src="{{asset('/')}}img/{{$blog->putanja_slika_blog}}" width="200px" height="250px"
alt="{{$blog->naslov_blog}}"/></td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Izmeni
sliku:</td>
                        <td style="padding-top: 15px;">
                            <input type="file" name="unosSlike" id="unosSlike"
placeholder="Unesite sliku"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Status:</td>
                        <td style="padding-top: 15px;">
                            <select id="ddlBlog" name="ddlBlog">
                                @if($blog->status == '0')
                                    <option value="0" selected>Neaktivan</option>
                                    <option value="1">Aktivan</option>
                                @else($blog->status == '1')
                                    <option value="0">Neaktivan</option>
                                    <option value="1" selected>Aktivan</option>
                                @endif
                            </select>
                        </td>
                    </tr>
                    <tr  >
                        <td colspan="2" align="center" style="padding-
bottom:5px;padding-top: 15px;">
                            <input type="submit" name="btnIzmeni" id="btnIzmeni"
value="Izmeni"/>
                        </td>
                    </tr>
                </table>
            </form>
        </div>
    </div>
    </div>
    </div>

    </section>

@endsection
```

4.6.17. resources/views/pages/admin/adminPanel_korisnici.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel - Korisnici
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
            <h3 class="naslovAdminTable" class="nav-link">Korisnici</h3>
```

```
            </div>
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <div style="padding-left: 1170px;">
            <h5><a class="linkA"  class="nav-link"
href="{{route('adminPanel_korisnik_insert')}}">Dodaj korisnika</a></h5>
            </div>
            <table class="table table-striped adminTable">
                <thead>
                <tr>
                    <th scope="col">#</th>
                    <th scope="col">Korisnicko ime</th>
                    <th scope="col">Uloga</th>
                    <th scope="col">Status</th>
                    <th scope="col">Izmeni</th>
                    <th scope="col">Obrisi</th>
                </tr>
                </thead>
                <tbody>
                <?php
                    if(isset($_GET['page'])){
                        $perPage = $_GET['page'];
                        if(!isset($perPage) || $perPage == 1){
                            $i = 1;
                        }
                        else{
                            $i = (($perPage -1 ) * 6) + 1;
                        }
                    }else{
                        $i = 1;
                    }
                ?>
                @foreach($korisnici as $k)
                <tr>
                    <th scope="row">{{$i}}</th>
                    <?php $i++ ?>
                    <td>{{$k->korisnicko_ime}}</td>
                    <td>{{$k->naziv}}</td>
                    @if($k->k_status == 0)
                        <td>Nektivan</td>
                    @else
                        <td>Aktivan</td>
                    @endif
                    <td><a class="linkA"
href="{{route('adminPanel_korisnici_update',['id_korisnik'=>$k-
>id_korisnik])}}">Izmeni</a></td>
                    <td><a  class="linkA"
href="{{route('adminPanel_korisnici_delete',['id_korisnik'=>$k-
>id_korisnik])}}">Obriši</a></td>
                </tr>
                @endforeach
                </tbody>
            </table>
            <div style="margin-left:750px;padding-bottom: 50px;">
                {{ $korisnici->links() }}
            </div>

        </div>

    </div>
```

```
    </div>
    </div>

    </section>

@endsection
```

4.6.18. resources/views/pages/admin/adminPanel_korisnici_insert.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="naslovAdminTable" class="nav-link">Dodaj korisnika</h3>
            </div>
            @if($errors->any())
                <div class="alert alert-danger" style="margin-left: 280px;margin-
right: 700px;">
                    <ul>
                        @foreach ($errors->all() as $error)
                            <li>{{ $error }}</li>
                        @endforeach
                    </ul>
                </div>
            @endif
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <form action="{{route('doAdminPanel_korisnik_insert')}}" method="POST">
                {{csrf_field()}}
                <table class="adminTable">
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Korisničko
ime:</td>
                        <td style="padding-top: 15px;">
                            <input type="text" name="tbKorIme" id="tbKorIme"
placeholder="Unesi korisničko ime"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left:
50px;">Lozinka:</td>
                        <td style="padding-top: 25px;">
                            <input type="password"  name="tbLozinka" id="tbCena"
placeholder="Unesi lozinku"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Uloga:</td>
                        <td>
                            <select id="ddlUloga" name="ddlUloga">
                                <option value="0">Izaberi</option>
```

```
                                    @foreach($uloga as $u)
                                        <option value="{{$u->id_uloga}}">{{$u-
>naziv}}</option>
                                    @endforeach
                                </select>
                            </td>
                        </tr>
                        <tr  >
                            <td colspan="2" align="center" style="padding-
bottom:5px;padding-top: 15px;">
                                <input type="submit" name="btnUnesi" id="btnUnesi"
value="Unesi"/>
                            </td>
                        </tr>
                    </table>
                </form>
            </div>

        </div>
        </div>
        </div>

        </section>

@endsection
```

4.6.19.resources/views/pages/admin/adminPanel_korisnici_update.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="naslovAdminTable" class="nav-link">Korisnici</h3>
            </div>
            @if($errors->any())
                <div class="alert alert-danger" style="margin-left: 280px;margin-
right: 700px;">
                    <ul>
                        @foreach ($errors->all() as $error)
                            <li>{{ $error }}</li>
                        @endforeach
                    </ul>
                </div>
            @endif
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <form
action="{{route('doAdminPanel_korisnici_update',['id_korisnik'=>$korisnik-
>id_korisnik])}}" method="POST">
                {{csrf_field()}}
                <table class="adminTable">
                    <tr>
```

```
                        <td style="padding-top: 20px;padding-left: 50px;">Korisničko
ime:</td>
                        <td style="padding-top: 15px;">
                            <input type="text" name="tbKorIme" id="tbKorIme"
value="{{$korisnik->korisnicko_ime}}"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left:
50px;">Lozinka:</td>
                        <td style="padding-top: 25px;">
                            <input type="password"  name="tbLozinka" id="tbLozinka"
value=""/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Uloga:</td>
                        <td style="padding-top: 15px;">
                            <select id="ddlUloga" name="ddlUloga">
                                @isset($uloga)
                                @foreach($uloga as $u)
                                    @if($u->id_uloga == $korisnik->uloga_id)
                                        <option value="{{$u->id_uloga}}"
selected>{{$u->naziv}}</option>--}}
                                    @else
                                         <option value="{{$u->id_uloga}}">{{$u-
>naziv}}</option>--}}
                                    @endif
                                @endforeach
                                @endisset
                            </select>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Status:</td>
                        <td style="padding-top: 15px;">
                            <select id="ddlStatus" name="ddlStatus">
                                @if($korisnik->k_status == '0')
                                    <option value="0" selected>Neaktivan</option>
                                    <option value="1">Aktivan</option>
                                @else($korisnik->k_status == '1')
                                    <option value="0">Neaktivan</option>
                                    <option value="1" selected>Aktivan</option>
                                @endif
                            </select>
                        </td>
                    </tr>
                    <tr  >
                        <td colspan="2" align="center" style="padding-
bottom:5px;padding-top: 15px;">
                            <input type="submit" name="btnIzmeni" id="btnIzmeni"
value="Izmeni"/>
                        </td>
                    </tr>
                </table>
            </form>
        </div>
    </div>
    </div>
    </div>

    </section>
```

```
@endsection
```

4.6.20. resources/views/pages/admin/adminPanel_podaci.blade.php

```
@extends('layout.index')

@section('title')

    Admin Panel - Podaci
@endsection

@section('content')
    <div>

        <div class="divAdminTable">
            <h3 class="naslovAdminTable" class="nav-link">Podaci</h3>
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <table class="table table-striped adminTable">
                <thead>
                <tr>
                    <th scope="col">Tekst</th>
                    <th scope="col">Ulica</th>
                    <th scope="col">Mesto</th>
                    <th scope="col">Kontakt</th>
                    <th scope="col">Slika</th>
                    <th scope="col">Izmeni</th>
                </tr>
                </thead>
                <tbody>
                @foreach($podaci as $p)
                    <tr>
                        <td>{{$p->tekst}}</td>
                        <td>{{$p->ulica}}</td>
                        <td>{{$p->mesto}}</td>
                        <td>{{$p->kontakt_tel}}</td>
                        <td>
                            <img src="{{asset('/')}}img/{{$p->podaci_slika}}"
width="25 0px" height="150px" alt="{{$p->podaci_slika}}"/>
                        </td>
                        <td><a class="linkA"
href="{{route('adminPanel_podaci_update',['id'=>$p->id])}}">Izmeni</a></td>
                    </tr>
                @endforeach
                </tbody>
            </table>
        </div>

    </div>
    </div>
    </div>

    </section>

@endsection
```

4.6.21. resources/views/pages/admin/adminPanel_podaci_update.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="naslovAdminTable" class="nav-link">Izmena podataka</h3>
            </div>
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            <form action="{{route('doAdminPanel_podaci_update',['id'=>$podaci->id])}}"
method="POST" enctype="multipart/form-data">
                {{csrf_field()}}
                <table class="adminTable">
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Tekst:</td>
                        <td style="padding-top: 15px;">
                            <textarea rows="8" cols="80" name="text"
id="text">{{$podaci->tekst}}</textarea>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Ulica:</td>
                        <td style="padding-top: 25px;">
                            <input type="text"  name="ulica" id="ulica"
value="{{$podaci->ulica}} "/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Mesto:</td>
                        <td style="padding-top: 25px;">
                            <input type="text"  name="mesto" id="mesto"
value="{{$podaci->mesto}} "/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Kontekt
telefon:</td>
                        <td style="padding-top: 25px;">
                            <input type="text"  name="tell" id="tell"
value="{{$podaci->kontakt_tel}} "/>
                        </td>
                    </tr>

                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Slika:</td>
                        <td style="padding-top: 15px;">
                            <img src="{{asset('/')}}img/{{$podaci->podaci_slika}}"
width="100px" height="100px" alt="{{$podaci->podaci_slika}}"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Izmeni
sliku:</td>
```

```
                        <td style="padding-top: 15px;">
                            <input type="file" name="slika" id="slika"
placeholder="Unesite sliku"/>
                        </td>
                    </tr>
                    <tr>
                        <td colspan="2" align="center" style="padding-
bottom:5px;padding-top: 15px;">
                            <input type="submit" name="btnIzmeni" id="btnIzmeni"
value="Izmeni"/>
                        </td>
                    </tr>
                </table>
            </form>
        </div>
        <div class="move_right poruka">
            @empty(!session('poruka'))
                {{session('poruka')}}
            @endempty
        </div>
    </div>
    </div>
    </div>

    </section>

@endsection
```

4.6.22. resources/views/pages/admin/adminPanel_slajder.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel - Slajder
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="naslovAdminTable" class="nav-link">Slajder</h3>
            </div>
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <div style="padding-left: 1200px;">
                <h5><a class="linkA"  class="nav-link"
href="{{route('adminPanel_slajder_insert')}}">Dodaj sliku</a></h5>
            </div>
            <table class="table table-striped adminTable">
                <thead>
                <tr>
                    <th scope="col">#</th>
                    <th scope="col">Naslov</th>
                    <th scope="col">Slika</th>
                    <th scope="col">Postavljeno</th>
                    <th scope="col">Status</th>
                    <th scope="col">Izmeni</th>
```

```
                    <th scope="col">Obriši</th>
                </tr>
                </thead>
                <tbody>
                <?php
                if(isset($_GET['page'])){
                    $perPage = $_GET['page'];
                    if(!isset($perPage) || $perPage == 1){
                        $i = 1;
                    }
                    else{
                        $i = (($perPage -1 ) * 6) + 1;
                    }
                }else{
                    $i = 1;
                }
                ?>
                @foreach($slajder as $s)
                    <tr>
                        <th scope="row">{{$i}}</th>
                        <?php $i++ ?>
                        <td>{{$s->naslov_slajder}}</td>
                        <td> <img src="{{asset('/')}}img/{{$s->putanja_slajder}}"
width="100px" height="100px" alt="{{$s->naslov_slajder}}"/></td>
                        <td>{{date('d.m.Y',$s->postavljeno)}}</td>
                        @if($s->status == 1)
                            <td>Aktivan</td>
                        @else
                            <td>Neaktivan</td>
                        @endif
                        <td><a class="linkA"
href="{{route('adminPanel_slajder_update',['id_slajder'=>$s-
>id_slajder])}}">Izmeni</a></td>
                        <td><a class="linkA"
href="{{route('adminPanel_slajder_delete',['id_slajder'=>$s-
>id_slajder])}}">Obriši</a></td>
                    </tr>
                @endforeach
                </tbody>
            </table>
            <div style="margin-left:750px;padding-bottom: 50px;">
                {{ $slajder->links() }}
            </div>
        </div>

    </div>
    </div>
    </div>

    </section>

@endsection
```

4.6.23. resources/views/pages/admin/adminPanel_slajder_insert.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel
@endsection
```

```
@section('content')
    <div>
    <div class="divAdminTable">
        <div style="width:700px;">
            <h3 class="naslovAdminTable" class="nav-link">Dodaj sliku za slajder</h3>
            @if($errors->any())
                <div class="alert alert-danger" style="margin-left: 280px;">
                    <ul>
                        @foreach ($errors->all() as $error)
                            <li>{{ $error }}</li>
                        @endforeach
                    </ul>
                </div>
            @endif
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <form method="POST" action="{{route('doAdminPanel_slajder_insert')}}"
enctype="multipart/form-data">
                {{csrf_field()}}
                <table class="adminTable">
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Naslov:</td>
                        <td style="padding-top: 15px;">
                            <input type="text" name="tbNaslov" id="tbNaslov"
placeholder="Unesite naslov"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Slika:</td>
                        <td style="padding-top: 15px;">
                            <input type="file" name="fSlika" id="fSlika"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Status:</td>
                        <td style="padding-top: 15px;">
                            <select id="ddlStatus" name="ddlStatus">
                                <option value="0">Neaktivan</option>
                                <option value="1">Aktivan</option>
                            </select>
                        </td>
                    </tr>
                    <tr>
                        <td colspan="2" align="center" style="padding-
bottom:5px;padding-top: 15px;">
                            <input type="submit" name="btnUnesi" id="btnUnesi"
value="Unesi"/>
                        </td>
                    </tr>
                </table>
            </form>
        </div>

    </div>
    </div>
    </div>

    </section>

@endsection
```

4.6.24. resources/views/pages/admin/adminPanel_slajder _ update.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel
@endsection

@section('content')
    <div class="divAdminTable">
        <div style="width:700px;">
            <h3 class="naslovAdminTable" class="nav-link">Slajder</h3>
            @if($errors->any())
                <div class="alert alert-danger" style="margin-left: 280px;">
                    <ul>
                        @foreach ($errors->all() as $error)
                            <li>{{ $error }}</li>
                        @endforeach
                    </ul>
                </div>
            @endif
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <form method="POST"
action="{{route('doAdminPanel_slajder_update',['id_slajder'=>$slajder->id_slajder])}}"
enctype="multipart/form-data">
                {{csrf_field()}}
                <table class="adminTable">
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Naslov:</td>
                        <td style="padding-top: 15px;">
                            <input type="text" name="tbNaslov" id="tbNaslov"
value="{{$slajder->naslov_slajder}}"/>
                        </td>
                    </tr>

                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Slika:</td>
                        <td style="padding-top: 15px;">
                            <img src="{{asset('/')}}img/{{$slajder->putanja_slajder}}"
width="100px" height="100px" alt="{{$slajder->naslov_slajder}}"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Izmeni
sliku:</td>
                        <td style="padding-top: 15px;">
                            <input type="file" name="fSlika" id="fSlika" />
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left:
50px;">Aktivan:</td>
                        <td style="padding-top: 15px;">
                            <select id="ddlStatus" name="ddlStatus">
                                @if($slajder->status == '0')
                                    <option value="0" selected>Neaktivan</option>
```

```
                                    <option value="1">Aktivan</option>
                                @else($slajder->status == '1')
                                    <option value="0">Neaktivan</option>
                                    <option value="1" selected>Aktivan</option>
                                @endif
                            </select>
                        </td>
                    </tr>
                    <tr>
                        <td colspan="2" align="center" style="padding-
bottom:5px;padding-top: 15px;">
                            <input type="submit" name="btnIzmeni" id="btnIzmeni"
value="Izmeni"/>
                        </td>
                    </tr>
                </table>
            </form>
        </div>

    </div>
    </div>
    </div>

    </section>


@endsection
```

4.6.25.resources/views/pages/admin/adminPanel_tipTretmana.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel - Tip tretmana
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="naslovAdminTable" class="nav-link">Tipovi tretmana</h3>
            </div>
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <div style="padding-left: 1200px;">
                <h5><a class="linkA"  class="nav-link"
href="{{route('adminPanel_tipTretman_insert')}}">Dodaj tip tretmana</a></h5>
            </div>
                <table class="table table-striped adminTable">
                    <thead>
                    <tr>
                        <th scope="col">#</th>
                        <th scope="col">Naziv</th>
                        <th scope="col">Status</th>
                        <th scope="col">Izmeni</th>
                        <th scope="col">Obrisi</th>
                    </tr>
                    </thead>
```

```
                    <tbody>

                    <?php
                    if(isset($_GET['page'])){
                        $perPage = $_GET['page'];
                        if(!isset($perPage) || $perPage == 1){
                            $i = 1;
                        }
                        else{
                            $i = (($perPage -1 ) * 6) + 1;
                        }
                    }else{
                        $i = 1;
                    }
                    ?>
                    @foreach($tipTretman as $tt)
                        <tr>
                            <th scope="row">{{$i}}</th>
                            <?php $i++ ?>
                            <td>{{$tt->tt_naziv}}</td>
                            @if($tt->tt_status == '1')
                                <td>Aktivan</td>
                            @elseif($tt->tt_status == '0')
                                <td>Neaktivan</td>
                            @else
                                <td></td>
                            @endif
                            <td><a class="linkA"
href="{{route('adminPanel_tipTretman_update',['id_tt'=>$tt->id_tt])}}">Izmeni</a></td>
                            @if($tt->tt_status == '0')
                                <td><a class="linkA"
href="{{route('adminPanel_tipTretman_delete',['id_tt'=>$tt->id_tt])}}">Obrisi</a></td>
                            @else
                                <td><a class="linkA"
href="{{route('adminPanel_tipTretman_delete',['id_tt'=>$tt->id_tt])}}">Obrisi</a></td>
                            @endif
                        </tr>
                    @endforeach
                    </tbody>
                </table>
            <div style="margin-left:750px;padding-bottom: 50px;">
                {{ $tipTretman->links() }}
            </div>
            </div>
           </div>

    </div>
    </div>
    </div>
    </section>

@endsection
```

4.6.26.resources/views/pages/admin/adminPanel_tipTretmana_insert.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel
@endsection
```

```
@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="InsertTipTermina" class="nav-link">Dodaj tip tretman</h3>
            </div>
            @if($errors->any())
                <div class="alert alert-danger" style="margin-left: 280px;margin-
right: 700px;">
                    <ul>
                        @foreach ($errors->all() as $error)
                            <li>{{ $error }}</li>
                        @endforeach
                    </ul>
                </div>
            @endif
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <form method="POST" action="{{route('doAdminPanel_tipTretman_insert')}}">
                {{csrf_field()}}
                <table class="adminTable">
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Naziv:</td>
                        <td style="padding-top: 15px;">
                            <input type="text" name="tbNazivTipTretmana"
id="tbNazivTipTretmana" placeholder="Unesite naziv"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Status:</td>
                        <td style="padding-top: 15px;">
                            <select id="ddlStatus" name="ddlStatus">
                                <option value="0">Neaktivan</option>
                                <option value="1">Aktivan</option>
                            </select>
                        </td>
                    </tr>

                    <tr >
                        <td colspan="2" align="center" style="padding-
bottom:5px;padding-top: 15px;"">
                        <input type="submit" name="btnUnesi" id="btnUnesi"
value="Unesi"/>
                        </td>
                    </tr>
                </table>
            </form>
        </div>

    </div>
    </div>
    </div>

    </section>

@endsection
```

4.6.27.resources/views/pages/admin/adminPanel_tipTretmana_update.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="InsertTipTermina" class="nav-link">Dodaj tip tretman</h3>
            </div>
            @if($errors->any())
                <div class="alert alert-danger" style="margin-left: 280px;">
                    <ul>
                        @foreach ($errors->all() as $error)
                            <li>{{ $error }}</li>
                        @endforeach
                    </ul>
                </div>
            @endif
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <form method="POST"
action="{{route('doAdminPanel_tipTretman_update',['id_tt'=>$tipTretman->id_tt])}}">
                {{csrf_field()}}
                <table class="adminTable">
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Naziv:</td>
                        <td style="padding-top: 15px;">
                            <input type="text" name="naziv" id="naziv"
value="{{$tipTretman->tt_naziv}}"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Status:</td>
                        <td style="padding-top: 15px;">
                            <select id="ddlStatus" name="ddlStatus">
                                @if($tipTretman->tt_status == '0')
                                    <option value="0" selected>Neaktivan</option>
                                    <option value="1">Aktivan</option>
                                @else($tipTretman->tt_status == '1')
                                    <option value="0">Neaktivan</option>
                                    <option value="1" selected>Aktivan</option>
                                @endif
                            </select>
                        </td>
                    </tr>
                    <tr>
                        <td colspan="2" align="center" style="padding-
bottom:5px;padding-top: 15px;">
                        <input type="submit" name="btnIzmena" id="btnIzmena"
value="Izmeni tip tretmana"/>
                        </td>
                    </tr>
                </table>
            </form>
```

```
        </div>

    </div>
    </div>
    </div>

    </section>

@endsection
```

4.6.28.resources/views/pages/admin/adminPanel_tretmani.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel - Tretmani
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="naslovAdminTable" class="nav-link">Tretmani </h3>
            </div>
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <table class="table table-striped adminTable">

                <thead>
                <tr>
                    <th scope="col">#</th>
                    <th scope="col">Naziv</th>
                    <th scope="col">Tekst</th>
                    <th scope="col">Tip tretmana</th>
                    <th scope="col">Slika</th>
                    <th scope="col">Status</th>
                    <th scope="col">Izmeni</th>
                    <th scope="col">Obrisi</th>
                </tr>
                </thead>
                <tbody>
                <?php
                if(isset($_GET['page'])){
                    $perPage = $_GET['page'];
                    if(!isset($perPage) || $perPage == 1){
                        $i = 1;
                    }
                    else{
                        $i = (($perPage -1 ) * 6) + 1;
                    }
                }else{
                    $i = 1;
                }
                ?>
                @foreach($tip_tretmana as $t)
{{--                    {{dd($tip_tretmana)}}--}}
                    <tr>
{{--                        <input type="hidden" name="hiddenId" id="hiddenId"
```

```
value="{{$t->id_tt}}"/>--}}
                        <th scope="row">{{$i}}</th>
                        <?php $i++ ?>
                        <td>{{$t->t_naziv}}</td>
                        <td>{{$t->text_tretman}}</td>
                        <td>{{$t->tt_naziv}}</td>
                        <td> <img src="{{asset('/')}}img/{{$t->putanja_slika}}"
width="100px" height="100px" alt="{{$t->t_naziv}}"/></td>
                        @if($t->t_status == '1')
                            <td>Aktivan</td>
                        @elseif($t->t_status == '0')
                            <td>Neaktivan</td>
                            @else
                            <td></td>
                        @endif
                        <td><a class="linkA"
href="{{route('adminPanel_tretmani_update',['id_tretman'=>$t-
>id_tretman])}}">Izmeni</a></td>
                        <td><a class="linkA"
href="{{route('adminPanel_tretmani_delete',['id_tt'=>$t->id_tt,'id_tretman'=>$t-
>id_tretman])}}">Obrisi</a></td>
                    </tr>
                @endforeach

                </tbody>
            </table>
            <div style="margin-left:750px;padding-bottom: 50px;">
                {{ $tip_tretmana->links() }}
            </div>
        </div>

    </div>
    </div>
    </div>

    </section>

@endsection
```

4.6.29. resources/views/pages/admin/adminPanel_ tretmani_insert.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="naslovAdminTable" class="nav-link">Dodaj tretman</h3>
            </div>
            @if($errors->any())
                <div class="alert alert-danger" style="margin-left: 280px;margin-
right: 700px;">
                    <ul>
                        @foreach ($errors->all() as $error)
                            <li>{{ $error }}</li>
                        @endforeach
                    </ul>
```

```
                </div>
            @endif
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <form method="POST" action="{{route('doAdminPanel_tretmani_insert')}}"
enctype="multipart/form-data">
                {{csrf_field()}}
                <table class="adminTable">
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Naziv:</td>
                        <td style="padding-top: 15px;">
                            <input type="text" name="tbNaziv" id="tbNaziv"
placeholder="Unesite naziv tretmana"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Tekst:</td>
                        <td style="padding-top: 25px;">
                            <textarea name="taTekst" rows="8" cols="80"  id="taTekst"
placeholder="Unesite tekst"></textarea>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Tip
tretmana:</td>
                        <td style="padding-top: 25px;">
                            <select id="ddlTipTretmana" name="ddlTipTretmana">
                                <option value="0">Izaberi...</option>
                                @foreach($tip_tretmana as $tt)
                                    <option value="{{$tt->id_tt}}">{{$tt-
>tt_naziv}}</option>
                                @endforeach
                            </select>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Unesi
sliku:</td>
                        <td style="padding-top: 15px;">
                            <input type="file" name="fSlika" id="fSlika"
placeholder="Unesite sliku"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Status:</td>
                        <td style="padding-top: 15px;">
                            <select id="ddlStatus" name="ddlStatus">
                                <option value="0">Neaktivan</option>
                                <option value="1">Aktivan</option>
                            </select>
                        </td>
                    </tr>

                    <tr >
                        <td colspan="2" align="center" style="padding-
bottom:5px;padding-top: 15px;"">
                            <input type="submit" name="btnUnesi" id="btnUnesi"
value="Unesi tretman"/>
                        </td>
                    </tr>
```

```
                </table>
            </form>
        </div>

    </div>
    </div>
    </div>

    </section>

@endsection
```

4.6.30.resources/views/pages/admin/adminPanel_tretmani_update.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="naslovAdminTable" class="nav-link">Tretmani</h3>
            </div>
            @if($errors->any())
                <div class="alert alert-danger" style="margin-left: 280px;margin-
right: 700px;">
                    <ul>
                        @foreach ($errors->all() as $error)
                            <li>{{ $error }}</li>
                        @endforeach
                    </ul>
                </div>
            @endif
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <form method="POST"
action="{{route('doAdminPanel_tretmani_update',['id_tretman'=>$tretman-
>id_tretman])}}" enctype="multipart/form-data">
                {{csrf_field()}}
                <table class="adminTable">
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Naziv:</td>
                        <td style="padding-top: 15px;">
                            <input type="text" name="tbNaziv" id="tbNaziv"
value="{{$tretman->t_naziv}}"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Tekst:</td>
                        <td style="padding-top: 25px;">
                            <textarea name="taTekst" rows="8" cols="80"
id="taTekst">{{$tretman->text_tretman}}</textarea>
                        </td>
                    </tr>
                    <tr>
```

```
                        <td style="padding-top: 20px;padding-left: 50px;">Tip
tretmana:</td>
                        <td style="padding-top: 25px;">
                            <select id="ddlTipTretmana" name="ddlTipTretmana">
                                @isset($tip_tretmana)
                                    @foreach($tip_tretmana as $tt)
                                        @if($tt->id_tt == $tretman->tt_id)
                                            <option value="{{$tt->id_tt}}"
selected>{{$tt->tt_naziv}}</option>
                                        @else
                                            <option value="{{$tt->id_tt}}">{{$tt-
>tt_naziv}}</option>
                                        @endif
                                    @endforeach
                                @endisset
                            </select>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Slika:</td>
                        <td style="padding-top: 15px;">
                            <img src="{{asset('/')}}img/{{$tretman->putanja_slika}}"
width="100px" height="100px" alt="{{$tretman->t_naziv}}"/></td>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Izmeni
sliku:</td>
                        <td style="padding-top: 15px;">
                            <input type="file" name="fSlika" id="fSlika"
placeholder="Unesite sliku"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Status:</td>
                        <td style="padding-top: 15px;">
                            <select id="ddlStatus" name="ddlStatus">
                                @if($tretman->t_status == '0')
                                    <option value="0" selected>Neaktivan</option>
                                    <option value="1">Aktivan</option>
                                @else($tretman->t_status == '1')
                                    <option value="0">Neaktivan</option>
                                    <option value="1" selected>Aktivan</option>
                                @endif
                            </select>
                        </td>
                    </tr>
                    <tr >
                        <td colspan="2" align="center" style="padding-
bottom:5px;padding-top: 15px;">
                        <input type="submit" name="btnIzmeni" id="btnIzmeni"
value="Izmeni tretman"/>
                        </td>
                    </tr>
                </table>
            </form>
        </div>

    </div>
    </div>
    </div>

    </section>
```

```
@endsection
```

4.6.31. resources/views/pages/admin/otkazani.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel - Otkazani
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="naslovAdminTableZakazani" class="nav-link">Otkazani
termini</h3>
            </div>
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <div style="margin-left: 600px;padding-bottom: 10px;">
                <label style="color: #4B3049;font-size: 16px;">Sortiraj po
datumu:</label>
                <input type="date"name="sortByDateOtkazane" id="sortByDateOtkazane"/>
                {{--                </form>--}}
            </div>
            <div id="ispis">
                <table class="table table-striped adminTable">
                    <thead>
                    <tr>
                        <th scope="col">#</th>
                        <th scope="col">Ime</th>
                        <th scope="col">Prezime</th>
                        <th scope="col">Email</th>
                        <th scope="col">Broj telefona</th>
                        <th scope="col">Datum</th>
                        <th scope="col">Zakazni tretman</th>
                        <th scope="col">Termin</th>
                        <th scope="col">Status termina</th>
                        <th scope="col">Obriši</th>
                    </tr>
                    </thead>
                    <tbody>
                    <div id="ispis">
                        <?php
                        if(isset($_GET['page'])){
                            $perPage = $_GET['page'];
                            if(!isset($perPage) || $perPage == 1){
                                $i = 1;
                            }
                            else{
                                $i = (($perPage -1 ) * 6) + 1;
                            }
                        }else{
                            $i = 1;
                        }
                        ?>
```

```
                        @foreach($zakazani as $z)
                            {{--                        {{dd($z)}}--}}
                            <tr>
                                <th scope="row">{{$i}}</th>
                                <?php $i++;     ?>
                                <td>{{$z->ime}}</td>
                                <td>{{$z->prezime}}</td>
                                <td>{{$z->email}}</td>
                                <td>{{$z->br_tel}}</td>
                                <td>{{date("d.m.Y",$z->datum)}}</td>
                                <td>{{$z->t_naziv}}</td>
                                <td>{{$z->vreme}}</td>
                                @if($z->status_termina == '0')
                                    <td>Otkazano</td>
                                @else
                                    <td>Zakazano</td>
                                @endif
                                @if($z->status_termina == '0')
                                    <td><a  class="linkA"
href="{{route('doOtkazaniA',['id_zakazano'=>$z->id_zakazano])}}">Obriši</a></td>
                                @else
                                    <td><a  class="linkA"
href="{{route('doOtkazaniA',['id_zakazano'=>$z->id_zakazano])}}">Otkaži</a></td>
                                @endif
                            </tr>
                    @endforeach
                    </tbody>
                </table>
                <div style="margin-left:750px;padding-bottom: 50px;">
                    {{ $zakazani->links() }}
                </div>
            </div>

        </div>
    </div>
    </div>

    </section>

@endsection
```

4.6.32. resources/views/pages/admin/zakazani.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel - Zakazani
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="naslovAdminTableZakazani" class="nav-link">Zakazani
termini</h3>
            </div>
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
```

```
            </div>
            <div style="margin-left: 600px;padding-bottom: 10px;">
                    <label style="color: #4B3049;font-size: 16px;">Sortiraj po
datumu:</label>
                    <input type="date"name="sortByDateAP" id="sortByDateAP"/>
            </div>
            <div style="padding-left: 1190px;">
                <h5><a class="linkA"  class="nav-link"
href="{{route('adminPanel_zakazano_insert')}}">Zakaži termin</a></h5>
            </div>
            <div id="ispis">
                <table class="table table-striped adminTable">
                    <thead>
                    <tr>
                        <th scope="col">#</th>
                        <th scope="col">Ime</th>
                        <th scope="col">Prezime</th>
                        <th scope="col">Email</th>
                        <th scope="col">Broj telefona</th>
                        <th scope="col">Datum</th>
                        <th scope="col">Zakazni tretman</th>
                        <th scope="col">Termin</th>
                        <th scope="col">Status termina</th>
                        <th scope="col">Izmeni</th>
                        <th scope="col">Otkaži</th>
                    </tr>
                    </thead>
                    <tbody>
                    <div id="ispis">
                        <?php
                        if(isset($_GET['page'])){
                            $perPage = $_GET['page'];
                            if(!isset($perPage) || $perPage == 1){
                                $i = 1;
                            }
                            else{
                                $i = (($perPage -1 ) * 6) + 1;
                            }
                        }else{
                            $i = 1;
                        }
                        ?>
                    @foreach($zakazani as $z)
                        <tr>
                            <th scope="row">{{$i}}</th>
                            <?php $i++;     ?>
                            <td>{{$z->ime}}</td>
                            <td>{{$z->prezime}}</td>
                            <td>{{$z->email}}</td>
                            <td>{{$z->br_tel}}</td>
                            <td>{{date("d.m.Y",$z->datum)}}</td>
                            <td>{{$z->t_naziv}}</td>
                            @if($z->status_termina == '0')
                                <td>Otkazano</td>
                            @else
                                <td>Zakazano</td>
                            @endif
                                <td>{{$z->vreme}}</td>
                            <td><a class="linkA"
href="{{route('adminPanel_zakazano_update',['id_zakazano'=>$z-
>id_zakazano])}}">Izmeni</a></td>

                            @if($z->status_termina == '0')
```

```
                                <td><a  class="linkA"
href="{{route('adminPanel_zakazani_delete',['id_zakazano'=>$z-
>id_zakazano])}}">Obriši</a></td>
                            @else
                                <td><a  class="linkA"
href="{{route('adminPanel_zakazani_delete',['id_zakazano'=>$z-
>id_zakazano])}}">Otkaži</a></td>
                            @endif
                        </tr>
                    @endforeach
                    </tbody>
                </table>
                <div style="margin-left:750px;padding-bottom: 50px;">
                    {{ $zakazani->links() }}
                </div>
            </div>

    </div>
    </div>
    </div>

    </section>

@endsection
```

4.6.33.resources/views/pages/admin/zakazani_insertblade.php

```
@extends('layout.index')

@section('title')
    Admin Panel - Zakazati termin
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="naslovAdminTable" class="nav-link">Zakaži termin</h3>
            </div>
            @if($errors->any())
                <div class="alert alert-danger" style="margin-left: 280px;margin-
right: 700px;">
                    <ul>
                        @foreach ($errors->all() as $error)
                            <li>{{ $error }}</li>
                        @endforeach
                    </ul>
                </div>
            @endif
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <form method="POST" action="{{route('doAdminPanel_zakazano_insert')}}" >
                {{csrf_field()}}
                <table class="adminTable">
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Ime:</td>
                        <td style="padding-top: 15px;">
                            <input type="text" name="ime" id="ime"
```

```
placeholder="Unesite ime"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left:
50px;">Prezime:</td>
                        <td style="padding-top: 25px;">
                            <input type="text" name="prezime" id="prezime"
placeholder="Unesite prezime"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Email:</td>
                        <td style="padding-top: 25px;">
                            <input type="text" name="email" id="email"
placeholder="Unesite email"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Broj
telefona:</td>
                        <td style="padding-top: 25px;">
                            <input type="text" name="brTel" id="brTel"
placeholder="Unesite broj telefona"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left:
50px;">Tretman:</td>
                        <td style="padding-top: 25px;">
                            <select class="form-control" style="border:1px solid
#4B3049;color:#4B3049;" name="ddlTretman" id="ddlTretman">
                                <option class="form-control" value="0">Odaberite
tretman</option>

                                @foreach($tretmani as $t)
                                    <option class="form-control" value="{{$t-
>id_tretman}}">{{$t->t_naziv}}</option>
                                @endforeach
                            </select>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Datum:</td>
                        <td style="padding-top: 25px;">
                            <?php
                                $danasnji_datum = time();
                                $datum = date("Y-m-d",$danasnji_datum);
//                                dd($datum);
                            ?>
                            <input class="form-control" style="border:1px solid
#4B3049;color:#4B3049;" name="datum" id="datum" min="{{$datum}}" type="date"
placeholder='Odaberite datum'/>
                        </td>
                    </tr>
                    <div id="ispis">
                    <tr>
                        <td style="padding-top: 20px;padding-left:
50px;">Termini:</td>
                        <td style="padding-top: 25px;">
                            <select class="form-control" style="border:1px solid
#4B3049;color:#4B3049;" name="ddlTermini" id="ddlTermini" disabled>
                                <option class="form-control" value="0">Odaberite
```

```
termin</option>
                                </select>
                            </td>
                        </tr>
                        </div>
                        <tr >
                            <td colspan="2" align="center" style="padding-
bottom:5px;padding-top: 15px;"">
                            <input type="submit" name="btnZakazi" id="btnZakazi"
value="Zakaži tretman"/>
                            </td>
                        </tr>
                    </table>
                </form>
            </div>

        </div>
        </div>
        </div>

        </section>

@endsection
```

4.6.34. resources/views/pages/admin/zakazani_update.blade.php

```
@extends('layout.index')

@section('title')
    Izmena zaakazanog
@endsection

@section('content')
    <div id="log" class="col-lg-8">
        <div style="height: 750px;width:1000px;margin-left: 500px;
/* display: flex;
   align-items: center;
   justify-content: center;*/">
            <div style="padding-top:70px;letter-spacing: 2px;">
                <div class="row">
                    <div class="col-12">
                        <h2 class="contact-title">Izmena zakazanog termina</h2>
                    </div>
                    <div class="col-lg-8">
                        <div class="move_right" style="color: #4B3049;/*margin-left:
300px;*/padding-bottom: 50px;">
                            @empty(!session('poruka'))
                                {{session('poruka')}}
                            @endempty
                        </div>
                        <form method="POST"
action="{{route('doAdminPanel_zakazano_update',['id_zakazano'=>$zakazani-
>id_zakazano])}}" >
                            @csrf
                            <div class="row">
                                <div class="col-12">
                                    <div class="form-group">
                                        <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="ime" id="ime" type="text"
onfocus="this.placeholder = ''"
                                                onblur="this.placeholder = 'Enter your
```

```
name'" value="{{$zakazani->ime}}">
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="prezime" id="prezime" type="text"
onfocus="this.placeholder = ''"
                                               onblur="this.placeholder = 'Enter email
address'" value="{{$zakazani->prezime}}">
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="email" id="email" type="email"
onfocus="this.placeholder = ''"
                                               onblur="this.placeholder = 'Enter
Subject'" value="{{$zakazani->email}}">
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="brTel" id="brTel" type="text"
onfocus="this.placeholder = ''"
                                               onblur="this.placeholder = 'Enter
Subject'" value="{{$zakazani->br_tel}}">
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="datum" id="datum" type="date"
onfocus="this.placeholder = ''"
                                               onblur="this.placeholder = 'Enter
Subject'" value="{{date("Y-m-d",$zakazani->datum)}}">
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <select class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="ddlTretman" id="ddlTretman">
                                            <option class="form-control"
value="0">Odaberite tretman</option>

                                            @foreach($tretmani as $t)
                                                @if($t->id_tretman == $zakazani-
>tretman_id)
                                                    <option class="form-control"
value="{{$t->id_tretman}}" selected>{{$t->t_naziv}}</option>
                                                @else
                                                    <option class="form-control"
value="{{$t->id_tretman}}">{{$t->t_naziv}}</option>
                                                @endif
                                            @endforeach
                                        </select>
                                    </div>
                                </div>

                                <div class="col-12">
                                    <div class="form-group">
                                        <select class="form-control" style="border:1px
```

```
solid #4B3049;color:#4B3049;" name="ddlTermini" id="ddlTermini">
                                        <option class="form-control"
value="0">Odaberite termin</option>
                                        @foreach($termin as $t)
                                            @if($t->id_termini == $zakazani-
>termin_id)
                                                <option class="form-control"
value="{{$t->id_termini}}" selected>{{$t->vreme}}</option>
                                            @else
                                                <option class="form-control"
value="{{$t->id_termini}}">{{$t->vreme}}</option>
                                            @endif
                                        @endforeach
                                    </select>
                                </div>
                            </div>

                            <div class="col-12">
                                <div class="form-group">
                                    <select class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="ddlStatus" id="ddlStatus">
                                        @if($zakazani->status_termina == 0)
                                            <option class="form-control" value="0"
selected>Otkazano</option>
                                            <option class="form-control"
value="1">Zakazano</option>
                                        @else
                                            <option class="form-control" value="0"
selected>Otkazano</option>
                                            <option class="form-control" value="1"
selected>Zakazano</option>
                                        @endif
                                    </select>
                                </div>
                            </div>
                        </div>
                        <div class="form-group mt-3" align="center">
                            <input type="submit" name="btnIzmeni" id="btnIzmeni"
style="background-color:  #B08EAD;" class="btn_3 button-contactForm" value="Izmeni" />
                        </div>
                    </form>
                </div>
            </div>

        </div>
    </div>

    </div>
    </div>
    </section>

@endsection
```

4.6.35.resources/views/pages/blog/blog.blade.php

```
@extends('layout.index')

@section('title')
    Blog
@endsection
```

```
@section('content')

<!--================Blog Area =================-->
<section class="blog_area section_padding">
    <div class="container">
        <div class="row">
            <div class="col-lg-8 mb-5 mb-lg-0">
                <div class="blog_left_sidebar">
                    <div class="move_right poruka">
                        @empty(!session('poruka'))
                            {{session('poruka')}}
                        @endempty
                    </div>
                <div id="ispis">
                    @foreach($blog as $b)
                    <article class="blog_item ">
                        <div class="blog_item_img">
                            <img class="card-img rounded-0" width="400px"
height="400px" src="{{asset('/')}}img/{{$b->putanja_slika_blog}}" alt="{{$b-
>naslov_blog}}">
                        </div>
                        <div class="blog_details ">
                            <a class="d-inline-block"
href="{{route('oneBlog',['id_blog'=>$b->id_blog])}}">
                                <h2>{{$b->naslov_blog}}</h2>
                            </a>
                            <h4>{{$b->podnaslov_blog}}</h4>
                            <p>
                                {{$truncated = Str::limit($b->text_blog, 200, '
(...)')}}
                            </p>
                            <b><a href="{{route('oneBlog',['id_blog'=>$b->id_blog])}}"
style="color:#B08EAD;">Više</a></b>
                        </div>
                    </article>
                    @endforeach
                </div>
                    <div style="margin-left: 450px;">
                        {{ $blog->links() }}
                    </div>
                </div>
                </div>
                    <div class="col-lg-4">
                        <div class="blog_right_sidebar">
                            <aside class="single_sidebar_widget search_widget">
                                    <div class="form-group">
                                        <div class="input-group mb-3">
                                            <input type="text" name="searchBloger"
id="searchBloger" class="form-control" placeholder='Search Keyword'
                                                   onfocus="this.placeholder = ''"
                                                   onblur="this.placeholder = 'Search
Keyword'">
                                        </div>
                                    </div>
                                    <input class="button rounded-0 primary-bg text-
white w-100 btn_1 btnSearch" name="btnSearchBloger" id="btnSearchBloger"
                                           type="submit" value="Search"/>
                            </aside>

                        </div>
                    </div>
                </div>
        </div>
```

```
</section>
<!--=================Blog Area ==================-->
</div>
</div>
</div>
</div>
</section>

@endsection
```

4.6.36. resources/views/pages/ blog / izmeniBlog .blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="naslovAdminTable" class="nav-link">Unesi blog</h3>
            </div>
            @if($errors->any())
                <div class="alert alert-danger" style="margin-left: 280px;margin-
right: 700px;">
                    <ul>
                        @foreach ($errors->all() as $error)
                            <li>{{ $error }}</li>
                        @endforeach
                    </ul>
                </div>
            @endif
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <form action="{{route('doBlog_update',['id_blog'=>$blog->id_blog])}}"
method="POST" enctype="multipart/form-data">
                {{csrf_field()}}
                <table class="adminTable">
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Naslov
bloga:</td>
                        <td style="padding-top: 15px;">
                            <input type="text" name="tbNaslovBlog" id="tbNaslovBlog"
value="{{$blog->naslov_blog}}"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Podnaslov
bloga:</td>
                        <td style="padding-top: 25px;">
                            <textarea rows="8" cols="80"  name="tbPodnaslovBlog"
id="tbPodnaslovBlog" >{{$blog->podnaslov_blog}}</textarea>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Tekst
```

```
bloga:</td>
                        <td style="padding-top: 25px;">
                            <textarea rows="8" cols="80" name="tbTekstBlog"
id="tbTekstBlog" >{{$blog->text_blog}}</textarea>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Slika:</td>
                        <td style="padding-top: 25px;">  <img class="img-fluid"
src="{{asset('/')}}img/{{$blog->putanja_slika_blog}}" width="200px" height="250px"
alt="{{$blog->naslov_blog}}"/></td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Izmeni
sliku:</td>
                        <td style="padding-top: 15px;">
                            <input type="file" name="unosSlike" id="unosSlike"
placeholder="Unesite sliku"/>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Status:</td>
                        <td style="padding-top: 15px;">
                            <select id="ddlBlog" name="ddlBlog">
                                @if($blog->status == '0')
                                    <option value="0" selected>Neaktivan</option>
                                    <option value="1">Aktivan</option>
                                @else($blog->status == '1')
                                    <option value="0">Neaktivan</option>
                                    <option value="1" selected>Aktivan</option>
                                @endif
                            </select>
                        </td>
                    </tr>
                    <tr>
                        <td colspan="2" align="center" style="padding-
bottom:5px;padding-top: 15px;">
                            <input type="submit" name="btnIzmeni" id="btnIzmeni"
value="Izmeni"/>
                        </td>
                    </tr>
                </table>
            </form>
        </div>
    </div>
    </div>
    </div>

    </section>

@endsection
```

4.6.37.resources/views/pages/ blog /oneBlog.blade.php

```
@extends('layout.index')

@section('title')
    Blog
@endsection

@section('content')
```

```
    <!-----------------Blog Area ----------------->
    <section class="blog_area single-post-area section_padding blogSection">
        <div class="container">
            <div class="row">
                <div class="col-lg-8 posts-list">
                    <div class="col-lg-4 searchBlog">
                        <div class="blog_right_sidebar">
                        </div>
                    </div>
                    <div class="single-post">
                        <div class="feature-img">
                            <img class="img-fluid" src="{{asset('/')}}img/{{$oneBlog-
>putanja_slika_blog}}" alt="">
                        </div>
                        <div class="blog_details">
                            <h2>{{$oneBlog->naslov_blog}}</h2>
                            <p class="excert">
                                {{$oneBlog->podnaslov_blog}}
                            </p>
                            <p>
                               {{$oneBlog->text_blog}}
                            </p>
                            <p>
                                {{date("d.m.Y",$oneBlog->postavljeno)}}
                            </p>
                        </div>
                    </div>
                    <div class="blog-author">
                        <div class="media align-items-center">
                            <img src="{{asset('/')}}img/spela4.gif" alt="spela">
                            <div class="media-body">
                                <a href="#">
                                    <h4>Špela Klajnšček Mikosavljević</h4>
                                </a>
                                <p>"Spelin citat"</p>
                            </div>
                        </div>
                    </div>
            </div>
        </div>
    </section>
    <!-----------------Blog Area end ----------------->
    </div>
    </div>
    </div>
    </section>

@endsection
```

4.6.38. resources/views/pages/ blog /sviBlogovi.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel Blog
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
```

```
            <div style="width:500px;">
                <h3 class="naslovAdminTable" class="nav-link">Blog</h3>
            </div>
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <div style="margin-left: 600px;padding-bottom: 10px;">
                <label style="color: #4B3049;font-size: 16px;">Sortiraj po
datumu:</label>
                <input type="date"name="sortByDateBlog" id="sortByDateBlog"/>
            </div>
            @if(session()->has('user') && session()->get('user')->naziv == 'admin')
                <div style="width: 500px;padding-left: 1200px;">
                    <h5><a class="linkA"  class="nav-link"
href="{{route('adminPanel_blog_insert')}}">Dodaj blog</a></h5>
                </div>
            @endif
            <div id="ispis">
                <table class="table table-striped adminTable">
                    <thead>
                    <tr>
                        <th scope="col">#</th>
                        <th scope="col">Naslov</th>
                        <th scope="col">Podnaslov</th>
                        <th scope="col">Text</th>
                        <th scope="col">Slika</th>
                        <th scope="col">Postavljeno</th>
                        <th scope="col">Status</th>
                        <th scope="col">Izmeni</th>
                        <th scope="col">Obrisi</th>
                    </tr>
                    </thead>
                    <tbody>
                    <?php
                    if(isset($_GET['page'])){
                        $perPage = $_GET['page'];
                        if(!isset($perPage) || $perPage == 1){
                            $i = 1;
                        }
                        else{
                            $i = (($perPage -1 ) * 6) + 1;
                        }
                    }else{
                        $i = 1;
                    }
                    ?>
                    @foreach($blog as $b)
                        <tr>
                            <th scope="row">{{$i}}</th>
                            <?php $i++ ?>
                            <td>{{$b->naslov_blog}}</td>
                            <td>{{$b->podnaslov_blog}}</td>
                            <td>{{$b->text_blog}}</td>
                            <td>  <img class="img-fluid" src="{{asset('/')}}img/{{$b-
>putanja_slika_blog}}" width="200px" height="250px" alt="{{$b->naslov_blog}}"/></td>
                            <td>{{date('d.m.Y.',$b->postavljeno)}}</td>
                            @if($b->status == 1)
                                <td>Aktivan</td>
                            @else
                                <td>Neaktivan</td>
                            @endif
```

```
                            <td><a class="linkA"
href="{{route('blog_update',['id_blog'=>$b->id_blog])}}">Izmeni</a></td>
                            <td><a  class="linkA"
href="{{route('blog_delete',['id_blog'=>$b->id_blog])}}">Obrisi</a></td>
                        </tr>
                    @endforeach
                    </tbody>
                </table>
                <div style="margin-left:750px;padding-bottom: 50px;">
                    {{ $blog->links() }}
                </div>
            </div>
        </div>
    </div>
    </div>
    </div>
    </section>

@endsection
```

4.6.39. resources/views/pages/ blog /unosBlog.blade.php

```
@extends('layout.index')

@section('title')
    Admin Panel
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="naslovAdminTable" class="nav-link">Unesi blog</h3>
            </div>
            @if($errors->any())
                <div class="alert alert-danger" style="margin-left: 280px;margin-
right: 700px;">
                    <ul>
                        @foreach ($errors->all() as $error)
                            <li>{{ $error }}</li>
                        @endforeach
                    </ul>
                </div>
            @endif
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <form action="{{route('doBlog_insert')}}" method="POST"
enctype="multipart/form-data">
                {{csrf_field()}}
                <table class="adminTable">
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Naslov
bloga:</td>
                        <td style="padding-top: 15px;">
                            <input type="text" name="tbNaslovBlog" id="tbNaslovBlog"
placeholder="Unesi naslov bloga"/>
                        </td>
                    </tr>
```

```
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Podnaslov
bloga:</td>
                        <td style="padding-top: 25px;">
                            <textarea rows="8" cols="80"  name="tbPodnaslovBlog"
id="tbPodnaslovBlog" placeholder="Unesi podnaslov bloga"></textarea>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Tekst
bloga:</td>
                        <td style="padding-top: 25px;">
                            <textarea rows="8" cols="80" name="tbTekstBlog"
id="tbTekstBlog" placeholder="Unesi tekst bloga"></textarea>
                        </td>
                    </tr>
                    <tr>
                        <td style="padding-top: 20px;padding-left: 50px;">Unesi
sliku:</td>
                        <td style="padding-top: 15px;">
                            <input type="file" name="unosSlike" id="unosSlike" />
                        </td>
                    </tr>
                    <tr>
                        <td colspan="2" align="center" style="padding-
bottom:5px;padding-top: 15px;">
                            <input type="submit" name="btnDodaj" id="btnDodaj"
value="Dodaj"/>
                        </td>
                    </tr>
                </table>
            </form>
        </div>

    </div>
    </div>
    </div>

    </section>

@endsection
```

4.6.40.resources/views/pages/zaposleni/otkazani.blade.php

```
@extends('layout.index')

@section('title')
    Zaposleni - Otkazani termini
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="naslovAdminTableZakazani" class="nav-link">Otkazani
termini</h3>
            </div>
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
```

```
                @endempty
            </div>
            <div style="margin-left: 600px;padding-bottom: 10px;">
                <label style="color: #4B3049;font-size: 16px;">Sortiraj po
datumu:</label>
                <input type="date"name="sortByDateOtkazane" id="sortByDateOtkazane">
            </div>
            <div id="ispis">
                <table class="table table-striped adminTable">
                    <thead>
                    <tr>
                        <th scope="col">#</th>
                        <th scope="col">Ime</th>
                        <th scope="col">Prezime</th>
                        <th scope="col">Email</th>
                        <th scope="col">Broj telefona</th>
                        <th scope="col">Datum</th>
                        <th scope="col">Zakazni tretman</th>
                        <th scope="col">Termin</th>
                        <th scope="col">Status termina</th>
                    </tr>
                    </thead>
                    <tbody>
                    <div id="ispis">
                        <?php
                        if(isset($_GET['page'])){
                            $perPage = $_GET['page'];
                            if(!isset($perPage) || $perPage == 1){
                                $i = 1;
                            }
                            else{
                                $i = (($perPage -1 ) * 6) + 1;
                            }
                        }else{
                            $i = 1;
                        }
                        ?>
                        @foreach($zakazani as $z)
                            <tr>
                                <th scope="row">{{$i}}</th>
                                <?php $i++;     ?>
                                <td>{{$z->ime}}</td>
                                <td>{{$z->prezime}}</td>
                                <td>{{$z->email}}</td>
                                <td>{{$z->br_tel}}</td>
                                <td>{{date("d.m.Y",$z->datum)}}</td>
                                <td>{{$z->t_naziv}}</td>
                                <td>{{$z->vreme}}</td>
                                @if($z->status_termina == '0')
                                    <td>Otkazano</td>
                                @else
                                    <td>Zakazano</td>
                                @endif
                            </tr>
                    @endforeach
                    </tbody>
                </table>
                <div style="margin-left:750px;padding-bottom: 50px;">
                    {{ $zakazani->links() }}
                </div>
            </div>
        </div>
    </div>
```

```
    </div>

    </section>

@endsection
```

4.6.41. resources/views/pages/ zaposleni /zakazani.blade.php

```
@extends('layout.index')

@section('title')
    Zakazani
@endsection

@section('content')
    <div>
        <div class="divAdminTable">
            <div style="width:500px;">
                <h3 class="naslovAdminTableZakazani" class="nav-link">Zakazani
termini</h3>
            </div>
            <div class="move_right poruka">
                @empty(!session('poruka'))
                    {{session('poruka')}}
                @endempty
            </div>
            <div style="margin-left: 600px;padding-bottom: 10px;">
                <label style="color: #4B3049;font-size: 16px;">Sortiraj po
datumu:</label>
                <input type="date"name="sortByDate" id="sortByDate"/>
            </div>
            <div id="ispis">
            <table class="table table-striped adminTable">
                <thead>
                <tr>
                    <th scope="col">#</th>
                    <th scope="col">Ime</th>
                    <th scope="col">Prezime</th>
                    <th scope="col">Email</th>
                    <th scope="col">Datum</th>
                    <th scope="col">Broj telefona</th>
                    <th scope="col">Zakazni tretman</th>
                    <th scope="col">Termin</th>
                    <th scope="col">Status termina</th>
                    <th scope="col">Izmeni</th>
                    <th scope="col">Obrisi</th>
                </tr>
                </thead>
                <tbody>
                <?php
                if(isset($_GET['page'])){
                    $perPage = $_GET['page'];
                    if(!isset($perPage) || $perPage == 1){
                        $i = 1;
                    }
                    else{
                        $i = (($perPage -1 ) * 6) + 1;
                    }
                }else{
                    $i = 1;
```

```
                }
                ?>
                @foreach($zakazani as $z)
                    <tr>
                        <th scope="row">{{$i}}</th>
                        <?php $i++ ?>
                        <td>{{$z->ime}}</td>
                        <td>{{$z->prezime}}</td>
                        <td>{{$z->email}}</td>
                        <td>{{date("d.m.Y",$z->datum)}}</td>
                        <td>{{$z->br_tel}}</td>
                        <td>{{$z->t_naziv}}</td>
                        <td>{{$z->vreme}}</td>
                        @if($z->status_termina == '0')
                            <td>Otkazano</td>
                        @else
                            <td>Zakazano</td>
                        @endif
                        <td><a class="linkA"
href="{{route('zakazani_update',['id_zakazano'=>$z->id_zakazano])}}">Izmeni</a></td>
                        @if($z->status_termina == '0')
                            <td>Otkazano</td>
                        @else
                            <td><a  class="linkA"
href="{{route('zakazani_delete',['id_zakazano'=>$z->id_zakazano])}}">Otkaži</a></td>
                        @endif
                    </tr>
                @endforeach
                </tbody>
            </table>
                <div style="margin-left:750px;padding-bottom: 50px;">
                    {{ $zakazani->links() }}
                </div>
            </div>
        </div>
    </div>
    </div>
    </div>

    </section>

@endsection
```

4.6.42.resources/views/pages/zaposleni/ zakazani_update.blade.php

```
@extends('layout.index')

@section('title')
    Izmena zaakazanog
@endsection

@section('content')
    <div id="log" class="col-lg-8">
        <div style="height: 750px;width:1000px;margin-left: 500px;
/* display: flex;
   align-items: center;
   justify-content: center;*/">
            <div style="padding-top:70px;letter-spacing: 2px;">
                <div class="row">
                    <div class="col-12">
                        <h2 class="contact-title">Izmena zakazanog termina</h2>
```

```
                    </div>
                    <div class="col-lg-8">
                        <div class="move_right poruka">
                            @empty(!session('poruka'))
                                {{session('poruka')}}
                            @endempty
                        </div>
                        <form method="POST"
action="{{route('doZakazani_update',['id_zakazano'=>$zakazani->id_zakazano])}}" >
                            @csrf
                            <div class="row">
                                <div class="col-12">
                                    <div class="form-group">
                                        <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="ime" id="ime" type="text"
onfocus="this.placeholder = ''"
                                                onblur="this.placeholder = 'Enter your
name'" value="{{$zakazani->ime}}">
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="prezime" id="prezime" type="text"
onfocus="this.placeholder = ''"
                                                onblur="this.placeholder = 'Enter email
address'" value="{{$zakazani->prezime}}">
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="email" id="email" type="email"
onfocus="this.placeholder = ''"
                                                onblur="this.placeholder = 'Enter
Subject'" value="{{$zakazani->email}}">
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="brTel" id="brTel" type="text"
onfocus="this.placeholder = ''"
                                                onblur="this.placeholder = 'Enter
Subject'" value="{{$zakazani->br_tel}}">
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="datum" id="datum" type="date"
onfocus="this.placeholder = ''"
                                                onblur="this.placeholder = 'Enter
Subject'" value="{{date("Y-m-d",$zakazani->datum)}}">
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <select class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="ddlTretman" id="ddlTretman">
                                            <option class="form-control"
value="0">Odaberite tretman</option>
```

```
                                            @foreach($tretmani as $t)
                                                @if($t->id_tretman == $zakazani-
>tretman_id)
                                                    <option class="form-control"
value="{{$t->id_tretman}}" selected>{{$t->t_naziv}}</option>
                                                @else
                                                    <option class="form-control"
value="{{$t->id_tretman}}">{{$t->t_naziv}}</option>
                                                @endif
                                            @endforeach
                                        </select>
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <select class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="ddlTermini" id="ddlTermini">
                                            <option class="form-control"
value="0">Odaberite termin</option>
                                            @foreach($termin as $t)
                                                @if($t->id_termini == $zakazani-
>termin_id)
                                                    <option class="form-control"
value="{{$t->id_termini}}" selected>{{$t->vreme}}</option>
                                                @else
                                                    <option class="form-control"
value="{{$t->id_termini}}">{{$t->vreme}}</option>
                                                @endif
                                            @endforeach
                                        </select>
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <select class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="ddlStatus" id="ddlStatus">
                                            @if($zakazani->status_termina == 0)
                                                <option class="form-control" value="0"
selected>Otkazano</option>
                                                <option class="form-control"
value="1">Zakazano</option>
                                            @else
                                                <option class="form-control" value="0"
selected>Otkazano</option>
                                                <option class="form-control" value="1"
selected>Zakazano</option>
                                            @endif
                                        </select>
                                    </div>
                                </div>
                            </div>
                            <div class="form-group mt-3" align="center">
                                <input type="submit" name="btnIzmeni" id="btnIzmeni"
style="background-color:  #B08EAD;" class="btn_3 button-contactForm" value="Izmeni" />
                            </div>
                        </form>
                    </div>
                </div>
            </div>
        </div>
    </div>
    </div>
    </section>
```

```
@endsection
```

4.6.43. resources/views/pages/ zaposleni /zakazi.blade.php

```
@extends('layout.index')

@section('title')
    Izmena zaakazanog
@endsection

@section('content')
    <div id="log" class="col-lg-8">
        <div style="height: 750px;width:1000px;margin-left: 500px;
/* display: flex;
   align-items: center;
   justify-content: center;*/">
            <div style="padding-top:70px;letter-spacing: 2px;">
                <div class="row">
                    <div class="col-12">
                        <h2 class="contact-title">Zakazivanje termina</h2>
                    </div>
                    <div class="col-lg-8">
                        @if($errors->any())
                            <div class="alert alert-danger">
                                <ul>
                                    @foreach ($errors->all() as $error)
                                        <li>{{ $error }}</li>
                                    @endforeach
                                </ul>
                            </div>
                        @endif
                        <div class="move_right poruka">
                            @empty(!session('poruka'))
                                {{session('poruka')}}
                            @endempty
                        </div>
                        <form method="POST" action="{{route('doZakazani_insert')}}" >
                            @csrf
                            <div class="row">
                                <div class="col-12">
                                    <div class="form-group">
                                        <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="ime" id="ime" type="text"
onfocus="this.placeholder = ''"
                                                onblur="this.placeholder = 'Enter your
name'" placeholder='Unesite svoje ime'>
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="prezime" id="prezime" type="text"
onfocus="this.placeholder = ''"
                                                onblur="this.placeholder = 'Enter email
address'" placeholder='Unesite svoje prezime'>
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="email" id="email" type="email"
```

```
onfocus="this.placeholder = ''"
                                                onblur="this.placeholder = 'Enter
Subject'" placeholder='Unesite svoje email'>
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="brTel" id="brTel" type="text"
onfocus="this.placeholder = ''"
                                                onblur="this.placeholder = 'Enter
Subject'" placeholder='Unesite svoj broj telefona'>
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <select class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="ddlTretman" id="ddlTretman">
                                            <option class="form-control"
value="0">Odaberite tretman</option>
                                            @foreach($tretmani as $t)
                                                <option class="form-control"
value="{{$t->id_tretman}}">{{$t->t_naziv}}</option>
                                            @endforeach
                                        </select>
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <?php
                                        $danasnji_datum = time();
                                        $datum = date("Y-m-d",$danasnji_datum);
//                                                                              dd($datum);
                                        ?>
                                        <input class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="datum" id="datum" type="date" min="{{$datum}}"
onfocus="this.placeholder = ''"
                                                onblur="this.placeholder = 'Enter
Subject'" placeholder='Odaberite datum'>
                                    </div>
                                </div>
                                <div class="col-12">
                                    <div class="form-group">
                                        <select class="form-control" style="border:1px
solid #4B3049;color:#4B3049;" name="ddlTermini" id="ddlTermini">
                                            <option class="form-control"
value="0">Odaberite termin</option>
                                            @foreach($termin as $t)
                                                <option class="form-control"
value="{{$t->id_termini}}">{{$t->vreme}}</option>
                                            @endforeach
                                        </select>
                                    </div>
                                </div>
                            </div>
                            <div class="form-group mt-3" align="center">
                                <input type="submit" name="btnZakazi" id="btnZakazi"
style="background-color:  #B08EAD;" class="btn_3 button-contactForm" value="Zakaži" />
                            </div>
                        </form>
                    </div>
                </div>
```

```
            </div>
        </div>
    </div>
    </div>
    </section>

@endsection
```

4.7. routes

4.7.1. web.php

```
<?php

use App\Http\Controllers\BlogerController;
use App\Http\Controllers\FrontendCotroller;
use App\Http\Controllers\LogController;
use App\Http\Controllers\BackendController;
use App\Http\Controllers\KorisnikBackendController;
use App\Http\Controllers\SlajderBackendController;
use App\Http\Controllers\BlogBackendController;
use App\Http\Controllers\TretmanBackendController;
use App\Http\Controllers\TipTretmanaBackendController;
use App\Http\Controllers\ZakazaniController;
use App\Http\Controllers\ZakazaniBackendController;

Route::get('/',[FrontendCotroller::class,'index'])->name('index');

Route::get('/tretmani/{id_tt}',[FrontendCotroller::class,'tretmani'])-
>name('tretmani');
Route::get('/opisTretmana/{id_tt}/{id_tretman}',[FrontendCotroller::class,'opisTretman
a'])->name('opisTretmana');
Route::get('/zakazati',[FrontendCotroller::class,'zakazati'])->name('zakazati');
Route::post('/zakazati',[FrontendCotroller::class,'doZakazati'])->name('doZakazati');
Route::get('/blog',[FrontendCotroller::class,'blog'])->name('blog');
Route::get('/one_Blog/{id_blog}',[FrontendCotroller::class,'oneBlog'])-
>name('one_Blog');

Route::get('/adminPanel',[LogController::class,'logovanje'])->name('logovanje');
Route::post('/doLogovanje',[LogController::class,'doLogovanje'])->name('doLogovanje');
Route::get('/logout',[LogController::class,'logout'])->name('logout');

//ajax
Route::post('/zakazati_ajax',[FrontendCotroller::class,'zakazati_ajax'])-
>name('zakazati_ajax');
Route::post('/search',[FrontendCotroller::class,'search'])->name('search');

//ADMIN
Route :: group(['middleware'=>'admin'],function (){

    //prikaz sadrzaja iz baze

Route::get('/adminPanel_korisnici',[KorisnikBackendController::class,'adminPanel_koris
nici'])->name('adminPanel_korisnici');

Route::get('/adminPanel_tretmani/{id_tt}',[TretmanBackendController::class,'adminPanel
_tretmani'])->name('adminPanel_tretmani');

Route::get('/adminPanel_tipTretman',[TipTretmanaBackendController::class,'adminPanel_t
```

```
ipTretman'])->name('adminPanel_tipTretman');
    Route::get('/adminPanel_podaci',[BackendController::class,'adminPanel_podaci'])-
>name('adminPanel_podaci');

Route::get('/adminPanel_slajder',[SlajderBackendController::class,'adminPanel_slajder'
])->name('adminPanel_slajder');
    Route::get('/adminPanel_blog',[BlogBackendController::class,'adminPanel_blog'])-
>name('adminPanel_blog');
    Route::get('/zakazaniA',[ZakazaniBackendController::class,'zakazaniA'])-
>name('zakazaniA');
    Route::get('/otkazaniA',[ZakazaniBackendController::class,'otkazaniA'])-
>name('otkazaniA');

    //insert

Route::get('/adminPanel_tretmani_insert',[TretmanBackendController::class,'adminPanel_
tretmani_insert'])->name('adminPanel_tretmani_insert');

Route::post('/adminPanel_tretmani_insert',[TretmanBackendController::class,'doAdminPan
el_tretmani_insert'])->name('doAdminPanel_tretmani_insert');


Route::get('/adminPanel_slajder_insert',[SlajderBackendController::class,'adminPanel_s
lajder_insert'])->name('adminPanel_slajder_insert');

Route::post('/adminPanel_slajder_insert',[SlajderBackendController::class,'doAdminPane
l_slajder_insert'])->name('doAdminPanel_slajder_insert');


Route::get('/adminPanel_korisnik_insert',[KorisnikBackendController::class,'adminPanel
_korisnik_insert'])->name('adminPanel_korisnik_insert');

Route::post('/adminPanel_korisnik_insert',[KorisnikBackendController::class,'doAdminPa
nel_korisnik_insert'])->name('doAdminPanel_korisnik_insert');


Route::get('/adminPanel_blog_insert',[BlogBackendController::class,'adminPanel_blog_in
sert'])->name('adminPanel_blog_insert');

Route::post('/adminPanel_blog_insert',[BlogBackendController::class,'doAdminPanel_blog
_insert'])->name('doAdminPanel_blog_insert');


Route::get('/adminPanel_tipTretman_insert',[TipTretmanaBackendController::class,'admin
Panel_tipTretman_insert'])->name('adminPanel_tipTretman_insert');

Route::post('/adminPanel_tipTretman_insert',[TipTretmanaBackendController::class,'doAd
minPanel_tipTretman_insert'])->name('doAdminPanel_tipTretman_insert');


Route::get('/adminPanel_zakazano_insert',[ZakazaniBackendController::class,'adminPanel
_zakazano_insert'])->name('adminPanel_zakazano_insert');

Route::post('/adminPanel_zakazano_insert',[ZakazaniBackendController::class,'doAdminPa
nel_zakazano_insert'])->name('doAdminPanel_zakazano_insert');

    //ajax

Route::post('/adminPanel_zakazano_insert_ajax',[ZakazaniBackendController::class,'admi
nPanel_zakazano_insert_ajax'])->name('adminPanel_zakazano_insert_ajax');

Route::post('/sortByDate_zakazanoA',[ZakazaniBackendController::class,'sortByDate_zaka
zanoA'])->name('sortByDate_zakazanoA');
```

```
Route::post('/sortByDate_otkazanoA',[ZakazaniBackendController::class,'sortByDate_otkazanoA'])->name('sortByDate_otkazanoA');
    Route::post('/sortByDate_blog',[BlogBackendController::class,'sortByDate_blog'])->name('sortByDate_blog');

    //update

Route::get('/adminPanel_tretmani_update/{id_tretman}',[TretmanBackendController::class,'adminPanel_tretmani_update'])->name('adminPanel_tretmani_update');

Route::post('/adminPanel_tretmani_update/{id_tretman}',[TretmanBackendController::class,'doAdminPanel_tretmani_update'])->name('doAdminPanel_tretmani_update');


Route::get('/adminPanel_poodaci_update/{id}',[BackendController::class,'adminPanel_podaci_update'])->name('adminPanel_podaci_update');

Route::post('/adminPanel_poodaci_update/{id}',[BackendController::class,'doAdminPanel_podaci_update'])->name('doAdminPanel_podaci_update');


Route::get('/adminPanel_slajder_update/{id_slajder}',[SlajderBackendController::class,'adminPanel_slajder_update'])->name('adminPanel_slajder_update');

Route::post('/adminPanel_slajder_update/{id_slajder}',[SlajderBackendController::class,'doAdminPanel_slajder_update'])->name('doAdminPanel_slajder_update');


Route::get('/adminPanel_korisnici_update/{id_korisnik}',[KorisnikBackendController::class,'adminPanel_korisnici_update'])->name('adminPanel_korisnici_update');

Route::post('/adminPanel_korisnici_update/{id_korisnik}',[KorisnikBackendController::class,'doAdminPanel_korisnici_update'])->name('doAdminPanel_korisnici_update');


Route::get('/adminPanel_blog_update/{id_blog}',[BlogBackendController::class,'adminPanel_blog_update'])->name('adminPanel_blog_update');

Route::post('/adminPanel_blog_update/{id_blog}',[BlogBackendController::class,'doAdminPanel_blog_update'])->name('doAdminPanel_blog_update');


Route::get('/adminPanel_tipTretman_update/{id_tt}',[TipTretmanaBackendController::class,'adminPanel_tipTretman_update'])->name('adminPanel_tipTretman_update');

Route::post('/adminPanel_tipTretman_update/{id_tt}',[TipTretmanaBackendController::class,'doAdminPanel_tipTretman_update'])->name('doAdminPanel_tipTretman_update');


Route::get('/adminPanel_zakazano_update/{id_zakazano}',[ZakazaniBackendController::class,'adminPanel_zakazano_update'])->name('adminPanel_zakazano_update');

Route::post('/adminPanel_zakazano_update/{id_zakazano}',[ZakazaniBackendController::class,'doAdminPanel_zakazano_update'])->name('doAdminPanel_zakazano_update');


    //delete

Route::get('/adminPanel_korisnici_delete/{id_korisnik}',[KorisnikBackendController::class,'adminPanel_korisnici_delete'])->name('adminPanel_korisnici_delete');

Route::get('/adminPanel_podaci_delete/{id}',[BackendController::class,'adminPanel_poda
```

```
ci_delete'])->name('adminPanel_podaci_delete');

Route::get('/adminPanel_slajder_delete/{id_slajder}',[SlajderBackendController::class,
'adminPanel_slajder_delete'])->name('adminPanel_slajder_delete');

Route::get('/adminPanel_blog_delete/{id_blog}',[BlogBackendController::class,'adminPan
el_blog_delete'])->name('adminPanel_blog_delete');

Route::get('/adminPanel_tretmani_delete/{id_tt?}/{id_tretman}',[TretmanBackendControll
er::class,'adminPanel_tretmani_delete'])->name('adminPanel_tretmani_delete');

Route::get('/adminPanel_tipTretman_delete/{id_tt}',[TipTretmanaBackendController::clas
s,'adminPanel_tipTretman_delete'])->name('adminPanel_tipTretman_delete');

Route::get('/adminPanel_zakazani_delete/{id_zakazano}',[ZakazaniBackendController::cla
ss,'adminPanel_zakazani_delete'])->name('adminPanel_zakazani_delete');

Route::get('/adminPanel_otkazani_delete/{id_zakazano}',[ZakazaniBackendController::cla
ss,'doOtkazaniA'])->name('doOtkazaniA');
});
//BLOGER
Route::group(['middleware'=>'bloger'],function (){
    Route::get('/bloger',[BlogerController::class,'blog'])->name('bloger');
    Route::get('/oneBlog/{id_blog}',[BlogerController::class,'oneBlog'])-
>name('oneBlog');
    Route::get('/all_blog',[BlogerController::class,'blog_blog'])->name('all_blog');

    Route::get('/blog_insert',[BlogerController::class,'blog_insert'])-
>name('blog_insert');
    Route::post('/blog_insert',[BlogerController::class,'doBlog_insert'])-
>name('doBlog_insert');

    Route::get('/blog_update/{id_blog}',[BlogerController::class,'blog_update'])-
>name('blog_update');
    Route::post('/blog_update/{id_blog}',[BlogerController::class,'doBlog_update'])-
>name('doBlog_update');

    Route::get('/blog_delete/{id_blog}',[BlogerController::class,'blog_delete'])-
>name('blog_delete');

    //ajax
    Route::post('/sortByDateBlog',[BlogerController::class,'sortByDateBlog'])-
>name('sortByDateBlog');
    Route::post('/searchBlog',[BlogerCotroller::class,'searchBlog'])-
>name('searchBlog');
});
//ZAPOSLENI
Route::group(['middleware'=>'zaposleni'],function () {
    Route::get('/zakazani',[ZakazaniController::class,'zakazani'])->name('zakazani');
    Route::get('/otkazani',[ZakazaniController::class,'otkazani'])->name('otkazani');

    Route::get('/zakazani_insert',[ZakazaniController::class,'zakazani_insert'])-
>name('zakazani_insert');
    Route::post('/zakazani_insert',[ZakazaniController::class,'doZakazani_insert'])-
>name('doZakazani_insert');


Route::get('/zakazani_update/{id_zakazano}',[ZakazaniController::class,'zakazani_updat
e'])->name('zakazani_update');

Route::post('/zakazani_update/{id_zakazano}',[ZakazaniController::class,'doZakazani_up
date'])->name('doZakazani_update');
```

```
Route::get('/zakazani_delete/{id_zakazano}',[ZakazaniController::class,'zakazani_delet
e'])->name('zakazani_delete');

    //ajax
    Route::post('/zakazi_ajax',[ZakazaniController::class,'zakazi_ajax'])-
>name('zakazi_ajax');

Route::post('/sortByDate_zakazanoZ',[ZakazaniController::class,'sortByDate_zakazanoZ']
)->name('sortByDate_zakazanoZ');

Route::post('/sortByDate_otkazanoZ',[ZakazaniController::class,'sortByDate_otkazanoZ']
)->name('sortByDate_otkazanoZ');

});
?>
```

5. BAZA PODATAKA

5.1 Baza

Na slici 21 nalazi se dizajn baze podataka.



Slika 21 – Baza podataka

6. ZAKLJUČAK

Kako kozmetički salon “Špela beauty” nije imao svoju prezentaciju na internetu, pojavila se potreba za tim zarad bolje povezanosti sa klijentima. Web aplikacija „Špela beauty“ napravljena je za potrebe vidljivosti i prezentovanja kozmetičkog salona na intertnetu, kao i radi postizanja optimalnosti u poslovanju i vizelnom identitetu salona.

Aplikacija je napravljena u PHP jeziku, framework Laravel. Prilikom izrade samog sajta korišćene su biblioteke JQuery i Bootstrap, kao i MySql baza podataka.

Ova aplikacija ne samo da omogućava salonu vizuelnu prezentaciju i prisutnost na internetu, ona takođe omogućava da joj se sadržaj prilagođava potrebama rada i prezentovanja ponude tretmana. Tu takođe postoji i opcija zakazivanja koja olakšava dolazak klijenata i komunikaciju sa njima.

Putem bloga ostvarena je povezanost sa klijentima koji tako mogu dobiti neke korisne savete, kao i osnovne informacije ili pojašnjenja pojedinih procedura ili tretmana salona.

Putem administratorskog panela olakšana je mogućnost administriranja i izmena sadržaja sajta što olakšava upravljanje i održivost sadržaja sajta.

Trenutno sajt nije prilagođen mobilnim uređajimasiv ali je to jedna od stvari kojom bi se sajt mogao unaprediti kako bi prezentacija salona na internetu imala izrazitu kompetetivnost.

Glavna ideja web aplikacije bila je da se omogući prisutnost salona na internetu, omogući interakcija sa korisnicima i olakša upravljanje sadržajem. Ova ideja je u potpunosti ostvarena, ali i dalje postoje ideje kojima bi se web aplikacija mogla nadograditi.

7. LITERATURA

1. https://www.w3schools.com/
2. https://laravel.com/docs/8.x
3. https://stackoverflow.com/questions
4. https://getbootstrap.com/docs/4.3/getting-started/introduction/
5. https://www.php.net/docs.php