

OpenCV for Unity 1.1.5

iOS & Android support

Win & Mac Standalone support(if Unity4,Pro only)

Support for preview in the **Editor**(if Unity4,Pro only)

Work with Unity Free & Pro

System Requirements

Build Win Standalone & Preview Editor : Windows7 or later

Build Mac Standalone & Preview Editor : OSX 10.8 or later

OpenCV for Unity is an Assets Plugin for using **OpenCV** from within **Unity**.

- Since this package is a **clone of OpenCV Java**, you can use as it is **all** the API Reference OpenCV Java 2.4.10 ([link](#)). (“org.opencv.android” and “SURF and SIFT of org.opencv.features2d” are excluded)
- You can image processing in **real-time** by using the **WebCamTexture** capabilities of Unity. (**real-time face detection works smoothly in iPhone 5**)
- Provides a method to interconversion of **Unity's Texture2D** and **OpenCV's Mat**.
- Includes many classes from OpenCVForUnity, and implements **IDisposable**. You can manage the resources with the **"using"** statement.

Please download [Demo Application](#) for Android and watch [tutorial video](#).

[API Reference OpenCV for Unity](#)

SampleCode using OpenCV for Unity is available.

- [MarkerBased AR Sample](#)
- [FaceTracker Sample](#)
- [Vuforia with OpenCV for Unity Sample](#)
- [Kinect with OpenCV for Unity Sample](#)

If you want to try the Beta Version of “OpenCV for Untiy” based on “OpenCV3.0.0-rc1” , unzip the OpenCVForUntiy3.0.0-rc1.zip, please replace the “OpenCVForUnity” folder. “OpenCV for Untiy” based on “OpenCV3.0.0-rc1” support Unity5.not support Unity4.

Version changes

1.1.5 [Common]Add Beta Version of “OpenCV for Untiy” based on “OpenCV3.0.0-rc1”(support Unity5). [Android]Fix Utils.getFilePath(). [Common]Add WebCamTextureAsyncDetectFaceSample. [iOS]Change folder name from “OpenCVForUnity/iOS for Xcode/” to “ OpenCVForUnity/iOSforXcode/”.Add iOS_BuildPostprocessor.cs.

1.1.4 [Common]Add FaceRecognizer subclass. [Common]Add FaceRecognizerSampleScene. [Common]Fix SampleScene.

1.1.3 [Common]Fix SampleScene. [Common] Change Property of Platform Dependent Compilation from UNITY_IPHONE to UNITY_IOS.

1.1.2 [Common]Fix the direction of rotation of the mat that is converted from WebCamTexture.

1.1.1 [Common]Add OpticalFlowSampleScene. [Common]Fix SampleScene. [Common] Fix function name of CvANN_MLP_TrainParams class.

1.1.0 [Common]Divide asset for Unity4 and Unity5.

1.0.9 [Common]Support for Unity5.

1.0.8 [Common]Update to OpenCV2.4.10

1.0.7 [iOS]Support for arm64 build target.(Unity 4.6.1p3 or higher) [Common]Add Constructor VideoCapture(string filename). [Common]Add Method copyToMat(),copyFromMat().

1.0.6 [Android]Support for x86 build target.(Unity 4.6 or higher)

1.0.5 [Common] Bug fixes SampleScene.

1.0.4 [Common]Add Method matToTexture2D(Mat mat, Texture2D texture2D, Color32[] bufferColors = null).

1.0.3 [Common]Support for preview in the Editor.(Pro only) [Common]Support for Win & Mac Standalone.(Pro only) [Android]Change of location of the file that you want to use for Utils.getFilePath().Changed to use “Aseets/StreamingAssets/” folder. [iOS] Add the file that you want to use for Utils.getFilePath() to Xcode project is no longer required.Changed to use“Aseets/StreamingAssets/” folder.

1.0.2 [iOS]fix library(libjpeg,libpng) version coflicts.

1.0.1 Initial version

Upgrade Guide

From 1.1.4 [Common] configuration of “OpenCVForUnity/StreamingAssets” folder has been changed. [iOS]change folder name from “OpenCVForUnity/iOS for Xcode/” to “OpenCVForUnity/iOSforXcode/”.

From 1.0.8 [Common]change the method name from WebCamTextureToMat() to webCamTextureToMat().

From 1.0.5 [Android]”OpenCVForUnity/Plugins/Android/”folder has been changed file configuration. Please delete “OpenCVForUnity/Plugins/Android/*****.so”.

From 1.0.2 [Android] If “Error: Duplicate file(s) in apk” occurs , Please delete the file with the same name in the “Plugins/Android/assets/”folder. [iOS] Add the cascade file to Xcode project is no longer required.


In Unity4 and Unity5 the different files to be imported. When you update the project that you made in Unity4 to Unity5, please import again this asset in Unity5.

Quick setup procedure to run the sample scene


1. If Unity4, Move “OpenCVForUnity/Plugins/”folder to “Assets/”folder.
2. If Unity5, Move “OpenCVForUnity/iOSforXcode/iOS_BuildPostprocessor.cs” to “Assets/Editor/”folder.
3. Move “OpenCVForUnity/StreamingAssets/”folder to “Assets/”folder.
4. Please set [PlayerSettings]-[Resolution and Presentation]-[Orientation]-[Default Orientation : Portrait] when you build the sample scene.
5. Add all of the “*.unity” in the “OpenCVForUnity” folder to [Build Settings] – [Scene In Build].

Screenshot after the setup

Unity4



Unity5




Android Setup Procedure

Unity4


- Copy from “OpenCVForUnity/Plugins/Android/” to “Assets/Plugins/Android/” folder.(libnative_camera_r*.*.so is only required when using the VideoCapture.)

Unity5

- “OpenCVForUnity/Plugins/Android/opencvforunity.jar” – Select platform Android in Inspector.
- “OpenCVForUnity/Plugins/libs/armeabi-v7a/*.so” - Select platform Android and CPU ARMv7 in Inspector. (libnative_camera_r*.*.so is only required when using the VideoCapture.)



- “OpenCVForUnity/Plugins/libs/x86/*.so” – Select platform Android and CPU x86 in Inspector.(libnative_camera_r*.*.so is only required when using the VideoCapture.)



- Put the file that you want to use for `Utils.getFilePath()` in the “Assets/StreamingAssets/” folder. (haarcascade_frontalface_alt.xml etc is for `OpenCVForUnitySample.scene`. Please copy only when necessary.)


iOS Setup Procedure

Unity4


- Copy from “OpenCVForUnity/Plugins/iOS/” to “Assets/Plugin/iOS/” folder.
- Link “OpenCVForUnity/iOSforXcode/opencv2.framework” to Xcode project. (in Xcode project. Build Phases > Link Binary with Libraries > Add opencv2.framework . recommend to use `PostprocessBuildPlayer`.)

Unity5

- “OpenCVForUnity/Plugins/iOS/libopencvforunity.a” – Select platform iOS in Inspector.




- “OpenCVForUnity/iOSforXcode/opencv2.framework” – Select platform iOS in Inspector.



- Move “OpenCVForUnity/iOSforXcode/iOS_BuildPostprocessor.cs” to “Assets/Editor/” folder.
- Put the file that you want to use for `Utils.getFilePath()` in the “Assets/StreamingAssets/” folder. (haarcascade_frontalface_alt.xml etc is for OpenCVForUnitySample.scene. Please copy only when necessary.)
- If use `webCamTextureToMat()` in Unity4.6.3 or 5.0.0 or 5.0.1, Please choose OpenGL ES in [PlayerSettings]-[Other Settings]-[Configuration]-[Graphics API].(When you test WebCamTextureToMatSample or WebCamTextureDetectFaceSample or ComicFilterSample or

OpticalFlowSample, please set it.)(If iPhone5,please set OpenGL ES 2.0.)




Win Standalone Setup Procedure

Unity4


- Copy from “OpenCVForUnity/Plugins/x86/” to “Assets/Plugins/x86/” folder.
- Copy from “OpenCVForUnity/Plugins/x86_64/” to “Assets/Plugins/x86_64/” folder.

Unity5

- “OpenCVForUnity/Plugins/x86/opencvforunity.dll” – Select platform Editor,Standalone and CPU x86 and OS Windows in Inspector.



- “OpenCVForUnity/Plugins/x86_64/opencvforunity.dll” – Select platform Editor, Standalone and CPU x86_64 and OS Windows in Inspector.



- Put the file that you want to use for `Utils.getFilePath()` in the “Assets/StreamingAssets/”. (haarcascade_frontalface_alt.xml etc is for `OpenCVForUnitySample.scene`. Please copy only when necessary.)
- If you use the “`VideoCapture(string filename)`”, require setup.
 - 1)Download “OpenCV for Windows Version 2.4.10”(http://opencv.org/downloads.html).
 - 2)Set Path to “opencv_ffmpeg2410.dll”
 - if 32bit, “C:\opencv\build\x86\vc10\bin”.
 - if 64bit, “C:\opencv\build\x64\vc10\bin”.


Mac Standalone Setup Procedure

Unity4

- Copy from “OpenCVForUnity/Plugins/opencvforunity.bundle” to “Assets/Plugins/” folder.

Unity5

- “OpenCVForUnity/Plugins/opencvforunity.bundle” – Select platform Editor,Standalone and CPU x86_64 and OS OSX in Inspector.



- Put the file that you want to use for `Utils.getFilePath()` in the “Aseets/StreamingAssets/”. (`haarcascade_frontalface_alt.xml` etc is for `OpenCVForUnitySample.scene`. Please copy only when necessary.)

Q & A

Q1.

“DllNotFoundException: opencvforunity” is displayed on the console when run the sample scene.

A1.

Plugin does not seem to be loaded correctly. Please check the setup procedure.

Q2.

“ArgumentException: The output Mat object has to be of the same size” is displayed on the console when run the sample scene.

A2.

After having set up Plugin, Plugin may work well when you reboot Unity.

Q3.

“Level 'Texture2DtoMatSample' (-1) could not be loaded because it has not been added to the build settings.” is displayed on the console when run the sample scene.

A3.

Please Add all of the “***.unity” in the “OpenCVForUnity” folder to [Build Settings] – [Scene In Build].

Q4.

`webCamTextureToMat()` method does not work well in iOS

A4.

.Please choose OpenGL ES 2.0 or 3.0 in [PlayerSettings][Other Settings]-[Configuration]-[Graphics API].

Q5.

In DetectFaceSample or WebCamTextureDetectFaceSample, red rectangle is not displayed around face.

A5.

you might have failed to read the "haarcascade_frontalface_alt.xml".Please confirm whether there is "OpenCVForUnity/StreamingAssets" folder at the right position.

Q6.

Support Web platform?

A6.

Since the Unity Web Player does not support the native plugin, "OpenCV for Unity" does not support "WebPlayer Platform".

Q7.

Support WindowsStoreApps8.1 & WindowsPhone8.1.

A7.

If you want to try the Beta Version of "OpenCV for Untiy" based on "OpenCV3.0.0-rc1"(Support WindowsStoreApps8.1 & WindowsPhone8.1)

, unzip the OpenCVForUntiy3.0.0-rc1.zip, please replace the "OpenCVForUnity" folder."OpenCV for Untiy" based on "OpenCV3.0.0-rc1" support Unity5.not support Unity4.

IMPORTANT: READ BEFORE DOWNLOADING, COPYING, INSTALLING OR USING.

By downloading, copying, installing or using the software you agree to this license.
If you do not agree to this license, do not download, install,
copy or use the software.

License Agreement
For Open Source Computer Vision Library

Copyright (C) 2000-2008, Intel Corporation, all rights reserved.
Copyright (C) 2008-2011, Willow Garage Inc., all rights reserved.
Third party copyrights are property of their respective owners.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
- * The name of the copyright holders may not be used to endorse or promote products
derived from this software without specific prior written permission.

This software is provided by the copyright holders and contributors "as is" and
any express or implied warranties, including, but not limited to, the implied
warranties of merchantability and fitness for a particular purpose are disclaimed.
In no event shall the Intel Corporation or contributors be liable for any direct,
indirect, incidental, special, exemplary, or consequential damages
(including, but not limited to, procurement of substitute goods or services;
loss of use, data, or profits; or business interruption) however caused
and on any theory of liability, whether in contract, strict liability,

or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.