

---

# Changing Website Content: changingwebsitecontent.html

```
<!doctype html>
<html>
  <head>
    <title>Learning Javascript</title>

    <meta charset="utf-8" />
    <meta http-equiv="Content-type" content="text/html; charset=utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1" />

  </head>

  <body>

    <button id="textChanger">Change first div text</button>

    <div id="firstDiv">This is some text</div>

    <button id="textAppender">Append some text</button>
```

```
<div id="secondDiv">Javascript is...</div>
```

```
<button id="textCreator">Create some text</button>
```

```
<div id="emptyDiv"></div>
```

```
<script type="text/javascript">
```

```
    document.getElementById("textChanger").onclick=function() {
```

```
        document.getElementById("firstDiv").innerHTML="This is  
awesome!";
```

```
    }
```

```
    document.getElementById("textAppender").onclick=function() {
```

```
        document.getElementById("secondDiv").innerHTML=document.getElementById("secondDiv").innerHTML + "great!";
```

```
    }
```

```
    document.getElementById("textCreator").onclick=function() {
```

```
        document.getElementById("emptyDiv").innerHTML="<ul><li>Cat</li><li>Dog</li></ul>";
```

```
    }
```

</script>

</body>

</html>