Table: ZAKAZ

Fields

Name	Type	Domain	Not Null
ZAKAZN	INTEGER	RDB$92	NOT NULL
GROUPZ	VARCHAR(30)	RDB$93	
DATAZ	DATE	DATES	
CLIENT_ID	INTEGER	RDB$94	
CLIENTM_ID	INTEGER	RDB$95	
CUR_NAME	VARCHAR(5)	CURNAME	
CUR_CURS	DOUBLE PRECISION	CYRR	
NACENKA	SMALLINT	RDB$96	
DISCONT	DOUBLE PRECISION	CYRR	
AUTOR	VARCHAR(60)	AUTOR	
SUMM	DOUBLE PRECISION	CYRR	
INFO	VARCHAR(100)	INFO	
OTKCOUNT	SMALLINT	RDB$97	
PRIHCOUNT	SMALLINT	RDB$98	
CLIECOUNT	SMALLINT	RDB$99	
OTKCLICOUNT	SMALLINT	RDB$100	
PAYMENTKIND	VARCHAR(30)	RDB$101	
DOLG	DOUBLE PRECISION	CYRR	
ZAKAZ_GROUP	VARCHAR(20)	RDB$102	
ZAKAZ_FINALDATE	DATE	DATES	
ZAKAZ_ACTIVE	CHAR(1)	BOOL	
ADDITION1	VARCHAR(30)	RDB$103	
ADDITION2	VARCHAR(30)	RDB$104	
ZAPROSCOUNT	SMALLINT	RDB$105	
POSCOUNT	SMALLINT	RDB$106	
POSACOUNT	SMALLINT	RDB$107	
ZAKAZCOUNT	SMALLINT	RDB$108	
OBRABCOUNT	SMALLINT	RDB$109	
SCHETF_NOMER	VARCHAR(10)	RDB$110	
SCHETF_DATE	DATE	DATES	
SCHET_NOMER	VARCHAR(10)	RDB$111	
SCHET_DATE	DATE	DATES	
NAKL_NOMER	VARCHAR(10)	RDB$112	
NAKL_DATE	DATE	DATES	
ONWAYCOUNT	SMALLINT	RDB$113	
SCLADCOUNT	SMALLINT	RDB$114	
RETURNBACKCOUNT	SMALLINT	RDB$122	
CREDCOUNT	SMALLINT	RDB$126	
Default Value: 0			
UNRDOLG	DOUBLE PRECISION	RDB$167	
TIME_ZAKAZ	VARCHAR(5)	RDB$192	
BLOCKED	CHAR(1)	BOOL	
SPEEDOMETER	INTEGER	RDB$236	
CLIENT_FIO	VARCHAR(50)	FIO	
CLIENT_PHONE	VARCHAR(50)	PHONE	
CLIENT_FIRM	VARCHAR(60)	FIRM	
PARTCLIENTCOUNT	INTEGER	RDB$296	

ALTER_ZAKAZN	INTEGER	RDB$322	
DEPUTE_NOMER	VARCHAR(10)	RDB$374	
DEPUTE_DATE	DATE	RDB$375	
DEPUTE_FIO	VARCHAR(200)	RDB$376	
DEPUTE_POST	VARCHAR(50)	RDB$377	

Objects, that depend on table ZAKAZ

Name	Type	Field
OPL_AI	Trigger	CLIENT_ID
OPL_AI	Trigger	ZAKAZN
OPL_AI	Trigger	
POSITIONS_BI	Trigger	CLIENT_ID
POSITIONS_BI	Trigger	DATAZ
POSITIONS_BI	Trigger	ZAKAZN
POSITIONS_BI	Trigger	
GET_PAYSUMM_CLIENT	Procedure	CLIENT_ID
GET_PAYSUMM_CLIENT	Procedure	SUMM
GET_PAYSUMM_CLIENT	Procedure	ZAKAZN
GET_PAYSUMM_CLIENT	Procedure	

Constraints

Constraint Name	Type	On Field
PK_ZAKAZ	Primary Key	ZAKAZN
FK_ZAKAZ	Foreign Key	CLIENT_ID
FK Table: CLIENTS	**FK Field:** CLIENT_ID	
Update Rule: NO ACTION	**Delete Rule:** NO ACTION	
FK_ZAKAZ1	Foreign Key	CLIENTM_ID
FK Table: CLIENTM	**FK Field:** CLIENTM_ID	
Update Rule: NO ACTION	**Delete Rule:** NO ACTION	

Indices

Index Name	On Field	Unique	Active	Sorting
RDB$FOREIGN25	CLIENT_ID		Yes	Ascending
RDB$FOREIGN26	CLIENTM_ID		Yes	Ascending
RDB$PRIMARY18	ZAKAZN	Yes	Yes	Ascending

Description

DDL

```
CREATE TABLE ZAKAZ (
    ZAKAZN            INTEGER NOT NULL,
    GROUPZ            VARCHAR(30),
    DATAZ             DATES,
    CLIENT_ID         INTEGER,
    CLIENTM_ID        INTEGER,
    CUR_NAME          CURNAME,
    CUR_CURS          CYRR,
    NACENKA           SMALLINT,
    DISCONT           CYRR,
    AUTOR             AUTOR,
```

```
    SUMM                CYRR,
    INFO                INFO,
    OTKCOUNT            SMALLINT,
    PRIHCOUNT           SMALLINT,
    CLIECOUNT           SMALLINT,
    OTKCLICOUNT         SMALLINT,
    PAYMENTKIND         VARCHAR(30),
    DOLG                CYRR,
    ZAKAZ_GROUP         VARCHAR(20),
    ZAKAZ_FINALDATE     DATES,
    ZAKAZ_ACTIVE        BOOL,
    ADDITION1           VARCHAR(30),
    ADDITION2           VARCHAR(30),
    ZAPROSCOUNT         SMALLINT,
    POSCOUNT            SMALLINT,
    POSACOUNT           SMALLINT,
    ZAKAZCOUNT          SMALLINT,
    OBRABCOUNT          SMALLINT,
    SCHETF_NOMER        VARCHAR(10),
    SCHETF_DATE         DATES,
    SCHET_NOMER         VARCHAR(10),
    SCHET_DATE          DATES,
    NAKL_NOMER          VARCHAR(10),
    NAKL_DATE           DATES,
    ONWAYCOUNT          SMALLINT,
    SCLADCOUNT          SMALLINT,
    RETURNBACKCOUNT     SMALLINT,
    CREDCOUNT           SMALLINT DEFAULT 0,
    UNRDOLG             DOUBLE PRECISION,
    TIME_ZAKAZ          VARCHAR(5),
    BLOCKED             BOOL,
    SPEEDOMETER         INTEGER,
    CLIENT_FIO          FIO,
    CLIENT_PHONE        PHONE,
    CLIENT_FIRM         FIRM,
    PARTCLIENTCOUNT     INTEGER,
    ALTER_ZAKAZN        INTEGER,
    DEPUTE_NOMER        VARCHAR(10),
    DEPUTE_DATE         DATE,
    DEPUTE_FIO          VARCHAR(200),
    DEPUTE_POST         VARCHAR(50)
);

ALTER TABLE ZAKAZ ADD CONSTRAINT FK_ZAKAZ FOREIGN KEY (CLIENT_ID) REFERENCES
ALTER TABLE ZAKAZ ADD CONSTRAINT FK_ZAKAZ1 FOREIGN KEY (CLIENTM_ID) REFERENCES
```