

I have a little for all you computer phreaks out there. If you have access to a hardwire terminal hooked up to a mini or maxi system, not a micro, and want to collect a few passwords and account numbers belonging to other people, read on.

There is a very simple method of getting accounts and passwords called simulation. What you do is imitate the operating system, so that when an unsuspecting hacker comes up and sits down, the terminal types "ENTER USERID" or whatever, he types it in, it then types "ENTER PASSWORD", he types it in, the program records them in a file, and you have a new account.

The skill comes in here. You have to make your program simulate the operating system very closely, so that no one can tell that they are in your program, not the OS. You must make your program give all the appropriate error messages if the guy makes a typo, or if he tries to enter an OS command, or if he presses the break key (if your system uses break), or slips in some control characters. There are other ways someone might accidentally find out that he's not really in the OS, so try to anticipate all of them. Most likely he will think the computer is just spassing out, and forget about it. But you might get a system programmer who will know what you are doing immediately.

Also, when you collect some guys (how come there are very few girl hackers?) password, you don't want him to know that you just got it, or he'll just go and have it changed. So, there is a trick called slipping back into the OS. If you are on a paper printer (TTY or whatever) you may have to slip out of the OS too. What it is, is this. Your program is supposed to imitate the OS so that no one can tell they're not in the OS. Now when you start your program, it has to look as if you never left the OS. This sounds hard to do, but again there is a trick. You start your program, and then have it print out whatever junk your system prints when a program ends. Now it looks like your program has just finished, but it didn't really. Also, it is wise to have your program print something out before it pretends it finishes, so that it looks like your program does something legit.

Now you have your program running, but it looks like the OS. So the next step is to pretend to log out. You type in "BYE" or whatever for your system, and have the program return whatever bullshit it prints when you log out. Then you leave. Don't stick around after this, you'll just look suspicious.

Now some hacker comes up and types whatever your system needs to give "ENTER USERCODE". (What if he doesn't type it right? Don't let your program ask for the usercode until he types it in correctly, after all, the OS wouldn't.) You collect his account number and password, and enter them into a data file, which you will come back and print up later. That's the simple part.

Now comes the hard part. The guy just logged onto his account, or he thinks he did. You can't imitate the entire system, in fact you don't want him to think he's even on his account, because imitating his account is a hell of a lot of work (I tried once). So, bump him off with an error, about how his password is wrong or whatever. Now he knows his password is right, he used it yesterday or whenever, but he'll think he made a typo. Once. Maybe twice. After that, he'll go get help, and the system operator will discover what you did pretty quickly, so you can't give him reason to go for help.

After you get his password and give some error, you have to let your program slip back into the real OS without letting him know, so that he can type it in again and really get into his account. This is the hardest part to get away with. There is usually some way for a program to log out on its own in every system, look it up in the manuals and have your program log out. The problem here is that the log out will look like a log out, and there is no legit reason why the system would print a log out message at this point. You can either try to cover up the log out message, or print some bullshit to explain it, or there may even be a way to suppress it. Every system is different, I can't give any specifics on this.



TAP
Room 603
147 W. 42 St.
New York 10036



JANUARY 1982 No. 71

Then you come back later and print up his account and password! This method will work. I have used a simulator on several systems, and I have always gotten good results. There are many other methods for breaking into computers, but most are specific for some particular system. If you have any other ideas, send them in!

Also, if anyone needs specific data on any aspect of a Hewlett-Packard 2000 system, especially the 2000/ACCESS model, send a SASE to TAP to be forwarded to me, and I can probably tell you whatever you want. I worked for several years as a systems programmer/system operator on one, and I know almost everything about it.

For all of you TAPpers into Sci-Fi and computer hacking, there is a fantastic book called "The Adolescence of P-1", by Thomas J Ryan. P-1 is a heuristic computer program, with a tendency to take over the operating systems (OS) of large computers, especially ones belonging to the Pentagon. (Ugh! Fuck the registration!).

One more note. If you would be interested in getting a lineman's handset, just find some nice cool phone man, go up, talk to him, ask him about a ringback or two to break the ice, and then ask him if he could kind of lose his handset for a small price. I picked one up from a really cool lineman for five bucks, and I got a Bell hardhat for \$2.50. Also, they are glad to talk to you about all kinds of ANI's, test numbers, and such. Just make sure you get a lineman, not a supervisor.

Long live Robert Heinlein! This report from California is brought to you by:

Simon Jester

TAP RAP by TOM EDISON

Some good news and some bad news. First the good news. Starting with this issue, TAP will be published every month. Now the bad news. Due to inflation, printing costs, and the recent outrageous Postal Monopoly rate hikes, TAP must increase all subscription rates. A ten issue one year Bulk subscription will now cost \$7. A ten issue one year First Class subscription will now cost \$10. For those subscribers who like their issues delivered in a plain unmarked envelope but don't want to pay the new increased First Class rate, I have created a new subscription type which will be bulk mailed in a plain unmarked envelope. This new Bulk Envelope subscription will cost \$8. All TAP back issues will be 75 cents each except issue #50 which will be \$1.50. All of these new rates go into effect on February 1, 1982.

You First Class subscribers may not like the following news but due to the expense of mailing every month, all previous First Class subscribers will now get their issues mailed Bulk Envelope. If you still want to receive your issues mailed First Class, you will have to send in an additional \$2. It costs TAP \$2.40 to mail out 12 issues and this does not include the cost of the envelopes.

I have heard about a book called the "Radio Engineers Handbook", which contains specs on all sorts of electronic stuff, including phone systems. They have info on frequencies, standard impedances, and such. I don't know who publishes it. Also, the IEEE (Institute of Electrical and Electronic Engineers) and the EIA (Electronic Industries Assoc) publish handbooks of electrical standards, which include the same type of stuff. Info on normal electronic circuits plus sections on phone line standards. They may be of interest to TAPers, and are probably available at the library of any large university.

I have heard that silver boxes are being used in LA, on an experimental basis only. I believe that they only let you tap into numbers in that exchange. One possibility that I thought of is tapping into data lines. You can record standard 300 baud digital data on a normal cassette tape, and later play it back into your microcomputer. You would probably be able to identify the machine they are using, and you would have a good chance of picking up some account numbers and passwords. Then just dial up the number you are tapping, log in, and the machine is open to you.

There are special computer data lines known as hard wire lines, like direct TWX lines I think. Does anyone know if you could use a silver box to tap into a hard wire line? Hard wire lines aren't given regular phone numbers, they have special numbers like (KAA)243. How do you convert that number into a standard number, or can you? Do they run through the same exchanges as normal lines? If not, can you dial into hard wire exchanges? If you could get in, there are many possibilities. Banks, among other people, run data over hard wire lines which they presume to be secure. If you know anything about data lines, please get off your ass and write to me, Sixon Jester. c/o TAP.

Any of you who have apple micros might be interested in getting the apple-cat modem. It is like a normal modem, but has a few very nice features. It can dial numbers and has auto-answer, like most, but besides dialing in pulses it can use touch tone, and it can receive touch tone data. This would allow you to use your computer from any phone without a terminal, by simply using touch tones instead of a normal carrier. Also, it would make it very easy to break into Sprint and the like. The only problem is that the apple-cat costs over \$300. Oh well.

Any of you hackers might be interested in two good bulletin board systems (BBS). One is 8888 #1 in Santa Clara, CA., at 408-296-5799. It is up 24 hours a day, and uses 110, 150, 300, and 1200 baud. (I have never figured out where 8888 #2 is) It is hard to get a line because there are so many people trying to use it; so just have patience and call back again. And again. And again. I promise it is not down, just very very busy. Another BBS is CBBS/NW also up 24 hours. In Portland, OR., at 503-646-5510. These both have phone phreak type of stuff on them. I've seen lists of Sprint codes on 8888. Don't put on anything too blatantly illegal, because the FBI has been known to log in occasionally and check these systems.

I have heard a rumor from Orange county, CA that sounds very interesting. It seems that they are testing some new system, where when you get a call and pick up your handset, just after the ringing stops and before the battery connects, the number calling is sent to in binary pulses. I don't know if this is true as I don't live near Orange county nor do I know anyone there. But if you live there, check this out. The pulses are supposed to come down in "sideways binary", using a 5 bit word length. The digits represent 0,1,2,3,7 instead of the usual 0,1,2,3,4. This is so that there are never more than 2 bits set in any one word since you only go up to 9, not 16. There should be 7 words, and I have no idea what they use as start and stop bits, or if they do. The pulses could be from 5 to 50 ms long. If anyone in Orange county can detect these pulses, let us know!

As I'm sure you all know, Bell is slowly but surely going to out of band signalling. This means that I will have to throw away my blue box in a few years, and if I had a black box I'd have to dump that too. In fact the only box that may be of any use will be the red box. Fortunately, Sprint and the other alternate calling networks are filling in gaps caused by out of band signalling. There are four alternate calling companies, Southern Pacific Communications (sprint), ITT (atticall), MCI, and Western Union. They all offer two plans, one for business in which the code works all the time but costs a lot, one for home in which the code only works at night and on weekends. Sometimes home codes work during business hours but you get charged prime time rates. They all have lousy quality lines. By far the Bell's lines are much better quality, with almost no hiss or clipping compared to alternate companies. In fact some of the alternate companies' lines are so bad, that after stealing a code, I was unable to run computer data over it because my modem wouldn't hold a carrier on it. Sprint has the best quality lines, but even those are inferior to Bell long-lines. Also, you often have problems putting a call through, getting a busy signal when the other persons phone is on the hook and such. Again Sprint does the best on this, putting through calls more often on the first try. MCI appears to have the next best quality equipment, with ITT and Western Union behind. Much of the problem is because Bell won't give these companies the same quality connections that it gives its own long-line dept. The quality will continue to go up as equipment is improved and they win more court battles forcing Bell to give them better quality connections on both ends. Another problem is that alternate calling nets don't go everywhere Bell does. None that I know of go international yet, although Sprint is planning to soon. Sprint goes to the most places in the US, 138 major cities. ITT goes to 105 major cities. MCI to 86 major cities and Western Union to 29.

If you want a list of where each service goes, call their service rep (list in yellow or white pages) and ask. Also ask for info on subscribing, they'll send you a packet with all sorts of goodies in it, like lists of cities they go to and sometimes access numbers. If you want to read a good (but straight)

Bulk Rate
U.S. POSTAGE
PAID
Permit No. 3
Kearney, N. J.