EE3210 Signals & Systems - 2021/22 - Semester A	
Mid-term Exam 1 (100 points in total)	Name:

This is a open-book exam and the exam schedule is October 5th, Tuesday, 9:00 AM - 11:00 AM (two hour). If you need more space, please feel free to attach additional papers. Once you're finished, sign your name and student ID at the top of each page. Also, make sure to sign the following honor pledge.

## Honor Pledge

Please review the following honor code, then sign your name and write down the date.

- 1. I pledge that the answers in this exam are my own and that I will not seek or obtain an unfair advantage in producing these answers. Specifically,
  - (a) I will not plagiarize (copy without citation) from any source;
  - (b) I will not communicate or attempt to communicate with any other person during the exam;
  - (c) neither will I give or attempt to give assistance to another student taking the exam; and
  - (d) I will use only approved devices (e.g., calculators) and/or approved device models.

2. I understand the	hat any act of	academic	dishonesty	can lead	to disciplinary	action.
Signature						
Date						

1. (20 points) Sketch the following signals.

(a) 
$$u(t-5) + u(t-7)$$
.

(b) 
$$t^2 [u(t-1) - u(t-2)].$$

(c) 
$$(t-4)[u(t-2)-u(t-4)].$$

Consider signals  $x_1(t)$  and  $x_2(t)$  as plotted in the figures below.




Figure 1:

Note that  $x_0(t)$  can be expressed in terms of unit step function as follows

$$x_0(t) = t [u(t) - u(t-1)].$$
 (1)


(d) Express  $x_1(t)$  in Fig. 1-(d) in terms of unit step function, similar to (1).


(e) Express  $x_2(t)$  in Fig. 1-(d) in terms of unit step function, similar to (1).


(Answer Page for Question 1)


(Answer Page for Question 1)

2. (20 points) Consider signals x(t) and y(t) as plotted in the figure below.












Figure 2:

(b)

- (a) Find the energies of the signals x(t) and y(t) illustrated in Fig. 2-(a). Then, draw and calculate the energies of signals x(t) + y(t) and x(t) y(t).
- (b) Find the energies of the signals x(t), y(t), x(t) + y(t) and x(t) y(t) in Fig. 2-(b).
- (c) Find the energies of the signals x(t), y(t), x(t) + y(t) and x(t) y(t) in Fig. 2-(c).

(Answer Page for Question 2)

(Answer Page for Question 2)

3. (20 points) Consider the LTI system illustrated in the figure below.




Figure 3:

- (a) Express the overall system impulse response h(t) as a function of the impulse responses of the sub-systems  $\{h_1(t), h_2(t), h_3(t), h_4(t), h_5(t)\}.$
- (b) Assume that  $h_1(t) = h_4(t) = u(t)$ ,  $h_2(t) = h_3(t) = 5\delta(t)$ , and  $h_5(t) = e^{-2t}u(t)$ . Find the overall impulse response h(t) of the system.
- (c) For the impulse response h(t) derived in Q3-(b), determine whether the LTI system is memoryless, or causal, or stable. Provide explanation to your answer to get a full mark.

(Answer Page for Question 3)

(Answer Page for Question 3)

4. (20 points) Consider the two signals x(t) and h(t) listed in the following problems. Evaluate the continuous-time convolution y(t) = x(t) \* h(t) for each problem using the convolution integral

$$y(t) = x(t) * h(t) = \int_{-\infty}^{\infty} x(\tau) h(t - \tau) d\tau.$$
 (2)

(a) 
$$x(t) = \delta(t+3) + 3e^{-0.5t}u(t)$$
,  $h(t) = u(t) - u(t-2)$ .

(b) 
$$x(t) = t^2 u(t)$$
,  $h(t) = \frac{1}{\sqrt{t}} u(t)$ .

(c) 
$$x(t) = u(t)$$
,  $h(t) = 2e^{-t}u(t) - 2e^{2t}u(-t)$ .

(d) 
$$x(t) = e^{-2t} [u(t) - u(t-2)], \quad h(t) = e^{-t} u(t).$$

(Answer Page for Question 4)

(Answer Page for Question 4)

- 5. (20 points) Consider the following signals.
  - (a) Evaluate the following integral

$$\int_{-\infty}^{\infty} \left[ e^{-2t^2} \delta(t-1) + t^2 \delta(t-6) \right] dt.$$

- (b) Find if the following signals are periodic and if so, find the fundamental period  $T_0$   $x_1(t) = |\cos(4\pi t)|, \qquad x_2(t) = 2t + \cos(4\pi t).$
- (c) Find if the following signal is causal or not. Provide explanation to get a full mark  $x(t) = e^t \left[ u(t+4) u(t-3) \right].$
- (d) Find if the following signal is an energy signal or a power signal

$$x(t) = u(t) - u(t - 7).$$

(e) Consider the following system described by

$$y(t) = \cos\left[x(t-1)\right]$$

and answer whether it is

• memoryless,

• stable,

• invertible,

• time invariant,

• causal,

• linear.

(Answer Page for Question 5)

(Answer Page for Question 5)