

Sedimentary Rocks

- Abre, P., Cingolani, C.A., Cairncross, B., Chemale, F., 2012. Siliciclastic Ordovician to Silurian units of the Argentine Precordillera: Constraints on provenance and tectonic setting in the proto-Andean margin of Gondwana. *Journal of South American Earth Sciences* 40, 1–22. <https://doi.org/10.1016/j.jsames.2012.07.013>
- Absar, N., Raza, M., Roy, M., Naqvi, S.M., Roy, A.K., 2009. Composition and weathering conditions of Paleoproterozoic upper crust of Bundelkhand craton, Central India: Records from geochemistry of clastic sediments of 1.9Ga Gwalior Group. *Precambrian Research* 168, 313–329. <https://doi.org/10.1016/j.precamres.2008.11.001>
- Armstrong-Altrin, J.S., Nagarajan, R., Madhavaraju, J., Rosalez-Hoz, L., Lee, Y.I., Balaram, V., Cruz-Martínez, A., Avila-Ramírez, G., 2013. Geochemistry of the Jurassic and Upper Cretaceous shales from the Molango Region, Hidalgo, eastern Mexico: Implications for source-area weathering, provenance, and tectonic setting. *Comptes Rendus Geoscience* 345, 185–202. <https://doi.org/10.1016/j.crte.2013.03.004>
- Bai, Y., Liu, Z., Sun, P., Liu, R., Hu, X., Zhao, H., Xu, Y., 2015. Rare earth and major element geochemistry of Eocene fine-grained sediments in oil shale- and coal-bearing layers of the Meihe Basin, Northeast China. *Journal of Asian Earth Sciences* 97, 89–101. <https://doi.org/10.1016/j.jseaes.2014.10.008>
- Barbera, G., Lo Giudice, A., Mazzoleni, P., Pappalardo, A., 2009. Combined statistical and petrological analysis of provenance and diagenetic history of mudrocks: Application to Alpine Tethydes shales (Sicily, Italy). *Sedimentary Geology* 213, 27–40. <https://doi.org/10.1016/j.sedgeo.2008.11.002>
- Batumike, M.J., Kampunzu, A.B., Cailteux, J.H., 2006. Petrology and geochemistry of the Neoproterozoic Nguba and Kundelungu Groups, Katangan Supergroup, southeast Congo: Implications for provenance, paleoweathering and geotectonic setting. *Journal of African Earth Sciences* 44, 97–115. <https://doi.org/10.1016/j.jafrearsci.2005.11.007>
- Bhat, M.I., Ghosh, S.K., 2001. Geochemistry of the 2.51 Ga old Rampur group pelites, western Himalayas: implications for their provenance and weathering. *Precambrian Research* 108, 1–16. [https://doi.org/10.1016/S0301-9268\(00\)00139-X](https://doi.org/10.1016/S0301-9268(00)00139-X)
- Bhatia, M.R., 1985. Rare earth element geochemistry of Australian Paleozoic graywackes and mudrocks: Provenance and tectonic control. *Sedimentary Geology* 45, 97–113. [https://doi.org/10.1016/0037-0738\(85\)90025-9](https://doi.org/10.1016/0037-0738(85)90025-9)
- Bhattacharjee, J., Ghosh, K.K., Bhattacharya, B., 2018. Petrography and geochemistry of sandstone–mudstone from Barakar Formation (early Permian), Raniganj Basin, India: Implications for provenance, weathering and marine depositional conditions during Lower Gondwana sedimentation. *Geological Journal* 53, 1102–1122. <https://doi.org/10.1002/gj.2946>
- Boudec, A.L., Ineson, J., Rosing, M., Døssing, L., Martineau, F., Lécuyer, C., Albarède, F., 2014. Geochemistry of the Cambrian Sirius Passet Lagerstätte, Northern Greenland. *Geochemistry, Geophysics, Geosystems* 15, 886–904. <https://doi.org/10.1002/2013GC005068>
- Camiré, G.E., Lafilèche, M.R., Ludden, J.N., 1993. Archaean metasedimentary rocks from the northwestern Pontiac Subprovince of the Canadian shield: chemical characterization, weathering and modelling of the source areas. *Precambrian Research* 62, 285–305. [https://doi.org/10.1016/0301-9268\(93\)90026-X](https://doi.org/10.1016/0301-9268(93)90026-X)
- Campos Alvarez, N.O., Roser, B.P., 2007. Geochemistry of black shales from the Lower Cretaceous Paja Formation, Eastern Cordillera, Colombia: Source weathering, provenance, and tectonic setting. *Journal of South American Earth Sciences* 23, 271–289. <https://doi.org/10.1016/j.jsames.2007.02.003>
- Carmichael, S.K., Waters, J.A., Batchelor, C.J., Coleman, D.M., Suttner, T.J., Kido, E., Moore, L.M., Chadimová, L., 2016. Climate instability and tipping points in the Late Devonian: Detection of the Hangenberg Event in an open oceanic island arc in the Central Asian Orogenic Belt. *Gondwana Research* 32, 213–231. <https://doi.org/10.1016/j.gr.2015.02.009>
- Chen, Y., Zhang, Z., Li, K., Li, Q., Luo, Z., 2017. Provenance of the Middle Permian Zhesi Formation in central Inner Mongolia, northern China: constraints from petrography, geochemistry and detrital zircon U–Pb geochronology. *Geological Journal* 52, 92–109. <https://doi.org/10.1002/gj.2735>
- Condie, K.C., Lee, D., Farmer, G.L., 2001. Tectonic setting and provenance of the Neoproterozoic Uinta Mountain and Big Cottonwood groups, northern Utah: constraints from geochemistry, Nd isotopes, and detrital modes. *Sedimentary Geology* 141–142, 443–464. [https://doi.org/10.1016/S0037-0738\(01\)00086-0](https://doi.org/10.1016/S0037-0738(01)00086-0)
- Condie, K.C., Noll, P.D., Conway, C.M., 1992. Geochemical and detrital mode evidence for two sources of Early Proterozoic sedimentary rocks from the Tonto Basin Supergroup, central Arizona. *Sedimentary Geology* 77, 51–76. [https://doi.org/10.1016/0037-0738\(92\)90103-X](https://doi.org/10.1016/0037-0738(92)90103-X)
- Cullers, R., 2000. Geochemistry of the Mesoproterozoic Lakhanda shales in southeastern Yakutia, Russia: implications for mineralogical and provenance control, and recycling. *Precambrian Research* 104, 77–93.
- Cullers, R.L., 2000. The geochemistry of shales, siltstones and sandstones of Pennsylvanian–Permian age, Colorado, USA: implications for provenance and metamorphic studies. *Lithos* 51, 181–203. [https://doi.org/10.1016/S0024-4937\(99\)00063-8](https://doi.org/10.1016/S0024-4937(99)00063-8)
- Cullers, R.L., Podkovyrov, V.N., 2002. The source and origin of terrigenous sedimentary rocks in the Mesoproterozoic Ui group, southeastern Russia. *Precambrian Research* 117, 157–183. [https://doi.org/10.1016/S0301-9268\(02\)00079-7](https://doi.org/10.1016/S0301-9268(02)00079-7)
- Das, B.K., Haake, B.-G., 2003. Geochemistry of Rewalsar Lake sediment, Lesser Himalaya, India: implications for source-area weathering, provenance and tectonic setting. *Geosci J* 7, 299–312. <https://doi.org/10.1007/BF02919560>
- Deru, X., Xuexiang, G., Pengchun, L., Guanghao, C., Bin, X., Bachlinski, R., Zhuanli, H., Gonggu, F., 2007. Mesoproterozoic–Neoproterozoic transition: Geochemistry, provenance and tectonic setting of clastic sedimentary rocks on the SE margin of the Yangtze Block, South China. *Journal of Asian Earth Sciences* 29, 637–650. <https://doi.org/10.1016/j.jseaes.2006.04.006>
- Dypvik, H., Zakharov, V., 2012. Fine-grained epicontinental Arctic sedimentation – mineralogy and geochemistry of shales from the Late Jurassic–Early Cretaceous transition. *NORWEGIAN JOURNAL OF GEOLOGY* 23.

- El-Bialy, M.Z., 2013. Geochemistry of the Neoproterozoic metasediments of Malhaq and Um Zariq formations, Kid metamorphic complex, Sinai, Egypt: Implications for source-area weathering, provenance, recycling, and depositional tectonic setting. *Lithos* 175–176, 68–85. <https://doi.org/10.1016/j.lithos.2013.05.002>
- Eroglu, S., Schoenberg, R., Wille, M., Beukes, N., Taubald, H., 2015. Geochemical stratigraphy, sedimentology, and Mo isotope systematics of the ca. 2.58–2.50Ga-old Transvaal Supergroup carbonate platform, South Africa. *Precambrian Research* 266, 27–46. <https://doi.org/10.1016/j.precamres.2015.04.014>
- Etemad-Saeed, N., Hosseini-Barzi, M., Adabi, M.H., Sadeghi, A., Houshmandzadeh, A., 2015. Provenance of Neoproterozoic sedimentary basement of northern Iran, Kahar Formation. *Journal of African Earth Sciences* 111, 54–75. <https://doi.org/10.1016/j.jafrearsci.2015.07.003>
- Etemad-Saeed, N., Najafi, M., 2019. Provenance and geochemical variations across the Ediacaran–Cambrian transition in the Soltanieh Formation, Alborz Mountains, Iran. *ETEMAD-SAEED & M. NAJAFI Precambrian–Cambrian Soltanieh Formation, Iran. Geological Magazine* 156, 1157–1174. <https://doi.org/10.1017/S001675681800050X>
- Etemad-Saeed, N., Najafi, M., 2018. Provenance and geochemical variations across the Ediacaran–Cambrian transition in the Soltanieh Formation, Alborz Mountains, Iran. *Geological Magazine* 1–18. <https://doi.org/10.1017/S001675681800050X>
- Fatima, S., Khan, M.S., 2012. Petrographic and geochemical characteristics of Mesoproterozoic Kumbalgarh clastic rocks, NW Indian shield: implications for provenance, tectonic setting, and crustal evolution. *International Geology Review* 54, 1113–1144. <https://doi.org/10.1080/00206814.2011.623032>
- Feng, R., Kerrich, R., 1990. Geochemistry of fine-grained clastic sediments in the Archean Abitibi greenstone belt, Canada: Implications for provenance and tectonic setting. *Geochimica et Cosmochimica Acta* 54, 1061–1081. [https://doi.org/10.1016/0016-7037\(90\)90439-R](https://doi.org/10.1016/0016-7037(90)90439-R)
- Fu, X., Wang, J., Tan, F., Feng, X., Wang, D., Song, C., 2012. Geochemistry of terrestrial oil shale from the Lunpola area, northern Tibet, China. *International Journal of Coal Geology* 102, 1–11. <https://doi.org/10.1016/j.coal.2012.08.005>
- Fuenlabrada, J.M., Pieren, A.P., Díez Fernández, R., Sánchez Martínez, S., Arenas, R., 2016. Geochemistry of the Ediacaran–Early Cambrian transition in Central Iberia: Tectonic setting and isotopic sources. *Tectonophysics, Tectonic evolution of the Iberian margin of Gondwana and of correlative regions: A celebration of the career of Cecilio Quesada* 681, 15–30. <https://doi.org/10.1016/j.tecto.2015.11.013>
- Fujisaki, W., Sawaki, Y., Yamamoto, S., Sato, T., Nishizawa, M., Windley, B.F., Maruyama, S., 2016. Tracking the redox history and nitrogen cycle in the pelagic Panthalassic deep ocean in the Middle Triassic to Early Jurassic: Insights from redox-sensitive elements and nitrogen isotopes. *Palaeogeography, Palaeoclimatology, Palaeoecology* 449, 397–420. <https://doi.org/10.1016/j.palaeo.2016.01.039>
- Gaschnig, R.M., Rudnick, R.L., McDonough, W.F., Kaufman, A.J., Valley, J.W., Hu, Z., Gao, S., Beck, M.L., 2016. Compositional evolution of the upper continental crust through time, as constrained by ancient glacial diamictites. *Geochimica et Cosmochimica Acta* 186, 316–343. <https://doi.org/10.1016/j.gca.2016.03.020>
- Ghosh, S., Sarkar, S., 2010. Geochemistry of Permo-Triassic mudstone of the Satpura Gondwana basin, central India: Clues for provenance. *Chemical Geology* 277, 78–100. <https://doi.org/10.1016/j.chemgeo.2010.07.012>
- Guo, Q., Xiao, W., Windley, B.F., Mao, Q., Han, C., Qu, J., Ao, S., Li, J., Song, D., Yong, Y., 2012. Provenance and tectonic settings of Permian turbidites from the Beishan Mountains, NW China: Implications for the Late Paleozoic accretionary tectonics of the southern Altaids. *Journal of Asian Earth Sciences, Orogenic Belts in Central Asia: Correlations and connections* 49, 54–68. <https://doi.org/10.1016/j.jseaeas.2011.03.013>
- Hara, H., Kunii, M., Hisada, K., Ueno, K., Kamata, Y., Srichan, W., Charusiri, P., Charoentitirat, T., Watarai, M., Adachi, Y., Kurihara, T., 2012. Petrography and geochemistry of clastic rocks within the Inthanon zone, northern Thailand: Implications for Paleo-Tethys subduction and convergence. *Journal of Asian Earth Sciences, Geological Anatomy of East and South Asia* 61, 2–15. <https://doi.org/10.1016/j.jseaeas.2012.06.012>
- Harris, N.B., Mnich, C.A., Selby, D., Korn, D., 2013. Minor and trace element and Re–Os chemistry of the Upper Devonian Woodford Shale, Permian Basin, west Texas: Insights into metal abundance and basin processes. *Chemical Geology* 356, 76–93. <https://doi.org/10.1016/j.chemgeo.2013.07.018>
- Hassan, S., Ishiga, H., Roser, B.P., Dozen, K., Naka, T., 1999. Geochemistry of Permian–Triassic shales in the Salt Range, Pakistan: implications for provenance and tectonism at the Gondwana margin. *Chemical Geology* 158, 293–314. [https://doi.org/10.1016/S0009-2541\(99\)00057-1](https://doi.org/10.1016/S0009-2541(99)00057-1)
- Hayashi, K.-I., Fujisawa, H., Holland, H.D., Ohmoto, H., 1997. Geochemistry of ~1.9 Ga sedimentary rocks from northeastern Labrador, Canada. *Geochimica et Cosmochimica Acta* 61, 4115–4137. [https://doi.org/10.1016/S0016-7037\(97\)00214-7](https://doi.org/10.1016/S0016-7037(97)00214-7)
- Hegde, V.S., Chavadi, V.C., 2009. Geochemistry of late Archaean metagreywackes from the Western Dharwar Craton, South India: Implications for provenance and nature of the Late Archaean crust. *Gondwana Research* 15, 178–187. <https://doi.org/10.1016/j.gr.2008.09.006>
- Hessler, A.M., Lowe, D.R., 2006. Weathering and sediment generation in the Archean: An integrated study of the evolution of siliciclastic sedimentary rocks of the 3.2Ga Moodies Group, Barberton Greenstone Belt, South Africa. *Precambrian Research* 151, 185–210. <https://doi.org/10.1016/j.precamres.2006.08.008>
- Hofmann, A., 2005. The geochemistry of sedimentary rocks from the Fig Tree Group, Barberton greenstone belt: Implications for tectonic, hydrothermal and surface processes during mid-Archaean times. *Precambrian Research* 143, 23–49. <https://doi.org/10.1016/j.precamres.2005.09.005>
- Hofmann, A., Bolhar, R., Dirks, P., Jelsma, H., 2003. The geochemistry of Archaean shales derived from a Mafic volcanic sequence, Belingwe greenstone belt, Zimbabwe: provenance, source area unroofing and submarine versus subaerial weathering. *Geochimica et Cosmochimica Acta* 67, 421–440. [https://doi.org/10.1016/S0016-7037\(02\)01086-4](https://doi.org/10.1016/S0016-7037(02)01086-4)
- Jorge, R.C.G.S., Fernandes, P., Rodrigues, B., Pereira, Z., Oliveira, J.T., 2013. Geochemistry and provenance of the Carboniferous Baixo Alentejo Flysch Group, South Portuguese Zone. *Sedimentary Geology* 284–285, 133–148. <https://doi.org/10.1016/j.sedgeo.2012.12.005>
- Kato, Y., Nakao, K., Isozaki, Y., 2002. Geochemistry of Late Permian to Early Triassic pelagic cherts from southwest Japan: implications for an oceanic redox change. *Chemical Geology* 182, 15–34. [https://doi.org/10.1016/S0009-2541\(01\)00273-X](https://doi.org/10.1016/S0009-2541(01)00273-X)

Kimura, S., Shikazono, N., Kashiwagi, H., Nohara, M., 2004. Middle Miocene–early Pliocene paleo-oceanic environment of Japan Sea deduced from geochemical features of sedimentary rocks. *Sedimentary Geology* 164, 105–129. <https://doi.org/10.1016/j.sedgeo.2003.08.003>

Kunst, F., Schüssler, U., 2002. Metasedimentary Units of the Cambro-Ordovician Ross Orogen in Northern Victoria Land and Oates Land: Implications for Their Provenance and Geotectonic Setting from Geochemical and Nd-Sr Isotope Data 24.

Lee, Y.I., 2009. Geochemistry of shales of the Upper Cretaceous Hayang Group, SE Korea: Implications for provenance and source weathering at an active continental margin. *Sedimentary Geology* 215, 1–12. <https://doi.org/10.1016/j.sedgeo.2008.12.004>

Lee, Y.I., 2002. Provenance derived from the geochemistry of late Paleozoic–early Mesozoic mudrocks of the Pyeongan Supergroup, Korea. *Sedimentary Geology* 149, 219–235. [https://doi.org/10.1016/S0037-0738\(01\)00174-9](https://doi.org/10.1016/S0037-0738(01)00174-9)

Li, S., Gaschnig, R.M., Rudnick, R.L., 2016. Insights into chemical weathering of the upper continental crust from the geochemistry of ancient glacial diamictites. *Geochimica et Cosmochimica Acta* 176, 96–117. <https://doi.org/10.1016/j.gca.2015.12.012>

Linnemann, U., Romer, R.L., 2002. The Cadomian Orogeny in Saxo-Thuringia, Germany: geochemical and Nd–Sr–Pb isotopic characterization of marginal basins with constraints to geotectonic setting and provenance. *Tectonophysics, Massifs and Correlations Across the Cadomo-Avalonian Orogens* 352, 33–64. [https://doi.org/10.1016/S0040-1951\(02\)00188-9](https://doi.org/10.1016/S0040-1951(02)00188-9)

Liu, D., Yang, Q., Tang, D., Kang, X., Huang, W., 2001. Geochemistry of sulfur and elements in coals from the Antaibao surface mine, Pingshuo, Shanxi Province, China. *International Journal of Coal Geology* 46, 51–64. [https://doi.org/10.1016/S0166-5162\(00\)00040-9](https://doi.org/10.1016/S0166-5162(00)00040-9)

Liu, R., Liu, Z., Sun, P., Xu, Y., Liu, D., Yang, X., Zhang, C., 2015. Geochemistry of the Eocene Jijuntun Formation oil shale in the Fushun Basin, northeast China: Implications for source-area weathering, provenance and tectonic setting. *Chemie der Erde - Geochemistry* 75, 105–116. <https://doi.org/10.1016/j.chemer.2014.08.004>

Long, X., Yuan, C., Sun, M., Safonova, I., Xiao, W., Wang, Y., 2012a. Geochemistry and U–Pb detrital zircon dating of Paleozoic graywackes in East Junggar, NW China: Insights into subduction–accretion processes in the southern Central Asian Orogenic Belt. *Gondwana Research* 21, 637–653. <https://doi.org/10.1016/j.gr.2011.05.015>

Long, X., Yuan, C., Sun, M., Xiao, W., Wang, Y., Cai, K., Jiang, Y., 2012b. Geochemistry and Nd isotopic composition of the Early Paleozoic flysch sequence in the Chinese Altai, Central Asia: Evidence for a northward-derived mafic source and insight into Nd model ages in accretionary orogen. *Gondwana Research, Plate Tectonics of Asia: Geological and Geophysical Constraints* 22, 554–566. <https://doi.org/10.1016/j.gr.2011.04.009>

Mader, D., Neubauer, F., 2004. Provenance of Palaeozoic sandstones from the Carnic Alps (Austria): petrographic and geochemical indicators. *Int J Earth Sci (Geol Rundsch)* 93, 262–281. <https://doi.org/10.1007/s00531-004-0391-x>

Malaza, N., Liu, K., Zhao, B., 2016. Petrology and geochemistry of clastic sedimentary rocks as evidences for provenance of the Late Palaeozoic Madzaringwe Formation, Tshipise-Pafuri Basin, South Africa. *Sci. China Earth Sci.* 59, 2411–2426. <https://doi.org/10.1007/s11430-016-5274-z>

Mani, D., Ratnam, B., Kalpana, M.S., Patil, D.J., Dayal, A.M., 2016. Elemental and organic geochemistry of Gondwana sediments from the Krishna–Godavari Basin, India. *Chemie der Erde - Geochemistry* 76, 117–131. <https://doi.org/10.1016/j.chemer.2016.01.002>

Manikyamba, C., Kerrich, R., 2006. Geochemistry of black shales from the Neoproterozoic Sandur Superterrane, India: First cycle volcanogenic sedimentary rocks in an intraoceanic arc–trench complex. *Geochimica et Cosmochimica Acta* 70, 4663–4679. <https://doi.org/10.1016/j.gca.2006.07.015>

Manikyamba, C., Kerrich, R., González-Álvarez, I., Mathur, R., Khanna, T.C., 2008. Geochemistry of Paleoproterozoic black shales from the Intracontinental Cuddapah basin, India: implications for provenance, tectonic setting, and weathering intensity. *Precambrian Research* 162, 424–440. <https://doi.org/10.1016/j.precamres.2007.10.003>

McLennan, S.M., Hemming, S.R., Taylor, S.R., Eriksson, K.A., 1995. Early Proterozoic crustal evolution: Geochemical and NdPb isotopic evidence from metasedimentary rocks, southwestern North America. *Geochimica et Cosmochimica Acta* 59, 1153–1177. [https://doi.org/10.1016/0016-7037\(95\)00032-U](https://doi.org/10.1016/0016-7037(95)00032-U)

McLennan, S.M., Taylor, S.R., Eriksson, K.A., 1983. Geochemistry of Archean shales from the Pilbara Supergroup, Western Australia. *Geochimica et Cosmochimica Acta* 47, 1211–1222. [https://doi.org/10.1016/0016-7037\(83\)90063-7](https://doi.org/10.1016/0016-7037(83)90063-7)

McLennan, S.M., Taylor, S.R., McGregor, V.R., 1984. Geochemistry of Archean metasedimentary rocks from West Greenland. *Geochimica et Cosmochimica Acta* 48, 1–13. [https://doi.org/10.1016/0016-7037\(84\)90345-4](https://doi.org/10.1016/0016-7037(84)90345-4)

Meinhold, G., Howard, J.P., Strogon, D., Kaye, M.D., Abutarruma, Y., Elgadry, M., Thusu, B., Whitham, A.G., 2013. Hydrocarbon source rock potential and elemental composition of lower Silurian subsurface shales of the eastern Murzuq Basin, southern Libya. *Marine and Petroleum Geology* 48, 224–246. <https://doi.org/10.1016/j.marpetgeo.2013.08.010>

Mir, A.R., Balam, V., Ganai, J.A., Dar, S.A., Keshav Krishna, A., 2016. Geochemistry of sedimentary rocks from Permian–Triassic boundary sections of Tethys Himalaya: implications for paleo-weathering, provenance, and tectonic setting. *Acta Geochim* 35, 428–436. <https://doi.org/10.1007/s11631-016-0107-5>

Mitchell, R.L., Sheldon, N.D., 2016. Sedimentary provenance and weathering processes in the 1.1Ga Midcontinental Rift of the Keweenaw Peninsula, Michigan, USA. *Precambrian Research* 275, 225–240. <https://doi.org/10.1016/j.precamres.2016.01.017>

Mongelli, G., Critelli, S., Perri, F., Sonnino, M., Perrone, V., 2006. Sedimentary recycling, provenance and paleoweathering from chemistry and mineralogy of Mesozoic continental redbed mudrocks, Peloritani mountains, southern Italy. *GEOCHEMICAL JOURNAL* 40, 197–209. <https://doi.org/10.2343/geochimj.40.197>

Moosavirad, S.M., Janardhana, M.R., Sethumadhav, M.S., Moghadam, M.R., Shankara, M., 2011. Geochemistry of lower Jurassic shales of the Shemshak Formation, Kerman Province, Central Iran: Provenance, source weathering and tectonic setting. *Chemie der Erde - Geochemistry* 71, 279–288. <https://doi.org/10.1016/j.chemer.2010.10.001>

Mousa, D.A., Abdou, A.A., El Gendy, N.H., Shehata, M.G., Kassab, M.A., Abuhagaza, A.A., 2014. Mineralogical, geochemical and hydrocarbon potential of subsurface Cretaceous shales, Northern Western Desert, Egypt. *Egyptian Journal of Petroleum* 23, 67–78. <https://doi.org/10.1016/j.ejpe.2014.02.010>

Nagarajan, R., Madhavaraju, J., Nagendra, R., Armstrong-Altrin, J.S., Moutte, J., 2007. Geochemistry of Neoproterozoic shales of the Rabanpalli Formation, Bhima Basin, Northern Karnataka, southern India: implications for provenance and paleoredox conditions. *Revista mexicana de ciencias geológicas* 24, 150–160.

Nance, W.B., Taylor, S.R., 1976. Rare earth element patterns and crustal evolution—I. Australian post-Archean sedimentary rocks. *Geochimica et Cosmochimica Acta* 40, 1539–1551. [https://doi.org/10.1016/0016-7037\(76\)90093-4](https://doi.org/10.1016/0016-7037(76)90093-4)

Paikaray, S., Banerjee, S., Mukherji, S., 2008. Geochemistry of shales from the Paleoproterozoic to Neoproterozoic Vindhyan Supergroup: Implications on provenance, tectonics and paleoweathering. *Journal of Asian Earth Sciences* 32, 34–48. <https://doi.org/10.1016/j.jseaes.2007.10.002>

Perri, F., Critelli, S., Martín-Algarra, A., Martín-Martín, M., Perrone, V., Mongelli, G., Zattin, M., 2013. Triassic redbeds in the Malaguide Complex (Betic Cordillera — Spain): Petrography, geochemistry and geodynamic implications. *Earth-Science Reviews* 117, 1–28. <https://doi.org/10.1016/j.earscirev.2012.11.002>

Podkovyrov, V.N., 2009. Mesoproterozoic Lakhanda Lagerstätte, Siberia: Paleoecology and taphonomy of the microbiota. *Precambrian Research, World Summit on Ancient Microscopic Fossils* 173, 146–153. <https://doi.org/10.1016/j.precamres.2009.04.006>

Porębska, E., Sawłowicz, Z., 1997. Palaeoceanographic linkage of geochemical and graptolite events across the Silurian–Devonian boundary in Bardzkie Mountains (Southwest Poland). *Palaeogeography, Palaeoclimatology, Palaeoecology* 132, 343–354. [https://doi.org/10.1016/S0031-0182\(97\)00048-5](https://doi.org/10.1016/S0031-0182(97)00048-5)

Purevjav, N., Roser, B., 2012. Geochemistry of Devonian–Carboniferous clastic sediments of the Tsetserleg terrane, Hangay Basin, Central Mongolia: Provenance, source weathering, and tectonic setting. *Island Arc* 21, 270–287. <https://doi.org/10.1111/j.1440-1738.2012.00821.x>

Qiu, X., Liu, C., Mao, G., Deng, Y., Wang, F., Wang, J., 2015. Major, trace and platinum-group element geochemistry of the Upper Triassic nonmarine hot shales in the Ordos basin, Central China. *Applied Geochemistry* 53, 42–52. <https://doi.org/10.1016/j.apgeochem.2014.11.028>

Raza, M., Ahmad, A.H.M., Khan, M.S., Khan, F., 2012. Geochemistry and detrital modes of Proterozoic sedimentary rocks, Bayana Basin, north Delhi fold belt: implications for provenance and source-area weathering. *International Geology Review* 54, 111–129. <https://doi.org/10.1080/00206814.2010.517044>

Roddaz, M., Debat, P., Nikiéma, S., 2007. Geochemistry of Upper Birimian sediments (major and trace elements and Nd–Sr isotopes) and implications for weathering and tectonic setting of the Late Paleoproterozoic crust. *Precambrian Research* 159, 197–211. <https://doi.org/10.1016/j.precamres.2007.06.008>

Ross, D.J.K., Bustin, R.M., 2009. Investigating the use of sedimentary geochemical proxies for paleoenvironment interpretation of thermally mature organic-rich strata: Examples from the Devonian–Mississippian shales, Western Canadian Sedimentary Basin. *Chemical Geology* 260, 1–19. <https://doi.org/10.1016/j.chemgeo.2008.10.027>

Sambasiva Rao, V.V., Sreenivas, B., Balaram, V., Govil, P.K., Srinivasan, R., 1999. The nature of the Archean upper crust as revealed by the geochemistry of the Proterozoic shales of the Kaladgi basin, Karnataka, southern India. *Precambrian Research* 98, 53–65. [https://doi.org/10.1016/S0301-9268\(99\)00038-8](https://doi.org/10.1016/S0301-9268(99)00038-8)

Schovsbo, N.H., 2003. The geochemistry of Lower Palaeozoic sediments deposited on the margins of Baltica 18.

Shadan, M., Hosseini-Barzi, M., 2013. Petrography and geochemistry of the Ab-e-Haji Formation in central Iran: implications for provenance and tectonic setting in the southern part of the Tabas block. *Revista mexicana de ciencias geológicas* 30, 80–95.

Spalletti, L.A., Limarino, C.O., Piñol, F.C., 2012. Petrology and geochemistry of Carboniferous siliciclastics from the Argentine Frontal Cordillera: A test of methods for interpreting provenance and tectonic setting. *Journal of South American Earth Sciences* 36, 32–54. <https://doi.org/10.1016/j.jsames.2011.11.002>

Spalletti, L.A., Queralti, I., Matheos, S.D., Colombo, F., Maggi, J., 2008. Sedimentary petrology and geochemistry of siliciclastic rocks from the upper Jurassic Tordillo Formation (Neuquén Basin, western Argentina): Implications for provenance and tectonic setting. *Journal of South American Earth Sciences* 25, 440–463. <https://doi.org/10.1016/j.jsames.2007.08.005>

Tanner, L.H., Kyte, F.T., Richoz, S., Krystyn, L., 2016. Distribution of iridium and associated geochemistry across the Triassic–Jurassic boundary in sections at Kuhjoch and Kendlbach, Northern Calcareous Alps, Austria. *Palaeogeography, Palaeoclimatology, Palaeoecology* 449, 13–26. <https://doi.org/10.1016/j.palaeo.2016.01.011>

Tao, H., Sun, S., Wang, Q., Yang, X., Jiang, L., 2014. Petrography and geochemistry of lower carboniferous greywacke and mudstones in Northeast Junggar, China: Implications for provenance, source weathering, and tectonic setting. *Journal of Asian Earth Sciences* 87, 11–25. <https://doi.org/10.1016/j.jseaes.2014.02.007>

Tao, S., Tang, D., Xu, H., Liang, J., Shi, X., 2013. Organic geochemistry and elements distribution in Dahuangshan oil shale, southern Junggar Basin: Origin of organic matter and depositional environment. *International Journal of Coal Geology* 115, 41–51. <https://doi.org/10.1016/j.coal.2013.05.004>

Tripathy, G.R., Singh, S.K., Bhu, H., 2013. ReOs isotopes and major and trace element geochemistry of carbonaceous shales, Aravalli Supergroup, India: Impact of post-depositional processes. *Chemical Geology* 354, 93–106. <https://doi.org/10.1016/j.chemgeo.2013.06.014>

Uriz, N.J., Cingolani, C.A., Basei, M.A.S., Blanco, G., Abre, P., Portillo, N.S., Siccaldi, A., 2016. Provenance and paleogeography of the Devonian Durazno Group, southern Parana Basin in Uruguay. *Journal of South American Earth Sciences* 66, 248–267. <https://doi.org/10.1016/j.jsames.2016.01.002>

Vilà, M., Pin, C., 2016. Geochemistry and Nd isotope signature of the Collserola Range Palaeozoic succession (NE Iberia): Gondwana heritage and pre-Mesozoic geodynamic evolution. *Geological Magazine* 153, 643–662. <https://doi.org/10.1017/S0016756815000837>

- Wang, X.-C., Li, Z.-X., Li, X.-H., Li, Q.-L., Zhang, Q.-R., 2011. Geochemical and Hf–Nd isotope data of Nanhua rift sedimentary and volcanoclastic rocks indicate a Neoproterozoic continental flood basalt provenance. *Lithos* 127, 427–440. <https://doi.org/10.1016/j.lithos.2011.09.020>
- Wani, H., Mondal, M.E.A., 2010. Petrological and geochemical evidence of the Paleoproterozoic and the Meso-Neoproterozoic sedimentary rocks of the Bastar craton, Indian Peninsula: Implications on paleoweathering and Proterozoic crustal evolution. *Journal of Asian Earth Sciences* 38, 220–232. <https://doi.org/10.1016/j.jseaeas.2010.01.003>
- Wille, M., Nebel, O., Van Kranendonk, M.J., Schoenberg, R., Kleinhanns, I.C., Ellwood, M.J., 2013. Mo–Cr isotope evidence for a reducing Archean atmosphere in 3.46–2.76Ga black shales from the Pilbara, Western Australia. *Chemical Geology* 340, 68–76. <https://doi.org/10.1016/j.chemgeo.2012.12.018>
- Wortmann, U.G., Hesse, R., Zacher, W., 1999. Major-element analysis of cyclic black shales: Paleooceanographic implications for the Early Cretaceous deep western tethys. *Paleoceanography* 14, 525–541. <https://doi.org/10.1029/1999PA900015>
- Wronkiewicz, D., 1989. Mid-Archean to mid-Proterozoic evolution of the Kaapvaal Craton, South Africa: Geochemical and petrographic evidence from sedimentary sequences of the Pongola, Witwatersrand, Ventersdorp, Transvaal, Waterberg and Soutpansberg systems. New Mexico Institute of Mining and Technology, Socorro, N.M., U.S.A.
- Wronkiewicz, D.J., Condie, K.C., 1990. Geochemistry and mineralogy of sediments from the Ventersdorp and Transvaal Supergroups, South Africa: Cratonic evolution during the early Proterozoic. *Geochimica et Cosmochimica Acta* 54, 343–354. [https://doi.org/10.1016/0016-7037\(90\)90323-D](https://doi.org/10.1016/0016-7037(90)90323-D)
- Wronkiewicz, D.J., Condie, K.C., 1987. Geochemistry of Archean shales from the Witwatersrand Supergroup, South Africa: Source-area weathering and provenance. *Geochimica et Cosmochimica Acta* 51, 2401–2416. [https://doi.org/10.1016/0016-7037\(87\)90293-6](https://doi.org/10.1016/0016-7037(87)90293-6)
- Yang, X.-F., He, D.-F., Wang, Q.-C., Tang, Y., Tao, H.-F., Li, D., 2012. Provenance and tectonic setting of the Carboniferous sedimentary rocks of the East Junggar Basin, China: Evidence from geochemistry and U–Pb zircon geochronology. *Gondwana Research, Plate Tectonics of Asia: Geological and Geophysical Constraints* 22, 567–584. <https://doi.org/10.1016/j.gr.2011.11.001>
- Young, G.M., 2002. Geochemical investigation of a Neoproterozoic glacial unit: The Mineral Fork Formation in the Wasatch Range, Utah. *GSA Bulletin* 114, 387–399. [https://doi.org/10.1130/0016-7606\(2002\)114<0387:GIOANG>2.0.CO;2](https://doi.org/10.1130/0016-7606(2002)114<0387:GIOANG>2.0.CO;2)
- Young, G.M., Minter, W.E.L., Theron, J.N., 2004. Geochemistry and palaeogeography of upper Ordovician glaciogenic sedimentary rocks in the Table Mountain Group, South Africa. *Palaeogeography, Palaeoclimatology, Palaeoecology* 214, 323–345. <https://doi.org/10.1016/j.palaeo.2004.07.029>
- Young-Mitchell, M.N., 1999. Geochemistry of Lower Paleozoic host rocks for sediment-hosted gold deposits, western United States.
- Zhou, L., Friis, H., Poulsen, M.L.K., 2015. Geochemical evaluation of the Late Paleocene and Early Eocene shales in Siri Canyon, Danish-Norwegian Basin. *Marine and Petroleum Geology* 61, 111–122. <https://doi.org/10.1016/j.marpetgeo.2014.12.014>
- Zimmermann, U., Spalletti, L.A., 2009. Provenance of the Lower Paleozoic Balcarce Formation (Tandilia System, Buenos Aires Province, Argentina): Implications for paleogeographic reconstructions of SW Gondwana. *Sedimentary Geology* 219, 7–23. <https://doi.org/10.1016/j.sedgeo.2009.02.002>

River Sediments

N.B. A number of references in the spreadsheet are listed as, for example, “*Anderson et al 1998 in Viers 2009*” which indicates the data was gathered from a previous compilation. The first citation is the original reference (not listed here) and the second citation is the reference to the compilation (listed below).

- Bouchez, J., Gaillardet, J., France-Lanord, C., Maurice, L., Dutra-Maia, P., 2011. Grain size control of river suspended sediment geochemistry: Clues from Amazon River depth profiles. *Geochemistry, Geophysics, Geosystems* 12. <https://doi.org/10.1029/2010GC003380>
- Bouchez, J., Gaillardet, J., Lupker, M., Louvat, P., France-Lanord, C., Maurice, L., Armijos, E., Moquet, J.-S., 2012. Floodplains of large rivers: Weathering reactors or simple silos? *Chemical Geology* 332–333, 166–184. <https://doi.org/10.1016/j.chemgeo.2012.09.032>
- Canfield, D.E., 1997. The geochemistry of river particulates from the continental USA: major elements. *Geochim. Cosmochim. Acta* 61, 3349–3365.
- Dinis, P., Garzanti, E., Vermeesch, P., Huvi, J., 2017. Climatic zonation and weathering control on sediment composition (Angola). *Chemical Geology* 467, 110–121. <https://doi.org/10.1016/j.chemgeo.2017.07.030>
- Garzanti, E., Padoan, M., Setti, M., López-Galindo, A., Villa, I.M., 2014. Provenance versus weathering control on the composition of tropical river mud (southern Africa). *Chemical Geology* 366, 61–74. <https://doi.org/10.1016/j.chemgeo.2013.12.016>
- Garzanti, E., Padoan, M., Setti, M., Najman, Y., Peruta, L., Villa, I.M., 2013. Weathering geochemistry and Sr–Nd fingerprints of equatorial upper Nile and Congo muds. *Geochemistry, Geophysics, Geosystems* 14, 292–316. <https://doi.org/10.1002/ggge.20060>
- Lupker, M., France-Lanord, C., Galy, V., Lavé, J., Gaillardet, J., Gajurel, A.P., Guilmette, C., Rahman, M., Singh, S.K., Sinha, R., 2012. Predominant floodplain over mountain weathering of Himalayan sediments (Ganga basin). *Geochimica et Cosmochimica Acta* 84, 410–432. <https://doi.org/10.1016/j.gca.2012.02.001>
- Martin, J.-M., Meybeck, M., 1979. Elemental mass-balance of material carried by major world rivers. *Marine Chemistry* 7, 173–206. [https://doi.org/10.1016/0304-4203\(79\)90039-2](https://doi.org/10.1016/0304-4203(79)90039-2)
- Schneider, S., Hornung, J., Hinderer, M., Garzanti, E., 2016. Petrography and geochemistry of modern river sediments in an equatorial environment (Rwenzori Mountains and Albertine rift, Uganda) — Implications for weathering and provenance. *Sedimentary Geology, Sediment generation and provenance: processes and pathways* 336, 106–119. <https://doi.org/10.1016/j.sedgeo.2016.02.006>
- Viers, J., Dupré, B., Gaillardet, J., 2009. Chemical composition of suspended sediments in World Rivers: New insights from a new database. *Science of The Total Environment* 407, 853–868. <https://doi.org/10.1016/j.scitotenv.2008.09.053>

Soils

- Girty, G.H., Marsh, J., Meltzner, A., McConnell, J.R., Nygren, D., Nygren, J., Prince, G.M., Randall, K., Johnson, D., Heitman, B., Nielsen, J., 2003. Assessing Changes in Elemental Mass as a Result of Chemical Weathering of Granodiorite in a Mediterranean (Hot Summer) Climate. *Journal of Sedimentary Research* 73, 434–443. <https://doi.org/10.1306/091802730434>
- Lee, Y.I., Lim, H.S., Yoon, H.I., 2004. Geochemistry of soils of King George Island, South Shetland Islands, West Antarctica: Implications for pedogenesis in cold polar regions. *Geochimica et Cosmochimica Acta* 68, 4319–4333. <https://doi.org/10.1016/j.gca.2004.01.020>
- Mongelli, G., 1993. REE and other trace elements in a granitic weathering profile from “Serre”, southern Italy. *Chemical Geology* 103, 17–25. [https://doi.org/10.1016/0009-2541\(93\)90288-T](https://doi.org/10.1016/0009-2541(93)90288-T)
- Nesbitt, H.W., Wilson, R.E., 1992. Recent chemical weathering of basalts. *Am J Sci* 292, 740–777. <https://doi.org/10.2475/ajs.292.10.740>
- Soubrand-Colin, M., Bril, H., Neel, C., Courtin-Nomade, A., Martin, F., 2005. WEATHERING OF BASALTIC ROCKS FROM THE FRENCH MASSIF CENTRAL: ORIGIN AND FATE OF Ni, Cr, Zn AND Cu. <https://doi.org/10.2113/gscanmin.43.3.1077>
- Turner, B.F., Stallard, R.F., Brantley, S.L., 2003. Investigation of in situ weathering of quartz diorite bedrock in the Rio Icacos basin, Luquillo Experimental Forest, Puerto Rico. *Chemical Geology, Controls on Chemical Weathering* 202, 313–341. <https://doi.org/10.1016/j.chemgeo.2003.05.001>
- White, A.F., Bullen, T.D., Schulz, M.S., Blum, A.E., Huntington, T.G., Peters, N.E., 2001. Differential rates of feldspar weathering in granitic regoliths. *Geochimica et Cosmochimica Acta* 65, 847–869. [https://doi.org/10.1016/S0016-7037\(00\)00577-9](https://doi.org/10.1016/S0016-7037(00)00577-9)

Crater Lake Igneous Rock Data

- Ankney, M.E., Johnson, C.M., Bacon, C.R., Beard, B.L., Jicha, B.R., 2013. Distinguishing lower and upper crustal processes in magmas erupted during the buildup to the 7.7 ka climactic eruption of Mount Mazama, Crater Lake, Oregon, using 238U–230Th disequilibria. *Contrib Mineral Petrol* 166, 563–585. <https://doi.org/10.1007/s00410-013-0891-4>
- Bacon, C.R., 2012. Magmatic inclusions in silicic and intermediate volcanic rocks. *Journal of Geophysical Research: Solid Earth* 6091–6112. [https://doi.org/10.1029/JB091iB06p06091@10.1002/\(ISSN\)2169-9356.OPENSYS1](https://doi.org/10.1029/JB091iB06p06091@10.1002/(ISSN)2169-9356.OPENSYS1)
- Nakada, S., Bacon, C.R., Gartner, A.E., 1994. Origin of Phenocrysts and Compositional Diversity in Pre-Mazama Rhyodacite Lavas, Crater Lake, Oregon. *J Petrology* 35, 127–162. <https://doi.org/10.1093/petrology/35.1.127>
- Reagan, M.K., Sims, K.W.W., Erich, J., Thomas, R.B., Cheng, H., Edwards, R.L., Layne, G., Ball, L., 2003. Time-scales of Differentiation from Mafic Parents to Rhyolite in North American Continental Arcs. *J Petrology* 44, 1703–1726. <https://doi.org/10.1093/petrology/egg057>
- Wright, H.M., Bacon, C.R., Vazquez, J.A., Sisson, T.W., 2012. Sixty thousand years of magmatic volatile history before the caldera-forming eruption of Mount Mazama, Crater Lake, Oregon. *Contrib Mineral Petrol* 164, 1027–1052. <https://doi.org/10.1007/s00410-012-0787-8>

NAVDAT Igneous Rock Data

References for this data-set are found in the file “NAVDAT_references.txt”