
CS-360



Project Report

09.04.2023

—

Isidoros Chatzichrisos


Theodoros Pontzouktzidis

Alexandros Markodimitrakis

Content.

1. ER Diagram.....	Page: 2
2. Entities(Names,Types,Keys,Cardinalities).....	Page: 3-5
3. Relational Model.....	Page: 6
4. Keys & Functional Dependencies.....	Page: 7
5. 3NF Without Data Loss.....	Page: 8
6. Testing & Screenshots.....	Page:
7. Comments.....	Page:

ER Diagram.



Entities (Names,Types,Keys,Cardinalities).

Permanent:

Name (String)
Address (String)
Phone Number (String)
IBAN (String)
BankName (String)
StartDate (DATE:SQL)
SalaryID (uint32)
Department (String)
Children (SMALLINT:SQL unsigned)
Mariage (Bool)
Category (BIT:SQL)
Years(TINYINT:SQL unsigned)

Contracted:

Name (String)
Address (String)
Phone Number (String)
IBAN (String)
BankName (String)
StartDate (DATE:SQL)
SalaryID (uint32)
Department (String)
Children (SMALLINT:SQL unsigned)
Mariage (Bool)
Category (BIT:SQL)
EndDate(DATE:SQL)

Ages:Name (String)

Age (int)

Id (int)

Salary:Name (String)

Bonus (uint32)

MainSalary (uint32)

Payment:Name (String)

Date (DATE:SQL)

Amount (uint32)

ENTITY	PRIMARY KEY
Permanent	Name
Contracted	Name
Ages	Name (foreign key from permanent or contracted)
Salary	Name (foreign key from permanent or contracted)
Payment	Name (foreign key from permanent or contracted)

* We divided Employee Entity in 2 Entities **Permanent** and **Contracted** so we can lower the cost of searching in the DB.

Entity(Cardinality)	Relation	(Cardinality)Entity
Permanent(1,1)	Gets	(1,1)Payment
Permanent(1,1)	WorksFor	(1,1)Salary
Contracted(1,1)	Gets	(1,1)Payment
Contracted(1,1)	WorksFor	(1,1)Salary
Employee()	Has	(1,1)Ages

* We use Min,Max orientation. Also every Cardinality is set to 1,1 because each employee name can exist to one payment and salary and Each payment or salary relates to only one employee.

Relational Model.

Permanent

<u>Name</u>	Address	Phone Number	IBAN	Bank Name	Start Date	SalaryID	Department	Children	Mariage	Category	Years
-------------	---------	--------------	------	-----------	------------	----------	------------	----------	---------	----------	-------

Contracted

<u>Name</u>	Address	Phone Number	IBAN	Bank Name	Start Date	SalaryID	Department	Children	Mariage	Category	EndDate
-------------	---------	--------------	------	-----------	------------	----------	------------	----------	---------	----------	---------

Ages

<u>Name</u>	Age	<u>id</u> *
-------------	-----	-------------

Salary

<u>Name</u>	Bonus	MainSalary
-------------	-------	------------

Payment

<u>Name</u>	Date	Amount
-------------	------	--------

*partial key

Keys & Functional Dependencies.

Permanent:

Name -> Address,Phone,Number,IBAN,BankName,StartDate,SalaryID,Department,
Children,Mariage,Category,Years

Contracted:

Name -> Address,Phone,Number,IBAN,BankName,StartDate,SalaryID,Department,
Children,Mariage,Category,EndDate

Ages:

Name,id -> Age

Salary:

Name -> Bonus,MainSalary

Payment:

Name -> Date,Amount

3NF Without Data Loss.

For a Relation to be in 1NF it needs to:

- Attributes have to be atomic. ✓

In our Model every Relation is in 1NF.

For a Relation to be in 2NF it needs to:

- Relation needs to be in 1NF. ✓
- Relation's Functional Dependencies can't be in the form: non-primary(key) -> primary key. ✓

In our Model every Relation is in 2NF.

For a Relation to be in 3NF it needs to:

- Relation needs to be in 2NF. ✓
- No Transitive Dependencies in Relation. ✓
- Relation's Functional Dependencies can't be in the form: non-primary(key) -> non-primary(key). ✓

In our Model every Relation is in 3NF.



Testing & Screenshots.

Comments.