

Referencias

- Aha, D. W., Kibler, D., & Albert, M. K. (1991). Instance-based learning algorithms. *Machine Learning*, 6(1), 37–66.
- Alexandropoulos, S. A. N., Kotsiantis, S. B., & Vrahatis, M. N. (2019). Data preprocessing in predictive data mining. *The Knowledge Engineering Review*, 34, e1. <https://doi.org/10.1017/S026988891800036X>
- Allen, R. G., Pereira, L. S., Raes, D., & Smith, M. (1998). Crop evapotranspiration: Guidelines for computing crop water requirements (FAO Irrigation and Drainage Paper No. 56). FAO.
- Alpaydin, E. (2020). *Introduction to machine learning* (4th ed.). MIT Press.
- Arnaiz-González, Á., Díez-Pastor, J. F., Rodríguez, J. J., & García-Osorio, C. I. (2016). Instance selection for regression by discretization. *Expert Systems with Applications*, 54, 340–350. <https://doi.org/10.1016/j.eswa.2016.02.024>
- Awad, M., & Khanna, R. (2015). Support vector regression. En *Efficient learning machines: Theories, concepts, and applications for engineers and system designers* (pp. 67–80). Apress.
- Bellman, R. (1961). *Adaptive control processes: A guided tour*. Princeton University Press.
- Bishop, C. M. (2006). *Pattern recognition and machine learning*. Springer.
- Bramer, M. (2013). *Principles of data mining* (2nd ed.). Springer.
- Breiman, L. (2001). Random forests. *Machine Learning*, 45(1), 5–32. <https://doi.org/10.1023/A:1010933404324>
- Breiman, L., Friedman, J. H., Olshen, R. A., & Stone, C. J. (1984). *Classification and regression trees*. Wadsworth.
- Brodley, C. E., & Friedl, M. A. (1999). Identifying mislabeled training data. *Journal of Artificial Intelligence Research*, 11, 131–167. <https://doi.org/10.1613/jair.606>
- Carmona Suárez, E. J. (2016). Tutorial sobre Máquinas de Vectores Soporte (SVM). Departamento de Inteligencia Artificial, Universidad Nacional de Educación a Distancia (UNED).
- Chai, T., & Draxler, R. R. (2014). Root mean square error (RMSE) or mean absolute error (MAE)?—Arguments against avoiding RMSE in the literature. *Geoscientific Model Development*, 7(3), 1247–1250. <https://doi.org/10.5194/gmd-7-1247-2014>
- Chicco, D., Warrens, M. J., & Jurman, G. (2021). The coefficient of determination R-squared is more informative than SMAPE, MAE, MAPE, MSE and RMSE in regression analysis evaluation. *PeerJ Computer Science*, 7, e623. <https://doi.org/10.7717/peerj-cs.623>
- Cover, T., & Hart, P. (1967). Nearest neighbor pattern classification. *IEEE Transactions on Information Theory*, 13(1), 21–27. <https://doi.org/10.1109/TIT.1967.1053964>

- Cristianini, N., & Shawe-Taylor, J. (2000). An introduction to Support Vector Machines and other kernel-based learning methods. Cambridge University Press.
- Demšar, J. (2006). Statistical comparisons of classifiers over multiple data sets. *Journal of Machine Learning Research*, 7, 1–30.
- Devroye, L., Györfi, L., & Lugosi, G. (1996). A probabilistic theory of pattern recognition. Springer. <https://doi.org/10.1007/978-1-4612-0711-5>
- Dietterich, T. G. (1998). Approximate statistical tests for comparing supervised classification learning algorithms. *Neural Computation*, 10(7), 1895–1923. <https://doi.org/10.1162/089976698300017197>
- Domingos, P. (2012). A few useful things to know about machine learning. *Communications of the ACM*, 55(10), 78–87. <https://doi.org/10.1145/2347736.2347755>
- Droogers, P., & Allen, R. G. (2002). Estimating reference evapotranspiration under inaccurate data conditions. *Irrigation and Drainage Systems*, 16(1), 33–45. <https://doi.org/10.1023/A:1015508322413>
- Drucker, H., Burges, C. J., Kaufman, L., Smola, A., & Vapnik, V. (1997). Support vector regression machines. *Advances in Neural Information Processing Systems*, 9, 155–161.
- Frénay, B., & Verleysen, M. (2014). Classification in the presence of label noise: A survey. *IEEE Transactions on Neural Networks and Learning Systems*, 25(5), 845–869. <https://doi.org/10.1109/TNNLS.2013.2292894>
- Friedman, M. (1937). The use of ranks to avoid the assumption of normality implicit in the analysis of variance. *Journal of the American Statistical Association*, 32(200), 675–701. <https://doi.org/10.1080/01621459.1937.10503522>
- Gama, J., Žliobaitė, I., Bifet, A., Pechenizkiy, M., & Bouchachia, A. (2014). A survey on concept drift adaptation. *ACM Computing Surveys (CSUR)*, 46(4), 1–37. <https://doi.org/10.1145/2523813>
- García, L. P. F., Lorena, A. C., Matwin, S., & de Carvalho, A. C. P. L. F. (2016). Ensembles of label noise filters: A ranking approach. *Data Mining and Knowledge Discovery*, 30(5), 1192–1216. <https://doi.org/10.1007/s10618-015-0441-9>
- García, S., Fernández, A., Luengo, J., & Herrera, F. (2010). Advanced nonparametric tests for multiple comparisons in the design of experiments in computational intelligence and data mining: Experimental analysis of power. *Information Sciences*, 180(10), 2044–2064. <https://doi.org/10.1016/j.ins.2009.12.010>
- GeeksforGeeks. (s.f.). CART (Classification and Regression Tree) in Machine Learning. Recuperado el 13 de junio de 2026, de <https://www.geeksforgeeks.org/machine-learning/cart-classification-and-regression-tree-in-machine-learning/>
- Géron, A. (2019). Hands-On Machine Learning with Scikit-Learn, Keras, and TensorFlow: Concepts, Tools, and Techniques to Build Intelligent Systems (2ª ed.). O'Reilly Media.

- Giménez, L., & García Petillo, M. (2011a). Evapotranspiración de cultivos de verano para dos regiones climáticamente contrastantes de Uruguay. *Agrociencia Uruguay*, 15(2), 100–111.
- Giménez, L., & García Petillo, M. (2011b). Evapotranspiración de referencia de los últimos 30 años en Uruguay. *Agrociencia Uruguay*, 15(2), 132–138.
- Goodfellow, I., Bengio, Y., & Courville, A. (2016). *Deep learning*. MIT Press.
- Hair, J. F., Black, W. C., Babin, B. J., & Anderson, R. E. (2010). *Multivariate data analysis* (7.^a ed.). Pearson.
- Han, J., & Kamber, M. (2006). *Data mining: Concepts and techniques* (2nd ed.). Morgan Kaufmann.
- Hand, D. J., Mannila, H., & Smyth, P. (2001). *Principles of data mining*. MIT Press.
- Hastie, T., Tibshirani, R., & Friedman, J. (2009). *The elements of statistical learning: Data mining, inference, and prediction* (2nd ed.). Springer.
- Hodson, T. O. (2022). Root-mean-square error (RMSE) or mean absolute error (MAE): When to use them or not. *Geoscientific Model Development*, 15(14), 5481–5487. <https://doi.org/10.5194/gmd-15-5481-2022>
- Holm, S. (1979). A simple sequentially rejective multiple test procedure. *Scandinavian Journal of Statistics*, 6(2), 65–70.
- Huber, P. J. (1964). Robust estimation of a location parameter. *The Annals of Mathematical Statistics*, 35(1), 73–101. <https://doi.org/10.1214/aoms/1177703732>
- James, G., Witten, D., Hastie, T., & Tibshirani, R. (2013). *An introduction to statistical learning: With applications in R*. Springer.
- Jiang, Y., Wang, S., Qian, Y., & Liang, J. (2021). A unified sample selection framework for output noise filtering: An error-bound perspective. *Journal of Machine Learning Research*, 22(19), 1–49.
- Kuhn, M., & Johnson, K. (2013). *Applied predictive modeling*. Springer.
- Martín, J., Sáez, J. A., & Corchado, E. (2021). On the regressand noise problem: Model robustness and synergy with regression-adapted noise filters. *IEEE Access*, 9, 145800–145816. <https://doi.org/10.1109/ACCESS.2021.3122950>
- Martín, J., Sáez, J. A., & Corchado, E. (2024). On the regressand noise problem: Model robustness and synergy with regression-adapted noise filters. *IEEE Access*, 12, 121608.
- Martín, J., Sáez, J. A., & Corrales, J. M. (2021). rgnoisefilt: An R package for regression dataset filtering. *The R Journal*, 13(1), 382–397.
- Murphy, K. P. (2012). *Machine learning: A probabilistic perspective*. MIT Press.

- Nettleton, D. F., Orriols-Puig, A., & Fornells, A. (2010). A study of the effect of different types of noise on the precision of supervised learning techniques. *Artificial Intelligence Review*, 33(4), 275–306.
- Qaddoura, R., & Bani Younes, M. (2022). Temporal prediction of traffic characteristics on real road scenarios in Amman. *Journal of Ambient Intelligence and Humanized Computing*, 14(9). <https://doi.org/10.1007/s12652-022-03708-0>
- O'Brien, R. M. (2007). A caution regarding rules of thumb for variance inflation factors. *Quality & Quantity*, 41(5), 673–690. <https://doi.org/10.1007/s11135-006-9018-6>
- R Core Team. (2023). R: A language and environment for statistical computing. R Foundation for Statistical Computing. <https://www.R-project.org/>
- Reichstein, M., Camps-Valls, G., Stevens, B., Jung, M., Denzler, J., Carvalhais, N., & Prabhat. (2019). Deep learning and process understanding for data-driven Earth system science. *Nature*, 566(7743), 195–204. <https://doi.org/10.1038/s41586-019-0912-1>
- Sáez, J. A., Luengo, J., & Herrera, F. (2013). Predicting noise filtering efficacy with data complexity measures for nearest neighbor classification. *Pattern Recognition*, 46(1), 355–364. <https://doi.org/10.1016/j.patcog.2012.07.021>
- Schölkopf, B., & Smola, A. J. (2002). *Learning with kernels: Support vector machines, regularization, optimization, and beyond*. MIT Press.
- Smola, A. J., & Schölkopf, B. (2004). A tutorial on support vector regression. *Statistics and Computing*, 14(3), 199–222. <https://doi.org/10.1023/B:STCO.0000035301.49549.88>
- Smola, A. J., & Schölkopf, B. (2004). A tutorial on support vector regression. *Statistics and Computing*, 14, 199–222. <https://alex.smola.org/papers/2004/SmoSch04.pdf>
- Tan, P. N., Steinbach, M., & Kumar, V. (2006). *Introduction to data mining*. Addison-Wesley.
- Tomek, I. (1976). An experiment with the edited nearest-neighbor rule. *IEEE Transactions on Systems, Man, and Cybernetics*, SMC-6(6), 448–452. <https://doi.org/10.1109/TSMC.1976.4309523>
- Tzounis, A., Katsoulas, N., Bartzanas, T., & Kittas, C. (2017). Internet of Things in agriculture, recent advances and future challenges. *Biosystems Engineering*, 164, 31–48. <https://doi.org/10.1016/j.biosystemseng.2017.09.007>
- Vapnik, V. N. (1995). *The nature of statistical learning theory*. Springer.
- Verbaeten, S., & Van Assche, A. (2003). Ensemble methods for noise elimination in classification problems. In *Multiple Classifier Systems* (pp. 317–325). Springer. https://doi.org/10.1007/3-540-44938-8_31
- Wilcoxon, F. (1945). Individual comparisons by ranking methods. *Biometrics Bulletin*, 1(6), 80–83. <https://doi.org/10.2307/3001968>

- Willmott, C. J., & Matsuura, K. (2005). Advantages of the mean absolute error (MAE) over the root mean square error (RMSE) in assessing average model performance. *Climate Research*, 30(1), 79–82. <https://doi.org/10.3354/cr030079>
- Wilson, D. L. (1972). Asymptotic properties of nearest neighbor rules using edited data. *IEEE Transactions on Systems, Man, and Cybernetics*, SMC-2(3), 408–421. <https://doi.org/10.1109/TSMC.1972.4309137>
- Wu, X., & Zhu, X. (2008). Mining with noise knowledge: Error-aware data mining. *IEEE Transactions on Systems, Man, and Cybernetics—Part A: Systems and Humans*, 38(4), 917–932. <https://doi.org/10.1109/TSMCA.2008.923028>
- Yin, Y., Long, L., & Deng, X. (2020). Dynamic data mining of sensor data. *IEEE Access*, 8, 41637–41648.
- Zamora-Izquierdo, M. A., Santa, J., Martínez, J. A., Martínez, V., & Skarmeta, A. F. (2020). Smart farming IoT platform based on edge and cloud computing. *Biosystems Engineering*, 177, 4–17. <https://doi.org/10.1016/j.biosystemseng.2018.10.014>
- Zhu, J., Hoi, S. C. H., & Lyu, M. R. (2008). Robust regularized kernel regression. *IEEE Transactions on Systems, Man, and Cybernetics—Part B: Cybernetics*, 38(6), 1639–1644.
- Zhu, X., & Wu, X. (2004). Class noise vs. attribute noise: A quantitative study. *Artificial Intelligence Review*, 22(3), 177–210. <https://doi.org/10.1007/s10462-004-0751-8>