

NAME: Alex Mbogo
GMAIL: evansnjiru5@gmail.com
ADMISSION NUMBER: ADC-CSS02-25064

LINUX FUNDAMENTALS

Module Completion Link

<https://academy.hackthebox.com/achievement/1378833/18>

The screenshot shows the HTB Academy interface for the 'LINUX FUNDAMENTALS' module. The user 'dENVybUGG' is logged in, with a 'Free' status and 70 cubes. The module is marked as 'Completed / Congrats!'. A Tux penguin is featured next to a 'Congratulations!' message stating the user has completed the module and earned 180 XP, represented by five stars. Below this, there are social sharing buttons for LinkedIn, X, and Facebook, along with a 'Get a shareable link' button. A 'Continue your path' section suggests the 'SOC Analyst' path. A 'Conclusion' section provides a summary of the module's content, and a 'Module Key Takeaways' list includes topics like Linux structure, shell usage, file navigation, Linux administration, service management, and permissions. A 'What's Next?' section offers suggestions for further learning. The bottom of the page features a 'HACKTHEBOX' logo and a note about the need for an active subscription to play the content.

HTB ACADEMY Search Academy

Purchase Cubes dENVybUGG

LINUX FUNDAMENTALS Completed / Congrats!

dENVybUGG Free 70

Try Academy 2.0 (Beta)

LEARN

- Dashboard
- Exams
- Modules
- Paths
- Academy x HTB Labs

MY ACHIEVEMENTS

- My Certificates
- My Badges

REFERRALS

- Invite friends

Share on LinkedIn Share on X Share on Facebook Get a shareable link

Continue your path

SOC Analyst

Review Module Change Log Retake Module

What's Next?

Here are a few suggestions to try out based on the path you've just completed!

HACKTHEBOX

In order to play the content below, you need an active subscription at [Hack The Box](#)

Machines

Login to target machine via SSH

```
alley@Alley: ~  
(alley@Alley)-[~]  
$ ssh  
usage: ssh [-46AaCfGgKkMMNnqsTtVvXxYy] [-B bind_interface] [-b bind_address]  
        [-c cipher_spec] [-D [bind_address:]port] [-E log_file]  
        [-e escape_char] [-F configfile] [-I pkcs11] [-i identity_file]  
        [-J destination] [-L address] [-l login_name] [-m mac_spec]  
        [-O ctl_cmd] [-o option] [-P tag] [-p port] [-R address]  
        [-S ctl_path] [-W host:port] [-w local_tun[:remote_tun]]  
        destination [command [argument ...]]  
ssh [-Q query_option]  
  
(alley@Alley)-[~]  
$ ssh htb-student[10.129.13.234]  
ssh: Could not resolve hostname htb-student[10.129.13.234]: Name or service not  
known  
  
(alley@Alley)-[~]  
$ ssh htb-student@10.129.13.234  
[
```



htb-student@nixfund: ~



2026-01-28 03:15:13 SIGTERM[soft,exit-with-notification] received, process exiting

(alley@Alley)-[~]

\$ ssh htb-student@10.129.13.234

The authenticity of host '10.129.13.234 (10.129.13.234)' can't be established.
ED25519 key fingerprint is: SHA256:PHsjpBEAL6hSCzjVohppUybupbLXdBZy8FqtwlMpmjU
This key is not known by any other names.

Are you sure you want to continue connecting (yes/no/[fingerprint])? y

Please type 'yes', 'no' or the fingerprint: HTB_@cademy_stdnt!

Please type 'yes', 'no' or the fingerprint: yes

Warning: Permanently added '10.129.13.234' (ED25519) to the list of known hosts.

** WARNING: connection is not using a post-quantum key exchange algorithm.

** This session may be vulnerable to "store now, decrypt later" attacks.

** The server may need to be upgraded. See <https://openssh.com/pq.html>

htb-student@10.129.13.234's password:

Welcome to Ubuntu 18.04.5 LTS (GNU/Linux 4.15.0-123-generic x86_64)

* Documentation: <https://help.ubuntu.com>

* Management: <https://landscape.canonical.com>

* Support: <https://ubuntu.com/advantage>

System information as of Wed Jan 28 08:18:02 UTC 2026

System load: 0.0

Processes: 150

Usage of /: 51.0% of 6.76GB

Users logged in: 0

Memory usage: 21%

IP address for ens192: 10.129.13.234

Swap usage: 0%

* Canonical Livepatch is available for installation.

- Reduce system reboots and improve kernel security. Activate at:
<https://ubuntu.com/livepatch>

0 packages can be updated.

0 updates are security updates.

Last login: Wed Sep 23 22:09:41 2020 from 10.10.14.6

htb-student@nixfund:~\$

System Information

1. Find out the machine hardware name and submit it as the answer.
2. What is the path to htb-student's home directory?
3. What is the path to the htb-student's mail?
4. What is the path to the htb-student's mail?
5. Which shell is specified for the htb-student user?
6. Which kernel release is installed on the system? (Format: 1.22.3)
7. What is the name of the network interface that MTU is set to 1500?

```
htb-student@nixfund: ~  
htb-student@nixfund:~$ uname  
Linux  
htb-student@nixfund:~$ hostname  
nixfund  
htb-student@nixfund:~$ whoami  
htb-student  
htb-student@nixfund:~$  
htb-student@nixfund:~$ uname -m  
x86_64  
htb-student@nixfund:~$ uname -r  
4.15.0-123-generic  
htb-student@nixfund:~$ echo $HOME  
/home/htb-student  
htb-student@nixfund:~$ echo $MAIL  
/var/mail/htb-student  
htb-student@nixfund:~$ echo $SHELL  
/bin/bash  
htb-student@nixfund:~$ ip link show  
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN mode DEFAULT group default  
qlen 1000  
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00  
2: ens192: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc mq state UP mode DEFAULT group def  
ault qlen 1000  
    link/ether 00:50:56:8a:a9:ae brd ff:ff:ff:ff:ff:ff  
htb-student@nixfund:~$  
  
canonical livepatch is available for installation.  
  reduce system reboots and improve kernel security. Activate at:  
  https://ubuntu.com/livepatch  
  
0 packages can be updated.  
0 updates are security updates.  
  
Last login: Wed Sep 13 12:49:41 2023 from 10.10.14.6  
htb-student@nixfund:~$
```

Navigation

What is the name of the hidden "history" file in the htb-user's home directory?

What is the index number of the "sudoers" file in the "/etc" directory?


```
htb-student@nixfund: ~  
^C  
htb-student@nixfund:~$ echo @SHELL  
@SHELL  
htb-student@nixfund:~$ echo $SHELL  
/bin/bash  
htb-student@nixfund:~$ /var/.ail/htb-student  
-bash: /var/.ail/htb-student: No such file or directory  
htb-student@nixfund:~$ /var/mail/htb-student  
-bash: /var/mail/htb-student: No such file or directory  
htb-student@nixfund:~$ echo $MAIL  
/var/mail/htb-student  
htb-student@nixfund:~$ clear  
  
htb-student@nixfund:~$ uname  
Linux  
htb-student@nixfund:~$ hostname  
nixfund  
htb-student@nixfund:~$ whoami  
htb-student  
htb-student@nixfund:~$  
htb-student@nixfund:~$ uname -m  
x86_64  
htb-student@nixfund:~$ uname -r  
4.15.0-123-generic  
htb-student@nixfund:~$ echo $HOME  
/home/htb-student  
htb-student@nixfund:~$ echo $MAIL  
/var/mail/htb-student  
htb-student@nixfund:~$ echo $SHELL  
/bin/bash  
htb-student@nixfund:~$ ip link show  
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN mode DEFAULT group default  
qlen 1000  
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00  
2: ens192: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc mq state UP mode DEFAULT group def  
ault qlen 1000  
    link/ether 00:50:56:8a:a9:ae brd ff:ff:ff:ff:ff:ff  
htb-student@nixfund:~$ ls la  
ls: cannot access 'la': No such file or directory  
htb-student@nixfund:~$ ls -la  
total 32  
drwxr-xr-x 4 htb-student htb-student 4096 Aug  3  2021 .  
drwxr-xr-x 5 root          root          4096 Aug  3  2021 ..  
-rw----- 1 htb-student htb-student   5 Sep 23  2020 .bash_history  
-rw-r--r-- 1 htb-student htb-student  220 Apr  4  2018 .bash_logout  
-rw-r--r-- 1 htb-student htb-student 3771 Apr  4  2018 .bashrc  
drwx----- 2 htb-student htb-student 4096 Aug  3  2021 .cache  
drwx----- 3 htb-student htb-student 4096 Aug  3  2021 .gnupg  
-rw-r--r-- 1 htb-student htb-student  807 Apr  4  2018 .profile  
htb-student@nixfund:~$ ls-l  
ls-l: command not found  
htb-student@nixfund:~$ ls -l  
total 0  
htb-student@nixfund:~$ ls -i /etc/sudoers  
ls: cannot access '/etc/sudoers': No such file or directory  
htb-student@nixfund:~$ ls -i /etc/sudoers  
147627 /etc/sudoers
```

Working with Files and Directories

What is the name of the last modified file in the "/var/backups" directory?

What is the inode number of the "shadow.bak" file in the "/var/backups" directory?

```
htb-student@nixfund:~$ ls -lt /var/backups
total 2160
-rw-r--r-- 1 root root 41872 Nov 12 2020 apt.extended_states.0
-rw-r--r-- 1 root root 4437 Nov 12 2020 apt.extended_states.1.gz
-rw-r--r-- 1 root root 742750 Nov 11 2020 dpkg.status.0
-rw-r--r-- 1 root root 206270 Nov 11 2020 dpkg.status.1.gz
-rw-r--r-- 1 root root 206270 Nov 5 2020 dpkg.status.2.gz
-rw-r--r-- 1 root root 206270 Nov 5 2020 dpkg.status.3.gz
-rw-r--r-- 1 root root 206270 Nov 5 2020 dpkg.status.4.gz
-rw-r--r-- 1 root root 206270 Nov 5 2020 dpkg.status.5.gz
-rw-r--r-- 1 root root 206270 Nov 5 2020 dpkg.status.6.gz
-rw-r--r-- 1 root root 51200 Oct 29 2020 alternatives.tar.0
-rw-r--r-- 1 root root 4623 Oct 22 2020 apt.extended_states.2.gz
-rw-r--r-- 1 root root 2497 Oct 16 2020 alternatives.tar.1.gz
-rw-r--r-- 1 root root 4601 Oct 15 2020 apt.extended_states.3.gz
-rw-r--r-- 1 root root 2492 Sep 24 2020 alternatives.tar.2.gz
-rw-r--r-- 1 root root 367 Sep 23 2020 dpkg.statoverride.0
-rw-r--r-- 1 root root 229 Sep 23 2020 dpkg.statoverride.1.gz
-rw-r--r-- 1 root root 229 Sep 23 2020 dpkg.statoverride.2.gz
-rw-r--r-- 1 root root 229 Sep 23 2020 dpkg.statoverride.3.gz
-rw-r--r-- 1 root root 229 Sep 23 2020 dpkg.statoverride.4.gz
-rw-r--r-- 1 root root 229 Sep 23 2020 dpkg.statoverride.5.gz
-rw-r--r-- 1 root root 229 Sep 23 2020 dpkg.statoverride.6.gz
-rw-r--r-- 1 root root 4572 Sep 23 2020 apt.extended_states.4.gz
-rw----- 1 root root 2014 Sep 23 2020 passwd.bak
-rw----- 1 root shadow 1362 Sep 23 2020 shadow.bak
-rw----- 1 root shadow 716 Sep 23 2020 gshadow.bak
-rw----- 1 root root 860 Sep 23 2020 group.bak
-rw-r--r-- 1 root root 437 Aug 5 2019 dpkg.diversions.0
-rw-r--r-- 1 root root 202 Aug 5 2019 dpkg.diversions.1.gz
-rw-r--r-- 1 root root 202 Aug 5 2019 dpkg.diversions.2.gz
-rw-r--r-- 1 root root 202 Aug 5 2019 dpkg.diversions.3.gz
-rw-r--r-- 1 root root 202 Aug 5 2019 dpkg.diversions.4.gz
-rw-r--r-- 1 root root 202 Aug 5 2019 dpkg.diversions.5.gz
-rw-r--r-- 1 root root 202 Aug 5 2019 dpkg.diversions.6.gz
htb-student@nixfund:~$ ls -li /var/backupsshadow.bak
ls: cannot access '/var/backupsshadow.bak': No such file or directory
htb-student@nixfund:~$ ls -li /var/backups/shadow.bak
265293 /var/backups/shadow.bak
htb-student@nixfund:~$
```

Find Files and Directories

What is the name of the config file that has been created after 2020-03-03 and is smaller than 28k but larger than

How many files exist on the system that have the ".bak" extension?

Submit the full path of the "xxd" binary.



```
htb-student@nixfund:~$ find / -type f -name "*.bak" 2>/dev/null | wc -l
```

```
4
```

```
htb-student@nixfund:~$
```

```
htb-student@nixfund:~$ which xxd
```

```
/usr/bin/xxd
```

```
htb-student@nixfund:~$ which xxd
```

```
/usr/bin/xxd
```

```
htb-student@nixfund:~$ find / -type f -name "*.conf" \
```

```
> -newermt 2020-03-03 \
```

```
> -size +1k -size -28k \
```

```
> 2>/dev/null
```

```
/var/log/installer/subiquity-curtin-install.conf
```

```
/var/lib/ucf/cache/etc:dovecot:conf.d:10-ssl.conf
```

```
/var/lib/ucf/cache/etc:dovecot:dovecot.conf
```

```
/var/lib/ucf/cache/etc:samba:smb.conf
```

```
/var/lib/ucf/cache/etc:dovecot:conf.d:10-mail.conf
```

```
/etc/proftpd/tls.conf
```

```
/etc/proftpd/modules.conf
```

```
/etc/proftpd/proftpd.conf
```

```
/etc/iscsi/iscsid.conf
```

```
/etc/samba/smb.conf
```

```
/etc/dovecot/dovecot.conf
```

```
/etc/dovecot/conf.d/10-mail.conf
```

```
/etc/dovecot/conf.d/10-ssl.conf
```

```
/etc/ca-certificates.conf
```

```
/etc/apache2/apache2.conf
```

```
/lib/modprobe.d/blacklist_linux_4.15.0-122-generic.conf
```

```
/lib/modprobe.d/blacklist_linux_4.15.0-123-generic.conf
```

```
/usr/share/X11/xorg.conf.d/10-quirks.conf
```

```
/usr/share/samba/smb.conf
```

```
/usr/share/dovecot/dovecot.conf
```

```
/usr/share/dovecot/conf.d/10-mail.conf
```

```
/usr/share/dovecot/conf.d/10-ssl.conf
```

```
/usr/share/drirc.d/00-mesa-defaults.conf
```

```
/usr/share/dbus-1/session.conf
```

```
/usr/share/dbus-1/system.conf
```

```
/usr/share/dbus-1/system.d/org.freedesktop.login1.conf
```

```
/usr/share/doc/sudo/examples/pam.conf
```

```
/usr/share/doc/sudo/examples/syslog.conf
```

```
/usr/share/doc/sudo/examples/sudo.conf
```

```
/usr/lib/tmpfiles.d/systemd.conf
```

```
/snap/core/10126/etc/adduser.conf
```

```
/snap/core/10126/etc/ca-certificates.conf
```

```
/snap/core/10126/etc/init/cloud-init-blocknet.conf
```

```
/snap/core/10126/etc/init/cloud-init-container.conf
```

```
/snap/core/10126/etc/init/cloud-init-nonnet.conf
```

```
/snap/core/10126/etc/sysctl.conf
```

```
/snap/core/10126/etc/systemd/system.conf
```

```
/snap/core/10126/usr/lib/tmpfiles.d/journal-nocow.conf
```

```
/snap/core/10126/usr/lib/tmpfiles.d/systemd.conf
```

```
/snap/core/10126/usr/share/dbus-1/session.conf
```

```
/snap/core/10126/usr/share/dbus-1/system.conf
```

```
/snap/core/10185/etc/adduser.conf
```

```
/snap/core/10185/etc/ca-certificates.conf
```

```
/snap/core/10185/etc/init/cloud-init-blocknet.conf
```

```
/snap/core/10185/etc/init/cloud-init-container.conf
```

```
/snap/core/10185/etc/init/cloud-init-nonnet.conf
```

```
/snap/core/10185/etc/sysctl.conf
```

```
/snap/core/10185/etc/systemd/system.conf
```

```
/snap/core/10185/usr/lib/tmpfiles.d/journal-nocow.conf
```

```
/snap/core/10185/usr/lib/tmpfiles.d/systemd.conf
```

```
/snap/core/10185/usr/share/dbus-1/session.conf
```

```
/snap/core/10185/usr/share/dbus-1/system.conf
```

```
/snap/core18/1932/etc/adduser.conf
```

```
/snap/core18/1932/etc/ca-certificates.conf
```

```
/snap/core18/1932/etc/modprobe.d/blacklist.conf
```

```
/snap/core18/1932/etc/systemd/journald.conf
```

```
/snap/core18/1932/etc/systemd/system.conf
```

```
/snap/core18/1932/usr/lib/tmpfiles.d/systemd.conf
```

```
/snap/core18/1932/usr/share/dbus-1/session.conf
```

```
/snap/core18/1932/usr/share/dbus-1/system.conf
```

```
/snap/core18/1932/usr/share/dbus-1/system.d/org.freedesktop.login1.conf
```

File Descriptors and Redirections

How many files exist on the system that have the ".log" file extension?

How many total packages are installed on the target system?

```
htb-student@nixfund: ~  
/var/lib/ucf/cache/etc:dovecot:conf.d:10-mail.conf  
/etc/proftpd/tls.conf  
/etc/proftpd/modules.conf  
/etc/proftpd/proftpd.conf  
/etc/iscsi/iscsid.conf  
/etc/samba/smb.conf  
/etc/dovecot/dovecot.conf  
/etc/dovecot/conf.d/10-mail.conf  
/etc/dovecot/conf.d/10-ssl.conf  
/etc/ca-certificates.conf  
/etc/apache2/apache2.conf  
/lib/modprobe.d/blacklist_linux_4.15.0-122-generic.conf  
/lib/modprobe.d/blacklist_linux_4.15.0-123-generic.conf  
/usr/share/X11/xorg.conf.d/10-quirks.conf  
/usr/share/samba/smb.conf  
/usr/share/dovecot/dovecot.conf  
/usr/share/dovecot/conf.d/10-mail.conf  
/usr/share/dovecot/conf.d/10-ssl.conf  
/usr/share/drirc.d/00-mesa-defaults.conf  
/usr/share/dbus-1/session.conf  
/usr/share/dbus-1/system.conf  
/usr/share/dbus-1/system.d/org.freedesktop.login1.conf  
/usr/share/doc/sudo/examples/pam.conf  
/usr/share/doc/sudo/examples/syslog.conf  
/usr/share/doc/sudo/examples/sudo.conf  
/usr/lib/tmpfiles.d/systemd.conf  
/snap/core/10126/etc/adduser.conf  
/snap/core/10126/etc/ca-certificates.conf  
/snap/core/10126/etc/init/cloud-init-blocknet.conf  
/snap/core/10126/etc/init/cloud-init-container.conf  
/snap/core/10126/etc/init/cloud-init-nonnet.conf  
/snap/core/10126/etc/sysctl.conf  
/snap/core/10126/etc/systemd/system.conf  
/snap/core/10126/usr/lib/tmpfiles.d/journal-nocow.conf  
/snap/core/10126/usr/lib/tmpfiles.d/systemd.conf  
/snap/core/10126/usr/share/dbus-1/session.conf  
/snap/core/10126/usr/share/dbus-1/system.conf  
/snap/core/10185/etc/adduser.conf  
/snap/core/10185/etc/ca-certificates.conf  
/snap/core/10185/etc/init/cloud-init-blocknet.conf  
/snap/core/10185/etc/init/cloud-init-container.conf  
/snap/core/10185/etc/init/cloud-init-nonnet.conf  
/snap/core/10185/etc/sysctl.conf  
/snap/core/10185/etc/systemd/system.conf  
/snap/core/10185/usr/lib/tmpfiles.d/journal-nocow.conf  
/snap/core/10185/usr/lib/tmpfiles.d/systemd.conf  
/snap/core/10185/usr/share/dbus-1/session.conf  
/snap/core/10185/usr/share/dbus-1/system.conf  
/snap/core18/1932/etc/adduser.conf  
/snap/core18/1932/etc/ca-certificates.conf  
/snap/core18/1932/etc/modprobe.d/blacklist.conf  
/snap/core18/1932/etc/systemd/journald.conf  
/snap/core18/1932/etc/systemd/system.conf  
/snap/core18/1932/usr/lib/tmpfiles.d/systemd.conf  
/snap/core18/1932/usr/share/dbus-1/session.conf  
/snap/core18/1932/usr/share/dbus-1/system.conf  
/snap/core18/1932/usr/share/dbus-1/system.d/org.freedesktop.login1.conf  
/snap/core18/1885/etc/adduser.conf  
/snap/core18/1885/etc/ca-certificates.conf  
/snap/core18/1885/etc/modprobe.d/blacklist.conf  
/snap/core18/1885/etc/systemd/journald.conf  
/snap/core18/1885/etc/systemd/system.conf  
/snap/core18/1885/usr/lib/tmpfiles.d/systemd.conf  
/snap/core18/1885/usr/share/dbus-1/session.conf  
/snap/core18/1885/usr/share/dbus-1/system.conf  
/snap/core18/1885/usr/share/dbus-1/system.d/org.freedesktop.login1.conf  
htb-student@nixfund:~$ find / -type f -name "*.log" 2>/dev/null | wc -l  
32  
htb-student@nixfund:~$  
htb-student@nixfund:~$ dpkg -l | grep ^ii | wc -l  
737  
htb-student@nixfund:~$
```

Filter Contents

How many services are listening on the target system on all interfaces? (Not on localhost and IPv4 only)

Determine what user the ProFTPD server is running under. Submit the username as the answer.

Use cURL from your Pwnbox (not the target machine) to obtain the source code of the

"https://www.inlanefreight.com" website and filter all unique paths

(https://www.inlanefreight.com/directory" or "/another/directory") of that domain. Submit the number of these paths as the answer.


```
htb-student@nixfund: ~  
htb-student@nixfund:~$ ps aux | grep proftpd ss -4 -lnt | awk '$4 !~ /^127\./'  
grep: invalid option -- 't'  
Usage: grep [OPTION]... PATTERN [FILE]...  
Try 'grep --help' for more information.  
htb-student@nixfund:~$ ps aux | grep proftpd ss -4 -lnt | awk '$4 !~ /^127\./'  
grep: invalid option -- 't'  
Usage: grep [OPTION]... PATTERN [FILE]...  
Try 'grep --help' for more information.  
htb-student@nixfund:~$ ps aux | grep proftpd ss -4 -lnt | awk '$4 !~ /^127\./'  
grep: invalid option -- 't'  
Usage: grep [OPTION]... PATTERN [FILE]...  
Try 'grep --help' for more information.  
htb-student@nixfund:~$ ss -4 -lnt | awk '$4 !~ /^127\./' | wc -l  
8  
htb-student@nixfund:~$ ss -4 -lnt | awk '$4 !~ /^127\./'  
State      Recv-Q    Send-Q    Local Address:Port      Peer Address:Port  
LISTEN     0          50        0.0.0.0:445              0.0.0.0:*  
LISTEN     0         100      0.0.0.0:993              0.0.0.0:*  
LISTEN     0         100      0.0.0.0:995              0.0.0.0:*  
LISTEN     0          50        0.0.0.0:139              0.0.0.0:*  
LISTEN     0         100      0.0.0.0:110              0.0.0.0:*  
LISTEN     0         100      0.0.0.0:143              0.0.0.0:*  
LISTEN     0         128      0.0.0.0:22               0.0.0.0:*  
htb-student@nixfund:~$ ps aux | grep proftpd  
proftpd    1769  0.0  0.1 126440 3652 ?        Ss   10:02   0:00 proftpd: (accepting connections)  
htb-stu+   6374  0.0  0.0 13144 1072 pts/0    R+   10:38   0:00 grep --color=auto proftpd  
htb-student@nixfund:~$ curl -s https://www.inlanefreight.com \  
> | grep -oiE 'href=["'\'](https://www\.inlanefreight\.com)?/[^\''\']+' \  
> | sed -E 's#.*(https://www\.inlanefreight\.com)?##' \  
> | sort -u  
htb-student@nixfund:~$  
htb-student@nixfund:~$ curl -s https://www.inlanefreight.com \  
> | grep -oiE 'href=["'\'](https://www\.inlanefreight\.com)?/[^\''\']+' \  
> | sed -E 's#.*(https://www\.inlanefreight\.com)?##' \  
> | sort -u | wc -l  
0  
htb-student@nixfund:~$  
htb-student@nixfund:~$ curl https://www.inlanefreight.com > htb.txt && cat htb.txt | tr " " "\n" | cut -d'"' -f2 | cut -d"'"' -f2 | grep "www.inlanefreight.com" | sort -u | wc -l 2>/dev/null  
1  
> ^C^C  
htb-student@nixfund:~$ curl -s https://www.inlanefreight.com | grep -oiE 'href=["'\'](https://www\.inlanefreight\.com)?/[^\''\']+' | sed -E 's#.*(https://www\.inlanefreight\.com)?##' | sort -u | wc -l  
0
```

User Management

Which option needs to be set to create a home directory for a new user using "useradd" command?

-m

Which option needs to be set to lock a user account using the "usermod" command? (long version of the option)

--lock

Which option needs to be set to execute a command as a different user using the "su" command? (long version of the option)

--command

Service and Process Management

Use the "systemctl" command to list all units of services and submit the unit name with the description "Load AppArmor profiles managed internally by snapd" as the answer.

```
htb-student@nixfund:~$ systemctl list-units --all | grep -i apparmor
apparmor.service
loaded active exited AppArmor initialization
snapd.apparmor.service
loaded active exited Load AppArmor profiles managed internally by snapd
htb-student@nixfund:~$
```

Task Scheduling

What is the Type of the service of the "dconf.service"?

Working with Web Services

Find a way to start a simple HTTP server inside Pwnbox or your local VM using "npm". Submit the command that starts the web server on port 8080 (use the short argument to specify the port number)

Find a way to start a simple HTTP server inside Pwnbox or your local VM using "php". Submit the command that starts the web server on the localhost (127.0.0.1) on port 8080.


```

htb-student@nixfund:~$ npx http-server -p 8080
Command 'npx' not found, did you mean:

  command 'upx' from snap upx (v0.2.3)
  command 'nax' from snap nax (0.0.35)
  command 'np' from deb mosquitto-auth-plugin
  command 'nex' from deb nvi
  command 'gpx' from deb gpx
  command 'nyx' from deb nyx
  command 'npm' from deb npm

See 'snap info <snapname>' for additional versions.

htb-student@nixfund:~$ npm http-server -p 8080
Command 'npm' not found, but can be installed with:

apt install npm
Please ask your administrator.

htb-student@nixfund:~$ php -S 127.0.0.1:8080
PHP 7.2.24-0ubuntu0.18.04.7 Development Server started at Wed Jan 28 10:50:26 2026
Listening on http://127.0.0.1:8080
Document root is /home/htb-student
Press Ctrl-C to quit.

```

File System Management

How many partitions exist in our Pwnbox? (Format: 0)

```

htb-student@nixfund:~$ lsblk
NAME        MAJ:MIN RM  SIZE RO TYPE MOUNTPOINT
loop0       7:0    0  55.4M  1 loop /snap/core18/1932
loop1       7:1    0  59.6M  1 loop /snap/powershell/137
loop2       7:2    0  65.3M  1 loop /snap/powershell/149
loop3       7:3    0  97.7M  1 loop /snap/core/10126
loop4       7:4    0  97.8M  1 loop /snap/core/10185
loop5       7:5    0  55.3M  1 loop /snap/core18/1885
sda         8:0    0    8G   0 disk
├─sda1      8:1    0    7G   0 part /
└─sda2      8:2    0    1G   0 part [SWAP]

```