



6 Month Questionnaire

5 months 0 days
through 6 months 30 days

On the following pages are questions about activities babies may do. Your baby may have already done some of the activities described here, and there may be some your baby has not begun doing yet. For each item, please fill in the circle that indicates whether your baby is doing the activity regularly, sometimes, or not yet.

Important Points to Remember:

- ☒ Try each activity with your baby before marking a response.
- ☒ Make completing this questionnaire a game that is fun for you and your baby.
- ☒ Make sure your baby is rested and fed.
- ☒ Please return this questionnaire by _____.

Notes:

COMMUNICATION

	YES	SOMETIMES	NOT YET	
1. Does your baby make high-pitched squeals?	☐	☐	☐	___
2. When playing with sounds, does your baby make grunting, growling, or other deep-toned sounds?	☐	☐	☐	___
3. If you call your baby when you are out of sight, does she look in the direction of your voice?	☐	☐	☐	___
4. When a loud noise occurs, does your baby turn to see where the sound came from?	☐	☐	☐	___
5. Does your baby make sounds like "da," "ga," "ka," and "ba"?	☐	☐	☐	___
6. If you copy the sounds your baby makes, does your baby repeat the same sounds back to you?	☐	☐	☐	___

COMMUNICATION TOTAL ___

GROSS MOTOR

	YES	SOMETIMES	NOT YET	
1. While your baby is on his back, does your baby lift his legs high enough to see his feet?	☐	☐	☐	___
2. When your baby is on her tummy, does she straighten both arms and push her whole chest off the bed or floor?	☐	☐	☐	___
3. Does your baby roll from his back to his tummy, getting both arms out from under him?	☐	☐	☐	___
4. When you put your baby on the floor, does she lean on her hands while sitting? (If she already sits up straight without leaning on her hands, mark "yes" for this item.)	☐	☐	☐	___



GROSS MOTOR (continued)

5. If you hold both hands just to balance your baby, does he support his own weight while standing?



YES	SOMETIMES	NOT YET	
☐	☐	☐	—

6. Does your baby get into a crawling position by getting up on her hands and knees?



YES	SOMETIMES	NOT YET	
☐	☐	☐	—

GROSS MOTOR TOTAL —

FINE MOTOR

1. Does your baby grab a toy you offer and look at it, wave it about, or chew on it for about 1 minute?

YES	SOMETIMES	NOT YET	
☐	☐	☐	—

2. Does your baby reach for or grasp a toy using both hands at once?

YES	SOMETIMES	NOT YET	
☐	☐	☐	—

3. Does your baby reach for a crumb or Cheerio and touch it with his finger or hand? (If he already picks up a small object the size of a pea, mark "yes" for this item.)



YES	SOMETIMES	NOT YET	
☐	☐	☐	—

4. Does your baby pick up a small toy, holding it in the center of her hand with her fingers around it?




YES	SOMETIMES	NOT YET	
☐	☐	☐	—

5. Does your baby try to pick up a crumb or Cheerio by using his thumb and all of his fingers in a raking motion, even if he isn't able to pick it up? (If he already picks up the crumb or Cheerio, mark "yes" for this item.)



YES	SOMETIMES	NOT YET	
☐	☐	☐	—

6. Does your baby pick up a small toy with only one hand?



YES	SOMETIMES	NOT YET	
☐	☐	☐	—

FINE MOTOR TOTAL —

PROBLEM SOLVING

1. When a toy is in front of your baby, does she reach for it with both hands?

YES	SOMETIMES	NOT YET	
☐	☐	☐	—

2. When your baby is on his back, does he turn his head to look for a toy when he drops it? (If he already picks it up, mark "yes" for this item.)

YES	SOMETIMES	NOT YET	
☐	☐	☐	—

3. When your baby is on her back, does she try to get a toy she has dropped if she can see it?

YES	SOMETIMES	NOT YET	
☐	☐	☐	—


PROBLEM SOLVING (continued)

YES SOMETIMES NOT YET

4. Does your baby pick up a toy and put it in his mouth?


☐ ☐ ☐ —

5. Does your baby pass a toy back and forth from one hand to the other?


☐ ☐ ☐ —

6. Does your baby play by banging a toy up and down on the floor or table?


☐ ☐ ☐ —


PROBLEM SOLVING TOTAL

—

PERSONAL-SOCIAL

YES SOMETIMES NOT YET

1. When in front of a large mirror, does your baby smile or coo at herself?


☐ ☐ ☐ —

2. Does your baby act differently toward strangers than he does with you and other familiar people? (Reactions to strangers may include staring, frowning, withdrawing, or crying.)

☐ ☐ ☐ —

3. While lying on her back, does your baby play by grabbing her foot?


☐ ☐ ☐ —

4. When in front of a large mirror, does your baby reach out to pat the mirror?


☐ ☐ ☐ —

5. While your baby is on his back, does he put his foot in his mouth?


☐ ☐ ☐ —

6. Does your baby try to get a toy that is out of reach? (She may roll, pivot on her tummy, or crawl to get it.)

☐ ☐ ☐ —

PERSONAL-SOCIAL TOTAL

—

OVERALL

Parents and providers may use the space below for additional comments.

1. Does your baby use both hands and both legs equally well? If no, explain:

☐ YES☐ NO

2. When you help your baby stand, are his feet flat on the surface most of the time?
If no, explain:

☐ YES☐ NO

3. Do you have concerns that your baby is too quiet or does not make sounds like other babies? If yes, explain:

☐ YES☐ NO

4. Does either parent have a family history of childhood deafness or hearing impairment? If yes, explain:

☐ YES☐ NO

5. Do you have concerns about your baby's vision? If yes, explain:

☐ YES☐ NO

6. Has your baby had any medical problems in the last several months? If yes, explain:

☐ YES

☐ NO

7. Do you have any concerns about your baby's behavior? If yes, explain:

☐ YES

☐ NO

8. Does anything about your baby worry you? If yes, explain:

☐ YES

☐ NO



6 Month ASQ-3 Information Summary

5 months 0 days through
6 months 30 days

Baby's name: _____ Date ASQ completed: _____

Baby's ID #: _____ Date of birth: _____

Administering program/provider: _____ Was age adjusted for prematurity
when selecting questionnaire? ☐ Yes ☐ No

1. **SCORE AND TRANSFER TOTALS TO CHART BELOW:** See ASQ-3 User's Guide for details, including how to adjust scores if item responses are missing. Score each item (YES = 10, SOMETIMES = 5, NOT YET = 0). Add item scores, and record each area total. In the chart below, transfer the total scores, and fill in the circles corresponding with the total scores.

Area	Cutoff	Total Score	0	5	10	15	20	25	30	35	40	45	50	55	60
Communication	29.65		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Gross Motor	22.25		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Fine Motor	25.14		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Problem Solving	27.72		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Personal-Social	25.34		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

2. **TRANSFER OVERALL RESPONSES:** Bolded uppercase responses require follow-up. See ASQ-3 User's Guide, Chapter 6.

- | | | | | | |
|--|------------|-----------|--|------------|----|
| 1. Uses both hands and both legs equally well?
Comments: | Yes | NO | 5. Concerns about vision?
Comments: | YES | No |
| 2. Feet are flat on the surface most of the time?
Comments: | Yes | NO | 6. Any medical problems?
Comments: | YES | No |
| 3. Concerns about not making sounds?
Comments: | YES | No | 7. Concerns about behavior?
Comments: | YES | No |
| 4. Family history of hearing impairment?
Comments: | YES | No | 8. Other concerns?
Comments: | YES | No |

3. **ASQ SCORE INTERPRETATION AND RECOMMENDATION FOR FOLLOW-UP:** You must consider total area scores, overall responses, and other considerations, such as opportunities to practice skills, to determine appropriate follow-up.

If the baby's total score is in the ☐ area, it is above the cutoff, and the baby's development appears to be on schedule.

If the baby's total score is in the ☐ area, it is close to the cutoff. Provide learning activities and monitor.

If the baby's total score is in the ☐ area, it is below the cutoff. Further assessment with a professional may be needed.

4. **FOLLOW-UP ACTION TAKEN:** Check all that apply.

- _____ Provide activities and rescreen in _____ months.
- _____ Share results with primary health care provider.
- _____ Refer for (circle all that apply) hearing, vision, and/or behavioral screening.
- _____ Refer to primary health care provider or other community agency (specify reason): _____
- _____ Refer to early intervention/early childhood special education.
- _____ No further action taken at this time
- _____ Other (specify): _____

5. **OPTIONAL:** Transfer item responses (Y = YES, S = SOMETIMES, N = NOT YET, X = response missing).

	1	2	3	4	5	6
Communication						
Gross Motor						
Fine Motor						
Problem Solving						
Personal-Social						

Edinburgh Postnatal Depression Scale¹ (EPDS)

NAME _____

ADDRESS _____

YOUR DATE OF BIRTH _____

BABY'S DATE OF BIRTH _____

PHONE _____

As you are pregnant or have recently had a baby, we would like to know how you are feeling. Please check the answer that comes closest to how you have felt **IN THE PAST 7 DAYS**, not just how you feel today.

Here is an example, already completed.

I have felt happy:

- ☐ Yes, all the time
☒ Yes, most of the time *This would mean: "I have felt happy most of the time" during the past week.*
☐ No, not very often *Please complete the other questions in the same way.*
☐ No, not at all

In the past 7 days:


- | | |
|---|--|
| 1. I have been able to laugh and see the funny side of things
☐ As much as I always could
☐ Not quite so much now
☐ Definitely not so much now
☐ Not at all | *6. Things have been getting on top of me
☐ Yes, most of the time I haven't been able to cope at all
☐ Yes, sometimes I haven't been coping as well as usual
☐ No, most of the time I have coped quite well
☐ No, I have been coping as well as ever |
| 2. I have looked forward with enjoyment to things
☐ As much as I ever did
☐ Rather less than I used to
☐ Definitely less than I used to
☐ Hardly at all | *7. I have been so unhappy that I have had difficulty sleeping
☐ Yes, most of the time
☐ Yes, sometimes
☐ Not very often
☐ No, not at all |
| *3. I have blamed myself unnecessarily when things went wrong
☐ Yes, most of the time
☐ Yes, some of the time
☐ Not very often
☐ No, never | *8. I have felt sad or miserable
☐ Yes, most of the time
☐ Yes, quite often
☐ Not very often
☐ No, not at all |
| 4. I have been anxious or worried for no good reason
☐ No, not at all
☐ Hardly ever
☐ Yes, sometimes
☐ Yes, very often | *9. I have been so unhappy that I have been crying
☐ Yes, most of the time
☐ Yes, quite often
☐ Only occasionally
☐ No, never |
| *5. I have felt scared or panicky for no very good reason
☐ Yes, quite a lot
☐ Yes, sometimes
☐ No, not much
☐ No, not at all | *10. The thought of harming myself has occurred to me
☐ Yes, quite often
☐ Sometimes
☐ Hardly ever
☐ Never |

ADMINISTERED/REVIEWED BY _____

DATE _____

© 1987 The Royal College of Psychiatrists. Cox, J.L., Holden, J.M., & Sagovsky, R. (1987). Detection of postnatal depression. Development of the 10-item Edinburgh Postnatal Depression Scale. *British Journal of Psychiatry*, 150, 782-786. Written permission must be obtained from the Royal College of Psychiatrists for copying and distribution to others or for republication (in print, online or by any other medium).

Translations of the scale, and guidance as to its use, may be found in Cox, J.L., Holden, J & Henshaw, C. (2014) *Perinatal Mental Health: The Edinburgh Postnatal Depression Scale (EPDS) Manual*. 2nd Edn. London: RCPsych Publications. <http://www.rcpsych.ac.uk/usefulresources/publications/books/rcpp/9781909726130.aspx>



BPSC:

1 month, 0 days to 17 months, 31 days
V1.07, 4-1-17

Child's Name:

Birth Date:

Today's Date:

BABY PEDIATRIC SYMPTOM CHECKLIST (BPSC)

These questions are about your child's behavior. Think about what you would expect of other children the same age, and tell us how much each statement applies to your child.

	Not at all	Somewhat	Very Much
Does your child have a hard time being with new people? ①		①	②
Does your child have a hard time in new places? ①		①	②
Does your child have a hard time with change? ①		①	②
Does your child mind being held by other people? ①		①	②
Does your child cry a lot? ①		①	②
Does your child have a hard time calming down? ①		①	②
Is your child fussy or irritable? ①		①	②
Is it hard to comfort your child? ①		①	②
Is it hard to keep your child on a schedule or routine? ①		①	②
Is it hard to put your child to sleep? ①		①	②
Is it hard to get enough sleep because of your child? ①		①	②
Does your child have trouble staying asleep? ①		①	②

Social Determinants of Health Assessment Tool

To help identify health-related social needs (e.g., food, housing, social isolation, insurance, interpersonal violence, emotional well-being, transportation) in your patients, use this assessment tool to create a social determinants action plan.

Connect your patients with local and state community-based organizations that support social needs by visiting the 211.org website.

FOOD

YES NO

1. Within the past 12 months, did you worry your food would run out before you got money to buy more?	☐	☐
2. Within the past 12 months, did the food you bought not last and you didn't have money to get more?	☐	☐

HOUSING/UTILITIES

3. Do you have housing?	☐	☐
4. Do you worry about losing your housing?	☐	☐
5. Within the past 12 months, have you or your family members you live with been unable to get heat, electricity, water when it was really needed?	☐	☐

TRANSPORTATION

6. Within the past 12 months, has lack of transportation kept you from going to medical appointments, getting your medicines, non-medical meetings or appointments, work, or from getting things that you need (Food)?	☐	☐
--	--------------------------	--------------------------

SAFETY

7. Do you feel physically and emotionally safe where you currently live?	☐	☐
8. Within the past 12 months, have you been hit, slapped, kicked or otherwise physically hurt by someone?	☐	☐
9. Within the past 12 months, have you been disgraced or emotionally abused in other ways by your partner or ex-partner?	☐	☐

HELP NOW

10. Do you have needs that are urgent? For example: I don't have food for today, I don't have a place to sleep tonight, I don't have a ride home or to work, I am afraid I will get hurt if I go home today.	☐	☐
--	--------------------------	--------------------------

Additional Information

MnVFC Patient Eligibility Screening Record for LPH, FQHCs, RHCs, Indian Health Service, and Tribal Clinics

CHILDREN 18 YEARS OF AGE OR YOUNGER

- Screen each patient for MnVFC eligibility at each immunization visit. Use this same record for all subsequent visits if the patient's eligibility status has not changed. If it has changed, start a new form.
- You do not need to verify responses given by the patient, parent, guardian, or legal representative.
- Keep this record (or an equivalent paper or electronic record) for three years. For MnVFC summary reports, you also need a system for easily retrieving data on the number of patients immunized each year in each eligibility category.
- Children that are underinsured are only able to receive MnVFC vaccines at local public health clinics (LPH), Federally Qualified Health Centers (FQHCs), Rural Health Centers (RHCs), Indian Health Service (IHS), and tribal health clinics.

Subsequent visits: Date/initial if response has not changed. If it has changed, start a new form.

Screening date(s):										
--------------------	--	--	--	--	--	--	--	--	--	--

Birth date:

Patient:

Parent/guardian:

Provider:

MnVFC eligibility criteria

Check only one box	MnVFC Eligibility Criteria	Ages Covered
	Has insurance that covers the cost of all vaccines (Not MnVFC eligible because insurance already covers all vaccines).	Not MnVFC Eligible
	Has insurance that does not cover vaccines until a deductible has been met.	Not MnVFC Eligible
	Uninsured: Does not have insurance.	0-18
	Minnesota Health Care Program (MHCP) enrollee: MN Medical Assistance (MA), MinnesotaCare, or a Prepaid Medical Assistance Program (PMAP).	0-18
	American Indian or Alaskan Native.	0-18
	Has insurance that does not cover vaccines.	0-18
	Has insurance covering only selected vaccines (MnVFC-eligible for non-covered vaccines only).	0-18
	Has insurance that caps prevention services at a certain amount; once that amount is reached, these persons are MnVFC eligible.	0-18

These recommended childhood immunizations and vaccines are available for eligible children (as supplies allow). Immunization: RSV monoclonal antibody (Nirsevimab/Beyfortus for infants). Vaccines: DTaP, COVID-19, hepatitis A, hepatitis B, Hib, HPV, influenza, IPV, meningococcal, Men B, MMR, MMRV, pneumococcal, rotavirus, RSV (Abrysvo for pregnant teens), Tdap, and varicella.

Minnesota Department of Health

Minnesota Vaccines for Children (MnVFC) program

PO Box 64975, St. Paul, MN 55164-0975

651-201-5522 | Email: health.mnvfc@state.mn.us | www.health.state.mn.us/vfc

01/04/2024

To obtain this information in a different format, call: 651-201-5414.