


Control RGB color

1.Learning goals

In this course, we mainly learn how to control one RGB light on the superbit expansion board through Python graphical programming.

Four RGB light is located on the expansion board as shown in the figure below.



2.Code and analysis

The program for this course, please view .py file.

```
from microbit import *
import neopixel
```

First, we need to import the library needed for this lesson from micro:bit, neopixel library is dedicated to control RGB light;

```
4 Red = (255, 0, 0)
5 Orange = (255, 165, 0)
6 Yellow = (255, 255, 0)
7 Green = (0, 255, 0)
8 Blue = (0, 0, 255)
9 Dark_Violet = (148, 0, 211)
10 White = (255, 255, 255)
11
12 color = (Red, Orange, Yellow, Green, Blue, Dark_Violet, White)
13
14 display.show(Image.HAPPY)
15
16 np = neopixel.NeoPixel(pin12, 1)
17 i = 0
```

Define different RGB light colors.

display.show(Image.HAPPY): Display the smile pattern on the micro:bit matrix; np = neopixel.NeoPixel (pin12, 1): RGB light initialization settings, a total of 4 RGB



lights, (In this course, we only control one light) connected to the P12 pin of the micro:bit board (you can check the hardware interface manual).

3. Writing and download code

1. You should open the Mu software, and enter the code in the edit window, , as shown below.

Note! All English and symbols should be entered in English, use the Tab key (tab key) to indent and the last line must be a space.

2. You can click the "Check" button to check if our code has an error.

If a cursor or underline appears on a line, it indicates a syntax error, please check and modify. If there is no error in the program, the bottom left of the interface will prompt that there is no problem in detection.

```
0
                                                               Q
               1
                                   0
 Mode
        New
                             Flash
                                   Files
                                           REPI.
                                                Plotter
                                                       Zoom-in
                                                              Zoom-out
                                                                      Theme
                                                                              Check
  1 from microbit import *
  2 import superbit
  4 display.show(Image.HAPPY)
     superbit.servo270(superbit.S1, 105)
  while True:
          if button_a.is_pressed():
  8
              superbit.servo270(superbit.S1, 135)
  9
          elif button_b.is_pressed():
  10
              superbit.servo270(superbit.S1, 105)
  11
  12
Nice one! Zero problems detected.
```

3. Click the 'REPL' button to check whether the Superbit library has been downloaded.

If not, please refer to [Preparation before class] --> [2.4 Python Programming Guide] .



```
ð
                                                         \oplus
                                    0
                             Flash
                                    Files
                                                       Zoom-in
                                                              Zoom-out
     from microbit import *
      import superbit
   3
     display.show(Image.HAPPY)
     superbit.servo270(superbit.S1, 105)
   6
     while True:
   7
          if button_a.is_pressed():
   8
              superbit.servo270(superbit.S1, 135)
   9
          elif button_b.is_pressed():
  10
              superbit.servo270(superbit.S1, 105)
  11
BBC micro:bit REPL
Traceback (most recent call last):
 File "__main__", line 10, in <module>
KeyboardInterrupt:
MicroPython for Super:bit V1.3 modified by Yahboom Team
Type "help()" for more information.
```

4. After the program is written, use a micro USB cable to connect the computer and the micro:bit board. Please click the 'Flash' button to download the program to the micro:bit motherboard (You need to click the 'REPL' button again to close the function of importing library files before you download the program).

```
Œ
                                     0
 Mode
         New
                Load
                              Flash
                                     Files
                                            REPL
                                                  Plotter
                                                          Zoom-in
      from microbit import *
      import superbit
   3
      display.show(Image.HAPPY)
   4
      superbit.servo270(superbit.S1, 105)
   5
     while True:
   7
           if button_a.is_pressed():
   8
               superbit.servo270(superbit.S1, 135)
   9
          elif button_b.is_pressed():
  10
               superbit.servo270(superbit.S1, 105)
  11
  12
Copied code onto micro:bit.
```

5. If the download failed, please confirm whether the micro:bit is connected to the computer through the micro USB data cable, and confirm whether the Super:bit



Python library has been imported.

4.Experimental phenomena

After the program is successfully downloaded, the micro: bit dot matrix will display the smile pattern.

At the same time, we can see that the first RGB light (the serial number is 0) will switch a color every 1 second, red-> orange-> yellow-> green-> blue-> indigo-> violet -> Purple-> White, and keep circulating in this state.

If you need to restart, press the reset button on the back of the micro:bit board.