



Clear

Sliding systems for shower box
Sistemi scorrevoli per box doccia



Clear


Modular system for shower box with S.S. inox bearings.

Sistema componibile per box doccia con cuscinetti inox.



Clear is a sliding system **designed specifically for shower box, extremely resistant** thanks to stainless steel inox bearings.

Clear is a **very flexible system**, since it allows the installation in the wall-wall configuration, in the glass-glass configuration or in the wall-glass configuration.



Clear è il sistema scorrevole **studiato appositamente per i box doccia**, estremamente **resistente** grazie ai cuscinetti realizzati in acciaio inox.

Clear è un sistema **altamente versatile e flessibile**, poiché permette l'installazione con posa in nicchia (nella configurazione parete-parete), con posa in luce (nella configurazione vetro-vetro) o ad angolo (nella configurazione parete-vetro).




Clear		COMPLETE BOX KIT / KIT COMPLETO IN SCATOLA					
K	Complete kit / Kit completo						
		0411		Clear			
				4		8-8,7 – 10-10,7 mm	
						07	Anodized Brill / Brill

Clear		COMPLETE BOX KIT / KIT COMPLETO IN SCATOLA					
B	Complete blister / Blister completo						
		0412	Track / Binario - 2000 mm				
		0413	Track / Binario - 3000 mm				
			0		40 kg		
						07	Anodized Brill / Brill


EXAMPLE / ESEMPIO

							
	K	.	0411	.	4	.	07
	Complete kit Kit completo		Clear 40 kg		Glass thk. / Vetri sp. 8-8,7 - 10-10,7 mm		
						Anodized Brill / Brill	


Tracks / Binari		ALUMINUM FINISHES CODES / CODICI FINITURE ALLUMINIO				
CODE / CODICE		FINISH COLOR / COLORE FINITURA				
8 07 0.0			07 BRILL	Anodized Brill / Brill		STANDARD




WALL TO GLASS / PARETE-VERRO



WALL TO WALL / PARETE-PARETE



GLASS TO GLASS / VETRO-VERRO












8-8,7 ÷ 10-10,7 mm










40 kg



1000 mm

N°			kg	
1	3250 8 07 0.03250		—	
2	3260 8 07 0.03260		—	
3	3258		40	
4	3253		40	
5	3252		40	
6	1222		—	
7	3257		—	
8	3251/DX		40	
9	3251/SX		40	
10	1707		—	Glass thk. Vetri sp. 8-8,7 mm (5/16")
	1704		—	Glass thk. Vetri sp. 10-10,7 mm (3/8")
11	3256		—	
12	3254/BRI		—	

N°			kg	
13	1774 8 07 2.01774		—	
14	1776 8 07 0.01776		—	
15	1367/TR		40	Glass thk. Vetri sp. 8-8,7 mm (5/16")
	1366/TR		40	Glass thk. Vetri sp. 10-10,7 mm (3/8")
16	1784		—	
17	2630 8 07 0.02630		—	
18	328		—	Glass thk. Vetri sp. 8-8,7 mm (5/16")
	326		—	Glass thk. Vetri sp. 10-10,7 mm (3/8")
	324		—	Glass thk. Vetri sp. 8-8,7 mm - 10-10,7 mm (5/16" - 3/8")
19	538		—	
	539		—	
20	1029		—	



40 kg



Max 1000 mm


.07

Anodized Brill
Brill

WALL TO GLASS
PARETE-VETRO

WALL TO WALL
PARETE-PARETE

GLASS TO GLASS
VETRO-VETRO




	OLD CODE	NEW CODE			
KIT	3251/3257	K.0411.4.07	40 kg	8-8,7 (5/16'') - 10-10,7 (3/8'') mm	4x



40 kg



.07

Anodized Brill
Brill



	OLD CODE	NEW CODE		TRACK-BINARIO 	
BLISTER	—	B.0412.0.07	40 kg	2000 mm	4x
	—	B.0413.0.07		3000 mm	4x

MEASUREMENTS DESCRIPTION / DESCRIZIONI MISURE





Terno Scorrevoli S.p.A.

Via Ravenna, 4 - 20814 Varedo (MB) ITALY
Phone +39 0362 543001 - Fax +39 0362 582290

terno@ternoscorrevoli.com
www.ternoscorrevoli.com