

Línea Base (resultado)

```
PS C:\Users\Alex\Documents\agy-cli-projects\ada-03-context-engineering> python -m pytest
===== test session starts =====
platform win32 -- Python 3.14.3, pytest-9.1.1, pluggy-1.6.0
rootdir: C:\Users\Alex\Documents\agy-cli-projects\ada-03-context-engineering
collected 4 items

tests\test_customer.py FF                                     [ 50%]
tests\test_repository.py ..                                [100%]

===== FAILURES =====
_____ test_update_customer_email_preserves_id_and_audit _____

def test_update_customer_email_preserves_id_and_audit():
    customer = Customer(10, "Ana", "ana@example.com", "admin", "admin")
    updated = update_customer_email(customer, "NEW@example.com", "agent")
    assert updated.customer_id == 10
    assert updated.created_by == "admin"
    assert updated.updated_by == "agent"
    assert updated.email == "new@example.com"
>
E       AssertionError: assert 'NEW@example.com' == 'new@example.com'
E
E       - new@example.com
E       ? AAA
E       + NEW@example.com
E       ? AAA

tests\test_customer.py:9: AssertionError
_____ test_invalid_email_is_rejected _____

def test_invalid_email_is_rejected():
    customer = Customer(10, "Ana", "ana@example.com", "admin", "admin")
    try:
        update_customer_email(customer, "invalid", "agent")
>
E       assert False
E
E       assert False

tests\test_customer.py:15: AssertionError
===== short test summary info =====
FAILED tests/test_customer.py::test_update_customer_email_preserves_id_and_audit - AssertionError: assert 'NEW@example.com' == 'new@example.com'
FAILED tests/test_customer.py::test_invalid_email_is_rejected - assert False
===== 2 failed, 2 passed in 0.17s =====
PS C:\Users\Alex\Documents\agy-cli-projects\ada-03-context-engineering>
```

- Tests ejecutados: 4
- Tests exitosos: 2
- Tests fallidos: 2
- Errores:
 - o test_update_customer_email_preserves_id_and_audit -> AssertionError
 - o test_invalid_email_is_rejected -> AssertionError

A

```
PS C:\Users\Alex\Documents\agy-cli-projects\ada-03-context-engineering> python -m pytest
===== test session starts =====
platform win32 -- Python 3.14.3, pytest-9.1.1, pluggy-1.6.0
rootdir: C:\Users\Alex\Documents\agy-cli-projects\ada-03-context-engineering
collected 6 items

tests\test_customer.py ..                                  [ 33%]
tests\test_repository.py ....                             [100%]

===== 6 passed in 0.03s =====
PS C:\Users\Alex\Documents\agy-cli-projects\ada-03-context-engineering>
```

- Tests ejecutados: 6
- Tests exitosos: 6

- Tests fallidos: 0
- Errores: N/A

B

```
PS C:\Users\Alex\Documents\agy-cli-projects\ada-03-context-engineering> python -m pytest
===== test session starts =====
platform win32 -- Python 3.14.3, pytest-9.1.1, pluggy-1.6.0
rootdir: C:\Users\Alex\Documents\agy-cli-projects\ada-03-context-engineering
collected 4 items

tests\test_customer.py .. [ 50%]
tests\test_repository.py .. [100%]

===== 4 passed in 0.02s =====
```

- Tests ejecutados: 4
- Tests exitosos: 4
- Tests fallidos: 0
- Errores: N/A

C

```
PS C:\Users\Alex\Documents\agy-cli-projects\ada-03-context-engineering> python -m pytest
===== test session starts =====
platform win32 -- Python 3.14.3, pytest-9.1.1, pluggy-1.6.0
rootdir: C:\Users\Alex\Documents\agy-cli-projects\ada-03-context-engineering
collected 4 items

tests\test_customer.py .. [ 50%]
tests\test_repository.py .. [100%]

===== 4 passed in 0.02s =====
```

- Tests ejecutados: 4
- Tests exitosos: 4
- Tests fallidos: 0
- Errores: N/A