Trike 1.0

Alocare priorități noduri CANopen (Baudrate 500 kb/s)

-	-	
Data:		

Node ID	Device	Standard COB-ID	Used COB-ID	Vacant?	R/T Node ID/Device	Receiver/Transmitter COB-ID	Observații
		TPDO				RPDO	
		RPDO				TPDO	
		TPDO				RPDO	
		RPDO				TPDO	
		TPDO				RPDO	
		RPDO				TPDO	
		TPDO				RPDO	
		RPDO				TPDO	
		TPDO				RPDO	
		RPDO				TPDO	
		TPDO				RPDO	
		RPDO				TPDO	
		TPDO				RPDO	
		RPDO				TPDO	

	T		1	1		1	
	TPDO				RPDO		
	1100				NI DO		
	nnoo				TDDO		
	RPDO				TPDO		
	TPDO				RPDO		
	RPDO				TPDO		
	TPDO				RPDO		
	RPDO				TPDO		
	Au 20						
	TIND O				DDD C		
	TPDO				RPDO		
	RPDO				TPDO		
	TPDO				RPDO		
	RPDO				TPDO		
					•		
	TPDO				RPDO		
	RPDO				TDDO		
	KFDO				TPDO		
	TPDO				RPDO		
	RPDO				TPDO		
	TPDO				RPDO		
	RPDO				TPDO		
<u> </u>			<u> </u>	<u> </u>		<u> </u>	

1	ı		I	I		1	
	TPDO				RPDO		
	-						
	RPDO				TPDO		
	TPDO				RPDO		
	1120				Iu Do		
	RPDO				TPDO		
	KI DO				11 00		
	TDDO				DDDO		
	TPDO -				RPDO		
	DES S				mpp ~		
	RPDO				TPDO		
	TPDO				RPDO		
	-						
	-						
	RPDO				TPDO		
	-						
	-						
	TPDO				RPDO		
	-						
	RPDO				TPDO		
	IU DO				1120		
	TPDO				RPDO		
	11 DO				M DO		
	RPDO				TPDO		
	אראט				טעזו		
					-		
	TDD				DDD C		
	TPDO				RPDO		
	F						
	RPDO				TPDO		
	-						
	TPDO				RPDO		
	-						
	RPDO				TPDO		
			<u> </u>				

TPDO		RPDO	
RPDO		TPDO	
TPDO		RPDO	
RPDO		TPDO	
TPDO		RPDO	
RPDO		TPDO	
TPDO		RPDO	
RPDO		TPDO	
TPDO		RPDO	
RPDO		TPDO	
TPDO		RPDO	
RPDO		TPDO	