

helloFriend

Monte J. Shaffer [monte_shaffer]

CURRENT DATE/TIME FROM SYSTEM

```
# name
# wsu_id
# TITLE
# IMAGE with CAPTION
# 1500 words
```

Monte J. Shaffer

Growing up in Montana (Monte from Montana).

```
# Cntrl-Shift I
```

```
education = function(who)
{
  education = list();
  education$who = who;

  education[["intelligence"]] = TRUE;
  key = "nic";
  education[[key]] = "awesome";

  # return(education);
  education;
}
```

```
x = education("monte");
str(x);
```

```
## List of 3
## $ who      : chr "monte"
## $ intelligence: logi TRUE
## $ nic      : chr "awesome"
```

```
x$who = "alex";
x[["nic"]] = "totally";
str(x);
```

```
## List of 3
## $ who      : chr "alex"
## $ intelligence: logi TRUE
## $ nic      : chr "totally"
```

R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
## 1st Qu.:12.0    1st Qu.: 26.00
##  Median:15.0    Median : 36.00
##   Mean  :15.4    Mean   : 42.98
## 3rd Qu.:19.0    3rd Qu.: 56.00
##   Max.  :25.0    Max.    :120.00
```

Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.