

Typesetting Your Report for Fun and Profit

A Project

Presented to

The Faculty of the Department of Computer Science

San José State University

In Partial Fulfillment

of the Requirements for the Degree

Master of Science

by

Mark Stamp

May 2015

© 2015

Mark Stamp

ALL RIGHTS RESERVED

The Designated Project Committee Approves the Project Titled

Typesetting Your Report for Fun and Profit

by

Mark Stamp

APPROVED FOR THE DEPARTMENT OF COMPUTER SCIENCE

SAN JOSÉ STATE UNIVERSITY

May 2015

Dr. Thomas Austin Department of Computer Science

Space Ghost Department of Computer Science

Count Dracula Department of Mathematics

ABSTRACT

Typesetting Your Report for Fun and Profit

by Mark Stamp

This paper is very abstract.

ACKNOWLEDGMENTS

I want to thank me, myself, and I.

TABLE OF CONTENTS

CHAPTER

1	The Basics	1
1.1	Typesetting Text	1
1.2	Special Characters	1
1.3	Fonts	2
1.4	Math Basics	2
1.4.1	Numbered Equations	3
1.4.2	Last Word on Equations	3
1.5	Lists	4
1.6	Verbatim	4
2	Symbolic Cross-References	6
2.1	Figures	6
2.2	Tables	6
2.3	Citations	7
2.4	The Last Word	7
3	The Files	8
4	Cats	9
4.1	Career Goals	10
	LIST OF REFERENCES	11
	APPENDIX	

A	Zorak Likes Beans	12
A.1	Oh Yes He Does	12
A.2	Really	12
B	Everybody Wants to Be Space Ghost	13

CHAPTER 1

The Basics

L^AT_EX can be viewed as a compiled programming language, in contrast to that nightmare known as Microsoft Word, which can be viewed as an interpreted language. So, to typeset a document in L^AT_EX, you create a text file that has the `.tex` extension. This file includes some special commands, known as macros. Then you compile your `.tex` file by running L^AT_EX, which produces your typeset document, as a pdf.

In this paper, a few basics are discussed. There are plenty of good online resource if you need help with more advanced topics.

1.1 Typesetting Text

To typeset text, you type whatever you want. Multiple spaces are ignored when typesetting, and the end of a line is treated as another space. Consequently, when you are typing, you can break lines anywhere, like here or here, since the lines are formatted automatically when you typeset the document. You start a new paragraph by leaving a blank line.

See how easy it is to start a new paragraph? A blank line does the trick.

1.2 Special Characters

Typesetting text is generally pretty easy. However, there are some special characters that will not be typeset as you might expect. In the remainder of this section we consider some of the most common of these special characters.

The backslash “\” is used as the “escape” character, meaning that whatever follows a backslash is interpreted as a macro. For example, when `\LaTeX` is typeset, it looks like L^AT_EX, which is a lot different from LaTeX.

To get double quotes, use two single quotes. That is, the left double quote is “, while the right double quote is ”. When you do it correctly, quoted text looks “like this.” If you use the double quote key, you will always get right-quotes, which looks

"like this," and is almost certainly not what you want---

A tilde “~” is used as a “tie,” that is, a space is inserted, but no line break can occur. For example, you might type Dr. Stamp just to be sure that the line of text does not break between Dr. and Stamp, as it otherwise might.

The percent sign is used for comments---everything following a percent sign on a given line is ignored when you L^AT_EX your file. If you want a percent sign to appear in your document, use `\%`, which will give you this %.

The dollar sign also has special meaning, since it is used to start and end math formulas. To typeset a dollar sign, use `\$`, like this \$.

To force L^AT_EX to insert a space, use a backslash followed by a space, that is, `\` . You can put in multiple extra spaces if you want.

1.3 Fonts

To change fonts, enclose the text in curly brackets and give the appropriate font command. For example, to italicize text, *do this*, and to get boldface, **this is the ticket**. Another useful font is **this one**, which produces a typewriter-like font.

1.4 Math Basics

Math typesetting is a big, big, big topic---here we just cover some of the most basic issues. For more information, look online.

The dollar sign is used to start and end math formulas, like πr^2 . If you want your formula displayed on a line by itself, then double dollar signs

$$d(X, Y) = \sum_{i,j} |x_{ij} - y_{ij}|$$

are your friend.

In math formulas, text gets typeset as math symbols. To insert regular text in a math formula, you can use the `\mbox` command. Here is an example of a displayed

equation with text

$$\binom{n}{26} 26! 26^{n-26} < 26^n \approx 2^{4.7n} \text{ is a pretty formula.}$$

1.4.1 Numbered Equations

One of the most useful features of \LaTeX is its symbolic cross-references. What this means is that you can give names to equations, figures, tables, citations, etc., and refer to those equations, figures, tables, citations, etc., by their names. Then when you \LaTeX the document, the correct numbers will magically appear in place of the names. This is very convenient when you move things around or you insert or delete stuff. You should definitely use this feature as much as possible.

In this section, we discuss numbered equations, Then in Chapter 2 we consider other examples of symbolic cross-referencing. Again, this is a feature you should use, since it will save you a lot of time in the long run.

To typeset a displayed equation with a number, you can use `\begin{equation}` to begin the equation, and `\end{equation}` to end the equation. You also want to provide a label for the equation. For example,

$$\sum_{i=1}^{26} m_i \left(n - \sum_{j=1}^i m_j \right) = n^2 - \sum_{i=1}^{26} m_i \sum_{j=1}^i m_j = \sum_{i=1}^{25} \sum_{j=i+1}^{26} m_i m_j \quad (1)$$

gives us a numbered equation.

Note that labels can be used for just about anything that is numbered. Generally, to refer to a label, we use `\ref{label}`, but for equations, you probably want to use `\eref{label}`, since that will put parenthesis around the number.

So, we can now refer to equation (1) anywhere in the paper. Better yet, if we move, insert, or delete text, the numbering will still be correct.

1.4.2 Last Word on Equations

Again, typesetting equations is a big topic and we have only given the most basic of basics here. Just remember that almost anything is possible, and there are plenty

of good resources available.

1.5 Lists

Numbered lists are not difficult. Here is an example of a numbered list:

1. Let `score` = ∞
2. Construct an initial `putativeKey`
3. Parse the ciphertext using `putativeKey`
4. Compute `newScore` based on the resulting putative plaintext
5. If `newScore` < `score` then let `key` = `putativeKey` and `score` = `newScore`
6. Modify `key` to obtain a new `putativeKey`
7. Goto 3

Bulleted lists are similar to numbered lists. Here is an example of a bulleted list:

- How can we determine an initial putative key?
- How can we systematically modify the key?
- Given a putative key, how can we compute a score?

1.6 Verbatim

To force L^AT_EX to typeset exactly what you type, you might want to use the `\verb` macro. Here is an example: `four score` `and seven`. Note that everything between the “+” signs is typeset as it appears.

If you happen to have a lot of verbatim text, you can use the verbatim environment, like this:

```
Four score
and seven
years
ago.....
```

Generally, verbatim should be used sparingly, if at all. But, since verbatim text has already appeared several times in this document, I thought it should be explained.

CHAPTER 2

Symbolic Cross-References

This chapter has more information on symbolic cross-referencing. In addition, there are examples showing how to typeset a figure and a simple table.

2.1 Figures

Figure 1 has been typeset so that it occupies half the width of text on a page (`width=0.5`). Note the symbolic cross-reference, that is, you simple `\ref{fig:encrypted_virus}` to obtain the appropriate number for Figure 1.




Figure 1: Encrypted virus before and after decryption.

If you move things around, insert or delete text, Figure 1 will still give you the correct number. This is a very handy feature.

2.2 Tables

Table 1 shows some interesting stuff. I hope you enjoy it.

Table 1: MysteryTwister Zodiac Challenge

Case	Description	Percentage
1F	Fast outer hill climb and English stats	13.00%
1S	Slow outer hill climb and English stats	4.00%
2F	Fast outer hill climb and Zodiac 408 stats	70.00%
2S	Slow outer hill climb and Zodiac 408 stats	84.00%

2.3 Citations

References are cited using the `\cite` command. For example, see [1] for information on the Zodiac killer. You can include more than one reference in a single citation, like this [1, 2, 3, 4, 5, 6, 7, 8, 9] or this [10, 11].

2.4 The Last Word

There are a lot of other uses for symbolic cross-referencing. For example, this chapter title has a label so I can refer to Chapter 2 (as I just did). My recommendation is that you include a label with anything and everything that is numbered. If it has a number, there is a good chance that you will refer to it at some point.

Finally, note that you need to `LATEX` a file at least twice (three times to be safe) without changing anything to be sure that the numbering is correct. Why is that? Good question. When you `LATEX` your document, various auxiliary files are created. Most of these files contain information related to cross-references that appear in your `.tex` file (or files). The next time you `LATEX` your document, the information from the previous run is read from these auxiliary files. Consequently, after making changes to any `.tex` file, you will need to `LATEX` your document at least twice to be sure that the cross-reference information is updated in the resulting pdf. In fact, you should run `LATEX` three consecutive times to be certain that cross-references are correct.

CHAPTER 3

The Files

For this thesis format, you \LaTeX the file `thesis.tex`. But first, you need to make some modifications to `thesis.tex`. The title of your report, committee members, etc., are specified in `thesis.tex`. All of the things that you need to modify are indicated by comments beginning with five consecutive asterisks, so search for “*****” in `thesis.tex` and make the necessary changes.

You put the actual content of your report in the following files:

- `abs.tex` --- abstract
- `ack.tex` --- acknowledgements
- `chap1.tex`, `chap2.tex`, and so on --- chapters
- `bib.tex` --- references
- `appA.tex`, `appB.tex`, and so on --- appendices (if any)

CHAPTER 4

Cats

I do not usually talk about myself, but when I do, I talk about my cat.

In April 2010, the American economy was gripped by its most severe economic crisis in at least a generation. There was in a deep recession. It was in this climate that a great savior was born; her name is Muffins.



Figure 2: A Week Old Muffins

She is the first cat I have ever owned. She is a purebred Siberian. Her interests include:

- Sleeping
- Grooming herself
- Twister

The reason I chose to get a Siberian cat is because they are purported (perhaps dubiously) to be hypoallergenic. They are also a very healthy breed as they were more recently domesticated.

4.1 Career Goals

I am impressed by the ground working done by the renowned dog rehabilitator Cesar Millan, host of the critically acclaimed television show "Dog Whisperer." It is my hope that I could have an equally successful television program which I will entail "Cat Telepathist" where I will rehabilitate troubled and stray cats through the power of extrasensory perception (ESP).

If my "Cat Telepathist" show were not to find a niche with audiences, my second television show is modeled after the former television show "Crossing Over with John Edward." [12] I plan to call the show "You have Cat to be Kitten Me with Zayd Hammoudeh" and will be used to give grieving families the opportunity to communicate with their deceased feline family members.

Other TV show ideas I would like to pursue include:

- Cat Mustache Aficionado - A daily discussion of cat whiskers.
- Alien vs. Predator vs. Cat - It is like the movie "Alien vs. Predator" but instead of it being a two party battle, it is a triple threat match with a cat.
- Cat Hoarders - A show where we do an intervention with a cat that hoards some type of item.

LIST OF REFERENCES

- [1] P. Adams, “A ‘murder code’ broken,” *San Francisco Chronicle*, aug 1969.
- [2] N. I. of Science and Technology, “Announcing the advanced encryption standard (aes),” <http://csrc.nist.gov/publications/fips/fips197/fips-197.pdf>, 2001, (Accessed on 10/30/2005).
- [3] P. K. Basavaraju, “Heuristic-search cryptanalysis of the zodiac 340 cipher,” Master’s thesis, San Jose State University, 2009.
- [4] K. Briggs, “English and latin digram and trigram frequencies,” http://keithbriggs.info/documents/english_latin.pdf, 2013, (Accessed on 07/28/2014).
- [5] G. Claston, “340-cipher --- overview and examination,” <http://www.zodiackiller.com/mba/zc/69.html>, 2008, (Accessed on 12/21/2010).
- [6] Glurk, “The final 18 symbols are nothing but filler!” <http://www.zodiackillerfacts.com/forum/viewtopic.php?f=49&t=423>, 2005, (Accessed on 05/01/2016).
- [7] T. Jakobsen, “A fast method for the cryptanalysis of substitution ciphers,” *Cryptologia*, vol. 19, pp. 265--274, 1995.
- [8] D. Kreher and D. Stinson, *Combinatorial Algorithms: Generation, Enumeration and Search*. CRC Press, 1998.
- [9] G. Shanmugam, R. M. Low, and M. Stamp, “Simple substitution distance and metamorphic detection,” *Journal of Computer Virology and Hacking Techniques*, vol. 9, no. 3, pp. 159--170, 2013.
- [10] M. Stamp and R. M. Low, *Applied Cryptanalysis: Breaking Ciphers in the Real World*. Wiley, 2006.
- [11] M. Stamp, *Information Security: Principles and Practice*. Wiley, 2011.
- [12] D. Calderwood, “Crossing over with john edward,” Jan 2000.

APPENDIX A

Zorak Likes Beans

A.1 Oh Yes He Does

Appendices can have sections and subsections and so on.

A.2 Really

Sections, subsections, or whatever should come in pairs.

APPENDIX B

Everybody Wants to Be Space Ghost

Space Ghost: Everybody wants to be Space Ghost

Everybody near and far

Hey, ma, look at me, I'm on TV

Everybody wants to be a star

I'm Space Ghost, Mr. Space Ghost

I've got big muscles, And I can dance

When Zorak tries to bug me, I zap him with my power bands

Zorak: Uhhhh... I don't think that will be necessary

Space Ghost: I think I'll zap him with my power bands

On Saturn and Jupiter and Neptune, too

I've been hearing it from coast to coast

I'd give anything, If for just one day

I could be a super hero like Space Ghost

Zorak: Ugghh... Why would anyone want to be Space Ghost?

Space Ghost: Everybody wants to be just like me!