When code is cheap, what do you trust?

AI DevCon NYC · 9 main-stage talks
free livestream · Tue Nov 3

SHAPE > FENCE > JUDGE

Source: AI DevCon NYC agenda (Tessl), 2026

Alex Yedi

SHAPE > FENCE > JUDGE

Trust by shaping the agent

09:20 **Guy Podjarny** · Tessl
autonomy earned in stages

11:05 **Alan Braun** · Atlassian
context as a graph

12:25 **Nick Carmont Zaragoza** · Anthropic
harness that sheds dead weight

Times in ET

Source: AI DevCon NYC speaker abstracts (tessl.io), 2026

Alex Yedi

SHAPE > FENCE > JUDGE

Trust by fencing the runtime

13:55 **Landon Cox** · GitHub Next

no secrets, every write staged

Agentic Workflows GA: Oct 28

15:15 **Cornelia Davis** · Temporal

bounds for code agents write

Times in ET

Sources: AI DevCon NYC speaker abstracts (tessl.io); GitHub changelog, Oct 28 2026

Alex Yedi

SHAPE > FENCE > JUDGE

Trust by judging the output

11:45	**Aidan Cunniffe** · OpenAI	code built for comprehension
14:35	**Chad Fowler** · BlueYard Capital	regenerate; evals define correct
16:15	**Bartosz Ocytko** · Zalando	risk-tiered auto-approval
17:00	**Steve Yegge** · Gas Town	observable dark factories

Times in ET

Sources: AI DevCon NYC abstracts (tessl.io); Fowler, "Regenerative Software," 2025; Zalando Engineering, Aug 2026

Which layer earns trust first?

SHAPE	FENCE	JUDGE
Podjarny	Cox	Cunniffe
Braun	Davis	Fowler
Carmont		Ocytko
		Yegge

27.7%
of PRs agent-involved

0.0%
factory PRs

— MEDIAN COMPANY, TODAY

Ask the speakers live: AI Native Dev Discord

Source: Jellyfish AI Engineering Trends via R&D World, Oct 27 2026 (vendor dataset)

Alex Yedi