

Same slow query. Two different **agents**.

```
SELECT * FROM orders WHERE status = 'shipped';
```

SQL ONLY

THE AGENT SEES

QUERY TEXT

The line above. Nothing else.

Data distribution: unknown

Actual plan: unknown

Write load: unknown

SOUNDS RIGHT

"Add an index on status."

WITH CONTEXT

THE AGENT SEES

STATISTICS

95% of rows are 'shipped'

EXPLAIN ANALYZE

A full scan is already the cheaper route

WORKLOAD

Heavy inserts; an index taxes every one

GROUNDED

"Skip the index. The planner is right."

The agent reads. Changes stay **gated**.

TOOL	WHAT THE AGENT GETS	HOW A CHANGE HAPPENS
pganalyze MCP server · preview	Curated stats, schema, plans. No database connection, no raw parameters.	Read-only. The agent recommends; a person applies.
Xata MCP Server 2.0	A copy-on-write branch. Read-only SQL by default. Never a credential.	Only with write=true AND confirm=true
Supabase Database advisors	30 checks: unindexed keys, unused indexes, bloat. Also via MCP.	"A finding is not a fix."
Azure "Autonomous tuning"	Query history plus hypothetical-index cost tests.	Modes: OFF or REPORT. You run the script.

From the agent to the **context**

1

Hypothetical-index advisors

"What would this query cost if the index existed?" (hypopg)

2

Managed-cloud recommenders

Azure: named "autonomous," switched OFF or REPORT

3

Fixed-logic advisors on real telemetry

pganalyze Query Advisor · Jul 16, 2026

4

Stand-alone "AI DBA" agents **ARCHIVED**

Xata Agent · archived on GitHub Jun 15, 2026


5

Context for the agent you already use **NOW**

pganalyze MCP (Apr 30, 2026) · Supabase get_advisors · Xata MCP 2.0

Generations overlap. A lineage of approaches, not a strict timeline.

One hidden value can flip the plan



pganalyze MCP: never sees the raw value (privacy)

Azure's tuner: needs captured parameter samples

What should an agent get?

