

Tecnologie per IoT

Lab Software Part 2

- Exercise 1. Develop a RESTful style Catalog of a distributed platform for general purpose services. Identify the most suitable HTTP methods (among GET, POST, PUT and DELETE) and develop the web services to:
1. Retrieve information about subscription:
 - REST APIs for subscribing a device, service, or a user
 - MQTT info for subscribing a device (ip, port, topic)
 2. Register a new device with the following information
 - unique deviceId
 - end-points (i.e. Rest Web Services and/or MQTT topics)
 - available resources (e.g. Temperature, Humidity and Motion sensor)
 - “insert-timestamp” when this device was added
(**SUGGESTION:** to avoid synchronization issues, this attribute is managed and updated only by the Catalog according to its system clock)
 3. Retrieve all the registered devices
 4. Retrieve a specific device with a deviceId
 5. Register a new user with the following information
 - unique userID
 - name
 - surname
 - email address(es)
 6. Retrieve all the registered users
 7. Retrieve a specific user with a certain userID
 8. Register a new service with the following information
 - unique serviceID
 - description of the service
 - end-points (i.e. Rest Web Services and/or MQTT topics)
 - “insert-timestamp” when this service was added
(**SUGGESTION:** to avoid synchronization issues, this attribute is managed and updated only by the Catalog according to its system clock)
 9. Retrieve all the registered services
 10. Retrieve a specific service with a certain serviceID

This information is stored in a JSON file and all the information among the actors in the platform must be exchanged in JSON

Implement an additional feature of the Catalog to remove all the devices and services with “insert-timestamp” higher than two minutes. The Catalog has to take this action periodically (for example every 1 minute).

Handle possible errors in invoking the web services (e.g. wrong command or wrong number of parameters).

Optional: You can replace the JSON file with a database to save information. Anyway, information among the actors in the platform must be exchanged in JSON via REST.

- Exercise 2. Develop a **client** python service for invoking the RESTful Catalog developed in *Exercise_1*. This application must retrieve information about
- Registering and retrieve MQTT broker information
 - Retrieve all the registered devices
 - Retrieve a device with a specific deviceID given as input
 - Retrieve all the registered users
 - Retrieve a user with a specific userID given as input
- Exercise 3. Develop a **client** python application that emulates an IoT device, to invoke the RESTful Catalog developed in *Exercise_1*. This application must periodically (for example every 1 minute) either register a new device or refresh the old registration by updating its “insert-timestamp”. During the refresh of an old device registration, the Catalog must update also the “insert-timestamp”.
- Exercise 4. Extend the functionalities of the last version of the temperature Web Service (refer to Exercise 3.2 in Lab Hardware – part 3) to invoke the RESTful Catalog developed in *Exercise_1*. This new feature must periodically (for example every 1 minute) either register its information or refresh the old registration by updating the corresponding “insert-timestamp”.
- Exercise 5. Extend the functionalities of Catalog developed in *Exercise_1* to work as MQTT subscriber either to register a new device or to refresh the old registration by updating its “insert-timestamp”. The Catalog must subscribe to a specific topic used for this purpose only (e.g. /tiot/{group}/catalog/subscription/devices/subscription) and must publish the response on a specific topic used for this purpose only (e.g. /tiot/{group}/catalog/subscription/devices/subscription/{deviceID}).
- Exercise 6. Develop a python MQTT publisher, that emulates an IoT device, to periodically (for example every 1 minute) either register a new device or refresh the old registration in the Catalog developed in *Exercise_5* publishing or subscribing to the right topics. During the refresh of an old device registration, the Catalog must update also the “insert-timestamp”.