NATIONAL FLIGHT DATA DIGEST
Aeronautical Information Services
Toll Free 1-866-295-8236

Tuesday

NO. 056 03/25/2025

NAVAID/COM

CALIFORNIA **NFDD 056 - 1** 03/25/2025
LITTLE RIVER - LITTLE RIVER(LLR)

AWOS-3	LLR	
LATITUDE	39-15-43.6 N	MODIFIED
LONGITUDE	123-45-09.09 W	MODIFIED
TYPE	AWOS-3	NEW
TYPE	AWOS-AV	REPLACED

MINNESOTA **NFDD 056 - 2** 03/25/2025
FERGUS FALLS - FERGUS FALLS MUNI/EINAR MICKELSON FLD(FFM)

AWOS-3PT	FFM	
LATITUDE	46-16-54.9296 N	MODIFIED
LONGITUDE	096-09-24.0956 W	MODIFIED
ELEVATION	1169.6	MODIFIED

WISCONSIN **NFDD 056 - 3** 03/25/2025
MERRILL - MERRILL MUNI(RRL)

AWOS-3	RRL	
LATITUDE	45-11-54.5423 N	MODIFIED
LONGITUDE	089-42-36.0507 W	MODIFIED
ELEVATION	1305.4	MODIFIED

NAVAIDS

KENTUCKY **NFDD 056 - 1** 03/25/2025
BOWLING GREEN

BOWLING GREEN DME		
IDENT	BWG	
LAT	36-57-52.0 N	
LONG	086-25-24.0 W	
RMK	DME UNUSBL 003T-030T BYD 30 NM BLW 7000 FT; 220T-309T BYD 15 NM BLW 5000 FT; 310T-002T BYD 15 NM BLW 10000 FT.	MODIFIED

INSTRUMENT LANDING SYSTEMS

GEORGIA **NFDD 056 - 1** 03/25/2025
ATLANTA
HARTSFIELD/JACKSON ATLANTA INTL AIRPORT ILS/DME RWY 08R
IDENT I-ATL
RMK ILS CLASSIFICATION CODE IT. MODIFIED

GEORGIA **NFDD 056 - 2** 03/25/2025
ATLANTA
NEWNAN COWETA COUNTY AIRPORT LOC/GS RWY 33
IDENT I-CCO
RMK ILS CLASSIFICATION CODE IA. MODIFIED

MINNESOTA **NFDD 056 - 3** 03/25/2025
FERGUS FALLS
FERGUS FALLS MUNI/EINAR MICKELSON FLD AIRPORT ILS RWY 31
IDENT I-FFM
RMK GS UNUSBL FOR COUPLED APCHS BLW 1460 FT MSL. DELETED
RMK ILS CLASSIFICATION CODE IT. ADDED
RMK GS UNUSBL FOR CPLD APCHS BLW 1460 FT MSL. ADDED

ARTCC COMMUNICATIONS FREQUENCIES

CALIFORNIA **NFDD 056 - 1** 03/25/2025
LOS ANGELES
LOS ANGELES ARTCC
IDENT ZLA
ICAO IDENT KZLA
RCAG
SITE LEBEC, CA
LATITUDE - 35-51-01.0 N LONGITUDE - 118-45-56.0 W
FREQUENCY 335.575 ADDED
ALTITUDE LOW ADDED
CHARTED YES ADDED

SITE SADDLE PEAK, CA
LATITUDE - 34-04-33.02 N LONGITUDE - 118-39-32.3 W
FREQUENCY 351.8 DELETED
ALTITUDE LOW DELETED
CHARTED YES DELETED

ALABAMA **NFDD 056 - 1** 03/25/2025
FOLEY
HOLK FLD AT FOLEY MUNI AIRPORT (5R4) 00323.3A
LATITUDE - 30-25-39.6 N LONGITUDE - 087-42-03.5 W

ARPT NAME	FOLEY MUNI	REPLACED
ARPT NAME	HOLK FLD AT FOLEY MUNI	NEW

ALASKA **NFDD 056 - 2** 03/25/2025
ATMAUTLUAK
ATMAUTLUAK AIRPORT (4A2) 50044.A
LATITUDE - 60-52-04.349 N LONGITUDE - 162-16-27.39 W

ARPT ELEV	18.6 S	MODIFIED
ARPT ELEV DATE	08/18/2024	MODIFIED
LATITUDE	60-52-04.349 N	MODIFIED
LONGITUDE	162-16-27.39 W	MODIFIED
ARPT PSN DATE	08/18/2024	MODIFIED
RWY ID	15/33	
LENGTH DATE	08/18/2024	MODIFIED
RWY END	15	
ELEVATION	17.8	MODIFIED
RWY END ELEV DATE	08/18/2024	MODIFIED
LATITUDE	60-52-18.7 N	MODIFIED
RWY END PSN DATE	08/18/2024	MODIFIED
TDZ ELEVATION	18.6	MODIFIED
TDZ ELEV DATE	08/18/2024	MODIFIED
MKG TYPE - COND	NSTD - FAIR	ADDED
RWY END	33	
ELEVATION	18.5	MODIFIED
RWY END ELEV DATE	08/18/2024	MODIFIED
LATITUDE	60-51-49.9987 N	MODIFIED
LONGITUDE	162-16-20.2139 W	MODIFIED
RWY END PSN DATE	08/18/2024	MODIFIED
TDZ ELEVATION	18.6	MODIFIED
TDZ ELEV DATE	08/18/2024	MODIFIED
MKG TYPE - COND	NSTD - FAIR	ADDED

AMERICAN SAMOA **NFDD 056 - 3** 03/25/2025
FITIUTA VILLAGE
FITIUTA AIRPORT (FAQ) 51513.7A
LATITUDE - 14-12-58.004 S LONGITUDE - 169-25-24.778 W

RWY ID	12/30	
PCN VALUE	7/R/C/Z/U	DELETED
RMK PCN VALUE: PCR VALUE: 90/R/A/W/T		ADDED

AMERICAN SAMOA **NFDD 056 - 4** 03/25/2025
OFU VILLAGE
OFU AIRPORT (Z08) 51524.1A
LATITUDE - 14-11-03.635 S LONGITUDE - 169-40-12.36 W

RWY ID	08/26	
PCN VALUE	7/R/C/Z/U	DELETED

RMK PCN VALUE: PCR VALUE:	110/R/A/W/T	ADDED

AMERICAN SAMOA **NFDD 056 - 5** 03/25/2025
PAGO PAGO
PAGO PAGO INTL AIRPORT (PPG) 51525.A
LATITUDE - 14-19-53.984 S LONGITUDE - 170-42-41.411 W

RWY ID	05/23	
PCN VALUE	60/F/A/W/T	DELETED
RMK PCN VALUE: PCR VALUE:	620/F/A/X/T	ADDED
RWY ID	08/26	
PCN VALUE	45/F/A/W/T	DELETED
RMK PCN VALUE: PCR VALUE:	80/F/A/X/T	ADDED

ARKANSAS **NFDD 056 - 6** 03/25/2025
ELAINE
JUNIOR SMITH AIRPORT (60AS) 00962.2A **PRIVATE**
LATITUDE - 34-22-34.4658 N LONGITUDE - 090-55-53.0544 W

ARPT ELEV	159 E	ADDED
ARPT ELEV DATE	03/17/2025	ADDED
ARPT ELEV SOURCE	OWNER	ADDED
LATITUDE	34-22-34.4658 N	ADDED
LONGITUDE	090-55-53.0544 W	ADDED
ARPT PSN DATE	03/17/2025	ADDED
ARPT PSN SOURCE	OWNER	ADDED
ARPT NAME	JUNIOR SMITH	ADDED
CITY	ELAINE	ADDED
DIST AND DRCTN	6 NW	ADDED
ARPT ID	60AS	ADDED
ARPT SITE NO	00962.2A	ADDED
AIRPORT USE	PRIVATE	ADDED
ARPT STATUS	OPERATIONAL	ADDED
FSS ID	JBR*JONESBORO	ADDED
FSS TOLL FREE NUMBER	1-800-WX-BRIEF	ADDED
INSPECTOR CODE	NOT INSPECTED	ADDED
ARPT ATTEND SKED	UNATNDD/ /	ADDED
WIND INDICATOR	YES	ADDED
AIRSPACE DETERMINATION	CONDL	ADDED
MIN OPERATIONAL NETWORK	NO	ADDED
RWY ID	18/36	
LENGTH	2802	ADDED
LENGTH DATE	03/17/2025	ADDED
LENGTH SOURCE	OWNER	ADDED
WIDTH	100	ADDED
SURFACE	TURF - FAIR	ADDED
SURF TREATMENT	NONE	ADDED
RWY END	18	
RWY END	18	ADDED
ELEVATION	159	ADDED
RWY END ELEV DATE	03/17/2025	ADDED
RWY END ELEV SOURCE	OWNER	ADDED
LATITUDE	34-22-48.324 N	ADDED
LONGITUDE	090-55-53.1192 W	ADDED
RWY END PSN DATE	03/17/2025	ADDED
RWY END PSN SOURCE	OWNER	ADDED

MKG TYPE - COND	NONE	ADDED
RWY END	36	
RWY END	36	ADDED
ELEVATION	159	ADDED
RWY END ELEV DATE	03/17/2025	ADDED
RWY END ELEV SOURCE	OWNER	ADDED
LATITUDE	34-22-20.6076 N	ADDED
LONGITUDE	090-55-52.9896 W	ADDED
RWY END PSN DATE	03/17/2025	ADDED
RWY END PSN SOURCE	OWNER	ADDED
MKG TYPE - COND	NONE	ADDED

IDAHO **NFDD 056 - 7** 03/25/2025

MC CALL

MC CALL MUNI AIRPORT (MYL) 04236.A

LATITUDE - 44-53-19.479 N LONGITUDE - 116-06-06.307 W

RMK LNDG AND PRKG FEES COLLD BY THIRD PARTY PROVIDER. SEE MCCALLAIRPORT.COM FOR ADNL DTLS. ADDED

ILLINOIS **NFDD 056 - 8** 03/25/2025

IRVING

HORSEFEATHERS RANCH AIRPORT (1IL1) 04759.4A **PRIVATE**

LATITUDE - 39-14-31.33 N LONGITUDE - 089-25-34.38 W

ARPT STATUS	ABANDONED	MODIFIED

MAINE **NFDD 056 - 9** 03/25/2025

CAMDEN

CAMDEN SEAPLANE BASE (36ME) 07901.005C **PRIVATE**

LATITUDE - 44-15-29.3562 N LONGITUDE - 069-07-27.741 W

ARPT ELEV	140 E	ADDED
ARPT ELEV DATE	03/21/2025	ADDED
ARPT ELEV SOURCE	OWNER	ADDED
LATITUDE	44-15-29.3562 N	ADDED
LONGITUDE	069-07-27.741 W	ADDED
ARPT PSN DATE	03/21/2025	ADDED
ARPT PSN SOURCE	OWNER	ADDED
ARPT NAME	CAMDEN	ADDED
CITY	CAMDEN	ADDED
DIST AND DRCTN	4 NW	ADDED
ARPT ID	36ME	ADDED
ARPT SITE NO	07901.005C	ADDED
AIRPORT USE	PRIVATE	ADDED
ARPT STATUS	OPERATIONAL	ADDED
FSS ID	BGR*BANGOR	ADDED
FSS TOLL FREE NUMBER	1-800-WX-BRIEF	ADDED
INSPECTOR CODE	NOT INSPECTED	ADDED
MIN OPERATIONAL NETWORK	NO	ADDED
RWY ID	17W/35W	
LENGTH	3244	ADDED
LENGTH DATE	03/21/2025	ADDED
LENGTH SOURCE	OWNER	ADDED
WIDTH	100	ADDED
SURFACE	WATER	ADDED
SURF TREATMENT	NONE	ADDED

RWY END	17W	
RWY END	17W	ADDED
ELEVATION	140	ADDED
RWY END ELEV DATE	03/21/2025	ADDED
RWY END ELEV SOURCE	OWNER	ADDED
LATITUDE	44-15-43.9488 N	ADDED
LONGITUDE	069-07-36.9336 W	ADDED
RWY END PSN DATE	03/21/2025	ADDED
RWY END PSN SOURCE	OWNER	ADDED
MKG TYPE - COND	NONE	ADDED
RWY END	35W	
RWY END	35W	ADDED
ELEVATION	140	ADDED
RWY END ELEV DATE	03/21/2025	ADDED
RWY END ELEV SOURCE	OWNER	ADDED
LATITUDE	44-15-14.7636 N	ADDED
LONGITUDE	069-07-18.5484 W	ADDED
RWY END PSN DATE	03/21/2025	ADDED
RWY END PSN SOURCE	OWNER	ADDED
MKG TYPE - COND	NONE	ADDED

MISSISSIPPI **NFDD 056 - 10** 03/25/2025
FOREST
G V MONTGOMERY AIRPORT (2M4) 11231.1A
LATITUDE - 32-21-17.8 N LONGITUDE - 089-29-17.4 W

ARPT ELEV DATE	08/28/2014	MODIFIED
ARPT PSN DATE	08/28/2014	MODIFIED
RMK APT LGT SKED: MIRL RWY 17/35 OPR CONSLY 1700-2200; AFT 2200 ACTVT MIRL RWY 17/35 - CTAF.		MODIFIED
RWY ID	17/35	
LENGTH DATE	08/28/2014	ADDED
LENGTH SOURCE	3RD PARTY SURVEY	ADDED
RWY END	17	
RWY END ELEV DATE	08/28/2014	MODIFIED
RWY END PSN DATE	08/28/2014	MODIFIED
TDZ ELEV DATE	08/28/2014	MODIFIED
RWY END	35	
RWY END ELEV DATE	08/28/2014	MODIFIED
RWY END PSN DATE	08/28/2014	MODIFIED
TDZ ELEV DATE	08/28/2014	MODIFIED

N MARIANA ISLANDS **NFDD 056 - 11** 03/25/2025
ROTA ISLAND
BENJAMIN TAISACAN MANGLONA INTL AIRPORT (GRO) 51531.A
LATITUDE - 14-10-27.658 N LONGITUDE - 145-14-28.029 E

RWY ID	09/27	
PCN VALUE	57/F/A/X/T	DELETED
RMK PCN VALUE: PCR VALUE: 47/F/A/X/T		ADDED

N MARIANA ISLANDS **NFDD 056 - 12** 03/25/2025
SAIPAN ISLAND
FRANCISCO C ADA/SAIPAN INTL AIRPORT (GSN) 51523.2A
LATITUDE - 15-07-12.895 N LONGITUDE - 145-43-47.951 E

RWY ID	07/25	

RMK PCN VALUE: PCR VALUE: 715/F/A/X/T		ADDED

N MARIANA ISLANDS **NFDD 056 - 13** 03/25/2025
TINIAN ISLAND
FRANCISCO MANGLONA BORJA/TINIAN INTL AIRPORT (TNI) 51533.1A
LATITUDE - 14-59-57.23 N LONGITUDE - 145-37-09.663 E

RWY ID	08/26	
PCN VALUE	61/F/A/X/T	DELETED
RMK PCN VALUE: PCR VALUE: 710/F/A/X/T		ADDED

OKLAHOMA **NFDD 056 - 14** 03/25/2025
EL RENO
EL RENO RGNL AIRPORT (RQO) 18949.A
LATITUDE - 35-28-21.8 N LONGITUDE - 098-00-20.7 W

FUEL	A	DELETED
FUEL	A+	ADDED
RMK FUEL: A: FULL SVC AVBL.		DELETED
RMK FUEL: A+: FULL SVC AVBL.		ADDED
RWY ID	17/35	
LENGTH	5600	RECAP
WIDTH	75	RECAP
SURFACE	CONC - GOOD	MODIFIED
SURF TREATMENT	GRVD	MODIFIED
RWY ID	18/36	
RWY END	18	
MKG TYPE - COND	NONE	ADDED
RWY END	36	
MKG TYPE - COND	NONE	ADDED

OKLAHOMA **NFDD 056 - 15** 03/25/2025
OKLAHOMA CITY
SUNDANCE AIRPORT (HSD) 19134.4A
LATITUDE - 35-36-06.6 N LONGITUDE - 097-42-22.2 W

FUEL	A	DELETED
FUEL	A+	ADDED
BOTTLE OXYGEN	HIGH/LOW	DELETED

OREGON **NFDD 056 - 16** 03/25/2025
MADRAS
MADRAS MUNI AIRPORT (S33) 19505.A
LATITUDE - 44-40-12.588 N LONGITUDE - 121-09-18.537 W

ARPT ATTEND SKED	ALL/ MON-FRI/ 0800-1700	MODIFIED
ARPT ATTEND SKED	ALL/ SAT-SUN/ 0900-1400	MODIFIED

PENNSYLVANIA **NFDD 056 - 17** 03/25/2025
DUBOIS
DUBOIS RGNL AIRPORT (DUJ) 20243.1A
LATITUDE - 41-10-41.8 N LONGITUDE - 078-53-55.3 W

RWY ID	07/25	
RWY END	07	
CTLG OBSTN	TREES	DELETED

PENNSYLVANIA **NFDD 056 - 18** 03/25/2025
WEST CHESTER
PENN CHESTER COUNTY HOSPITAL HELIPORT (3PS0) 21730.02H **PRIVATE**
LATITUDE - 39-58-20.56 N LONGITUDE - 075-36-06.35 W

RWY ID	H1	
LENGTH	55	RECAP
WIDTH	55	RECAP
SURFACE	ALUMINUM - EXCELLENT	MODIFIED
RMK	RWY ID: 090 DEGREES INGRESS, 270 DEGREES EGRESS.	DELETED

SOUTH CAROLINA **NFDD 056 - 19** 03/25/2025
COLUMBIA
COLUMBIA METRO AIRPORT (CAE) 22209.A
LATITUDE - 33-56-19.816 N LONGITUDE - 081-07-10.33 W

RWY ID	11/29	
RWY END	11	
VGSI	4-LIGHT PAPI ON LEFT SIDE OF RUNWAY	RECAP
THR CROSSING HGT	71	MODIFIED
VISUAL GLIDE ANGLE	3.00	RECAP
RWY END	29	
VGSI	4-LIGHT PAPI ON LEFT SIDE OF RUNWAY	RECAP
THR CROSSING HGT	78	MODIFIED
VISUAL GLIDE ANGLE	3.00	RECAP

SOUTH CAROLINA **NFDD 056 - 20** 03/25/2025
GREENWOOD
GREENWOOD COUNTY AIRPORT (GRD) 22313.A
LATITUDE - 34-15-01.4175 N LONGITUDE - 082-09-28.1136 W

RWY ID	09/27	
RWY END	27	
CTLG OBSTN	TREE	ADDED

TENNESSEE **NFDD 056 - 21** 03/25/2025
CLARKSVILLE
OUTLAW FLD AIRPORT (CKV) 22905.A
LATITUDE - 36-37-18.714 N LONGITUDE - 087-24-53.812 W

RWY ID	05/23	
RWY END	05	
TDZ ELEVATION	544.2	MODIFIED
RWY END	23	
TDZ ELEVATION	544.2	MODIFIED

TEXAS **NFDD 056 - 22** 03/25/2025
BRYAN
TEXAS A & M - RELLIS AIRPORT (83TX) 23506.3A **PRIVATE**
LATITUDE - 30-37-58.4664 N LONGITUDE - 096-29-06.2644 W

ARPT NAME	TEXAS A & M FLIGHT TEST STATION	REPLACED
ARPT NAME	TEXAS A & M - RELLIS	NEW

TEXAS **NFDD 056 - 23** 03/25/2025
DEL RIO
LAUGHLIN AFB AIRPORT (DLF) 23744.A **PRIVATE**
LATITUDE - 29-21-33.835 N LONGITUDE - 100-46-40.521 W

RWY ID	13L/31R	
RWY END	31R	
VGSI	4-LIGHT PAPI ON LEFT SIDE OF RUNWAY	RECAP
THR CROSSING HGT	43	MODIFIED
VISUAL GLIDE ANGLE	3.00	RECAP

TEXAS **NFDD 056 - 24** 03/25/2025
FAIRMOUNT
FAIRMOUNT AIRPORT (71TS) 23849.06A **PRIVATE**

LATITUDE -	31-13-07.16 N	LONGITUDE -	093-42-06.83 W	
FUEL	MOGAS			DELETED
BCN LGT	WHITE & GREEN			DELETED

UTAH **NFDD 056 - 25** 03/25/2025
SALT LAKE CITY
SALT LAKE CITY INTL AIRPORT (SLC) 25289.A

LATITUDE -	40-47-18.216 N	LONGITUDE -	111-58-39.984 W	
RMK	TWY F BTN TWY F5 AND TWY G CLSD TO ACFT WINGSPAN MORE THAN 171 FT.			ADDED

AIRSPACE FIXES

ALL AZIMUTHS ARE MAGNETIC AND FROM THE FACILITY.
ALL DISTANCES ARE IN NAUTICAL MILES.

EFFECTIVE 5/15/2025 OR AS NOTED THE FOLLOWING AIRSPACE FIXES
ARE ESTABLISHED MODIFIED OR CANCELLED AS INDICATED.

* * * ESTABLISHED * * *

CALIFORNIA **NFDD 056 - 1** 03/25/2025
AJETY

LATITUDE	33-50-26.07 N	EFF: 06/12/2025
LONGITUDE	116-21-07.51 W	EFF: 06/12/2025
ARTCC	ZLA	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025
ICAO REGION	K2	EFF: 06/12/2025

CALIFORNIA **NFDD 056 - 2** 03/25/2025
BULKE

LATITUDE	33-47-21.53 N	EFF: 06/12/2025
LONGITUDE	116-07-59.62 W	EFF: 06/12/2025
ARTCC	ZLA	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025
ICAO REGION	K2	EFF: 06/12/2025

CALIFORNIA **NFDD 056 - 3** 03/25/2025
CFLGX

LATITUDE	33-45-52.76 N	EFF: 06/12/2025
LONGITUDE	116-17-21.92 W	EFF: 06/12/2025
ARTCC	ZLA	EFF: 06/12/2025
FIX TYPE	CNF	EFF: 06/12/2025
CHARTING	NOT REQUIRED	EFF: 06/12/2025
ICAO REGION	K2	EFF: 06/12/2025

CALIFORNIA **NFDD 056 - 4** 03/25/2025
CFLHD

LATITUDE	33-54-17.67 N	EFF: 06/12/2025
LONGITUDE	116-31-29.13 W	EFF: 06/12/2025
ARTCC	ZLA	EFF: 06/12/2025
FIX TYPE	CNF	EFF: 06/12/2025
CHARTING	NOT REQUIRED	EFF: 06/12/2025
ICAO REGION	K2	EFF: 06/12/2025

CALIFORNIA **NFDD 056 - 5** 03/25/2025
CFMGR

LATITUDE	33-45-44.87 N	EFF: 06/12/2025
LONGITUDE	116-24-17.24 W	EFF: 06/12/2025
ARTCC	ZLA	EFF: 06/12/2025
FIX TYPE	CNF	EFF: 06/12/2025
CHARTING	NOT REQUIRED	EFF: 06/12/2025
ICAO REGION	K2	EFF: 06/12/2025

CALIFORNIA **NFDD 056 - 6** 03/25/2025
CFRGD

LATITUDE	33-54-17.67 N	EFF: 06/12/2025
LONGITUDE	116-31-29.11 W	EFF: 06/12/2025
ARTCC	ZLA	EFF: 06/12/2025
FIX TYPE	CNF	EFF: 06/12/2025
CHARTING	NOT REQUIRED	EFF: 06/12/2025
ICAO REGION	K2	EFF: 06/12/2025

CALIFORNIA **NFDD 056 - 7** 03/25/2025
CFSKF

LATITUDE	33-49-18.63 N	EFF: 06/12/2025
LONGITUDE	116-30-03.23 W	EFF: 06/12/2025
ARTCC	ZLA	EFF: 06/12/2025
FIX TYPE	CNF	EFF: 06/12/2025
CHARTING	NOT REQUIRED	EFF: 06/12/2025
ICAO REGION	K2	EFF: 06/12/2025

CALIFORNIA **NFDD 056 - 8** 03/25/2025
CFVWN

LATITUDE	33-48-08.34 N	EFF: 06/12/2025
LONGITUDE	116-19-02.18 W	EFF: 06/12/2025
ARTCC	ZLA	EFF: 06/12/2025
FIX TYPE	CNF	EFF: 06/12/2025
CHARTING	NOT REQUIRED	EFF: 06/12/2025
ICAO REGION	K2	EFF: 06/12/2025

CALIFORNIA **NFDD 056 - 9** 03/25/2025
DIMMO

LATITUDE	33-45-26.51 N	EFF: 06/12/2025
LONGITUDE	116-11-43.34 W	EFF: 06/12/2025
ARTCC	ZLA	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025
ICAO REGION	K2	EFF: 06/12/2025

CALIFORNIA **NFDD 056 - 10** 03/25/2025
EVALY

LATITUDE	33-48-28.18 N	EFF: 06/12/2025
LONGITUDE	116-15-57.14 W	EFF: 06/12/2025
ARTCC	ZLA	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025
ICAO REGION	K2	EFF: 06/12/2025

CALIFORNIA **NFDD 056 - 11** 03/25/2025
FIMID

LATITUDE	33-46-47.27 N	EFF: 06/12/2025
LONGITUDE	116-14-08.11 W	EFF: 06/12/2025
ARTCC	ZLA	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025
ICAO REGION	K2	EFF: 06/12/2025

INDIANA **NFDD 056 - 12** 03/25/2025
EXAMS

LATITUDE	38-53-09.11 N	EFF: 06/12/2025
LONGITUDE	084-47-42.63 W	EFF: 06/12/2025
ARTCC	ZID	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025
ICAO REGION	K5	EFF: 06/12/2025

INDIANA **NFDD 056 - 13** 03/25/2025
JOCCO

LATITUDE	39-00-19.44 N	EFF: 06/12/2025
LONGITUDE	084-56-13.24 W	EFF: 06/12/2025
ARTCC	ZID	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025
ICAO REGION	K5	EFF: 06/12/2025

INDIANA **NFDD 056 - 14** 03/25/2025
LEKLE

LATITUDE	38-52-22.52 N	EFF: 06/12/2025
LONGITUDE	084-47-43.11 W	EFF: 06/12/2025
ARTCC	ZID	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025

ICAO REGION	K5		EFF: 06/12/2025

INDIANA		**NFDD 056 - 15**	03/25/2025
ZAMKU			
LATITUDE	38-52-05.62 N		EFF: 06/12/2025
LONGITUDE	084-47-43.03 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY		**NFDD 056 - 16**	03/25/2025
CHEKO			
LATITUDE	38-51-42.32 N		EFF: 06/12/2025
LONGITUDE	084-45-50.90 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY		**NFDD 056 - 17**	03/25/2025
DRATE			
LATITUDE	39-00-46.23 N		EFF: 06/12/2025
LONGITUDE	084-29-37.12 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY		**NFDD 056 - 18**	03/25/2025
DUKVE			
LATITUDE	38-48-08.04 N		EFF: 06/12/2025
LONGITUDE	084-29-29.79 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY		**NFDD 056 - 19**	03/25/2025
EMUNE			
LATITUDE	38-57-33.10 N		EFF: 06/12/2025
LONGITUDE	084-32-52.65 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY		**NFDD 056 - 20**	03/25/2025
FOBEX			
LATITUDE	38-50-51.81 N		EFF: 06/12/2025
LONGITUDE	084-46-16.60 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025

CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY		**NFDD 056 - 21**	03/25/2025
GEHDI			
LATITUDE	38-57-35.32 N		EFF: 06/12/2025
LONGITUDE	084-48-01.52 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY		**NFDD 056 - 22**	03/25/2025
GENVE			
ILS-FAC-CRS/DSTC	EEI*LD*186.20/3.16		EFF: 06/12/2025
LATITUDE	39-00-21.41 N		EFF: 06/12/2025
LONGITUDE	084-38-48.84 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	REP-PT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
CHARTING INFO	RNAV		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY		**NFDD 056 - 23**	03/25/2025
GODAR			
LATITUDE	38-57-04.19 N		EFF: 06/12/2025
LONGITUDE	084-47-46.29 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY		**NFDD 056 - 24**	03/25/2025
GRAPT			
LATITUDE	38-52-19.81 N		EFF: 06/12/2025
LONGITUDE	084-32-08.81 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY		**NFDD 056 - 25**	03/25/2025
HATON			
LATITUDE	38-58-49.77 N		EFF: 06/12/2025
LONGITUDE	084-24-11.55 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY		**NFDD 056 - 26**	03/25/2025
HOBDA			
LATITUDE	38-54-22.27 N		EFF: 06/12/2025

LONGITUDE	084-42-14.60 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY		**NFDD 056 - 27**	03/25/2025
IFAYY			
LATITUDE	38-55-02.49 N		EFF: 06/12/2025
LONGITUDE	084-39-06.50 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY		**NFDD 056 - 28**	03/25/2025
JOBUR			
LATITUDE	38-49-38.19 N		EFF: 06/12/2025
LONGITUDE	084-34-47.39 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY		**NFDD 056 - 29**	03/25/2025
JOLER			
LATITUDE	38-54-12.41 N		EFF: 06/12/2025
LONGITUDE	084-36-33.78 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY		**NFDD 056 - 30**	03/25/2025
KEGSE			
LATITUDE	38-54-12.22 N		EFF: 06/12/2025
LONGITUDE	084-35-29.22 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY		**NFDD 056 - 31**	03/25/2025
KURGE			
LATITUDE	38-47-52.05 N		EFF: 06/12/2025
LONGITUDE	084-37-20.53 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY		**NFDD 056 - 32**	03/25/2025
LINOL			

LATITUDE	38-56-48.74 N		EFF: 06/12/2025
LONGITUDE	084-32-06.83 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY **NFDD 056 - 33** 03/25/2025
MAGTV

LATITUDE	38-51-00.90 N		EFF: 06/12/2025
LONGITUDE	084-43-47.47 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY **NFDD 056 - 34** 03/25/2025
MAHNO

LATITUDE	38-48-33.15 N		EFF: 06/12/2025
LONGITUDE	084-30-54.83 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY **NFDD 056 - 35** 03/25/2025
OHMAN

LATITUDE	38-58-44.47 N		EFF: 06/12/2025
LONGITUDE	084-47-44.70 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY **NFDD 056 - 36** 03/25/2025
PRODD

LATITUDE	38-56-21.34 N		EFF: 06/12/2025
LONGITUDE	084-42-11.18 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY **NFDD 056 - 37** 03/25/2025
RCHRD

LATITUDE	38-55-44.84 N		EFF: 06/12/2025
LONGITUDE	084-39-52.88 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY **NFDD 056 - 38** 03/25/2025
SHULN

LATITUDE	38-49-34.82 N	EFF: 06/12/2025
LONGITUDE	084-38-43.36 W	EFF: 06/12/2025
ARTCC	ZID	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025
ICAO REGION	K5	EFF: 06/12/2025

KENTUCKY **NFDD 056 - 39** 03/25/2025
SPAIT

LATITUDE	38-54-12.30 N	EFF: 06/12/2025
LONGITUDE	084-35-49.59 W	EFF: 06/12/2025
ARTCC	ZID	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025
ICAO REGION	K5	EFF: 06/12/2025

KENTUCKY **NFDD 056 - 40** 03/25/2025
STADM

LATITUDE	38-50-44.64 N	EFF: 06/12/2025
LONGITUDE	084-36-57.82 W	EFF: 06/12/2025
ARTCC	ZID	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025
ICAO REGION	K5	EFF: 06/12/2025

KENTUCKY **NFDD 056 - 41** 03/25/2025
SWINK

LATITUDE	38-49-24.98 N	EFF: 06/12/2025
LONGITUDE	084-34-59.38 W	EFF: 06/12/2025
ARTCC	ZID	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025
ICAO REGION	K5	EFF: 06/12/2025

KENTUCKY **NFDD 056 - 42** 03/25/2025
TAVOE

LATITUDE	38-56-46.44 N	EFF: 06/12/2025
LONGITUDE	084-32-07.56 W	EFF: 06/12/2025
ARTCC	ZID	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025
ICAO REGION	K5	EFF: 06/12/2025

KENTUCKY **NFDD 056 - 43** 03/25/2025
TMORE

ILS-FAC-CRS/DSTC	VAC*LD*186.17/20.80	EFF: 06/12/2025
LATITUDE	38-43-35.58 N	EFF: 06/12/2025
LONGITUDE	084-41-06.15 W	EFF: 06/12/2025
ARTCC	ZID	EFF: 06/12/2025
FIX TYPE	REP-PT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025

CHARTING INFO	RNAV		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY **NFDD 056 - 44** 03/25/2025
TOENE

ILS-FAC-CRS/DSTC	URN*LD*276.16/4.49		EFF: 06/12/2025
LATITUDE	39-02-47.27 N		EFF: 06/12/2025
LONGITUDE	084-44-47.29 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	REP-PT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
CHARTING INFO	RNAV		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY **NFDD 056 - 45** 03/25/2025
VUCUN

LATITUDE	38-53-06.83 N		EFF: 06/12/2025
LONGITUDE	084-32-09.58 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY **NFDD 056 - 46** 03/25/2025
WALVU

ILS-FAC-CRS/DSTC	VAC*LD*186.17/17.60		EFF: 06/12/2025
LATITUDE	38-46-47.76 N		EFF: 06/12/2025
LONGITUDE	084-41-05.43 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	REP-PT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
CHARTING INFO	RNAV		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY **NFDD 056 - 47** 03/25/2025
WAMPU

LATITUDE	38-49-35.60 N		EFF: 06/12/2025
LONGITUDE	084-32-11.91 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY **NFDD 056 - 48** 03/25/2025
WUGVO

LATITUDE	38-52-03.12 N		EFF: 06/12/2025
LONGITUDE	084-32-08.93 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

KENTUCKY **NFDD 056 - 49** 03/25/2025
YOTUL

LATITUDE	38-58-38.05 N	EFF: 06/12/2025
LONGITUDE	084-47-44.97 W	EFF: 06/12/2025
ARTCC	ZID	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025
ICAO REGION	K5	EFF: 06/12/2025

KENTUCKY **NFDD 056 - 50** 03/25/2025
ZANUN

LATITUDE	38-54-13.40 N	EFF: 06/12/2025
LONGITUDE	084-42-12.06 W	EFF: 06/12/2025
ARTCC	ZID	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025
ICAO REGION	K5	EFF: 06/12/2025

KENTUCKY **NFDD 056 - 51** 03/25/2025
ZEPLN

LATITUDE	38-57-32.53 N	EFF: 06/12/2025
LONGITUDE	084-28-13.98 W	EFF: 06/12/2025
ARTCC	ZID	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025
ICAO REGION	K5	EFF: 06/12/2025

OHIO **NFDD 056 - 52** 03/25/2025
JEKEL

LATITUDE	39-08-50.39 N	EFF: 06/12/2025
LONGITUDE	084-47-42.38 W	EFF: 06/12/2025
ARTCC	ZID	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025
ICAO REGION	K5	EFF: 06/12/2025

OHIO **NFDD 056 - 53** 03/25/2025
NEDDS

LATITUDE	39-13-00.70 N	EFF: 06/12/2025
LONGITUDE	084-32-01.05 W	EFF: 06/12/2025
ARTCC	ZID	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025
ICAO REGION	K5	EFF: 06/12/2025

OHIO **NFDD 056 - 54** 03/25/2025
NODGE

LATITUDE	39-15-47.70 N	EFF: 06/12/2025
LONGITUDE	084-33-23.20 W	EFF: 06/12/2025
ARTCC	ZID	EFF: 06/12/2025
FIX TYPE	WAYPOINT	EFF: 06/12/2025
CHARTING	IAP	EFF: 06/12/2025
ICAO REGION	K5	EFF: 06/12/2025

OHIO		**NFDD 056 - 55**	03/25/2025
PEPCO			
LATITUDE	39-13-03.25 N		EFF: 06/12/2025
LONGITUDE	084-47-42.08 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

OHIO		**NFDD 056 - 56**	03/25/2025
PIRSE			
LATITUDE	39-15-15.04 N		EFF: 06/12/2025
LONGITUDE	084-44-31.23 W		EFF: 06/12/2025
ARTCC	ZID		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K5		EFF: 06/12/2025

* * * MODIFIED * * *

CALIFORNIA		**NFDD 056 - 57**	03/25/2025	
BALDI				
NAV-FAC-AZIMUTH/DSTC	TRM*VORTAC*263.12/17.00			
NAV-FAC-AZIMUTH/DSTC	PSP*VORTAC*181.99			
LATITUDE	33-39-28.48 N			
LONGITUDE	116-29-51.69 W			
ARTCC	ZLA			
FIX TYPE	REP-PT			
CHARTING	IAP		EFF: 06/12/2025	DELETED
CHARTING	ENROUTE LOW			
CHARTING	SID			
CHARTING	CONTROLLER LOW			
CHARTING	SPECIAL IAP			
CHARTING INFO	RNAV			
ICAO REGION	K2			

CALIFORNIA		**NFDD 056 - 58**	03/25/2025
CLOWD			
NAV-FAC-AZIMUTH/DSTC	PSP*VORTAC*072.28/24.57		
NAV-FAC-AZIMUTH/DSTC	TNP*VORTAC*199.03/15.13		
NAV-FAC-AZIMUTH/DSTC	TRM*VORTAC*020.81/19.82		
LATITUDE	33-54-10.09 N		
LONGITUDE	115-56-21.86 W		
ARTCC	ZLA		
FIX TYPE	REP-PT		
CHARTING	IAP		EFF: 06/12/2025 DELETED
CHARTING	ENROUTE LOW		
CHARTING	STAR		
CHARTING	SID		
CHARTING	CONTROLLER LOW		

CHARTING	SPECIAL IAP			
CHARTING INFO	RNAV			
ICAO REGION	K2			

COLORADO **NFDD 056 - 59** 03/25/2025
JEXON

LATITUDE	39-31-47.27 N	EFF: 06/12/2025	MODIFIED
LATITUDE	39-31-47.33 N		
LONGITUDE	107-34-13.73 W	EFF: 06/12/2025	MODIFIED
LONGITUDE	107-34-10.71 W		
ARTCC	ZDV		
FIX TYPE	WAYPOINT		
CHARTING	IAP		
ICAO REGION	K2		

COLORADO **NFDD 056 - 60** 03/25/2025
SIYOP

LATITUDE	39-31-34.33 N	EFF: 06/12/2025	MODIFIED
LATITUDE	39-31-33.38 N		
LONGITUDE	107-44-50.20 W	EFF: 06/12/2025	MODIFIED
LONGITUDE	107-45-34.90 W		
ARTCC	ZDV		
FIX TYPE	WAYPOINT		
CHARTING	IAP		
ICAO REGION	K2		

FLORIDA **NFDD 056 - 61** 03/25/2025
JANGL

NAV-FAC-AZIMUTH/DSTC	TRV*VORTAC*284.00/36.00	EFF: 06/12/2025	DELETED
LATITUDE	27-45-00.40 N		
LONGITUDE	081-09-39.04 W		
ARTCC	ZMA		
FIX TYPE	WAYPOINT	EFF: 06/12/2025	MODIFIED
CHARTING	CONTROLLER HIGH	EFF: 06/12/2025	ADDED
CHARTING	CONTROLLER LOW	EFF: 06/12/2025	ADDED
CHARTING	ENROUTE LOW		
CHARTING	ENROUTE HIGH		
ICAO REGION	K7		

FLORIDA **NFDD 056 - 62** 03/25/2025
PUMPP

NAV-FAC-AZIMUTH/DSTC	SRQ*VOR/DME*162.62/24.62	EFF: 06/12/2025	MODIFIED
NAV-FAC-AZIMUTH/DSTC	SRQ*VOR/DME*157.62/24.62		
LATITUDE	27-01-34.91 N		
LONGITUDE	082-23-19.23 W		
ARTCC	ZMA		
FIX TYPE	REP-PT		
CHARTING	STAR		
ICAO REGION	K7		

FLORIDA **NFDD 056 - 63** 03/25/2025
TYNEE

NAV-FAC-AZIMUTH/DSTC	SRQ*VOR/DME*162.62/39.43	EFF: 06/12/2025	ADDED

LATITUDE	26-47-50.66 N			
LONGITUDE	082-17-02.65 W			
ARTCC	ZMA			
FIX TYPE	REP-PT		EFF: 06/12/2025	MODIFIED
CHARTING	STAR			
CHARTING INFO	RNAV		EFF: 06/12/2025	ADDED
ICAO REGION	K7			

FLORIDA **NFDD 056 - 64** 03/25/2025

YEHAW

NAV-FAC-AZIMUTH/DSTC	TRV*VORTAC*269.00/33.00		EFF: 06/12/2025	DELETED
LATITUDE	27-36-01.11 N			
LONGITUDE	081-06-09.53 W			
ARTCC	ZMA			
FIX TYPE	WAYPOINT		EFF: 06/12/2025	MODIFIED
CHARTING	CONTROLLER HIGH		EFF: 06/12/2025	ADDED
CHARTING	CONTROLLER LOW		EFF: 06/12/2025	ADDED
CHARTING	ENROUTE LOW			
CHARTING	ENROUTE HIGH			
ICAO REGION	K7			

OKLAHOMA **NFDD 056 - 65** 03/25/2025

FANOD

LATITUDE	33-52-42.72 N		EFF: 06/12/2025	MODIFIED
LATITUDE	33-52-42.53 N			
LONGITUDE	094-52-30.63 W		EFF: 06/12/2025	MODIFIED
LONGITUDE	094-52-30.73 W			
ARTCC	ZFW			
FIX TYPE	WAYPOINT			
CHARTING	IAP			
ICAO REGION	K4			

OKLAHOMA **NFDD 056 - 66** 03/25/2025

GRECO

LATITUDE	33-57-53.21 N		EFF: 06/12/2025	MODIFIED
LATITUDE	33-57-53.27 N			
LONGITUDE	094-49-51.24 W		EFF: 06/12/2025	MODIFIED
LONGITUDE	094-49-51.20 W			
ARTCC	ZFW			
FIX TYPE	WAYPOINT			
CHARTING	IAP			
ICAO REGION	K4			

OKLAHOMA **NFDD 056 - 67** 03/25/2025

WANIL

LATITUDE	34-03-41.29 N		EFF: 06/12/2025	MODIFIED
LATITUDE	34-03-40.94 N			
LONGITUDE	094-40-19.11 W		EFF: 06/12/2025	MODIFIED
LONGITUDE	094-40-19.28 W			
ARTCC	ZFW			
FIX TYPE	WAYPOINT			
CHARTING	IAP			
ICAO REGION	K4			

OKLAHOMA		**NFDD 056 - 68**	03/25/2025	
WIRED				
LATITUDE	34-00-08.53 N		EFF: 06/12/2025	MODIFIED
LATITUDE	34-00-08.09 N			
LONGITUDE	094-48-41.65 W		EFF: 06/12/2025	MODIFIED
LONGITUDE	094-48-41.87 W			
ARTCC	ZFW			
FIX TYPE	WAYPOINT			
CHARTING	IAP			
ICAO REGION	K4			

OKLAHOMA		**NFDD 056 - 69**	03/25/2025	
WOSAT				
LATITUDE	33-49-35.28 N		EFF: 06/12/2025	MODIFIED
LATITUDE	33-49-35.17 N			
LONGITUDE	094-54-06.66 W		EFF: 06/12/2025	MODIFIED
LONGITUDE	094-54-06.72 W			
ARTCC	ZFW			
FIX TYPE	WAYPOINT			
CHARTING	IAP			
ICAO REGION	K4			

OKLAHOMA		**NFDD 056 - 70**	03/25/2025	
YIDNU				
LATITUDE	34-07-38.28 N		EFF: 06/12/2025	MODIFIED
LATITUDE	34-07-37.91 N			
LONGITUDE	094-51-23.06 W		EFF: 06/12/2025	MODIFIED
LONGITUDE	094-51-23.24 W			
ARTCC	ZFW			
FIX TYPE	WAYPOINT			
CHARTING	IAP			
ICAO REGION	K4			

OKLAHOMA		**NFDD 056 - 71**	03/25/2025	
ZUTEM				
LATITUDE	34-05-39.91 N		EFF: 06/12/2025	MODIFIED
LATITUDE	34-05-39.55 N			
LONGITUDE	094-45-50.95 W		EFF: 06/12/2025	MODIFIED
LONGITUDE	094-45-51.13 W			
ARTCC	ZFW			
FIX TYPE	WAYPOINT			
CHARTING	IAP			
ICAO REGION	K4			

* * * CANCELLED * * *

CALIFORNIA		**NFDD 056 - 72**	03/25/2025	
CUPOL				
LATITUDE	33-46-40.28 N		EFF: 06/12/2025	
LONGITUDE	116-21-29.21 W		EFF: 06/12/2025	

ARTCC	ZLA		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K2		EFF: 06/12/2025

CALIFORNIA		**NFDD 056 - 73**	03/25/2025
CUXIT			
LATITUDE	33-57-15.37 N		EFF: 06/12/2025
LONGITUDE	116-17-47.86 W		EFF: 06/12/2025
ARTCC	ZLA		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K2		EFF: 06/12/2025

CALIFORNIA		**NFDD 056 - 74**	03/25/2025
FIVUT			
LATITUDE	33-59-20.76 N		EFF: 06/12/2025
LONGITUDE	116-35-17.10 W		EFF: 06/12/2025
ARTCC	ZLA		EFF: 06/12/2025
FIX TYPE	WAYPOINT		EFF: 06/12/2025
CHARTING	IAP		EFF: 06/12/2025
ICAO REGION	K2		EFF: 06/12/2025

HOLDING PATTERNS

EFFECTIVE 5/15/2025 OR AS NOTED THE FOLLOWING HOLDING PATTERNS ARE ESTABLISHED MODIFIED OR CANCELLED AS INDICATED. ONLY HOLDING PATTERNS AFFECTING CHARTS ARE INCLUDED IN THE LISTING.

* * * ESTABLISHED * * *

FLORIDA		**NFDD 056 - 1**	03/25/2025
SARASOTA VOR/DME*FL	PATTERN - 1		
DEFINING RESOURCE	SRQ*VOR/DME		
HOLD-DIR	N		EFF: 06/12/2025
DEGREES	353		EFF: 06/12/2025
AZIMUTH	RAD		EFF: 06/12/2025
CRS-INB	173		EFF: 06/12/2025
TURN-DIR	R		EFF: 06/12/2025
CHARTING	STAR		EFF: 06/12/2025

FLORIDA		**NFDD 056 - 2**	03/25/2025
TYNEE INT*FL*K7	PATTERN - 2		
DEFINING RESOURCE	SRQ*VOR/DME		
HOLD-DIR	N		EFF: 06/12/2025
DEGREES	163		EFF: 06/12/2025
AZIMUTH	RAD		EFF: 06/12/2025
CRS-INB	163		EFF: 06/12/2025

TURN-DIR	L	EFF: 06/12/2025
LEG LENGTH OUTBOUND	4 NM	EFF: 06/12/2025
CHARTING	STAR	EFF: 06/12/2025

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statue miles or feet RVR unless otherwise indicated.

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
HWRRD	ONE	HWRRD1.HWRRD	NONE		12JUNE2025

TYPE:	OBSTACLE	COPTER	SID	SPECIAL	RNAV
	☐	☐	☒	☐	☒

DP ROUTE DESCRIPTION:
TAKEOFF RWY 31R: CLIMB ON HEADING 310.40 TO 977, THEN DIRECT FYTNN AT OR ABOVE 2600 AT OR BELOW 230 KIAS THENCE...
TAKEOFF RWY 31L: CLIMB ON HEADING 310.41 TO 977, THEN DIRECT FYTNN AT OR ABOVE 2600 AT OR BELOW 230 KIAS, THENCE...

...ON TRACK 029.68 TO CROSS EYRSH AT OR BELOW 9000, THEN ON TRACK 090.98 TO CROSS HWRRD AT OR ABOVE 7000, THEN ON (TRANSISTION). MAINTAIN ATC ASSIGNED ALTITUDE, EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPATRURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

TRANSITION NAME	TRANSITION COMPUTER CODE	FROM FIX/NAVAID	TO FIX/NAVAID	COURSE	DISTANCE	MEA	MOCA	CROSSING ALTITUDE/FIXES
BLYTHE	HWRRD1.BLH	HWRRD	EMRUD	TRACK 125.06	12.43	5600	5600	AT/BELOW 15000
		EMRUD	TEEGE	TRACK 095.85	16.86	7000	6600	AT/BELOW FL190
		TEEGE	BLH VORTAC	TRACK 082.89	59.03	7600	7600	
NEEDLES	HWRRD1.EED	HWRRD	MYKUL	TRACK 071.33	13.11	7800	7800	
		MYKUL	FUSBL	TRACK 069.47	14.96	7800	7700	AT/ABOVE 16000
		FUSBL	DWGHT	TRACK 069.56	24.65	7800	6600	
		DWGHT	EMPRR	TRACK 032.91	10.24	7800	6600	AT/ABOVE FL230
		EMPRR	EED VORTAC	TRACK 033.02	51.31	7800	5900	
THERMAL	HWRRD1.TRM	HWRRD	EMRUD	TRACK 125.06	12.43	5600	5600	AT/BELOW 15000
		EMRUD	TRM VORTAC	TRACK 142.27	10.94	7000	4000	
FUSBL	HWRRD1.FUSBL	HWRRD	MYKUL	TRACK 071.33	13.11	7800	7800	
		MYKUL	FUSBL	TRACK 069.47	14.96	7800	7700	AT/ABOVE 16000
ZELMA	HWRRD1.ZELMA	HWRRD	MYKUL	TRACK 071.33	13.11	7800	7800	
		MYKUL	FUSBL	TRACK 069.47	14.96	7800	7700	AT/ABOVE 16000
		FUSBL	PELLU	TRACK 044.87	14.11	7800	6300	

QUALITY 23 CHECKED

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
HWRRD	ONE	HWRRD1.HWRRD	NONE		12JUNE2025

PELLU	JOTNU	TRACK 007.54	12.70	7800	6600
JOTNU	ZELMA	TRACK 006.80	29.13	7800	6900

PBN REQUIREMENT NOTES:
RNAV 1 - GPS

EQUIPMENT REQUIREMENT NOTES:
RADAR REQUIRED

PROCEDURAL DATA NOTES:
NOTE: FUSBL TRANSITION RESTRICTED TO AIRCRAFT LANDING LAS TERMINAL AREA.

TAKEOFF MINIMUMS:
RWY 31L: STANDARD WITH MINIMUM CLIMB OF 500 FT/NM TO 977, THEN MINIMUM CLIMB OF 386 FT/NM TO 4800.
RWY 31R: STANDARD WITH MINIMUM CLIMB OF 500 FT/NM TO 977, THEN MINIMUM CLIMB OF 373 FT/NM TO 4800.

TAKEOFF OBSTACLES NOTES:
SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARURE PROCEDURE (ODP).

CONTROLLING OBSTACLES:
RWY 31L/31R: 3852 FT MSL AAO 340030.00N/1162821.00W (CLIMB GRADIENT), 4035 FT MSL AAO 335942.00N/1162506.00W (CLIMB-TO ALTITUDE)

MSA:
MSA FROM KPSP, 12800

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:
MAGVAR: KPSP 13E/1990.
DME/DME ASSESSMENT: UNSAT.
CHART: TOP ALTITUDE: ASSIGNED BY ATC.

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
KPSP	PALM SPRINGS	CA

COMMUNICATIONS:
CHART: ATIS, CLNC DEL, GND CON, PALM SPRINGS ATCT.

FIXES AND/OR NAVAIDS:

REMARKS:
DO NOT CHART MOCA: FROM HWRRD TO EMRUD, EMRUD TO TEEGE, TEEGE TO BLH VORTAC, HWRRD TO MYKUL , MYKUL TO FUSBL,

QUALITY 23 CHECKED

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
HWRRD	ONE	HWRRD1.HWRRD	NONE		12JUNE2025

FLIGHT INSPECTED BY	SIGNATURE	OFFICE	DATE
THOMAS MOLOKIE	*Digitally signed by* ***DAVID DANNER*** Dec 13, 2024	AJF	10/31/2024

DEVELOPED BY	SIGNATURE	OFFICE	DATE
LEO PALMER	*Digitally signed by* ***LEO PALMER*** Dec 12, 2024	AJV-A421	08/01/2024

APPROVED BY	SIGNATURE	OFFICE	DATE	TITLE
DAVE DANNER	*Digitally signed by* ***DAVID DANNER*** Dec 13, 2024	AJV-A421	02/20/2025	MANAGER

REQUIRED EFFECTIVE DATE

COORDINATED WITH:

A4A ☒ **ALPA** ☒ **AOPA** ☒ **APA** ☒ **HAI** ☐ **NBAA** ☒ **OTHER:**PSP ATCT, SOCAL APP CON, AMGR

CHANGES - REASONS:
ORIG.

QUALITY 23 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
HWRRD	ONE	HWRRD1.HWRRD	NONE		12JUNE2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW31R (AER)	334927.27N/1162959.80W	N	-	-	-				
977 MSL	-	-	-	VA	323.40	-	AT/ABOVE 977		CG 500 FT PER NM TO 978 CG 373 FT PER NM TO 4800
FYTNN	335436.20N/1163436.43W	Y	FB	DF	-	-	AT/ABOVE 2600	AT/BELOW 230K	RIGHT TURN
RW31L (AER)*	34918.95N/1163002.73W*	N	-	-	-	-			*DISPL THLD (1500.098 FT)
977 MSL	-	-	-	VA	323.41	-	AT/ABOVE 977		CG 500 FT PER NM TO 977 CG 386 FT PER NM TO 4800
FYTNN	335436.20N/1163436.43W	Y	FB	DF	-	-	AT/ABOVE 2600	AT/BELOW 230K	RIGHT TURN
FYTNN	335436.20N/1163436.43W	Y	-	IF	-	-	AT/ABOVE 2600	AT/BELOW 230K	
EYRSH	335805.69N/1163044.52W	Y	FB	TF	042.68	4.74	AT/BELOW 9000		
HWRRD	335654.87N/1162503.76W	Y	FB	TF	103.98	4.87	AT/ABOVE 7000		
HWRRD	335654.87N/1162503.76W	Y	-	IF	-	-	AT/ABOVE 7000		HWRRD1.BLH
EMRUD	334738.71N/1161505.67W	Y	FB	TF	138.06	12.43	AT/BELOW 15000		
TEEGE	334209.84N/1155558.38W	Y	FB	TF	108.85	16.86	AT/BELOW FL190		
BLH VORTAC	333545.83N/1144540.58W	Y	FB	TF	095.89	59.03			
HWRRD	335654.87N/1162503.76W	Y	-	IF	-	-	AT/ABOVE 7000		HWRRD1.EED
MYKUL	335811.74N/1160922.78W	Y	FB	TF	084.33	13.11			
FUSBL	340008.27N/1155132.75W	Y	FB	FT	082.47	14.96	AT/ABOVE 16000		
DWGHT	340316.53N/1152207.74W	Y	FB	TF	082.56	24.65			

QUALITY 23 CHECKED

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
HWRRD	ONE	HWRRD1.HWRRD	NONE		12JUNE2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
EMPRR	341024.52N/1151315.72W	Y	FB	TF	045.91	10.24	AT/ABOVE FL230		
EED VORTAC	344557.62N/1142826.78W	Y	FB	TF	046.02	51.31			
HWRRD	335654.87N/1162503.76W	Y	-	IF	-	-	AT/ABOVE 7000		HWRRD1.TRM
EMRUD	334738.71N/1161505.67W	Y	FB	TF	138.06	12.43	AT/BELOW 15000		
TRM VORTAC	333741.15N/1160936.70W	Y	FB	TF	155.27	10.94			
HWRRD	335654.87N/1162503.76W	Y	-	IF	-	-	AT/ABOVE 7000		HWRRD1.FUSBL
MYKUL	335811.74N/1160922.78W	Y	FB	TF	084.33	13.11			
FUSBL	340008.27N/1155132.75W	Y	FB	TF	082.47	14.96	AT/ABOVE 16000		
HWRRD	335654.87N/1162503.76W	Y	-	IF	-	-	AT/ABOVE 7000		HWRRD1.ZELMA
MYKUL	335811.74N/1160922.78W	Y	FB	TF	084.33	13.11			
FUSBL	340008.27N/1155132.75W	Y	FB	TF	082.47	14.96	AT/ABOVE 16000		
PELLU	340738.60N/1153709.02W	Y	FB	TF	057.87	14.11			
JOTNU	341933.11N/1153146.29W	Y	FB	TF	020.54	12.70			
ZELMA	344659.99N/1151947.51W	Y	FB	TF	019.80	29.13			



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statue miles or feet RVR unless otherwise indicated.

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
JEEON	ONE	JEEON1.JEEON	NONE		12JUNE2025

TYPE:	OBSTACLE	COPTER	SID	SPECIAL	RNAV
	☐	☐	☒	☐	☒

DP ROUTE DESCRIPTION:
TAKEOFF RWY 13L: CLIMB ON HEADING 130.39 TO 977, THEN LEFT TURN DIRECT KAIMI AT OR BELOW 6000, THENCE...

TAKEOFF RWY 13R: CLIMB ON HEADING 130.40 TO 977, THEN LEFT TURN DIRECT KAIMI AT OR BELOW 6000, THENCE...

...THEN ON TRACK 088.90 TO CROSS JEEON AT OR ABOVE 4200, THEN ON ASSIGNED (TRANSISTION). MAINTAIN ATC ASSIGNED ALTITUDE, EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

TRANSITION NAME	TRANSITION COMPUTER CODE	FROM FIX/NAVAID	TO FIX/NAVAID	COURSE	DISTANCE	MEA	MOCA	CROSSING ALTITUDE/FIXES
BLYTHE	JEEON1.BLH	JEEON	TEEGE	TRACK 084.72	18.90	6600	6600	AT/ABOVE 11000
		TEEGE	BLH VORTAC	TRACK 082.89	59.03	7600	7600	
THERMAL	JEEON1.TRM	JEEON	TRM VORTAC	TRACK 120.74	10.18	3500	3500	

PBN REQUIREMENT NOTES:
RNAV 1 - GPS

EQUIPMENT REQUIREMENT NOTES:
RADAR REQUIRED

PROCEDURAL DATA NOTES:

TAKEOFF MINIMUMS:
RWY 13L: STANDARD WITH MINIMUM CLIMB OF 500 FT/NM TO 977.
RWY 13R: STANDARD WITH MINIMUM CLIMB OF 500 FT/NM TO 977.

TAKEOFF OBSTACLES NOTES:
SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARURE PROCEDURE (ODP).

CONTROLLING OBSTACLES:
RWY 13L: 1857 FT MSL AAO 334518.00N/1162721.00W
RWY 13R: 2044 FT MSL AAO 334503.00N/1162724.00W

MSA:
MSA FROM KPSP, 12800

LOST COMMUNICATIONS PROCEDURES:



DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
JEEON	ONE	JEEON1.JEEON	NONE		12JUNE2025

ADDITIONAL FLIGHT DATA:
MAGVAR: KPSP 13E/1990.
DME/DME ASSESSMENT: UNSAT.
CHART: TOP ALTITUDE: ASSIGNED BY ATC.

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
KPSP	PALM SPRINGS	CA

COMMUNICATIONS:
CHART: ATIS, CLNC DEL, GND CON, PALM SPRINGS ATCT.

FIXES AND/OR NAVAIDS:

REMARKS:
DO NOT CHART MOCA: FROM JEEON TO TEEGE, TEEGE TO BLH VORTAC, JEEON TO TRM VORTAC.

FLIGHT INSPECTED BY	**SIGNATURE**	**OFFICE**	**DATE**	
THOMAS E MOLOKIE	*Digitally signed by* ***ALLAN WILL*** Nov 15, 2024	AJF	10/31/2024	
DEVELOPED BY	**SIGNATURE**	**OFFICE**	**DATE**	
LEO PALMER	*Digitally signed by* ***LEO PALMER*** Sep 20, 2024	AJV-A421	08/05/2024	
APPROVED BY	**SIGNATURE**	**OFFICE**	**DATE**	**TITLE**
DAVE DANNER	*Digitally signed by* ***ALLAN WILL*** Nov 15, 2024	AJV-A421	02/20/2025	MANAGER
REQUIRED EFFECTIVE DATE				

COORDINATED WITH:

A4A ☒ **ALPA** ☒ **AOPA** ☒ **APA** ☒ **HAI** ☐ **NBAA** ☒ **OTHER:**PSP ATCT, SOCAL APP CON, AMGR

CHANGES - REASONS:
ORIG.

QUALITY 23 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
JEEON	ONE	JEEON1.JEEON	NONE		12JUNE2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW13L (AER)	335006.60N/1163034.81W	N		-	-	-			
977 MSL	-	-	-	VA	143.39	-	AT/ABOVE 977		CG 500 FT PER NM TO 977
KAIMI	334524.43N/1162211.19W	Y	FB	DF	-	-	AT/BELOW 6000		LEFT TURN
RW13R (AER)*	335002.63N/1163041.60W*	N	-	-	-	-			*DISPL THLD (2999.74 FT)
977 MSL		-	-	VA	143.40	-	AT/ABOVE 977		CG 500 FT PER NM TO 977
KAIMI	334524.43N/1162211.19W	Y	FB	DF	-	-	AT/BELOW 6000		LEFT TURN
KAIMI	334524.43N/1162211.19W	Y	FB	IF	-	-	AT/BELOW 6000		
JEEON	334444.58N/1161825.26W	Y	FB	TF	101.90	03.21	AT/ABOVE 4200		
JEEON	334444.58N/1161825.26W	Y	-	IF	-	-	AT/ABOVE 4200		JEEON1.BLH
TEEGE	334209.84N/1155558.38W	Y	FB	TF	097.72	18.90	AT/ABOVE 11000		
BLH VORTAC	333545.83N/1144540.58W	Y	FB	TF	095.89	59.03			
JEEON	334444.58N/1161825.26W	Y	-	IF	-	-	AT/ABOVE 4200		JEEON1.TRM
TRM VORTAC	333741.15N/1160936.70W	Y	FB	TF	133.74	10.18			

QUALITY 23 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statue miles or feet RVR unless otherwise indicated.

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
YUCCA	ONE	YUCCA1.YUCCA	NONE		12JUNE2025

TYPE:	OBSTACLE	COPTER	SID	SPECIAL	RNAV
	☐	☐	☒	☐	☒

DP ROUTE DESCRIPTION:
TAKEOFF RWY 31L: CLIMB ON HEADING 310.41 TO 977, THEN DIRECT FYTNN AT OR ABOVE 2900 AT OR BELOW 230 KIAS, THENCE ...

TAKEOFF RWY 31R: CLIMB ON HEADING 310.40 TO 977, THEN DIRECT FYTNN AT OR ABOVE 2900 AT OR BELOW 230 KIAS,THENCE ...

...ON TRACK 029.68 TO CROSS EYRSH AT OR BELOW 9000, THEN ON TRACK 343.97 TO CROSS YUCCA AT OR ABOVE 8500, THEN ON ASSIGNED (TRANSISTION). MAINTAIN ATC ASIGNED ALTITUDE, EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

TRANSITION NAME	TRANSITION COMPUTER CODE	FROM FIX/NAVAID	TO FIX/NAVAID	COURSE	DISTANCE	MEA	MOCA	CROSSING ALTITUDE/FIXES
PALMDALE	YUCCA1.PMD	YUCCA	LGANN	TRACK 328.95	13.50	8500	8500	
		LGANN	SOGGI	TRACK 328.90	11.67	8500	8200	
		SOGGI	APLES	TRACK 263.78	23.52	8500	7400	
		APLES	PMD VORTAC	TRACK 263.52	45.56	8500	7000	

PBN REQUIREMENT NOTES:
RNAV 1 - GPS

EQUIPMENT REQUIREMENT NOTES:
RADAR REQUIRED

PROCEDURAL DATA NOTES:

TAKEOFF MINIMUMS:
RWY 31L: STANDARD WITH MINIMUM CLIMB OF 500 FT/NM TO 977, THEN A MINIMUM CLIMB OF 455 FT/NM TO 5900
RWY 31R: STANDARD WITH MINIMUM CLIMB OF 500 FT/NM TO 977, THEN A MINIMUM CLIMB OF 441 FT/NM TO 5900.

TAKEOFF OBSTACLES NOTES:
SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURE (ODP).

CONTROLLING OBSTACLES:
RWY 31L/31R: 4396 FT MSL AAO 340118.00N/1162845.00W (CLIMB GRADIENT), 4524 FT MSL AAO 340138.98N/1162833.49W (CLIMB-TO ALTITUDE)

MSA:
MSA FROM KPSP 12800

LOST COMMUNICATIONS PROCEDURES:

QUALITY 23 CHECKED

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
YUCCA	ONE	YUCCA1.YUCCA	NONE		12JUNE2025

ADDITIONAL FLIGHT DATA:
MAGVAR: KPSP 13E/1990.
DME/DME ASSESSMENT: UNSAT.
CHART: TOP ALTITUDE: ASSIGNED BY ATC.

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
KPSP	PALM SPRINGS	CA

COMMUNICATIONS:
CHART: ATIS, CLNC DEL, GND CON, PALM SPRINGS ATCT.

FIXES AND/OR NAVAIDS:

REMARKS:
DO NOT CHART MOCA: FROM YUCCA TO LGANN, LGANN TO SOGGI

	SIGNATURE	OFFICE	DATE	
FLIGHT INSPECTED BY THOMAS E MOLOKIE	*Digitally signed by* ***ALLAN WILL*** Nov 15, 2024	AJF	10/31/2024	
DEVELOPED BY LEO PALMER	*Digitally signed by* ***LEO PALMER*** Sep 20, 2024	AJV-A421	07/29/2024	
APPROVED BY DAVE DANNER	*Digitally signed by* ***ALLAN WILL***	AJV-A421	02/20/2025	MANAGER
REQUIRED EFFECTIVE DATE	Nov 15, 2024			

COORDINATED WITH:

A4A ☒ **ALPA** ☒ **AOPA** ☒ **APA** ☒ **HAI** ☐ **NBAA** ☒ **OTHER:**ZLA, PSP ATCT, SOCAL APP CON, AMGR

CHANGES - REASONS:
ORIG

QUALITY 23 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
YUCCA	ONE	YUCCA1.YUCCA	NONE		12JUNE2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW31L (AER)*	334918.95N/1163002.73W*	N	-	-	-	-			*DISPL THLD (1500.098 FT)
977 MSL	-	-	-	VA	323.41	-	AT/ABOVE 977		CG 500 FT PER NM TO 977 CG 455 FT PER NM TO 5900
FYTNN	335436.20N/1163436.43W	Y	FB	DF	-	-	AT/ABOVE 2900	AT/BELOW 230K	RIGHT TURN
RW31R (AER)	334927.27N/1162959.80W	N	-	-	-	-			
977 MSL	-	-	-	VA	323.40	-	AT/ABOVE 977		CG 500 FT PERN M TO 977 CG 441 FT PER NM TO 5900
FYTNN	335436.20N/1163436.43W	Y	FB	DF	-	-	AT/ABOVE 2900	AT/BELOW 230K	RIGHT TURN
FYTNN	335436.20N/1163436.43W	Y	-	IF	-	-	AT/ABOVE 2900	AT/BELOW 230K	
EYRSH	335805.69N/1163044.52W	Y	FB	TF	42.67	4.72	AT/BELOW 9000		
YUCCA	340612.58N/1163115.49W	Y	FB	TF	356.97	8.11	AT/ABOVE 8500		
YUCCA	340612.58N/1163115.49W	Y	-	IF	-	-	AT/ABOVE 8500		YUCCA1.PMD
LGANN	341903.95N/1163618.53W	Y	FB	TF	341.95	13.50			
SOGGI	343010.79N/1164041.79W	Y	FB	TF	341.90	11.67			
APLES	343254.48N/1170858.14W	Y	FB	TF	276.78	23.52			
PMD VORTAC	343753.03N/1180349.76W	Y	FB	TF	276.52	45.56			

QUALITY 23 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
RDBUL (RNAV)	**ONE**	**RDBUL.RDBUL1**	**NONE**		12JUNE2025

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
CURIV	CURIV.RDBUL1	CURIV	CURIV						
			TUUNE	278.27	30.92	8000	7200		BETWEEN 17000 AND FL230
			BRRAP	246.06	25.11	8000	7100		BETWEEN 10000 AND 15000
			RDBUL	257.06	17.22	8000	7100		BETWEEN 8000 AND 9000
PARKER	PKE.RDBUL1	PKE VORTAC	PKE VORTAC						
			TUUNE	235.77	23.52	8000	7200		BETWEEN 17000 AND FL230
			BRRAP	246.06	25.11	8000	7100		BETWEEN 10000 AND 15000
			RDBUL	257.06	17.22	8000	7100		BETWEEN 8000 AND 9000
YORRK	YORRK.RDBUL1	YORRK	YORRK						
			DYNAN	209.58	19.70	9400	9400		AT/BELOW FL280
			BURBL	216.14	41.32	8000	7300		AT/ABOVE FL230
			TUUNE	215.78	19.35	8000	7200		BETWEEN 17000 AND FL230
			BRRAP	246.06	25.11	8000	7100		BETWEEN 10000 AND 15000
			RDBUL	257.06	17.22	8000	7100		BETWEEN 8000 AND 9000
ZELMA	ZELMA.RDBUL1	ZELMA	ZELMA						
			JOTNU	186.91	29.13	8000	7000		
			TNP VORTAC	210.14	17.51	8000	7000		BETWEEN 10000 AND 15000
			RDBUL	201.09	16.91	8000	7000		BETWEEN 8000 AND 9000

ARRIVAL ROUTE DESCRIPTION:

LANDING PSP RWY 13L/R: FROM RDBUL ON TRACK 251.39/9.88 TO CROSS YAGUS AT 8000 AND AT 230 KIAS, THEN ON TRACK 259.10. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.
LANDING PSP RWY 31L/R: FROM RDBUL ON TRACK 225.50/7.08 TO CROSS MERCK AT 8000 AND AT 230 KIAS, THEN ON TRACK 238.43. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.
LANDING TRM/UDD: FROM RDBUL ON TRACK 225.50/7.08 TO CROSS MERCK AT 8000 AND AT 230 KIAS, THEN ON TRACK 238.43. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: JET AND TURBOPROP AIRCRAFT ONLY
NOTE: GPS REQUIRED.



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
RDBUL (RNAV)	**ONE**	**RDBUL.RDBUL1**	**NONE**		12JUNE2025

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT TUUNE: HOLD NE, RT, 246.06 INBOUND, 10 NM LEGS.
CHART HOLDING AT BRRAP: HOLD NE, RT, 246.06 INBOUND, 10 NM LEGS.

COMMUNICATIONS:

CHART: PALM SPRINGS INTL TOWER
CHART: UDD UNICOM.
CHART: TRM UNICOM.

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
PSP	PALM SPRINGS	CA
UDD	PALM SPRINGS	CA
TRM	PALM SPRINGS	CA

LOST COMMUNICATIONS PREFERENCES:

REMARKS:

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: UNSAT.
MAG VAR: PSP 13E/1990
CHART AT MERCK TERMINUS: PSP LDG RWY 31L/R.
CHART AT YAGUS TERMINUS: PSP LDG RWY 13L/R.
CHART AT MERCK TERMINUS: LDG TRM/UDD.

	ORGANIZATION:	DATE:		
FLIGHT INSPECTED BY:				
THOMAS MOLOKIE	FIOG	10/31/2024	Flight Inspected Signature:	*Digitally signed by* ***ALLAN WILL*** Feb 04, 2025
DEVELOPED BY:				
RICHARD CAMPBELL	AJV-A423	08/09/2024	Developed By Signature:	*Digitally signed by* ***RICHARD E CAMPBELL*** Sep 23, 2024
APPROVED BY:				
ALLAN WILL	AJV-A423		Approved By Signature:	*Digitally signed by* ***ALLAN WILL*** Feb 04, 2025

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
RDBUL (RNAV)	**ONE**	**RDBUL.RDBUL1**	**NONE**		12JUNE2025

CHANGES:


REASONS:

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
RDBUL (RNAV)	**ONE**	**RDBUL.RDBUL1**	**NONE**		12JUNE2025

Graphic Depiction 1



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
RDBUL (RNAV)	ONE	RDBUL.RDBUL1	NONE		12JUNE2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
CURIV	334622.97N / 1143238.63W	Y		IF					CURIV.RDBUL1
TUUNE	335732.38N / 1150716.92W	Y	FB	TF	291.27	30.92	17000BFL230		
BRRAP	335242.31N / 1153653.46W	Y	FB	TF	259.06	25.11	10000B15000		
RDBUL	335241.73N / 1155734.77W	Y	FB	TF	270.06	17.22	8000B9000		
En Route Transition									
PKE VORTAC	340607.10N / 1144055.44W	Y		IF					PKE.RDBUL1
TUUNE	335732.38N / 1150716.92W	Y	FB	TF	248.77	23.52	17000BFL230		
BRRAP	335242.31N / 1153653.46W	Y	FB	TF	259.06	25.11	10000B15000		
RDBUL	335241.73N / 1155734.77W	Y	FB	TF	270.06	17.22	8000B9000		
En Route Transition									
YORRK	345203.23N / 1135558.14W	Y		IF					YORRK.RDBUL1
DYNAN	343730.44N / 1141207.30W	Y	FB	TF	222.58	19.70	AT/BELOW FL280		
BURBL	341019.96N / 1144946.97W	Y	FB	TF	229.14	41.32	AT/ABOVE FL230		
TUUNE	335732.38N / 1150716.92W	Y	FB	TF	228.78	19.35	17000BFL230		
BRRAP	335242.31N / 1153653.46W	Y	FB	TF	259.06	25.11	10000B15000		
RDBUL	335241.73N / 1155734.77W	Y	FB	TF	270.06	17.22	8000B9000		
En Route Transition									
ZELMA	344659.99N / 1151947.51W	Y		IF					ZELMA.RDBUL1
JOTNU	341933.11N / 1153146.29W	Y	FB	TF	199.91	29.13			
TNP VORTAC	340644.04N / 1154611.66W	Y	FB	TF	223.14	17.51	10000B15000		
RDBUL	335241.73N / 1155734.77W	Y	FB	TF	214.09	16.91	8000B9000		

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
RDBUL (RNAV)	ONE	RDBUL.RDBUL1	NONE		12JUNE2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
Common Route									
RDBUL	335241.73N / 1155734.77W	Y		IF			8000B9000		RDBUL.RDBUL1
MERCK	334859.13N / 1160449.48W	Y	FO	TF	238.50	07.08	AT 8000	AT 230K	
KTRM,KUDD				FM	251.43				
Runway Transition									
RDBUL	335241.73N / 1155734.77W	Y		IF			8000B9000		
YAGUS	335143.07N / 1160923.27W	Y	FO	TF	264.39	09.88	AT 8000	AT 230K	
KPSP:RWY 13L,RWY 13R				FM	272.10				
Runway Transition									
RDBUL	335241.73N / 1155734.77W	Y		IF			8000B9000		
MERCK	334859.13N / 1160449.48W	Y	FO	TF	238.50	07.08	AT 8000	AT 230K	
KPSP:RWY 31L,RWY 31R				FM	251.43				

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SIZLR (RNAV)	**FOUR**	**SIZLR.SIZLR4**	**THREE**	**02/01/2018**	12JUNE2025

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
CLASN	CLASN.SIZLR4	CLASN	CLASN						
			MURDY	119.13	30.60	FL190	10000		
			GLRNO	119.57	47.23	15000	10000		AT/ABOVE FL240
			SIZLR	114.97	19.58	15000	6100		BETWEEN FL200 AND FL230
GLRNO	GLRNO.SIZLR4	GLRNO	GLRNO						AT/ABOVE FL240
			SIZLR	114.97	19.58	15000	6100		BETWEEN FL200 AND FL230
MURDY	MURDY.SIZLR4	MURDY	MURDY						
			GLRNO	119.57	47.23	15000	10000		AT/ABOVE FL240
			SIZLR	114.97	19.58	15000	6100		BETWEEN FL200 AND FL230
OYVEY	OYVEY.SIZLR4	OYVEY	OYVEY						
			SOSHA	157.87	11.82	FL190	10200		
			KARNY	157.78	12.25	15000	10200		
			RABBL	133.04	16.15	15000	10200		
			GLRNO	133.10	28.74	15000	10200		AT/ABOVE FL240
			SIZLR	114.97	19.58	15000	6100		BETWEEN FL200 AND FL230
SOSHA	SOSHA.SIZLR4	SOSHA	SOSHA						
			KARNY	157.78	12.25	15000	10200		
			RABBL	133.04	16.15	15000	10200		
			GLRNO	133.10	28.74	15000	10200		AT/ABOVE FL240
			SIZLR	114.97	19.58	15000	6100		BETWEEN FL200 AND FL230

ARRIVAL ROUTE DESCRIPTION:

LANDING ALL AIRPORTS: FROM SIZLR ON TRACK 103.25/17.95 TO CROSS MXIMO AT OR BELOW FL190, THEN ON TRACK 103.20/19.82 TO CROSS HITOP AT 16000, THEN ON TRACK 106.08/15.69 TO CROSS CURKO AT 16000 AND AT 280 KIAS, THEN ON TRACK 106.81/9.35 TO CROSS GEBEE AT 15000, THEN ON TRACK 106.29/7.43 TO CROSS MORON AT 14000, THEN ON TRACK 094.72/11.91 TO CROSS FERNN AT 11000, THEN ON TRACK 123.51. EXPECT ASSIGNED INSTRUMENT APPROACH OR RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SIZLR (RNAV)	**FOUR**	**SIZLR.SIZLR4**	**THREE**	**02/01/2018**	12JUNE2025

PROCEDURAL DATA NOTES:

NOTE: JET AND TURBOPROP AIRCRAFT ONLY

NOTE: MURDY, SOSHA, AND GLRNO TRANSITIONS DO NOT FILE-ATC ASSIGNED ONLY.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT HITOP: HOLD W, RT, 103.20 INBOUND, 10 NM LEGS.

CHART: TRM VORTAC.

COMMUNICATIONS:

CHART: PALM SPRINGS INTL TOWER.

CHART: KUDD UNICOM.

CHART: KTRM UNICOM.

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
UDD	PALM SPRINGS	CA
TRM	PALM SPRINGS	CA
PSP	PALM SPRINGS	CA

LOST COMMUNICATIONS PREFERENCES:

LANDING PSP, TRM, UDD: PROCEED TO TRM VORTAC, THEN EXECUTE VOR APPROACH FOR DESTINATION AIRPORT.

REMARKS:

MEAS AT FL190 REQUIRED FOR DME/DME ASSESSMENT.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)

MAG VAR: KPSP 13E/1990

CHART AT FERNN TERMINUS: LDG PSP/TRM/UDD

	ORGANIZATION:	DATE:		
FLIGHT INSPECTED BY: JOSEPH R JAQUISH	AJF	11/26/2024	Flight Inspected Signature:	*Digitally signed by* ***ALLAN WILL*** Dec 03, 2024
DEVELOPED BY: RICHARD CAMPBELL	AJV-A423	08/16/2024	Developed By Signature:	*Digitally signed by* ***RICHARD E CAMPBELL*** Oct 08, 2024
APPROVED BY: ALLAN WILL	AJV-A423 MANAGER		Approved By Signature:	*Digitally signed by* ***ALLAN WILL*** Dec 03, 2024

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SIZLR (RNAV)	**FOUR**	**SIZLR.SIZLR4**	**THREE**	**02/01/2018**	12JUNE2025

CHANGES:

1. REMOVED PSP VORTAC AND DEZZY WP.
2. ADDED CHART AT FERNN TERMINUS: LDG PSP/TRM/UDD.
3. REMOVED PZUKY WP AND BITTY WP.
4. ADDED ALTITUDE RESTRICTION AT HITOP WP OF AT 16000.
5. ADDED ALTITUDE RESTRICTION AT MXIMO WP OF AT OR BELOW FL190.
6. ESTABLISHED MURDY, SOSHA, AND GLRNO EN ROUTE TRANSITIONS WITH CHART NOTE: DO NOT FILE-ATC ASSIGNED ONLY.
7. ADDED NEW CURKO WP WITH ALTITUDE RESTRICTION OF AT 16000 AND SPEED RESTRICTION OF AT 280 KIAS.
8. ADDED NEW GEBEE WP WITH AN ALTITUDE RESTRICTION OF AT 15000.
9. ADDED A HOLDING PATTERN AT HITOP WP.
10. REMOVED RECOMMENDED NAVAID FROM 17.2 FORM.
11. CHANGED REFERENCE OF TURBOJET TO JET.
12. REMOVED K FROM ARPT IDENT ON 17.1 FORM.
13. REVISED LOST COMM.
14. REMOVED DO NOT CHART MOCAS.
15. REVISED ARRIVAL ROUTE DESCRIPTION.
16. MOVED RADAR REQUIRED FROM PROCEDURAL DATA NOTES TO EQUIPMENT REQUIREMENT NOTES.
17. MOVED RNAV 1 AND DME/DME/IRU OR GPS REQUIRED FROM PROCEDURAL DATA NOTES TO PBN REQUIREMENT NOTES.
18. ADJUSTED ALL MEAs AND MOCAs.

REASONS:

1. TO MATCH RNPS.
2. IAW FAAO 8260.19J 4-5-2 h. (2) STAR TERMINUS DATA.
3-8. ATC REQUEST FOR DATACOMM ROUTE COMPLIANCE.
9, 13. ATC REQUEST.
10, 12. NO LONGER DOCUMENTED.
11. IAW FAAO 8260.19J, 4-5-12D(3)(A).
14. IAW AFS MEMO DATED 07/01/2021.
15. IAW FAAO 8260.19J 4-5-12C.
16, 17. IAW FAAO 8260.19J DOCUMENTATION STANDARDS.
18. NEW DME/DME ASSESSMENT AND OBST EVAL.


QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SIZLR (RNAV)	**FOUR**	**SIZLR.SIZLR4**	**THREE**	**02/01/2018**	12JUNE2025

Graphic Depiction 1



SIZLR (RNAV)

Generated 07/08/2024 11:02 AM by: TARGETS: 7.3.2; WGS84: 3.3.4; Common RS: 2.15.0; RNAV STAR RS: 2.14.0

Page 2 of 25

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SIZLR (RNAV)	FOUR	SIZLR.SIZLR4	THREE	02/01/2018	12JUNE2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
CLASN	353935.40N / 1193008.70W	Y		IF					CLASN.SIZLR4
MURDY	351858.60N / 1190224.60W	Y	FB	TF	132.13	30.60			
GLRNO	344651.00N / 1182011.10W	Y	FB	TF	132.57	47.23	AT/ABOVE FL240		
SIZLR	343445.43N / 1180129.41W	Y	FB	TF	127.97	19.58	FL200BFL230		
En Route Transition									
GLRNO	344651.00N / 1182011.10W	Y		IF			AT/ABOVE FL240		GLRNO.SIZLR4
SIZLR	343445.43N / 1180129.41W	Y	FB	TF	127.97	19.58	FL200BFL230		
En Route Transition									
MURDY	351858.60N / 1190224.60W	Y		IF					MURDY.SIZLR4
GLRNO	344651.00N / 1182011.10W	Y	FB	TF	132.57	47.23	AT/ABOVE FL240		
SIZLR	343445.43N / 1180129.41W	Y	FB	TF	127.97	19.58	FL200BFL230		
En Route Transition									
OYVEY	354759.00N / 1185521.00W	Y		IF					OYVEY.SIZLR4
SOSHA	353618.00N / 1185303.00W	Y	FB	TF	170.87	11.82			
KARNY	352411.50N / 1185039.00W	Y	FB	TF	170.78	12.25			
RABBL	351046.00N / 1183938.76W	Y	FB	TF	146.04	16.15			
GLRNO	344651.00N / 1182011.10W	Y	FB	TF	146.10	28.74	AT/ABOVE FL240		
SIZLR	343445.43N / 1180129.41W	Y	FB	TF	127.97	19.58	FL200BFL230		
En Route Transition									
SOSHA	353618.00N / 1185303.00W	Y		IF					SOSHA.SIZLR4
KARNY	352411.50N / 1185039.00W	Y	FB	TF	170.78	12.25			
RABBL	351046.00N / 1183938.76W	Y	FB	TF	146.04	16.15			
GLRNO	344651.00N / 1182011.10W	Y	FB	TF	146.10	28.74	AT/ABOVE FL240		
SIZLR	343445.43N / 1180129.41W	Y	FB	TF	127.97	19.58	FL200BFL230		

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SIZLR (RNAV)	FOUR	SIZLR.SIZLR4	THREE	02/01/2018	12JUNE2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
Common Route									
SIZLR	343445.43N / 1180129.41W	Y		IF			FL200BFL230		SIZLR.SIZLR4
MXIMO	342646.60N / 1174201.29W	Y	FB	TF	116.25	17.95	AT/BELOW FL190		
HITOP	341758.70N / 1172033.18W	Y	FB	TF	116.20	19.82	AT 16000		
CURKO	341019.18N / 1170401.45W	Y	FB	TF	119.08	15.69	AT 16000	AT 280K	
GEBEE	340539.40N / 1165415.30W	Y	FB	TF	119.81	09.35	AT 15000		
MORON	340200.77N / 1164627.66W	Y	FB	TF	119.29	07.43	AT 14000		
FERNN	335822.14N / 1163249.39W	Y	FO	TF	107.72	11.91	AT 11000		
KPSP,KTRM,KUDD				FM	136.51				

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DIVERSE VECTOR AREA (DVA)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Distances are in nautical miles.

AIRPORT ID	CITY	STATE	AMDT NO	ACTUAL EFFECTIVE DATE
KRHV	SAN JOSE	CA	1	12JUNE2025

CHART - DIVERSE VECTOR AREA (Radar Vectors):

RWY 31L, 31R: HEADING AS ASSIGNED BY ATC.

FOR ATC USE ONLY:

RWY 31L: AUTHORIZED HEADINGS 273 CLOCKWISE TO 304 WITHIN 15 NM OF 372000.99N/1214916.12W (DEPARTURE REFERENCE POINT) INCLUDES ALL AREA WITHIN 372000.99N/1214916.12W TO 372453.02N/1220704.28W, THEN VIA 15 NM CLOCKWISE ARC CENTERED ON 372000.99N/1214916.12W TO 373158.26N/1220040.09W, TO 372217.58N/1215027.79W, THEN VIA 4.2 NM CLOCKWISE ARC CENTERED ON 371935.47N/1215429.97W TO 372207.86N/1215018.09W, TO 372012.64N/1214919.39W, TO 372009.65N/1214924.33W, TO 372000.99N/1214916.12W.

RWY 31R: AUTHORIZED HEADINGS 273 CLOCKWISE TO 304 WITHIN 15 NM OF 372002.78N/1214913.15W (DEPARTURE REFERENCE POINT) INCLUDES ALL AREA WITHIN 372002.78N/1214913.15W TO 372454.81N/1220701.31W, THEN VIA 15 NM CLOCKWISE ARC CENTERED ON 372002.78N/1214913.15W TO 373200.06N/1220037.11W, TO 372219.40N/1215024.84W, THEN VIA 4.2 NM CLOCKWISE ARC CENTERED ON 371937.29N/1215427.01W TO 372209.66N/1215015.11W, TO 372014.43N/1214916.43W, TO 372011.45N/1214921.37W, TO 372002.78N/1214913.15W.

OBSTACLE EVALUATION AREA (not for video mapping use):

RWY 31L: FROM 372000.99N/1214916.12W TO 371943.77N/1220804.36W, THEN VIA 15 NM CLOCKWISE ARC CENTERED ON 372000.99N/1214916.12W TO 372157.48N/1220755.38W, THEN VIA 3 NM CLOCKWISE ARC CENTERED ON 372453.02N/1220704.28W TO 372551.11N/1221038.18W, THEN VIA 18 NM CLOCKWISE ARC CENTERED ON 372000.99N/1214916.12W TO 373421.58N/1220257.32W, THEN VIA 3 NM CLOCKWISE ARC CENTERED ON 373158.26N/1220040.09W TO 373332.56N/1215727.22W, THEN VIA 15 NM CLOCKWISE ARC CENTERED ON 372000.99N/1214916.12W TO 373406.55N/1215546.77W, TO 372207.86N/1215018.09W, TO 372012.64N/1214919.39W, TO 372009.65N/1214924.33W, TO 372000.99N/1214916.12W.

RWY 31R: FROM 372002.78N/1214913.15W TO 371945.56N/1220801.40W, THEN VIA 15 NM CLOCKWISE ARC CENTERED ON 372002.78N/1214913.15W TO 372159.26N/1220752.41W, THEN VIA 3 NM CLOCKWISE ARC CENTERED ON 372454.81N/1220701.31W TO 372552.89N/1221035.22W, THEN VIA 18 NM CLOCKWISE ARC CENTERED ON 372002.78N/1214913.15W TO 373423.38N/1220254.33W, THEN VIA 3 NM CLOCKWISE ARC CENTERED ON 373200.06N/1220037.11W TO 373334.36N/1215724.23W, THEN VIA 15 NM CLOCKWISE ARC CENTERED ON 372002.78N/1214913.15W TO 373408.34N/1215543.78W, TO 372209.66N/1215015.11W, TO 372014.43N/1214916.43W, TO 372011.45N/1214921.37W, TO 372002.78N/1214913.15W.

AUTHORIZED FACILITY:

NORTHERN CALIFORNIA TRACON FACILITY MANAGER (916)366-4001; OPERATIONS SUPPORT MANAGER (916)366-4057.

FAA FORM 7210-9 DATE:

DEVELOPED BY	SIGNATURE	OFFICE	DATE
PIPKIN, RYAN	*Digitally signed by* ***JOHN BORDY*** Jan 21, 2025	AJV-A33	11/29/2024

APPROVED BY	SIGNATURE	OFFICE	DATE	TITLE
BORDY, JOHN	*Digitally signed by* ***JOHN BORDY*** Jan 21, 2025	AJV-A33	01/21/2025	MANAGER

CHANGES - REASONS:

1. CHART - DIVERSE VECTOR AREA (RADAR VECTORS): ADDED "RWY 31L, 31R: HEADING AS ASSIGNED BY ATC." - "DVA" SECTION ON PREVIOUS FORM CHANGED TO "CHART - DIVERSE VECTOR AREA". AUTHORIZED HEADINGS AND COORDINATES DATA MOVED TO "FOR ATC USE ONLY". SECTION.
2. CHANGES MADE TO POINTS DESCRIBING RWY 31L AND 31R DVA AND OEA. - UPDATED DATA IN "FOR ATC USE ONLY" SECTION WITH MINOR CHANGES TO LAT/LONG COORDINATES. PROCEDURE PREVIOUSLY BUILT MANUALLY AND NEW EVALUATION USING TARGETS.
3. AUTHORIZED FACILITY: UPDATED FROM "NORTHERN CALIFORNIA TRACON" TO "NORTHERN CALIFORNIA TRACON FACILITY MANAGER (916) 366-4001; OPERATIONS SUPPORT MANAGER (916)366-4057."
4. REMOVED RADAR FACILITY INFORMATION REMARKS "PROCEDURE PREDICATED ON ASR·9 (NUQ;A) AT 372528.28N/1220053.36W OR ASR·9 (OAK; A) AT 374222.1 ON/1221331.19W. MAGNETIC COURSES BASED ON AIRPORT MAG VAR 16E: EPOCH YR 1975." - UPDATED DOCUMENTATION REQUIREMENTS; NO LONGER REQUIRED.

QUALITY 23 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BNFSH (RNAV)	**THREE**	**BNFSH.BNFSH3**	**TWO**	**11/03/2022**	12 JUN 2025

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
FIROL	FIROL.BNFSH3	FIROL	FIROL						
			JITIL	272.26	36.65	12000	1500		
			REPEE	271.78	39.60	12000	1500		
			MUNRO	271.85	31.75	12000	1500		
			BICAP	275.09	28.85	12000	1300		AT/ABOVE FL190
			ENRGY	247.53	10.60	10000	1300		AT/BELOW 16000
			WOOSA	232.62	06.51	8000	1300		
			CASTT	240.26	06.16	8000	1300		AT/ABOVE 12000
			BNFSH	240.22	07.49	8000	1300		AT/ABOVE 11000
GELDE	GELDE.BNFSH3	GELDE	GELDE						AT/ABOVE 17000
			ENRGY	202.49	10.53	10000	1300		AT/BELOW 16000
			WOOSA	232.62	06.51	8000	1300		
			CASTT	240.26	06.16	8000	1300		AT/ABOVE 12000
			BNFSH	240.22	07.49	8000	1300		AT/ABOVE 11000
HOAGG	HOAGG.BNFSH3	HOAGG	HOAGG						
			JORAY	191.73	86.86	FL200	1300		
			MOGAE	203.31	65.27	FL200	1300		
			WOLAP	203.13	16.11	FL200	1300		AT/ABOVE FL240
			CIKEN	203.08	10.00	FL200	1300		AT/ABOVE FL220
			GELDE	202.94	16.74	12000	1300		AT/ABOVE 17000
			ENRGY	202.49	10.53	10000	1300		AT/BELOW 16000
			WOOSA	232.62	06.51	8000	1300		
			CASTT	240.26	06.16	8000	1300		AT/ABOVE 12000
			BNFSH	240.22	07.49	8000	1300		AT/ABOVE 11000
MOGAE	MOGAE.BNFSH3	MOGAE	MOGAE						
			WOLAP	203.13	16.11	FL200	1300		AT/ABOVE FL240
			CIKEN	203.08	10.00	FL200	1300		AT/ABOVE FL220

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BNFSH (RNAV)	**THREE**	**BNFSH.BNFSH3**	**TWO**	**11/03/2022**	12 JUN 2025

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
			GELDE	202.94	16.74	12000	1300		AT/ABOVE 17000
			ENRGY	202.49	10.53	10000	1300		AT/BELOW 16000
			WOOSA	232.62	06.51	8000	1300		
			CASTT	240.26	06.16	8000	1300		AT/ABOVE 12000
			BNFSH	240.22	07.49	8000	1300		AT/ABOVE 11000
MORME	MORME.BNFSH3	MORME	MORME						
			POSSE	271.57	62.73	FL200	1300		AT/ABOVE FL240
			CIKEN	241.40	38.47	FL200	1300		AT/ABOVE FL220
			GELDE	202.94	16.74	12000	1300		AT/ABOVE 17000
			ENRGY	202.49	10.53	10000	1300		AT/BELOW 16000
			WOOSA	232.62	06.51	8000	1300		
			CASTT	240.26	06.16	8000	1300		AT/ABOVE 12000
			BNFSH	240.22	07.49	8000	1300		AT/ABOVE 11000
MUNRO	MUNRO.BNFSH3	MUNRO	MUNRO						
			BICAP	275.09	28.85	12000	1300		AT/ABOVE FL190
			ENRGY	247.53	10.60	10000	1300		AT/BELOW 16000
			WOOSA	232.62	06.51	8000	1300		
			CASTT	240.26	06.16	8000	1300		AT/ABOVE 12000
			BNFSH	240.22	07.49	8000	1300		AT/ABOVE 11000
REPEE	REPEE.BNFSH3	REPEE	REPEE						
			MUNRO	271.85	31.75	12000	1500		
			BICAP	275.09	28.85	12000	1300		AT/ABOVE FL190
			ENRGY	247.53	10.60	10000	1300		AT/BELOW 16000
			WOOSA	232.62	06.51	8000	1300		
			CASTT	240.26	06.16	8000	1300		AT/ABOVE 12000
			BNFSH	240.22	07.49	8000	1300		AT/ABOVE 11000
SNAGY	SNAGY.BNFSH3	SNAGY	SNAGY						
			HOVAX	242.01	51.36	FL200	1300		

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BNFSH (RNAV)	**THREE**	**BNFSH.BNFSH3**	**TWO**	**11/03/2022**	12 JUN 2025

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
			JORAY	241.60	85.66	FL200	1300		
			MOGAE	203.31	65.27	FL200	1300		
			WOLAP	203.13	16.11	FL200	1300		AT/ABOVE FL240
			CIKEN	203.08	10.00	FL200	1300		AT/ABOVE FL220
			GELDE	202.94	16.74	12000	1300		AT/ABOVE 17000
			ENRGY	202.49	10.53	10000	1300		AT/BELOW 16000
			WOOSA	232.62	06.51	8000	1300		
			CASTT	240.26	06.16	8000	1300		AT/ABOVE 12000
			BNFSH	240.22	07.49	8000	1300		AT/ABOVE 11000
SUMRS	SUMRS.BNFSH3	SUMRS	SUMRS						
			PAAZZ	266.02	58.52	FL200	1300		
			JORAY	265.50	74.21	FL200	1300		
			MOGAE	203.31	65.27	FL200	1300		
			WOLAP	203.13	16.11	FL200	1300		AT/ABOVE FL240
			CIKEN	203.08	10.00	FL200	1300		AT/ABOVE FL220
			GELDE	202.94	16.74	12000	1300		AT/ABOVE 17000
			ENRGY	202.49	10.53	10000	1300		AT/BELOW 16000
			WOOSA	232.62	06.51	8000	1300		
			CASTT	240.26	06.16	8000	1300		AT/ABOVE 12000
			BNFSH	240.22	07.49	8000	1300		AT/ABOVE 11000

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BNFSH (RNAV)	**THREE**	**BNFSH.BNFSH3**	**TWO**	**11/03/2022**	12 JUN 2025

ARRIVAL ROUTE DESCRIPTION:

LANDING MIA RWY 8L/R: FROM BNFSH ON TRACK 196.66/11.30 TO CROSS FENDE AT OR ABOVE 11000, THEN ON TRACK 198.22/9.01 TO GUCCI, THEN ON TRACK 233.06/3.89 TO BLYMY, THEN ON TRACK 273.72/2.00 TO CROSS RMANI AT OR ABOVE 8000, THEN ON TRACK 273.00/5.29 TO CROSS MDONA AT OR ABOVE 6000, THEN ON TRACK 272.96/5.31 TO CROSS TUPAC AT 5000, THEN ON TRACK 272.96. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING MIA RWY 9: FROM BNFSH ON TRACK 196.66/11.30 TO CROSS FENDE AT OR ABOVE 11000, THEN ON TRACK 198.22/9.01 TO GUCCI, THEN ON TRACK 212.62/13.34 TO CROSS PRCHE AT OR ABOVE 8000, THEN ON TRACK 262.09/3.35 TO CROSS DAHLA AT OR ABOVE 6000, THEN ON TRACK 272.03/8.70 TO CROSS BILZZ AT 5000, THEN ON TRACK 272.03. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING MIA RWY 12: FROM BNFSH ON TRACK 196.66/11.30 TO CROSS FENDE AT OR ABOVE 11000, THEN ON TRACK 198.22/9.01 TO GUCCI, THEN ON TRACK 233.06/3.89 TO BLYMY, THEN ON TRACK 273.72/2.00 TO CROSS RMANI AT OR ABOVE 8000, THEN ON TRACK 273.00/5.29 TO CROSS MDONA AT OR ABOVE 6000, THEN ON TRACK 303.32/7.85 TO CROSS KPONE AT 4000, THEN ON TRACK 274.00/3.00 TO CROSS CHUUM AT 4000, THEN ON TRACK 274.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING MIA RWY 26L/R, 27, 30: FROM BNFSH ON TRACK 185.03/2.48 TO CROSS OTION AT 11000 AND AT 230 KIAS, THEN ON TRACK 180.88/2.67 TO CROSS BONHD AT OR ABOVE 9000, THEN ON TRACK 180.88/4.86 TO CROSS GDDAY BETWEEN 8000 AND 9000, THEN ON TRACK 180.88/11.50 TO CROSS RHODZ AT 6000 AND AT 210 KIAS. EXPECT ASSIGNED INSTRUMENT APPROACH TO RWY 26L/R OR RADAR VECTORS TO FINAL APPROACH COURSE FOR RWYS 27, 30.

LANDING 07FA/X51/HST/TMB: FROM BNFSH ON TRACK 196.66/2.60 TO CROSS KEYZZ AT OR ABOVE 11000, THEN ON TRACK 196.66/8.26 TO CROSS CARMA BETWEEN 9000 AND 10000, THEN ON TRACK 197.27/11.23 TO CROSS YARTO AT 8000, THEN ON HEADING 180.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

SNAGY, FIROL, SUMRS, MORME TRANSITIONS: GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: JET AIRCRAFT ONLY, EXCLUDING EA50, E50P, SF50, C510, C525 AIRCRAFT, WHICH SHOULD FILE TARPN RNAV STAR.

NOTE: LANDING EAST USE RWY 12 TRANSITION, LANDING WEST USE RWY 26R TRANSITION. EXPECT RWY ASSIGNMENT FROM MIA APPROACH PRIOR TO BNFSH.

NOTE: DO NOT FILE FIROL, GELDE, OR MOGAE TRANSITIONS - TO BE ASSIGNED BY ATC.

NOTE: MUNRO TRANSITION FOR GRAND BAHAMA DEPARTURES ONLY.

NOTE: REPEE TRANSITION FOR ABACO DEPARTURES ONLY.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT CIKEN: HOLD NE, LT, 203.13 INBOUND, 10 NM LEGS.

CHART HOLDING AT ENRGY: HOLD N, RT, 202.49 INBOUND, 10 NM LEGS.

CHART HOLDING AT FRATS: HOLD N, RT, 182.00 INBOUND, 10 NM LEGS.

CHART HOLDING AT HEATN: HOLD NE, RT, 220.48 INBOUND, 10 NM LEGS.

CHART HOLDING AT JITIL: HOLD E, RT, 272.26 INBOUND, 10 NM LEGS.

CHART HOLDING AT JORAY: HOLD N, RT, 191.73 INBOUND, 10 NM LEGS.

CHART HOLDING AT MOGAE: HOLD NE, LT, 203.31 INBOUND, 10 NM LEGS.

CHART HOLDING AT MUNRO: HOLD E, RT, 271.85 INBOUND, 10 NM LEGS.

CHART HOLDING AT STIXX: HOLD N, LT, 183.00 INBOUND, 10 NM LEGS.

COMMUNICATIONS:

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BNFSH (RNAV)	**THREE**	**BNFSH.BNFSH3**	**TWO**	**11/03/2022**	12 JUN 2025

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
MIA	MIAMI	FL
HST	HOMESTEAD	FL
TMB	MIAMI	FL
X51	HOMESTEAD	FL
07FA	KEY LARGO	FL

LOST COMMUNICATIONS PREFERENCES:

REMARKS:

THE ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED.
SHIP HEIGHT 295 FT.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)
MAG VAR: MIA 05W/2000
CHART AT RHODZ TERMINUS: MIA LDG RWY 26L/R, 27, 30
CHART AT CHUUM TERMINUS: MIA LDG RWY 12
CHART AT TUPAC TERMINUS: MIA LDG RWY 8L/R
CHART AT BILZZ TERMINUS: MIA LDG RWY 9
CHART AT YARTO TERMINUS: LDG 07FA/HST/TMB/X51

	ORGANIZATION:	DATE:		
FLIGHT INSPECTED BY:				
JAMES R JONES	AJF	01/27/2025	Flight Inspected Signature:	*Digitally signed by* ***ROBERT G HAMILTON*** Jan 30, 2025
DEVELOPED BY:				
WESTLEY OWENS	AJV-A431	10/13/2024	Developed By Signature:	*Digitally signed by* ***ROBERT G HAMILTON*** Jan 30, 2025
APPROVED BY:				
ERIC SUSKI	AJV-A431		Approved By Signature:	*Digitally signed by* ***ROBERT G HAMILTON*** Jan 30, 2025

CHANGES:

1. ADDED STAND-ALONE HOLDING PATTERN AT STIXX, HOLD N, LT, 183.00 INBOUND, 10 NM LEGS.
2. ADDED STAND-ALONE HOLDING PATTERN AT FRATS, HOLD N, RT, 182.00 INBOUND, 10 NM LEGS.
3. REVISED EXPECT LANDING WORDING FROM "EXPECT ILS OR LOC RWY 26L,RWY 26R, OR RADAR VECTORS RWY 27,RWY 30 APPROACH" TO "EXPECT ASSIGNED INSTRUMENT APPROACH TO RWY 26L/R OR RADAR VECTORS TO FINAL APPROACH COURSE FOR RWYS 27, 30."
4. REMOVED "K" FROM AIRPORT IDENTS ALL LOCATIONS.

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BNFSH (RNAV)	**THREE**	**BNFSH.BNFSH3**	**TWO**	**11/03/2022**	12 JUN 2025

REASONS:

1. ATC REQUEST.
2. ATC REQUEST.
3. CHANGED TO LET THE PILOT KNOW THEY MAY BE VECTORED BY AIR TRAFFIC TO A MORE DESIREABLE RWY AT THE TIME.
4. REMOVED IN ACCORDANCE WITH 8260.19J.


QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BNFSH (RNAV)	**THREE**	**BNFSH.BNFSH3**	**TWO**	**11/03/2022**	12 JUN 2025

Graphic Depiction 1




FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BNFSH (RNAV)	**THREE**	**BNFSH.BNFSH3**	**TWO**	**11/03/2022**	12 JUN 2025

Graphic Depiction 2



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BNFSH (RNAV)	THREE	BNFSH.BNFSH3	TWO	11/03/2022	12 JUN 2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
FIROL	263825.67N / 0770032.25W	Y		IF					FIROL.BNFSH3
JITIL	263634.36N / 0774122.72W	Y	FB	TF	267.26	36.65			
REPEE	263413.57N / 0782528.85W	Y	FB	TF	266.78	39.60			
MUNRO	263224.05N / 0790049.74W	Y	FB	TF	266.85	31.75			
BICAP	263223.17N / 0793259.72W	Y	FB	TF	270.09	28.85	AT/ABOVE FL190	AT 280K	
ENRGY	262728.63N / 0794328.31W	Y	FB	TF	242.53	10.60	AT/BELOW 16000		
WOOSA	262304.58N / 0794849.42W	Y	FB	TF	227.62	06.51			
CASTT	261933.17N / 0795427.53W	Y	FB	TF	235.26	06.16	AT/ABOVE 12000	AT 250K	
BNFSH	261515.83N / 0800118.14W	Y	FB	TF	235.22	07.49	AT/ABOVE 11000		
En Route Transition									
GELDE	263732.77N / 0793956.82W	Y		IF			AT/ABOVE 17000	AT 280K	GELDE.BNFSH3
ENRGY	262728.63N / 0794328.31W	Y	FB	TF	197.49	10.53	AT/BELOW 16000		
WOOSA	262304.58N / 0794849.42W	Y	FB	TF	227.62	06.51			
CASTT	261933.17N / 0795427.53W	Y	FB	TF	235.26	06.16	AT/ABOVE 12000	AT 250K	
BNFSH	261515.83N / 0800118.14W	Y	FB	TF	235.22	07.49	AT/ABOVE 11000		
En Route Transition									
HOAGG	294703.71N / 0785033.85W	Y		IF					HOAGG.BNFSH3
JORAY	282034.13N / 0790205.88W	Y	FB	TF	186.73	86.86			
MOGAE	271824.19N / 0792506.53W	Y	FB	TF	198.31	65.27			
WOLAP	270302.95N / 0793043.31W	Y	FB	TF	198.13	16.11	AT/ABOVE FL240		
CIKEN	265330.91N / 0793411.62W	Y	FB	TF	198.08	10.00	AT/ABOVE FL220		
GELDE	263732.77N / 0793956.82W	Y	FB	TF	197.94	16.74	AT/ABOVE 17000	AT 280K	
ENRGY	262728.63N / 0794328.31W	Y	FB	TF	197.49	10.53	AT/BELOW 16000		
WOOSA	262304.58N / 0794849.42W	Y	FB	TF	227.62	06.51			
CASTT	261933.17N / 0795427.53W	Y	FB	TF	235.26	06.16	AT/ABOVE 12000	AT 250K	
BNFSH	261515.83N / 0800118.14W	Y	FB	TF	235.22	07.49	AT/ABOVE 11000		

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BNFSH (RNAV)	THREE	BNFSH.BNFSH3	TWO	11/03/2022	12 JUN 2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
MOGAE	271824.19N / 0792506.53W	Y		IF					MOGAE.BNFSH3
WOLAP	270302.95N / 0793043.31W	Y	FB	TF	198.13	16.11	AT/ABOVE FL240		
CIKEN	265330.91N / 0793411.62W	Y	FB	TF	198.08	10.00	AT/ABOVE FL220		
GELDE	263732.77N / 0793956.82W	Y	FB	TF	197.94	16.74	AT/ABOVE 17000	AT 280K	
ENRGY	262728.63N / 0794328.31W	Y	FB	TF	197.49	10.53	AT/BELOW 16000		
WOOSA	262304.58N / 0794849.42W	Y	FB	TF	227.62	06.51			
CASTT	261933.17N / 0795427.53W	Y	FB	TF	235.26	06.16	AT/ABOVE 12000	AT 250K	
BNFSH	261515.83N / 0800118.14W	Y	FB	TF	235.22	07.49	AT/ABOVE 11000		
En Route Transition									
MORME	271859.95N / 0774805.75W	Y		IF					MORME.BNFSH3
POSSE	271456.27N / 0785821.44W	Y	FB	TF	266.57	62.73	AT/ABOVE FL240	AT 280K	
CIKEN	265330.91N / 0793411.62W	Y	FB	TF	236.40	38.47	AT/ABOVE FL220		
GELDE	263732.77N / 0793956.82W	Y	FB	TF	197.94	16.74	AT/ABOVE 17000	AT 280K	
ENRGY	262728.63N / 0794328.31W	Y	FB	TF	197.49	10.53	AT/BELOW 16000		
WOOSA	262304.58N / 0794849.42W	Y	FB	TF	227.62	06.51			
CASTT	261933.17N / 0795427.53W	Y	FB	TF	235.26	06.16	AT/ABOVE 12000	AT 250K	
BNFSH	261515.83N / 0800118.14W	Y	FB	TF	235.22	07.49	AT/ABOVE 11000		
En Route Transition									
MUNRO	263224.05N / 0790049.74W	Y		IF					MUNRO.BNFSH3
BICAP	263223.17N / 0793259.72W	Y	FB	TF	270.09	28.85	AT/ABOVE FL190	AT 280K	
ENRGY	262728.63N / 0794328.31W	Y	FB	TF	242.53	10.60	AT/BELOW 16000		
WOOSA	262304.58N / 0794849.42W	Y	FB	TF	227.62	06.51			
CASTT	261933.17N / 0795427.53W	Y	FB	TF	235.26	06.16	AT/ABOVE 12000	AT 250K	
BNFSH	261515.83N / 0800118.14W	Y	FB	TF	235.22	07.49	AT/ABOVE 11000		
En Route Transition									
REPEE	263413.57N / 0782528.85W	Y		IF					REPEE.BNFSH3

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BNFSH (RNAV)	THREE	BNFSH.BNFSH3	TWO	11/03/2022	12 JUN 2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
MUNRO	263224.05N / 0790049.74W	Y	FB	TF	266.85	31.75			
BICAP	263223.17N / 0793259.72W	Y	FB	TF	270.09	28.85	AT/ABOVE FL190	AT 280K	
ENRGY	262728.63N / 0794328.31W	Y	FB	TF	242.53	10.60	AT/BELOW 16000		
WOOSA	262304.58N / 0794849.42W	Y	FB	TF	227.62	06.51			
CASTT	261933.17N / 0795427.53W	Y	FB	TF	235.26	06.16	AT/ABOVE 12000	AT 250K	
BNFSH	261515.83N / 0800118.14W	Y	FB	TF	235.22	07.49	AT/ABOVE 11000		
En Route Transition									
SNAGY	293626.39N / 0765151.38W	Y		IF					SNAGY.BNFSH3
HOVAX	290814.90N / 0774102.95W	Y	FB	TF	237.01	51.36			
JORAY	282034.13N / 0790205.88W	Y	FB	TF	236.60	85.66			
MOGAE	271824.19N / 0792506.53W	Y	FB	TF	198.31	65.27			
WOLAP	270302.95N / 0793043.31W	Y	FB	TF	198.13	16.11	AT/ABOVE FL240		
CIKEN	265330.91N / 0793411.62W	Y	FB	TF	198.08	10.00	AT/ABOVE FL220		
GELDE	263732.77N / 0793956.82W	Y	FB	TF	197.94	16.74	AT/ABOVE 17000	AT 280K	
ENRGY	262728.63N / 0794328.31W	Y	FB	TF	197.49	10.53	AT/BELOW 16000		
WOOSA	262304.58N / 0794849.42W	Y	FB	TF	227.62	06.51			
CASTT	261933.17N / 0795427.53W	Y	FB	TF	235.26	06.16	AT/ABOVE 12000	AT 250K	
BNFSH	261515.83N / 0800118.14W	Y	FB	TF	235.22	07.49	AT/ABOVE 11000		
En Route Transition									
SUMRS	284242.08N / 0763330.59W	Y		IF					SUMRS.BNFSH3
PAAZZ	283316.67N / 0773908.77W	Y	FB	TF	261.02	58.52			
JORAY	282034.13N / 0790205.88W	Y	FB	TF	260.50	74.21			
MOGAE	271824.19N / 0792506.53W	Y	FB	TF	198.31	65.27			
WOLAP	270302.95N / 0793043.31W	Y	FB	TF	198.13	16.11	AT/ABOVE FL240		
CIKEN	265330.91N / 0793411.62W	Y	FB	TF	198.08	10.00	AT/ABOVE FL220		
GELDE	263732.77N / 0793956.82W	Y	FB	TF	197.94	16.74	AT/ABOVE 17000	AT 280K	
ENRGY	262728.63N / 0794328.31W	Y	FB	TF	197.49	10.53	AT/BELOW 16000		
WOOSA	262304.58N / 0794849.42W	Y	FB	TF	227.62	06.51			

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BNFSH (RNAV)	THREE	BNFSH.BNFSH3	TWO	11/03/2022	12 JUN 2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
CASTT	261933.17N / 0795427.53W	Y	FB	TF	235.26	06.16	AT/ABOVE 12000	AT 250K	
BNFSH	261515.83N / 0800118.14W	Y	FB	TF	235.22	07.49	AT/ABOVE 11000		
Common Route									
BNFSH	261515.83N / 0800118.14W	Y		IF			AT/ABOVE 11000		BNFSH.BNFSH3
KEYZZ	261242.82N / 0800153.15W	Y	FB	TF	191.66	02.60	AT/ABOVE 11000		
CARMA	260436.00N / 0800344.35W	Y	FB	TF	191.66	08.26	9000B10000		
YARTO	255335.31N / 0800623.17W	Y	FO	TF	192.27	11.23	AT 8000		
K07FA,KHST,KTMB, KX51				VM	175.00				
Runway Transition									
BNFSH	261515.83N / 0800118.14W	Y		IF			AT/ABOVE 11000		
FENDE	260409.90N / 0800350.31W	Y	FB	TF	191.66	11.30	AT/ABOVE 11000		
GUCCI	255521.91N / 0800607.46W	Y	FB	TF	193.22	09.01			
BLYMY	255245.48N / 0800919.87W	Y	FB	TF	228.06	03.89			
RMANI	255242.77N / 0801132.89W	Y	FB	TF	268.72	02.00	AT/ABOVE 8000		
MDONA	255231.54N / 0801724.91W	Y	FB	TF	268.00	05.29	AT/ABOVE 6000		
TUPAC	255220.04N / 0802317.78W	Y	FO	TF	267.96	05.31	AT 5000		
KMIA:RWY 8L,RWY 8R				FM	267.96				
Runway Transition									
BNFSH	261515.83N / 0800118.14W	Y		IF			AT/ABOVE 11000		
FENDE	260409.90N / 0800350.31W	Y	FB	TF	191.66	11.30	AT/ABOVE 11000		
GUCCI	255521.91N / 0800607.46W	Y	FB	TF	193.22	09.01			
PRCHE	254330.35N / 0801258.32W	Y	FB	TF	207.62	13.34	AT/ABOVE 8000		
DAHLA	254245.22N / 0801635.46W	Y	FB	TF	257.09	03.35	AT/ABOVE 6000		
BILZZ	254217.82N / 0802612.49W	Y	FO	TF	267.03	08.70	AT 5000		
KMIA:RWY 9				FM	267.03				

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BNFSH (RNAV)	THREE	BNFSH.BNFSH3	TWO	11/03/2022	12 JUN 2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
Runway Transition									
BNFSH	261515.83N / 0800118.14W	Y		IF			AT/ABOVE 11000		
FENDE	260409.90N / 0800350.31W	Y	FB	TF	191.66	11.30	AT/ABOVE 11000		
GUCCI	255521.91N / 0800607.46W	Y	FB	TF	193.22	09.01			
BLYMY	255245.48N / 0800919.87W	Y	FB	TF	228.06	03.89			
RMANI	255242.77N / 0801132.89W	Y	FB	TF	268.72	02.00	AT/ABOVE 8000		
MDONA	255231.54N / 0801724.91W	Y	FB	TF	268.00	05.29	AT/ABOVE 6000		
KPONE	255615.61N / 0802505.11W	Y	FB	TF	298.32	07.85	AT 4000		
CHUUM	255612.42N / 0802824.75W	Y	FO	TF	269.00	03.00	AT 4000		
KMIA:RWY 12				FM	269.00				
Runway Transition									
BNFSH	261515.83N / 0800118.14W	Y		IF			AT/ABOVE 11000		
OTION	261246.72N / 0800118.23W	Y	FB	TF	180.03	02.48	AT 11000	AT 230K	
BONHD	261006.29N / 0800105.41W	Y	FB	TF	175.88	02.67	AT/ABOVE 9000		
GDDAY	260514.47N / 0800042.12W	Y	FB	TF	175.88	04.86	8000B9000		
RHODZ	255344.46N / 0795947.18W	Y	FB	TF	175.88	11.50	AT 6000	AT 210K	
KMIA:RWY 26L,RWY 26R,RWY 27,RWY 30									

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CSTAL (RNAV)	**THREE**	**CSTAL.CSTAL3**	**TWO**	**05/22/2022**	12 JUN 2025

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
DDANY	DDANY.CSTAL3	DDANY	DDANY						
			GREAD	170.08	34.26	15000	1900		
			XPRSO	165.53	28.26	15000	1900		AT/ABOVE FL240
			YEPPA	165.82	22.14	15000	1900		
			RECEK	166.58	09.55	14000	1600		AT/ABOVE 15000
			BJOTA	171.30	06.93	12000	1500		AT/ABOVE 13000
			CSTAL	172.33	08.48	10000	1500		AT/BELOW 16000
DEBRL	DEBRL.CSTAL3	DEBRL	DEBRL						
			BEEIN	166.76	33.64	FL180	1900		
			CADEE	162.17	24.78	FL180	1900		
			DDANY	162.26	11.00	FL180	1900		
			GREAD	170.08	34.26	15000	1900		
			XPRSO	165.53	28.26	15000	1900		AT/ABOVE FL240
			YEPPA	165.82	22.14	15000	1900		
			RECEK	166.58	09.55	14000	1600		AT/ABOVE 15000
			BJOTA	171.30	06.93	12000	1500		AT/ABOVE 13000
			CSTAL	172.33	08.48	10000	1500		AT/BELOW 16000
GREAD	GREAD.CSTAL3	GREAD	GREAD						
			XPRSO	165.53	28.26	15000	1900		AT/ABOVE FL240
			YEPPA	165.82	22.14	15000	1900		
			RECEK	166.58	09.55	14000	1600		AT/ABOVE 15000
			BJOTA	171.30	06.93	12000	1500		AT/ABOVE 13000
			CSTAL	172.33	08.48	10000	1500		AT/BELOW 16000
XPRSO	XPRSO.CSTAL3	XPRSO	XPRSO						AT/ABOVE FL240
			YEPPA	165.82	22.14	15000	1900		

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CSTAL (RNAV)	THREE	CSTAL.CSTAL3	TWO	05/22/2022	12 JUN 2025

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
			RECEK	166.58	09.55	14000	1600		AT/ABOVE 15000
			BJOTA	171.30	06.93	12000	1500		AT/ABOVE 13000
			CSTAL	172.33	08.48	10000	1500		AT/BELOW 16000

ARRIVAL ROUTE DESCRIPTION:

LANDING MIA RWY 8L/R: FROM CSTAL ON TRACK 174.19/3.98 TO CROSS YACKO AT OR BELOW 13000, THEN ON TRACK 171.13/4.23 TO CROSS ZYGGY AT OR ABOVE 11000 AND AT 250 KIAS, THEN ON TRACK 171.14/4.48 TO CROSS BNFSH AT OR ABOVE 11000, THEN ON TRACK 196.66/11.30 TO CROSS FENDE AT OR ABOVE 11000, THEN ON TRACK 198.22/9.01 TO GUCCI, THEN ON TRACK 233.06/3.89 TO BLYMY, THEN ON TRACK 273.72/2.00 TO CROSS RMANI AT OR ABOVE 8000, THEN ON TRACK 273.00/5.29 TO CROSS MDONA AT OR ABOVE 6000, THEN ON TRACK 272.96/5.31 TO CROSS TUPAC AT 5000, THEN ON TRACK 272.96. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING MIA RWY 9: FROM CSTAL ON TRACK 174.19/3.98 TO CROSS YACKO AT OR BELOW 13000, THEN ON TRACK 171.13/4.23 TO CROSS ZYGGY AT OR ABOVE 11000 AND AT 250 KIAS, THEN ON TRACK 171.14/4.48 TO CROSS BNFSH AT OR ABOVE 11000, THEN ON TRACK 196.66/11.30 TO CROSS FENDE AT OR ABOVE 11000, THEN ON TRACK 198.22/9.01 TO GUCCI, THEN ON TRACK 212.62/13.34 TO CROSS PRCHE AT OR ABOVE 8000, THEN ON TRACK 262.09/3.35 TO CROSS DAHLA AT OR ABOVE 6000, THEN ON TRACK 272.03/8.70 TO CROSS BILZZ AT 5000, THEN ON TRACK 272.03. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING MIA RWY 12: FROM CSTAL ON TRACK 174.19/3.98 TO CROSS YACKO AT OR BELOW 13000, THEN ON TRACK 171.13/4.23 TO CROSS ZYGGY AT OR ABOVE 11000 AND AT 250 KIAS, THEN ON TRACK 171.14/4.48 TO CROSS BNFSH AT OR ABOVE 11000, THEN ON TRACK 196.66/11.30 TO CROSS FENDE AT OR ABOVE 11000, THEN ON TRACK 198.22/9.01 TO GUCCI, THEN ON TRACK 233.06/3.89 TO BLYMY, THEN ON TRACK 273.72/2.00 TO CROSS RMANI AT OR ABOVE 8000, THEN ON TRACK 273.00/5.29 TO CROSS MDONA AT OR ABOVE 6000, THEN ON TRACK 303.32/7.85 TO CROSS KPONE AT 4000, THEN ON TRACK 274.00/3.00 TO CROSS CHUUM AT 4000, THEN ON HEADING 274.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING MIA RWY 26L/R, 27, 30: FROM CSTAL ON TRACK 174.19/3.98 TO CROSS YACKO AT OR BELOW 13000, THEN ON TRACK 171.13/4.23 TO CROSS ZYGGY AT OR ABOVE 11000 AND AT 250 KIAS, THEN ON TRACK 171.14/4.48 TO CROSS BNFSH AT OR ABOVE 11000, THEN ON TRACK 185.03/2.48 TO CROSS OTION AT 11000 AND AT 230 KIAS, THEN ON TRACK 180.88/2.67 TO CROSS BONHD AT OR ABOVE 9000, THEN ON TRACK 180.88/4.86 TO CROSS GDDAY BETWEEN 8000 AND 9000, THEN ON TRACK 180.88/11.50 TO CROSS RHODZ AT 6000 AND AT 210 KIAS. EXPECT ILS OR RNAV RWY 26L/26R APPROACH OR RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING 07FA/X51/HST/TMB: FROM CSTAL ON TRACK 174.19/3.98 TO CROSS YACKO AT OR BELOW 13000, THEN ON TRACK 171.13/4.23 TO CROSS ZYGGY AT OR ABOVE 11000 AND AT 250 KIAS, THEN ON TRACK 171.14/4.48 TO CROSS BNFSH AT OR ABOVE 11000, THEN ON TRACK 196.66/2.60 TO CROSS KEYZZ AT OR ABOVE 11000, THEN ON TRACK 196.66/8.26 TO CROSS CARMA BETWEEN 9000 AND 10000, THEN ON TRACK 197.27/11.23 TO CROSS YARTO AT 8000, THEN ON HEADING 180.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: JET AIRCRAFT ONLY, EXCLUDING EA50, E50P, SF50, C510, C525 AIRCRAFT, WHICH SHOULD FILE TARPN RNAV STAR.

NOTE: LANDING EAST USE RWY 12 TRANSITION, LANDING WEST USE RWY 26R TRANSITION. EXPECT RWY ASSIGNMENT FROM MIA APPROACH PRIOR TO CSTAL.

NOTE: DDANY TRANSITION FOR MCO, ORL, FSB, ISM, LEE DEPARTURES ONLY.

NOTE: DO NOT FILE GREAD OR XPRSO TRANSITION - TO BE ASSIGNED BY ATC.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT BEEIN: HOLD N, RT, 166.76 INBOUND, 10 NM LEGS.

CHART HOLDING AT CSTAL: HOLD N, LT, 172.33 INBOUND, 10 NM LEGS.

CHART HOLDING AT FRATS: HOLD N, RT, 182.00 INBOUND, 10 NM LEGS.

CHART HOLDING AT STIXX: HOLD N, LT, 183.00 INBOUND, 10 NM LEGS.

CHART HOLDING AT XPRSO: HOLD N, LT, 165.53 INBOUND, 10 NM LEGS.

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CSTAL (RNAV)	**THREE**	**CSTAL.CSTAL3**	**TWO**	**05/22/2022**	12 JUN 2025

CHART HOLDING AT YEPPA: HOLD N, LT, 165.82 INBOUND, 10 NM LEGS.
CHART HOLDING AT CADEE: HOLD N, LT, 162.26 INBOUND, 10 NM LEGS
CHART PIANA AND RHODZ

COMMUNICATIONS:

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
MIA	MIAMI	FL
HST	HOMESTEAD	FL
TMB	MIAMI	FL
X51	HOMESTEAD	FL
07FA	KEY LARGO	FL

LOST COMMUNICATIONS PREFERENCES:

REMARKS:

ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)
MAG VAR: MIA 05W/2000
CHART AT BILZZ TERMINUS: MIA LDG RWY 9
CHART AT RHODZ TERMINUS: MIA LDG RWY 26L/R, 27, 30
CHART AT CHUUM TERMINUS: MIA LDG RWY 12
CHART AT TUPAC TERMINUS: MIA LDG RWY 8L/R
CHART AT YARTO TERMINUS: LDG 07FA/HST/TMB/X51

	ORGANIZATION:	DATE:		
FLIGHT INSPECTED BY:				
JAMES R JONES	AJF	01/27/2025	Flight Inspected Signature:	*Digitally signed by* ***ROBERT G HAMILTON*** Jan 30, 2025
DEVELOPED BY:				
WESTLEY OWENS	AJV-A431	10/22/2024	Developed By Signature:	*Digitally signed by* ***ROBERT G HAMILTON*** Jan 30, 2025
APPROVED BY:				
ERIC SUSKI	AJV-A431		Approved By Signature:	*Digitally signed by* ***ROBERT G HAMILTON*** Jan 30, 2025

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CSTAL (RNAV)	**THREE**	**CSTAL.CSTAL3**	**TWO**	**05/22/2022**	12 JUN 2025

CHANGES:

1. REPLACED KAIZR WAYPOINT WITH NEW WAYPOINT CADEE.
2. ADDED "CHART HOLDING AT CADEE: HOLD N, LT, 162.26 INBOUND, 10 NM LEGS."
3. REMOVED K IDENTS FROM ALL AIRPORT ID'S.

REASONS:

1. ATC REQUEST DUE TO PILOT CONFUSION WITH SIMILAR SOUNDING WAYPOINT.
2. ATC REQUEST.
3. IAW 8260.19J.


QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CSTAL (RNAV)	**THREE**	**CSTAL.CSTAL3**	**TWO**	**05/22/2022**	12 JUN 2025

Graphic Depiction 1




FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CSTAL (RNAV)	**THREE**	**CSTAL.CSTAL3**	**TWO**	**05/22/2022**	12 JUN 2025

Graphic Depiction 2



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CSTAL (RNAV)	THREE	CSTAL.CSTAL3	TWO	05/22/2022	12 JUN 2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
DDANY	281241.42N / 0804021.44W	Y		IF					DDANY.CSTAL3
GREAD	273929.15N / 0803025.48W	Y	FB	TF	165.08	34.26			
XPRSO	271245.64N / 0801951.39W	Y	FB	TF	160.53	28.26	AT/ABOVE FL240		
YEPPA	265147.35N / 0801143.51W	Y	FB	TF	160.82	22.14			
RECEK	264242.31N / 0800821.37W	Y	FB	TF	161.58	09.55	AT/ABOVE 15000	AT 280K	
BJOTA	263557.41N / 0800631.59W	Y	FB	TF	166.30	06.93	AT/ABOVE 13000		
CSTAL	262739.82N / 0800427.27W	Y	FB	TF	167.33	08.48	AT/BELOW 16000		
En Route Transition									
DEBRL	291748.73N / 0810802.88W	Y		IF					DEBRL.CSTAL3
BEEIN	284546.17N / 0805604.21W	Y	FB	TF	161.76	33.64			
CADEE	282251.82N / 0804510.24W	Y	FB	TF	157.17	24.78			
DDANY	281241.42N / 0804021.44W	Y	FB	TF	157.26	11.00			
GREAD	273929.15N / 0803025.48W	Y	FB	TF	165.08	34.26			
XPRSO	271245.64N / 0801951.39W	Y	FB	TF	160.53	28.26	AT/ABOVE FL240		
YEPPA	265147.35N / 0801143.51W	Y	FB	TF	160.82	22.14			
RECEK	264242.31N / 0800821.37W	Y	FB	TF	161.58	09.55	AT/ABOVE 15000	AT 280K	
BJOTA	263557.41N / 0800631.59W	Y	FB	TF	166.30	06.93	AT/ABOVE 13000		
CSTAL	262739.82N / 0800427.27W	Y	FB	TF	167.33	08.48	AT/BELOW 16000		
En Route Transition									
GREAD	273929.15N / 0803025.48W	Y		IF					GREAD.CSTAL3
XPRSO	271245.64N / 0801951.39W	Y	FB	TF	160.53	28.26	AT/ABOVE FL240		
YEPPA	265147.35N / 0801143.51W	Y	FB	TF	160.82	22.14			

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CSTAL (RNAV)	THREE	CSTAL.CSTAL3	TWO	05/22/2022	12 JUN 2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RECEK	264242.31N / 0800821.37W	Y	FB	TF	161.58	09.55	AT/ABOVE 15000	AT 280K	
BJOTA	263557.41N / 0800631.59W	Y	FB	TF	166.30	06.93	AT/ABOVE 13000		
CSTAL	262739.82N / 0800427.27W	Y	FB	TF	167.33	08.48	AT/BELOW 16000		
En Route Transition									
XPRSO	271245.64N / 0801951.39W	Y		IF			AT/ABOVE FL240		XPRSO.CSTAL3
YEPPA	265147.35N / 0801143.51W	Y	FB	TF	160.82	22.14			
RECEK	264242.31N / 0800821.37W	Y	FB	TF	161.58	09.55	AT/ABOVE 15000	AT 280K	
BJOTA	263557.41N / 0800631.59W	Y	FB	TF	166.30	06.93	AT/ABOVE 13000		
CSTAL	262739.82N / 0800427.27W	Y	FB	TF	167.33	08.48	AT/BELOW 16000		
Common Route									
CSTAL	262739.82N / 0800427.27W	Y		IF			AT/BELOW 16000		CSTAL.CSTAL3
YACKO	262344.31N / 0800337.34W	Y	FB	TF	169.19	03.98	AT/BELOW 13000		
ZYGGY	261937.40N / 0800229.70W	Y	FB	TF	166.13	04.23	AT/ABOVE 11000	AT 250K	
BNFSH	261515.83N / 0800118.14W	Y	FB	TF	166.14	04.48	AT/ABOVE 11000		
KEYZZ	261242.82N / 0800153.15W	Y	FB	TF	191.66	02.60	AT/ABOVE 11000		
CARMA	260436.00N / 0800344.35W	Y	FB	TF	191.66	08.26	9000B10000		
YARTO	255335.31N / 0800623.17W	Y	FO	TF	192.27	11.23	AT 8000		
07FA,KHST,KTMB, X51				VM	175.00				

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CSTAL (RNAV)	THREE	CSTAL.CSTAL3	TWO	05/22/2022	12 JUN 2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
Runway Transition									
CSTAL	262739.82N / 0800427.27W	Y		IF			AT/BELOW 16000		
YACKO	262344.31N / 0800337.34W	Y	FB	TF	169.19	03.98	AT/BELOW 13000		
ZYGGY	261937.40N / 0800229.70W	Y	FB	TF	166.13	04.23	AT/ABOVE 11000	AT 250K	
BNFSH	261515.83N / 0800118.14W	Y	FB	TF	166.14	04.48	AT/ABOVE 11000		
FENDE	260409.90N / 0800350.31W	Y	FB	TF	191.66	11.30	AT/ABOVE 11000		
GUCCI	255521.91N / 0800607.46W	Y	FB	TF	193.22	09.01			
BLYMY	255245.48N / 0800919.87W	Y	FB	TF	228.06	03.89			
RMANI	255242.77N / 0801132.89W	Y	FB	TF	268.72	02.00	AT/ABOVE 8000		
MDONA	255231.54N / 0801724.91W	Y	FB	TF	268.00	05.29	AT/ABOVE 6000		
TUPAC	255220.04N / 0802317.78W	Y	FO	TF	267.96	05.31	AT 5000		
KMIA:RWY 8L,RWY 8R				FM	267.96				
Runway Transition									
CSTAL	262739.82N / 0800427.27W	Y		IF			AT/BELOW 16000		
YACKO	262344.31N / 0800337.34W	Y	FB	TF	169.19	03.98	AT/BELOW 13000		
ZYGGY	261937.40N / 0800229.70W	Y	FB	TF	166.13	04.23	AT/ABOVE 11000	AT 250K	
BNFSH	261515.83N / 0800118.14W	Y	FB	TF	166.14	04.48	AT/ABOVE 11000		
FENDE	260409.90N / 0800350.31W	Y	FB	TF	191.66	11.30	AT/ABOVE 11000		
GUCCI	255521.91N / 0800607.46W	Y	FB	TF	193.22	09.01			
PRCHE	254330.35N / 0801258.32W	Y	FB	TF	207.62	13.34	AT/ABOVE 8000		
DAHLA	254245.22N / 0801635.46W	Y	FB	TF	257.09	03.35	AT/ABOVE 6000		

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CSTAL (RNAV)	THREE	CSTAL.CSTAL3	TWO	05/22/2022	12 JUN 2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
BILZZ	254217.82N / 0802612.49W	Y	FO	TF	267.03	08.70	AT 5000		
KMIA:RWY 9				FM	267.03				
Runway Transition									
CSTAL	262739.82N / 0800427.27W	Y		IF			AT/BELOW 16000		
YACKO	262344.31N / 0800337.34W	Y	FB	TF	169.19	03.98	AT/BELOW 13000		
ZYGGY	261937.40N / 0800229.70W	Y	FB	TF	166.13	04.23	AT/ABOVE 11000	AT 250K	
BNFSH	261515.83N / 0800118.14W	Y	FB	TF	166.14	04.48	AT/ABOVE 11000		
FENDE	260409.90N / 0800350.31W	Y	FB	TF	191.66	11.30	AT/ABOVE 11000		
GUCCI	255521.91N / 0800607.46W	Y	FB	TF	193.22	09.01			
BLYMY	255245.48N / 0800919.87W	Y	FB	TF	228.06	03.89			
RMANI	255242.77N / 0801132.89W	Y	FB	TF	268.72	02.00	AT/ABOVE 8000		
MDONA	255231.54N / 0801724.91W	Y	FB	TF	268.00	05.29	AT/ABOVE 6000		
KPONE	255615.61N / 0802505.11W	Y	FB	TF	298.32	07.85	AT 4000		
CHUUM	255612.42N / 0802824.75W	Y	FO	TF	269.00	03.00	AT 4000		
KMIA:RWY 12				VM	269.00				
Runway Transition									
CSTAL	262739.82N / 0800427.27W	Y		IF			AT/BELOW 16000		
YACKO	262344.31N / 0800337.34W	Y	FB	TF	169.19	03.98	AT/BELOW 13000		
ZYGGY	261937.40N / 0800229.70W	Y	FB	TF	166.13	04.23	AT/ABOVE 11000	AT 250K	
BNFSH	261515.83N / 0800118.14W	Y	FB	TF	166.14	04.48	AT/ABOVE 11000		
OTION	261246.72N / 0800118.23W	Y	FB	TF	180.03	02.48	AT 11000	AT 230K	
BONHD	261006.29N / 0800105.41W	Y	FB	TF	175.88	02.67	AT/ABOVE 9000		

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CSTAL (RNAV)	THREE	CSTAL.CSTAL3	TWO	05/22/2022	12 JUN 2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
GDDAY	260514.47N / 0800042.12W	Y	FB	TF	175.88	04.86	8000B9000		
RHODZ	255344.46N / 0795947.18W	Y	FB	TF	175.88	11.50	AT 6000	AT 210K	
KMIA:RWY 26L,RWY 26R,RWY 27,RWY 30									

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
PUMPP	**TWO**	**PUMPP.PUMPP2**	**ONE**	**09/05/2024**	12 JUN 2025

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
ST PETERSBURG	PIE.PUMPP2	PIE VORTAC	PIE VORTAC						
		PIE VORTAC	SRQ VOR/DME	172.86 & 172.92 (PIE R-173 & SRQ R-353)	30.64	2000	1700		AT/ABOVE 13000
		SRQ VOR/DME	PUMPP	162.62 (SRQ R-163)	24.62	2000	1700		

ARRIVAL ROUTE DESCRIPTION:

FROM OVER PUMPP ON SRQ R-163 TO CROSS TYNEE AT 3000, THEN ON HEADING 150. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED
DME REQUIRED

PROCEDURAL DATA NOTES:

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT TYNEE: HOLD N, LT, 162.62 INBOUND, 4 NM LEGS.
CHART HOLDING AT SRQ VOR/DME: HOLD N, RT, 172.92 INBOUND.

COMMUNICATIONS:

CHART: MIAMI CENTER.

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
FMY	FORT MYERS	FL
RSW	FORT MYERS	FL

LOST COMMUNICATIONS PREFERENCES:

REMARKS:

DO NOT CHART MOCA VALUES.

ADDITIONAL FLIGHT DATA:

CHART AT TYNEE TERMINUS: LDG FMY AND RSW

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
PUMPP	**TWO**	**PUMPP.PUMPP2**	**ONE**	**09/05/2024**	12 JUN 2025

FLIGHT INSPECTED BY:	**ORGANIZATION:**	**DATE:**		
JON D HOLLAND	AJF	02/12/2025	Flight Inspected Signature:	*Digitally signed by* ***RAKE MCGRAW*** Feb 18, 2025
DEVELOPED BY:				
BORDY, JOHN (PIPKIN, RYAN)	AJV-A33	11/01/2024	Developed By Signature:	*Digitally signed by* ***RAKE MCGRAW*** Feb 18, 2025
APPROVED BY:				
BORDY, JOHN	AJV-A33	05/08/2025	Approved By Signature:	*Digitally signed by* ***RAKE MCGRAW*** Feb 18, 2025

CHANGES:

1. STAR COMPUTER CODE CHANGED FROM SRQ.PUMPP1 TO PUMPP.PUMPP2.
2. MOVED SEGMENT SRQ VOR/DME - PUMPP TO TRANSITION ROUTES.
3. ADDED TERMINATION FIX TYNEE.
4. REMOVED CROSSING RESTRICTION OF 11000 AT PUMPP.
5. ADDED MANDATORY ALTITUDE 3000 AT FIX TYNEE.
6. ADDED HOLDING AT SRQ VOR/DME AND TYNEE.
7. COMM: ADDED MIAMI CENTER.
8. AIRPORTS SERVED: REMOVED K FROM AIRPORT IDENTS.
9. ALTERED MOCA REMARK TO "DO NOT CHART MOCA VALUES."

REASONS:

1-2. ARRIVAL ROUTE CHANGED FROM SRQ-PUMPP TO PUMPP-TYNEE.
3. REQUESTED BY ATC.
4. REQUESTED BY ATC.
5. MANDATORY ALTITUDE REQUIRED IAW 8260.3F 2-2-7 F.
6. REQUESTED BY ATC.
7. IAW 8260.19J 4-5-12 F; REQUESTED BY ATC.
8. IAW 8260.19J 4-5-12 G.
9. MOCA VALUES WITHIN 500 FT OF MEA.




FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
PUMPP	**TWO**	**PUMPP.PUMPP2**	**ONE**	**09/05/2024**	12 JUN 2025

Graphic Depiction 1



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
TYNEE (RNAV)	**FOUR**	**TYNEE.TYNEE4**	**THREE**	**10/31/2024**	12 JUN 2025

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
FRZBE	FRZBE.TYNEE4	FRZBE	FRZBE						
			JOSFF	149.14	18.00	15000	1400		
			JEVES	148.54	09.19	13000	1400		
			TYNEE	148.59	07.63	11000	1400		
KOLBR	KOLBR.TYNEE4	KOLBR	KOLBR						
			TEGGS	098.55	36.44	FL180	1500		
			SMOGS	099.75	71.86	FL180	1500		
			BAGGS	105.78	28.35	15000	1500		
			TYNEE	127.90	36.02	11000	1400		
OGGER	OGGER.TYNEE4	OGGER	OGGER						
			FRZBE	162.16	51.87	FL180	1400		
			JOSFF	149.14	18.00	15000	1400		
			JEVES	148.54	09.19	13000	1400		
			TYNEE	148.59	07.63	11000	1400		
PLYER	PLYER.TYNEE4	PLYER	PLYER						
			EGAME	166.15	24.10	FL180	1400		
			OGGER	166.07	30.54	FL180	1400		
			FRZBE	162.16	51.87	FL180	1400		
			JOSFF	149.14	18.00	15000	1400		
			JEVES	148.54	09.19	13000	1400		
			TYNEE	148.59	07.63	11000	1400		
SMOGS	SMOGS.TYNEE4	SMOGS	SMOGS						
			BAGGS	105.78	28.35	15000	1500		
			TYNEE	127.90	36.02	11000	1400		

ARRIVAL ROUTE DESCRIPTION:

LANDING RSW RWY 6: FROM TYNEE ON TRACK 148.62/20.73 TO SAANN, THEN ON TRACK 148.62. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING RSW RWY 24: FROM TYNEE ON TRACK 148.62/26.18 TO PASTR, THEN ON TRACK 128.84/5.35 TO LLMER, THEN ON TRACK 085.76/6.73 TO SPNKE, THEN ON TRACK 058.11/6.44 TO CROSS COOPR AT OR ABOVE 4000, THEN ON TRACK 058.11. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING FMY: FROM TYNEE ON TRACK 148.65/9.24 TO BANYN, THEN ON TRACK 148.65. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
TYNEE (RNAV)	**FOUR**	**TYNEE.TYNEE4**	**THREE**	**10/31/2024**	12 JUN 2025

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS
FROM KOLBR: RNAV 1-GPS.

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: JET AND TURBOPROP AIRCRAFT ONLY
NOTE: DO NOT FILE FRZBE, OGGER, SMOGS TRANSITIONS - TO BE ASSIGNED BY ATC.
KOLBR TRANSITION - GPS REQUIRED.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT BAGGS: HOLD NW, RT, 127.90 INBOUND, 11 NM LEGS.
CHART HOLDING AT EGAME: HOLD N, LT, 166.07 INBOUND, 11 NM LEGS.
CHART HOLDING AT FRZBE: HOLD NW, LT, 149.14 INBOUND, 11 NM LEGS.
CHART HOLDING AT JOSFF: HOLD NW, RT, 148.54 INBOUND, 10 NM LEGS.
CHART HOLDING AT OGGER: HOLD N, RT, 162.16 INBOUND, 11 NM LEGS.
CHART HOLDING AT SMOGS: HOLD W, RT, 105.30 INBOUND, 11 NM LEGS.
CHART HOLDING AT TYNEE: HOLD NW, LT, 148.62 INBOUND, 7 NM LEGS.
CHART: OBELL, NABAC STAND-ALONE WAYPOINTS.

COMMUNICATIONS:

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
RSW	FORT MYERS	FL
FMY	FORT MYERS	FL

LOST COMMUNICATIONS PREFERENCES:

RSW LANDING RWY 6: AFTER SAANN, CONTINUE TO OBELL, THEN CONDUCT RWY 6 APPROACH.
RSW LANDING RWY 24: AFTER COOPR, CONTINUE TO NABAC, THEN CONDUCT RWY 24 APPROACH.

REMARKS:

ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED.
ASSUMED 295 FT SHIP HEIGHT FOR OBSTS OVER WATER.
MEA ALTITUDES ARE THE RESULT OF A COMBINATION OF FACTORS TO INCLUDE: LACK OF AVAILABLE NAVAIDS FOR DME/DME ANALYSIS OVER THE ATLANTIC; AVOID CRITICAL DME; ENVIRONMENTAL IMPACT OF NOISE ANALYSIS.
LOWEST ASSIGNED ATC ALTITUDE AT SAANN AND BANYN, 5000.

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
TYNEE (RNAV)	**FOUR**	**TYNEE.TYNEE4**	**THREE**	**10/31/2024**	12 JUN 2025

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)
MAG VAR: RSW 04W/2000
CHART AT COOPR TERMINUS: RSW LDG RWY 24.
CHART AT SAANN TERMINUS: RSW LDG RWY 6.
CHART AT BANYN TERMINUS: LDG FMY.

FLIGHT INSPECTED BY:	ORGANIZATION:	DATE:		
ROBERT E WILLIAMS	AJF	02/26/2025	Flight Inspected Signature:	Digitally signed by CASIMIR L TABAKA Feb 28, 2025
DEVELOPED BY:				
CASIMIR TABAKA (BARBARA GORMAN)	AJV-A432	12/10/2024	Developed By Signature:	Digitally signed by CASIMIR L TABAKA Feb 28, 2025
APPROVED BY:				
CASIMIR TABAKA	AJV-A430		Approved By Signature:	Digitally signed by CASIMIR L TABAKA Feb 28, 2025

CHANGES:

1. REMOVED DOWRY EN ROUTE TRANSTION TO INCLUDE REMOVAL OF WP DOWRY AND CIGAR.
2. ADDED KOLBR ENROUTE TRANSITION; INCLUDES NEW WP TEGGS.
3. CHANGED PBN REQUIREMENT "NOTE: DOWRY TRANSITION - GPS ONLY" TO READ "FROM KOLBR:RNAV 1-GPS."
4. ADDED PROCEDURAL DATA NOTE: KOLBR TRANSITION - GPS REQUIRED.
5. REMOVED CHART FORT MYERS APP CONTROL.
6. REMOVED AIRPORT NAMES FROM AIRPORTS SERVED ALONG WITH K IDENT ON 17.1 FORM.

REASONS:


1/2. ATC REQUEST
3. IAW 8260.19J, 4-5-3.
4. IAW 8260.19J, 4-5-11.
5. AUTOMATICALLY CHARTED IAW 8260.16J 4-5-12(F).
6. PER 8260.19J DOCUMENTATION STANDARDS.

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
TYNEE (RNAV)	FOUR	TYNEE.TYNEE4	THREE	10/31/2024	12 JUN 2025

Graphic Depiction 1




FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
TYNEE (RNAV)	FOUR	TYNEE.TYNEE4	THREE	10/31/2024	12 JUN 2025

Graphic Depiction 2




FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
TYNEE (RNAV)	FOUR	TYNEE.TYNEE4	THREE	10/31/2024	12 JUN 2025

Graphic Depiction 3



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
TYNEE (RNAV)	FOUR	TYNEE.TYNEE4	THREE	10/31/2024	12 JUN 2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
FRZBE	271624.53N / 0823928.03W	Y		IF					FRZBE.TYNEE4
JOSFF	270135.32N / 0822756.71W	Y	FB	TF	145.14	18.00			
JEVES	265404.77N / 0822158.91W	Y	FB	TF	144.54	09.19			
TYNEE	264750.66N / 0821702.65W	Y	FB	TF	144.59	07.63			
En Route Transition									
KOLBR	272431.42N / 0852234.37W	Y		IF					KOLBR.TYNEE4
TEGGS	272131.35N / 0844146.35W	Y	FB	TF	094.55	36.44			
SMOGS	271354.93N / 0832133.48W	Y	FB	TF	095.75	71.86			
BAGGS	270803.28N / 0825027.20W	Y	FB	TF	101.78	28.35			
TYNEE	264750.66N / 0821702.65W	Y	FB	TF	123.90	36.02			
En Route Transition									
OGGER	280443.19N / 0830107.67W	Y		IF					OGGER.TYNEE4
FRZBE	271624.53N / 0823928.03W	Y	FB	TF	158.16	51.87			
JOSFF	270135.32N / 0822756.71W	Y	FB	TF	145.14	18.00			
JEVES	265404.77N / 0822158.91W	Y	FB	TF	144.54	09.19			
TYNEE	264750.66N / 0821702.65W	Y	FB	TF	144.59	07.63			
En Route Transition									
PLYER	285651.36N / 0832008.59W	Y		IF					PLYER.TYNEE4
EGAME	283351.38N / 0831145.28W	Y	FB	TF	162.15	24.10			
OGGER	280443.19N / 0830107.67W	Y	FB	TF	162.07	30.54			
FRZBE	271624.53N / 0823928.03W	Y	FB	TF	158.16	51.87			
JOSFF	270135.32N / 0822756.71W	Y	FB	TF	145.14	18.00			
JEVES	265404.77N / 0822158.91W	Y	FB	TF	144.54	09.19			
TYNEE	264750.66N / 0821702.65W	Y	FB	TF	144.59	07.63			

QUALITY 14 CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
TYNEE (RNAV)	FOUR	TYNEE.TYNEE4	THREE	10/31/2024	12 JUN 2025

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
SMOGS	271354.93N / 0832133.48W	Y		IF					SMOGS.TYNEE4
BAGGS	270803.28N / 0825027.20W	Y	FB	TF	101.78	28.35			
TYNEE	264750.66N / 0821702.65W	Y	FB	TF	123.90	36.02			
Common Route									
TYNEE	264750.66N / 0821702.65W	Y		IF					TYNEE.TYNEE4
BANYN	264016.90N / 0821104.48W	Y	FO	TF	144.65	09.24			
KFMY				FM	144.65				
Runway Transition									
TYNEE	264750.66N / 0821702.65W	Y		IF					
SAANN	263053.22N / 0820340.00W	Y	FO	TF	144.62	20.73			
KRSW:RWY 6				FM	144.62				
Runway Transition									
TYNEE	264750.66N / 0821702.65W	Y		IF					
PASTR	262624.99N / 0820009.33W	Y	FB	TF	144.62	26.18			
LLMER	262321.00N / 0815516.00W	Y	FB	TF	124.84	05.35			
SPNKE	262418.90N / 0814750.77W	Y	FB	TF	081.76	06.73			
COOPR	262806.11N / 0814201.65W	Y	FO	TF	054.11	06.44	AT/ABOVE 4000		
KRSW:RWY 24				FM	054.11				

QUALITY 14 CHECKED