

IUS
INSTITUT
UNIVERSITAIRE
DES SCIENCES

FALCUTÉ DES SCIENCES ET TECHNOLOGIES

(FST)

TROISIÈME ANNÉE

Rapport du travail de Laboratoire #1

Cours : Systèmes

Étudiant : FELIX Loudhens Alexander

Professeur : Ismaël SAINT AMOUR

Le 20 Octobre 2026


Ce TD a pour objectif de permettre de :

- Comprendre les bases de Git pour gérer correctement les versions de code
- Savoir utiliser Git pour gérer un projet localement
- Se familiariser avec Github et collaborer dans un projet sur un dépôt distant


Travail Dirigé

- Reproduction des taches 1 - 8
- Création d'un nouveau dépôt sur Github


Installation Git



Verification de la version de git

- 

Compte Github deja existant



Configuration Git

```
loudh@SWITCHUP MINGW64 ~
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=C:/Program Files/Git/mingw64/etc/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=Alexander
user.email=loudhensalexanderfelix744@gmail.com
```

Tester Git avec Powershell

```
loudh@SWITCHUP MINGW64 /
$ ls
LICENSE.txt        cmd/   git-bash.exe*  proc/          unins000.exe*
ReleaseNotes.html  dev/   git-cmd.exe*   tmp/           unins000.msg
bin/               etc/   mingw64/       unins000.dat   usr/

loudh@SWITCHUP MINGW64 /
$
```

```
loudh@SWITCHUP MINGW64 /
$ ls
LICENSE.txt         cmd/   git-bash.exe*   proc/          unins000.exe*
ReleaseNotes.html   dev/   git-cmd.exe*    tmp/           unins000.msg
bin/                etc/   mingw64/        unins000.dat   usr/

loudh@SWITCHUP MINGW64 /
$
```

```
loudh@SWITCHUP MINGW64 /
$ cd /c/users/loudh/desktop

loudh@SWITCHUP MINGW64 /c/users/loudh/desktop
$ mkdir projet-git

loudh@SWITCHUP MINGW64 /c/users/loudh/desktop
$ cd projet-git

loudh@SWITCHUP MINGW64 /c/users/loudh/desktop/projet-git
$
```

```
loudh@SWITCHUP MINGW64 /c/users/loudh/desktop/projet-git
$ git init
Initialized empty Git repository in C:/Users/loudh/Desktop/projet-git/.git/

loudh@SWITCHUP MINGW64 /c/users/loudh/desktop/projet-git (master)
$ echo "Hello Git" > README.md

loudh@SWITCHUP MINGW64 /c/users/loudh/desktop/projet-git (master)
$ git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the nex
t time Git touches it

loudh@SWITCHUP MINGW64 /c/users/loudh/desktop/projet-git (master)
$ git commit -m "Premier Commit en utilisant Gitbash"
[master (root-commit) ef57abf] Premier Commit en utilisant Gitbash
 1 file changed, 1 insertion(+)
 create mode 100644 README.md

loudh@SWITCHUP MINGW64 /c/users/loudh/desktop/projet-git (master)
$ git status
On branch master
nothing to commit, working tree clean


loudh@SWITCHUP MINGW64 /c/users/loudh/desktop/projet-git (master)
$
```


```
loudh@SWITCHUP MINGW64 /c/users/loudh/desktop/projet-git (master)
$ git log
commit ef57abf4280f4ff84f6fe3195166b25bad62ff37 (HEAD -> master)
Author: Alexander <loudhensalexanderfelix744@gmail.com>
Date:   Sat Oct 24 17:52:17 2026 -0400

    Premier Commit en utilisant Gitbash


loudh@SWITCHUP MINGW64 /c/users/loudh/desktop/projet-git (master)
$
```

Generation de la nouvelle cle SSH et sjout dans Github





nouveau depot est cree



Cloner le depot Github via SSH

```
loudh@SWITCHUP MINGW64 ~/Desktop
$ git clone git@github.com:Alexander-F2000/TD.git
Cloning into 'TD'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

loudh@SWITCHUP MINGW64 ~/Desktop
```

MINGW64:/c/Users/loudh/Desktop/TD

```
loudh@SWITCHUP MINGW64 ~/Desktop
$ cd TD

loudh@SWITCHUP MINGW64 ~/Desktop/TD (main)
$ echo "Systeme d'exploitation" > Module.txt

loudh@SWITCHUP MINGW64 ~/Desktop/TD (main)
$ git add.
git: 'add.' is not a git command. See 'git --help'.

The most similar command is
        add

loudh@SWITCHUP MINGW64 ~/Desktop/TD (main)
$ git add .
warning: in the working copy of 'Module.txt', LF will be replaced by CRLF the ne
xt time Git touches it

loudh@SWITCHUP MINGW64 ~/Desktop/TD (main)
$ git commit -m "ajout Module"
[main c862875] ajout Module
 1 file changed, 1 insertion(+)
 create mode 100644 Module.txt

loudh@SWITCHUP MINGW64 ~/Desktop/TD (main)
```


MINGW64:/c/Users/loudh/Desktop

```
loudh@SWITCHUP MINGW64 ~/Desktop
$ ls
'0202 (1)(2).MP3'                          cpurpm.bin
'AutoClickerTelegram.exe - Shortcut.lnk'*  desktop.ini
 CapCut.lnk*                               drfone_setup_full4008.exe.lnk*
 ComPutin-v37.apk                          fotaflag.bin
'GIMP 3.0.8-2.lnk'*                        lancer_msec.bat
'GTA SA Mod Installer.lnk'*                msec.bat
'GTA.SA.Modded (ToeD).lnk'*                msec.lnk*
'GameSpy Arcade.lnk'*                      msec.pyw
'GitHub Desktop.lnk'*                      nvfac.bin
'Just Cause.lnk'*                          nvro.bin
 Laragon.lnk*                              nvrw.bin
 OpenCode.lnk*                             projet-git/
'Opera Browser.lnk'*                       recovery-kernel.bin
'Personal - Edge.lnk'*                     recovery.bin
 TD/                                       sms.bin
 TD1/                                      uboot-mirr.bin
 Telegram.lnk*                             uboot.bin
'Visual Studio Code.lnk'*                  userdata.bin
 cdrom.bin                                 yaffs.bin
 cpfs.bin                                  zloader.bin
 cpuap.bin                                 zterw.bin
 cpuphy.bin                                µTorrent.lnk*
 cpups.bin
```

```
loudh@SWITCHUP MINGW64 ~/Desktop/TD (main)
$ git branch -M main

loudh@SWITCHUP MINGW64 ~/Desktop/TD (main)
$ git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 308 bytes | 102.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:Alexander-F2000/TD.git
   8456ae0..c862875  main -> main
branch 'main' set up to track 'origin/main'.

loudh@SWITCHUP MINGW64 ~/Desktop/TD (main)
$
```



Conclusion

Notions acquises durant ce laboratoire :

Familiarisation avec les termes Git (dépôt local) et GitHub (dépôt distant)
Capacité à héberger un projet sur GitHub et à cloner un projet sur notre ordinateur avec git
Utilisation de certaines commandes git et leurs utilisations (et d'autres termes techniques) :
1. git –-version : Permet de vérifier la version git installée sur son ordinateur.
2. git config –-global user.name et git config –-global user.email :
Permet de configurer le compte GitHub avec des données utilisateurs.

3. git config –-list :Permet d’afficher la liste des configurations de Git.
4. ls : permet l’affichage de tous les répertoires.
5. cd : Permet l’ouverture d’un dossier.
6. mkdir : Permet de créer un dossier.
7. git init : Permet l’initialisation d’un dépôt.
8. README.me : Fichier texte écrit en Markdown.
9. git log : Permet d’afficher l’historique des commits dans un dépôt git.
10. git status : Sert à afficher l’état actuel du dépôt Git.
11. git add . : Sert à ajouter des fichiers
12. git commit –m : Valide les changement ajoutés.
13. git branch –M main :Permet de renommer la branche actuelle en main, même si une branche main existe déjà.
14. git push –u origin main : Permet d’envoyer la branche main vers GitHub.