

Organoboron Compounds: Prevalent and Novel Applications

Jian-Qing Qi

Tsinghua University

2019.12.3



清华大学
Tsinghua University

Contents

- 1 Introduction
- 2 Boron-Substituted 1,3-Dienes
- 3 Organoboron Compounds for SET
- 4 Metal-Free Borylation
- 5 Annex

Characteristics of Boron¹

Table: Atomic Radii


	B	C
$r_{vdw}(\text{\AA})$		1.70
$r_{cov}(\text{\AA})$	0.83	0.68

Table: Bond Dissociation Energy

Bonds	$D_{298K}^{\circ} (kJ \cdot mol^{-1})$
B-B	290
B-H	345.2 ± 2.5
C-C	618 ± 15.4
C-H	318.4 ± 1.2

¹David R. Lide. *CRC Handbook of Chemistry and Physics*. 90th Edition (CD-ROM Version 2010). Boca Raton, FL.: CRC Press/Taylor and Francis.

Asymmetric Reduction of $C=C^2$ and $C=O^3$ Bonds



²Herbert C. Brown, Manoj C. Desai, and Prabhakar K. Jadhav. "Hydroboration. 61. Diisopinocampheylborane of high optical purity. Improved preparation and asymmetric hydroboration of representative cis-disubstituted alkenes". In: *The Journal of Organic Chemistry* 47.26 (1982). DOI: 10.1021/jo00147a004.

³Herbert C. Brown, J. Chandrasekharan, and P. V. Ramachandran. "Chiral synthesis via organoboranes. 14. Selective reductions. 41. Diisopinocampheylchloroborane, an exceptionally efficient chiral reducing agent". In: *Journal of the American Chemical Society* 110.5 (1988). DOI: 10.1021/ja00213a030.

Diastereoselective Allylboration⁴





Figure: Diastereoselective Allylboration

⁴Herbert C. Brown, Krishna S. Bhat, and Ramnarayan S. Randad. " β -Allyldiisopinocampheylborane: a remarkable reagent for the diastereoselective allylboration of α -substituted chiral aldehydes". In: *The Journal of Organic Chemistry* 52.2 (1987), pp. 319–320. ISSN: 0022-3263. DOI: 10.1021/jo00378a042. URL: <https://doi.org/10.1021/jo00378a042>.

Suzuki-Miyaura Cross-Coupling



Tandem Diels-Alder Cycloaddition





Figure: A Module Figure

The diastereoselectivity of this two-step process is very high, that is why this process is very important for generating multiple stereocentres from rather simple starting materials.⁵


⁵Jadwiga Pyziak, Jędrzej Walkowiak, and Bogdan Marciniak. "Recent Advances in Boron-Substituted 1,3-Dienes Chemistry: Synthesis and Application". In: 23.15 (2017). DOI: 10.1002/chem.201602124.

A Synthetic Example⁶



⁶Alexandre Cannillo et al. "Fast Synthesis of Complex Enantiopure Heterocyclic Scaffolds by a Tandem Sequence of Simple Transformations on α -Hydroxyaldehydes". In: *Chemistry – A European Journal* 19.28 (2013). DOI: 10.1002/chem.201301712


Latest application of B_2pin_2 ⁷



⁷Li Zhang and Lei Jiao. "Super electron donors derived from diboron". In: *Chemical Science* 9.10 (2018). DOI: 10.1039/C8SC00008E.


Synthetic Applications of the New Method

When applied with B_2pin_2 , p-PhPy, MeOK, the following reactions can take place⁸:






⁸Li Zhang and Lei Jiao. "Pyridine-Catalyzed Radical Borylation of Aryl Halides". In: *Journal of the American Chemical Society* 139.2 (2017). DOI: 10.1021/jacs.6b11813.

Mechanisms of this Method




Metal-Free Directed C—H Borylation⁹



⁹ Jiahang Lv et al. "Metal-free directed C—H bond activation and borylation". In: *Nature* (2019). DOI: 10.1038/s41586-019-1640-2.

Mechanism of this Reaction



Acknowledgments

- Prof. Jiao
- Associated Prof. Chen
- Authors of the brilliant works mentioned above

Annex

This slide and articles cited in the slide can be found here:
<https://github.com/Alexander-Qi/organoboron>

Or Scan this QRcode:

