

Part 1: Step 5

Read_Root

default

GET / Read Root

Parameters

No parameters

Execute Clear

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8001/' \
-H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8001/
```

Server response

Code	Details
200	Response body

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8001/' \
-H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8001/
```

Server response

Code	Details
200	<div>Response body</div> <div><pre>{ "Hello": "World" }</pre></div> <div>Response headers</div> <div><pre>content-length: 17 content-type: application/json date: Thu, 06 Mar 2025 21:50:51 GMT server: uvicorn</pre></div>

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header

/items/{item_id}

GET

/items/{item_id} Read Item

Cancel

Parameters

Name	Description
item_id * required	
integer	1
(path)	
q	
string (string null)	bread
(query)	

ExecuteClear

Responses

Curl

curl -X 'GET' \ 'http://127.0.0.1:8001/items/1?q=bread' \ -H 'accept: application/json'

Request URL

Curl

curl -X 'GET' \ 'http://127.0.0.1:8001/items/1?q=bread' \ -H 'accept: application/json'

Request URL

http://127.0.0.1:8001/items/1?q=bread

Server response

Code	Details
200	<div><div>Response body</div><div>{ "item_id": 1, "q": "bread" }</div><div>Download</div></div> <div><div>Response headers</div><div>content-length: 25 content-type: application/json date: Thu, 06 Mar 2025 21:54:09 GMT server: uvicorn</div></div>

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header

Part 2: Step 2

PUT

/items/{item_id} Update Item

Cancel

Reset

Parameters

Name	Description
item_id required	
integer	
(path)	

Request body required

application/json

```
{
  "name": "Yummy burger",
  "price": 10,
  "is_offer": true
}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
  'http://127.0.0.1:8001/items/1' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "name": "Yummy burger",
    "price": 10,
    "is_offer": true
  }'
```

Request URL

http://127.0.0.1:8001/items/1

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{ "item_name": "Yummy burger", "item_id": 1 }</pre></div><div>Download</div></div> <div><div>Response headers</div><div><pre>content-length: 40 content-type: application/json date: Thu, 06 Mar 2025 22:41:22 GMT</pre></div></div>