CD44	0	0	0	0	0	0	0	0	0	0	0	0.02	0.04	0.01	0	0.03
SPP1	0.06	0	0	0	0	0	0	0.01	0	3.9	0.01	0.01	0.01	0	0	0
PTPRS	0	0.04	0.03	0.04	0.03	0.03	0.02	0.01	0.03	0	0.02	0.02	0.04	0.02	0.03	0.01
PTN	0.14	0.53	1	0.54	0.47	0.43	0.14	0.19	0.99	0.22	2.5	4.8	3.9	2.8	2.5	3.5
CRHR2	0	0	0	0	0	0	0	0	0.02	0	0	0.03	0	0.01	0.04	0.05
CRH	0	0	0	0	0	0	0.01	0	0	0	0.01	0.49	0	0.04	0.01	0.01
PLXNB2	0.04	0.02	0	0.03	0.04	0.03	0.02	0.02	0.06	0.14	0.02	0.08	0.05	0.06	0.07	0.06
SEMA4D	0.02	0.06	0.09	0.06	0.03	0.06	0.01	0.02	0.03	0.32	0.14	0.05	0.03	0.03	0.04	0.05
HBEGF	0.45	0.07	0.11	0.05	0.07	0.02	0.01	0.02	0.01	0.32	0.02	0.24	0.3	0.02	0.02	0.15
ERBB4	0.09	0.01	0	0.01	0.03	0.02	1	1.2	0.01	0.12	0.1	0.01	0	0.03	0.01	0.02
	End	ExDp1	ExDp2	ExM	ExM-U	ExN	InCGE	InMGE	IP	Mic	OPC	oRG	Per	PgG2M	PgS	vRG