CPU Inference Engines:	Xeon® Gold 6238L	Xeon® Gold 5218T	Xeon® Platinum 8280	Intel® Xeon® Silver 6338N
Motherboard	Intel Corporation / S2600STB	Intel Corporation / S2600STB	Intel Corporation / S2600STB	M50CYP2SB1U Coyote Pass
CPU	Intel® Xeon® Gold 6238L CPU @ 2.10GHz	Intel® Xeon® Gold 5218T CPU @ 2.10GHz	Intel® Xeon® Platinum 8280 CPU @ 2.70GHz	Intel® Xeon® Silver 6338N CPU @ 2.20GHz
Hyper Threading	on	on	on	on
Turbo Setting	on	on	on	on
Memory	12 x 32 GB DDR4 2666MHz	12 x 32 GB DDR4 2666MHz	12 x 32 GB DDR4 2933MHz	16 x 16 GB DDR4 3200MHz
Operating System	Ubuntu 24.04.4 LTS	Ubuntu 24.04.4 LTS	Ubuntu 24.04.4 LTS	Ubuntu 24.04.4 LTS
Kernel version	6.8.0-134-generic	6.8.0-134-generic	6.8.0-134-generic	6.8.0-134-generic
BIOS Vendor	Intel Corporation	Intel Corporation	Intel Corporation	Intel Corporation
BIOS Version	SE5C620.86B.02.01.0013.121520200651	SE5C620.86B.02.01.0013.121520200651	SE5C620.86B.02.01.0009.092820190230	SE5C620.86B.01.01.0006.2207150335
BIOS Release	12/15/2020	12/15/2020	9/28/2019	7/15/2022
NUMA nodes	2	2	2	2
Precision	INT8/FP32	INT8/FP32	INT8/FP32	INT8/FP32
Test Date	5/26/2026	5/26/2026	5/26/2026	5/26/2026

CPU Inference Engines:	Intel® Xeon® Platinum 8380	Intel® Xeon® Platinum 8480+	Xeon® Platinum 8580	Xeon® 6767P
Motherboard	M50CYP2SB1U Coyote Pass	Intel Corporation / Archer City	Intel Corporation Archer City CRB	Intel Corporation Qantas SDP
CPU	Intel® Xeon® Gold 8380 CPU @ 2.30GHz	Intel® Xeon® Gold 84880+ CPU @ 1.9 GHz.	Intel® Xeon® Platinum 8580 CPU @ 2.0GHz	Intel® Xeon® 6767P CPU @ 2.4GHz
Hyper Threading	on	on	on	on
Turbo Setting	on	on	on	on
Memory	16 x 16 GB DDR4 3200MHz	16 x 16 GB DDR5 4800MHz	12 x 16 GB DDR5 5600MHz	16 x 16 GB DDR5 6400MHz
Operating System	Ubuntu 24.04.4 LTS	Ubuntu 24.04.4 LTS	Ubuntu 24.04.4 LTS	Ubuntu 24.04.4 LTS
Kernel version	6.8.0-134-generic	6.8.0-134-generic	6.8.0-134-generic	6.17.0-35-generic
BIOS Vendor	Intel Corporation	Intel Corporation	Intel Corporation	AMI
BIOS Version	SE5C620.86B.01.01.0006.2207150335	EGSDREL1.SYS.9409.P31.2302280828	EGSDREL1.SYS.1752.P05.2401050250	3A11.QCT001
BIOS Release	7/15/2022	2/28/2023	1/5/2024	12/13/2024
NUMA nodes	2	2	2	4
Precision	INT8/FP32	INT8/FP32/BF16	INT8/FP32/BF16	INT8/FP32/BF16
Test Date	5/26/2026	5/26/2026	5/26/2026	5/26/2026

CPU Inference Engines:	Xeon® 6726-B	Xeon® 698X
Motherboard	Intel Corporation CRB	Asus WS W890 SAGE
CPU	Intel® Xeon® 6726P-B CPU @ 2.3GHz	Intel® Xeon® 698X CPU @ 2.0GHz
Hyper Threading	on	on
Turbo Setting	on	on
Memory	4 x32 GB DDR5 6400MHz	4 x32 GB DDR5 6400MHz
Operating System	Ubuntu 24.04.4 LTS	Ubuntu 24.04.4 LTS
Kernel version	6.8.0-134-generic	7.0.0-28-generic
BIOS Vendor	Intel Corporation	ASUS
BIOS Version	KVLDCRB1.IPC.3038.P13.2508220621	5.7
BIOS Release	8/22/2025	4/7/2026
Precision	INT8/FP32	INT8/BF16/FP32
Test Date	5/26/2026	5/26/2026

CPU Inference Engines:	Elkhart Lake	TGL-UP3	TGL-UP3	Intel Processor N100
Motherboard	Intel Corporation, SDP/Laptop	NUC11TNKv7	Iel B622	AZW-EQ
CPU	11th Gen Intel® Atom™ x6425E @ 2.0 GHz	11th Gen Intel® Core™ i7-1185G7 @ 3.0GHz	11th Gen Intel® Core™ i7-1185GRE @ 2.8GHz	Intel® Processor N100 @ 800 MHz
Hyper Threading	off	on	on	off
Turbo Setting	on	on	on	oon
Memory	2 x 4 GB LPDDR4 4267MHz	2 x 32 GB DDR4 2667MHz	1 x 16 GB DDR4 3200MHz	1x16GB DDR5 @ 4800 MT/s
Operating System	Ubuntu 24.04.4 LTS	Ubuntu 24.04.4 LTS	Ubuntu 24.04.3 LTS	Ubuntu 24.04.4 LTS
Kernel version	6.17.0-35-generic	6.8.0-134-generic	6.8.0-134-generic	6.8.0-134-generic
BIOS Vendor	Intel Corporation	Intel Corporation	Intel Corporation	AMI
BIOS Version	EHLSFWI1.R00.6314.A01.2408070645	TNTGLV57.9026.2020.0916.1340	B622AR02.BIN	N95V106
BIOS Release	8/7/2024	9/16/2020	9/29/2021	12/15/2023
Batch size	1	1	1	1
Precision	INT8/FP16/FP32	INT8/FP16/FP32	INT8/FP16/FP32	INT8/FP16/FP32
Test Date	5/26/2026	5/26/2026	5/26/2026	5/26/2026

CPU Inference Engines:	Amston Lake	ADL-P	ADL-P	Alder Lake
Motherboard	AAEON UPN-ADLN01	NUC 12SNKi72	Partaker	AAEON, UPX-ADLP01
CPU	12th Gen Intel® Atom™ x7433RE @ 1.5 GHz	Intel® Core™ i7-12700H	Intel® Core™ i5-1235U	Intel® Celeron® 7305E @ 1.0 GHz
Hyper Threading	off	on	on	n/a
Turbo Setting	on	on	on	on
Memory	4 x 4 GB DDR5 6400MHz	2 x 8 GB DDR4 3200MHz	1 x 32 GB DDR4 @ 2666 MHz	8 x 1 GB LPDDR5 @ 5200 MT/s
Operating System	Ubuntu 24.04.4 LTS	Ubuntu 24.04.4 LTS	Ubuntu 24.04.3 LTS	Ubuntu 24.04.4 LTS
Kernel version	6.8.0-134-generic	6.8.0-134-generic	6.8.0-134-generic	6.17.0-35-generic
BIOS Vendor	Intel Corporation	Intel Corporation	AMI	AMI
BIOS Version	AMI, UNASAM13	SNADL357.0056.2022.1102.1218	5.27	UXRPAM
BIOS Release	5/22/2024	11/2/2023	2/22/2023	4/26/2024
Batch size	1	1	1	1
Precision	INT8/FP16/FP32	INT8/FP16/FP32	INT8/FP16/FP32	INT8/FP16/FP32
Test Date	5/26/2026	5/26/2026	5/26/2026	5/26/2026

CPU Inference Engines:	Core i5-13600K	Core i9-13900K	RPL-P	RPL-P
Motherboard	Intel Corporation NUC13SBBi5 / M89887-303	Intel Corporation Raptor Lake Client Platform	Giga-computing, GB-BRi7HS-1355	Giga-computing, GB-BRi5HS-1335
CPU	Intel® Core™ i5-13600K CPU @ 3.5 GHz	Intel® Core™ i9-13900K CPU @ 3.0GHz	Intel® Core™ i7-1355U	Intel® Core™ i5-1335U
Hyper Threading	on	on	on	on
Turbo Setting	on	on	on	on
Memory	2 x 32 GB DDR5 4800MHz	2 x 32 GB DDR5 4800MHz	2 x 16 GB DDR4 @ 3200MT/s	2 x 16 GB DDR4 @ 3200MT/s
Operating System	Ubuntu 24.04.4 LTS	Ubuntu 24.04.4 LTS	Ubuntu 24.04.3 LTS	Ubuntu 24.04.3 LTS
Kernel version	6.17.0-35-generic	6.17.0-35-generic	6.8.0-134-generic	6.8.0-134-generic
BIOS Vendor	Intel Corporation	Intel Corporation	AMI	AMI
BIOS Version	SBRPL579.0053.2022.1125.0101	SBRPL579.0053.2022.1125.0101	F03	F03
BIOS Release	11/25/2022	11/25/2022	4/27/2023	4/27/2023
Batch size	1	1	1	1
Precision	INT8/FP32	INT8/FP32	INT8/FP16/FP32	INT8/FP16/FP32
Test Date	5/26/2026	5/26/2026	5/26/2026	5/26/2026

CPU Inference Engines:	MTL-H	ARL-H	LNL-258V	LNL-288V
Motherboard	ASUSTek, NUC14RVH	AsusTek, NUC Desktop	AsusTek NUC Desktop	AsusTek NUC Desktop
CPU	Intel® Core Ultra 155H @ 1.4 GHz	Intel® Ultra 7-265H @ 2.2 GHz	Intel® Ultra7-258V @ 2.2GHz	Intel® Ultra 9-288V @ 3.3GHz
Hyper Threading	on	n/a	n/a	n/a
Turbo Setting	on	on	on	on
Memory	2 x 16 GB DDR5 @ 5600 MHz.	2 x 16 GB DDR5 @ 6400MT/s	32 GB LPDDR5 @ 8533 MHz	32 GB LPDDR5 @ 8533 MHz
Operating System	Windows 11, Pro	Windows 11 Entpr. 24H2	Windows 11	Windows 11
Kernel version	10.0.26200 Build 26200	10.0.26100 Build 26100	10.0.26100 Build 26100	10.0.26100 Build 26100
BIOS Vendor	Asus	Intel Corporation	Intel Corporation	Intel Corporation
BIOS Version	RVMTL357.0046.2024.1122.1109	ASUSTeK COMPUTER INC. CRARLV57.0024.2025.0507.1536, 5/7/2025	LNLMFWI1.R00.3221.D83.2408120121, 8/12/2024	ASUSTeK COMPUTER INC. LNLNLLNK.0006.2024.1210.1520
BIOS Release	11/22/2024	5/7/2025	8/12/2024	12/10/2024
Batch size	1	1	1	1
Precision	INT8/FP16/FP32	INT8/FP16/FP32	INT8/FP16/FP32	INT8/FP16/FP32
Test Date	5/26/2026	5/26/2026	5/26/2026	5/26/2026

CPU Inference Engines:	PTL-H	WCL-H	Xeon® 6726-B
Motherboard	Intel Software Developer Platform	Intel Software Developer Platform	Intel Corporation CRB
CPU	Intel® Ultra 7-368H @ 2.0 GHz	Intel® Ultra 7-350 @ 1.5 GHz	Intel® Xeon® 6726P-B CPU @ 2.3GHz
Hyper Threading	n/a	n/a	on
Turbo Setting	on	on	on
Memory	8 x 8 GB DDR5 @ 8533MT/s	1 x 32 GB DDR5 @ 6400MT/s	4 x32 GB DDR5 6400MHz
Operating System	Windows 11	Windows 11, Pro	Ubuntu 24.04.4 LTS
Kernel version	10.0.26200	10.0.26200 Build 26200	6.8.0-134-generic
BIOS Vendor	Intel Corporation	Intel Corporation	Intel Corporation
BIOS Version	PTLPFWI1.R00.3383.D10.2510222219	PTLPFWI1.R00.3332.D52.2509040547	KVLDCRB1.IPC.3038.P13.2508220621
BIOS Release	10/22/2025	9/4/2025	8/22/2025
Batch size	1	1	1
Precision	INT8/FP16/FP32	INT8/FP16/FP32	INT8/FP32
Test Date	5/26/2026	5/26/2026	5/26/2026

GPU Inference Engines:	Intel® Dedicated Graphics Family GPU	Intel® Dedicated Graphics Family GPU	Intel® Dedicated Graphics Family GPU	Intel® Dedicated Graphics Family GPU
GPU	ARC™ A-770M	ARC™ A-750E	ARC™ B-580	Arc™ Pro-B60
Connection	PCIe G4, 1x16	PCIe G4, 1x16	PCIe G4, 1x8	PCIe G4, 1x8
Batch size	1	1	1	1
Number of concurrent inference requests	1/8/Automatic	1/8/Automatic	1/8/Automatic	1/8/Automatic
Memory	16 GB DDR6, 512 GB/s	16 GB DDR6, 560 GB/s	16 GB DDR6, 456 GB/s	24 GB DDR6, 456 GB/s
HPC & AI	FP32, FP16, BF16, INT8, INT4	FP32, FP16, BF16, INT8, INT4	FP32, FP16, BF16, INT8, INT4	FP16, INT8, INT4
Form Factor	3/4L Full Heigth, Fan cooled	3/4L Full Heigth, Fan cooled	3/4L Full Heigth, Fan cooled	3/4L Full Heigth, Fan cooled
X^e cores	32	28	20	20
EUs	512	448	160	160
Device ID	8086-5690	8086-56BE	8086-E20B	8086-E211
Test Date	5/26/2026	5/26/2026	5/26/2026	5/26/2026
Host Machine	Core™ i7-12700H, Serpent Canyon	Intel® Core™ i9-13900K	Core™ i5-13400F	NUC13 Core i5-13600K
Motherboard	Intel corp NUC 12SNKi72	Intel Corporation NUC13SBBi9	ABS Gaming PC, ASRock B760M	Intel Corporation NUC13SBBi5 / M89887-303
CPU	Intel® Core™ i7-12700H CPU @ 2.30GHz	Intel® Core™ i9-13900K @ 3.0 GHz	Intel® Core™ i5-13400F CPU @ 2.5 GHz	Intel® Core™ i5-13600K CPU @ 3.5 GHz
Hyper Threading	on	on	on	on
Turbo Setting	on	on	on	on
Memory	2 x 8 GB DDR4 3200MHz	2 x 32 GB DDR5 @ 4800MT/s	2 x 16 GB DDR4 3200MHz	2 x 32 GB DDR5 4800MHz
Operating System	Ubuntu 24.04.4 LTS	Ubuntu 24.04.4 LTS	Windows 11 Enterprise LTSC	Ubuntu 24.04.4 LTS
Kernel version	6.8.0-134-generic	6.17.0-35-generic	24H2 26100.7705	6.17.0-35-generic
BIOS Vendor	Intel Corporation	Intel Corporation	AMI	Intel Corporation
BIOS Version	SNADL357.0056.2022.1102.1218	SBRPL579.0047.2022.1105.1728	5.01	SBRPL579.0053.2022.1125.0101
BIOS Release	11/2/2022	11/5/2022	8/7/2024	11/25/2022

GPU Inference Engines:	Intel® Dedicated Graphics Family GPU
GPU	ARC™ Pro B-70
Connection	PCIe G4, 1x16
Batch size	1
Number of concurrent inference requests	1/8/Automatic
Memory	32 GB DDR6, 604 GB/s
HPC & AI	FP32, FP16, BF16, INT8, INT4
Form Factor	3/4L Full Heigth, Fan cooled
X^e cores	32
EUs	256
Device ID	8086-E223
Test Date	5/26/2026
Host Machine	Core™ Ultra 5-245T
Motherboard	Gigabyte Z890 Aorus Elite
CPU	Intel® Core™ Ultra 5-245T CPU @ 1.7 GHz
Hyper Threading	on
Turbo Setting	on
Memory	2 x16 GB DDR5 5600MHz
Operating System	Ubuntu 26.04 LTS
Kernel version	7.0.0-27-generic
BIOS Vendor	AMI
BIOS Version	F9
BIOS Release	10/18/2024

	OpenVINO™ Model Server Platform with Intel® Xeon® Platinum 8260M		OpenVINO™ Model Server Platform with Intel® Xeon® Gold 6238	
	Server Platform	Client Platform	Server Platform	Client Platform
Motherboard	Inspur YZMB-00882-104 NF5280M5	Intel® Server Board S2600WF R2224WFTZSR	Inspur, NF5280M5, MB: YZMB-00882-104	Inspur YZMB-00882-104 NF5280M5
Memory	Samsung 16 x 16GB @ 2666 MT/s DDR4	Hynix 16 x 16GB @ 2933 MT/s DDR4	Kingston 16 x 16GB @ 2933 MT/s DDR4	Samsung 16 x 16GB @ 2666 MT/s DDR4
CPU	Intel® Xeon® Platinum 8260M CPU @ 2.40GHz	Intel® Xeon® Gold 6252 CPU @ 2.10GHz	Intel(R) Xeon(R) Gold 6238M CPU @ 2.10GHz	Intel® Xeon® Platinum 8260M CPU @ 2.40GHz
Selected CPU Flags	Hyper Threading, Turbo Boost, DL Boost	Hyper Threading, Turbo Boost, DL Boost	Hyper Threading, Turbo Boost, DL Boost	Hyper Threading, Turbo Boost, DL Boost
CPU Thermal Design Power	162 W	150 W	140W	162 W
Operating System	Ubuntu 22.04.4 LTS	Ubuntu 22.04.4 LTS	Ubuntu 22.04.4 LTS	Ubuntu 22.04.4 LTS
Kernel Version	6.2.0-060200-generic	6.2.0-060200-generic	6.5.10-060510-generic	6.2.0-060200-generic
BIOS Vendor	American Megatrends Inc.	Intel® Corporation	American Megatrends Inc.	American Megatrends Inc.
BIOS Version & Release	4.1.16, date: 06/23/2020	SE5C620.86B.02.01, date: 03/26/2020	4.1.16, 06/23/2020	4.1.16, date: 06/23/2020
Docker Version	20.10.3	20.10.3	20.10.3	20.10.3
Network Speed	40 Gb/s		40 Gb/s	

	OpenVINO™ Model Server Platform with Intel® Core™ i9-11900K		OpenVINO™ Model Server Platform with Intel® Core™ i7-11700K	
	Server Platform	Client Platform	Server Platform	Client Platform
Motherboard	Wortman AG, Gigabyte Technology Z590M	ASUSTeK COMPUTER INC. PRIME X299-AII	ASUSTeK COMPUTER INC. PRIME Z590-P	Wortman AG, Gigabyte Technology Z590M
Memory	Samsung 4 x 32GB @ 3200 MT/s DDR4	Kingston 2 x 32GB @ 2660 MT/s DDR4	Kingston 2 x 32GB @ 2400 MT/s DDR4	Samsung 4 x 32GB @ 3200 MT/s DDR4
CPU	Intel® Core™ i9-11900K CPU @ 3.50GHz	Intel® Core™ i9-10920X CPU @ 3.50GHz	Intel® Core™ i7-11700K CPU @ 3.60GHz	Intel® Core™ i9-11900K CPU @ 3.50GHz
Selected CPU Flags	Hyper Threading, Turbo Boost, DL Boost	Hyper Threading, Turbo Boost, DL Boost	Hyper Threading, Turbo Boost	Hyper Threading, Turbo Boost, DL Boost
CPU Thermal Design Power	125 W	165 W	125W	125 W
Operating System	Ubuntu 22.04.4 LTS	Ubuntu 22.04.4 LTS	Ubuntu 22.04.4 LTS	Ubuntu 22.04.4 LTS
Kernel Version	6.5.10-060510-generic	6.2.0-060200-generic	6.8.0-45-generic	6.5.10-060510-generic
BIOS Vendor	American Megatrends Inc.	American Megatrends Inc.	American Megatrends Inc.	American Megatrends Inc.
BIOS Version and Release Date	F7C, date: 08/04/2022	702, 06/10/2020	1017, date: 07/12/2021	F7C, date: 08/04/2022
Docker Version	19.03.13	20.10.0	19.03.14	19.03.13
Network Speed	10 Gb/s		10 Gb/s	

OpenVINO™ Model Server Platform with Intel® Core™ i3-10100		
	Server Platform	Client Platform
Motherboard	ASUSTeK COMPUTER INC. PRIME Z590-P	ASUSTeK COMPUTER INC. PRIME Z590-P
Memory	Kingston 2 x 32GB @ 2400 MT/s DDR4	Kingston 2 x 32GB @ 2400 MT/s DDR4
CPU	Intel® Core™ i3-10100 CPU @ 3.60GHz	Intel® Core™ i7-11700K CPU @ 3.60GHz
Selected CPU Flags	-	Hyper Threading, Turbo Boost
CPU Thermal Design Power	65 W	125W
Operating System	Ubuntu 22.04.4 LTS	Ubuntu 22.04.4 LTS
Kernel Version	6.5.10-060510-generic	6.8.0-45-generic
BIOS Vendor	American Megatrends Inc.	American Megatrends Inc.
BIOS Version and Release Date	0407, date: 01/14/2021	1017, date: 07/12/2021
Docker Version	20.10.0	19.03.14
Network Speed	10 Gb/s	