

APIC Community — Technical handover (insurance document)

Audience: Client stakeholders and any incoming developer or agency

Purpose: Continuity if the original developer company is unavailable — enough detail to clone, provision accounts, wire environment, migrate access, and relaunch production.

Last updated: 2026-09-16

1. Purpose of this document

This is a **relaunch / insurance** guide. It lists the product, stack, third-party accounts, environment variables, repository layout, and a step-by-step procedure to stand up a working app.

Important — access to data and accounts

Secrets are **not** stored in this document or in git. Live keys live in Vercel project env and local `.env.local` (gitignored).

A new maintainer should **request access** (owner invite or credential handoff) from the **client / current operators** for each system listed in §4 and §5. The original developer can assist with transfer when reachable (see §11). Do not invent or embed live credentials here.

2. Product overview

Private platform for members of a holiday community (Castelfalfi / APIC).

It is **not** a property booking or rental-availability product. Domain language prefers attendance / stays / "who is here." The attendance UI lives at `/community-calendar`.

Members can

- Sign in after invitation (no public self-registration)
- View and manage attendance on the community calendar
- Browse local listings (places), search/filter, view on Google Maps
- Manage their own profile and password

Admins can

- Everything members can
- Invite users; resend / cancel invitations
- Manage users and roles; delete users (with final-admin safeguards)
- Manage any member's attendance
- Create / edit / delete listings and tags
- View the administrative audit log at `/members/admin/audit-log`
- Edit marketing pages and blog via TinaCMS `/admin`

Out of scope for v1

- Public registration
- Messaging / chat product backend
- Booking units, payments, or inventory
- Replacing TinaCMS for marketing page editing

Data ownership

Data	System of record
Live member data (profiles, invites, attendance, listings, audit log)	Supabase
Marketing pages / blog content	TinaCMS content in git (content/) + TinaCloud

3. Tech stack (what runs where)

Layer	Technology
App framework	Next.js 16 App Router, React 19, TypeScript, Tailwind CSS
Hosting / deploys	Vercel (tinacms build && next build)
Auth + database + RLS	Supabase (hosted Postgres, Auth, service role for admin ops)
CMS	TinaCMS / TinaCloud — marketing pages & blog; UI at /admin
Attendance UI	DayPilot Lite scheduler (app/components/scheduler.tsx)
Maps / places	Google Maps JavaScript API, Places API, Geocoding
AI helpers	OpenAI — admin tag suggest / alias backfill
Error monitoring	Sentry EU (de.sentry.io) — always on when DSN is set
Product analytics	PostHog EU (eu.i.posthog.com) — consent-gated
Auth email redirects	Supabase Auth + NEXT_PUBLIC_SITE_URL
One-off data scripts	scripts/ (seed listings, attendance, enrich places, etc.)

4. Required third-party accounts

Request ownership transfer or admin invite for each console. Secrets stay in Vercel / `.env.local` only.

Account	Why the app needs it	Required for relaunch?	Notes
Git host (e.g. GitHub)	Source repo, PRs, optional CI	Yes	Clone and history
Vercel	Production + preview deploys; production env vars	Yes	Domain + build settings
Supabase	Auth, Postgres, RLS, invites, service role	Yes	Project ref / API URL in dashboard
TinaCloud	CMS auth (NEXT_PUBLIC_TINA_CLIENT_ID,	Yes for content editing & Tina build	Also used at build time

	TINA_TOKEN)	step	
Google Cloud	Maps JS, Places, Geocoding API keys	Yes for map / place features	Restrict Maps key by HTTP referrer; server keys by IP in prod
OpenAI	Admin tag suggest / alias backfill	Optional for core app; required for those AI admin features	Server-only OPENAI_API_KEY
PostHog (EU)	Product analytics + session replay	Optional — omit key to disable	Prefer separate projects for local vs production
Sentry (EU de.sentry.io)	Errors, source maps, optional Slack alerts	Strongly recommended	Separate projects for local vs production
Domain / DNS	Production hostname → Vercel	Yes for public relaunch	Must match NEXT_PUBLIC_SITE_URL / Auth redirect URLs
Slack	Optional Sentry alert destination	Optional	Configured in Sentry UI, not app env
Vimeo	Admin dashboard walkthrough embeds only	Not required to run the app	Optional

5. Data ownership and how to request access

System	What you get access to	How to request
Supabase	Member profiles, invitations, attendance, listings, audit log, Auth users	Client invites new maintainer as project owner/admin, or transfers project
TinaCloud + git content/	Marketing pages, blog Markdown	TinaCloud project invite + git repo access
PostHog	Analytics events, session recordings	Project/org invite (EU cloud)
Sentry	Error history, releases, alerts	Org/project invite (EU de.sentry.io)
Vercel	Deploy history, env vars, domains	Team/project invite
Google Cloud	API keys, quotas, billing	GCP project IAM
OpenAI	API usage for tag/AI features	Org invite or new key under client billing

Access requests go through the **client**. The original developer (§11) can help with handoff when available.

If migrating an existing production community: prefer **transferring** the Supabase project (and Auth users) over starting empty, so membership and attendance history are preserved. Always preserve RLS policies and final-admin safeguards from `supabase/migrations/` .

6. Repository map

Path	Role
app/	Next.js routes — public site, /place, /community-calendar, /members/admin/*, auth flows
components/	UI — admin, maps, analytics, blog blocks
lib/	Server actions & clients — Supabase, admin, audit, invitations, listings
supabase/migrations/	Source of truth for schema, RLS, DB functions
content/	Tina pages, blog posts, static CMS content
docs/developer/	Architecture, Supabase, monitoring, Sentry alerts, this handover
public/	Static assets; downloadable PDF at public/docs/apic-community-handover.pdf
scripts/	Seed / enrich / migrate helpers (listings, attendance, places)
.env.example	Canonical list of env var names (no secrets)

Useful npm scripts:

- `npm run dev` — Tina + Next local
- `npm run build` / `npm start` — production build
- `npm run supabase:login` / `supabase:link` / `supabase:db:push`
- `npm run supabase:types` — regenerate TypeScript DB types
- `npm run seed:listings` / `seed:attendance` / related migrate scripts
- `npm test`

7. Environment variables (complete checklist)

Copy `.env.example` → `.env.local` for local work. Set the same keys on the **Vercel** project for production/preview. Use **separate** PostHog and Sentry projects/keys for local vs production where practical.

Google

Variable	Scope	Purpose
NEXT_PUBLIC_GOOGLE_MAPS_API_KEY	Public	Maps JavaScript API (referrer-restricted)
GOOGLE_PLACES_API_KEY	Server	Places API (New) — autocomplete / place details
GOOGLE_GEOCODING_API_KEY	Server	Geocoding (falls back chain documented in <code>.env.example</code>)

Supabase

Variable	Scope	Purpose
NEXT_PUBLIC_SUPABASE_URL	Public	Project API URL
NEXT_PUBLIC_SUPABASE_ANON_KEY	Public	RLS-bound anon/publishable key

NEXT_PUBLIC_SUPABASE_PUBLISHABLE_KEY	Public	Optional alias; code can fall back to anon key
SUPABASE_SERVICE_ROLE_KEY	Server only	Invites, admin deletes, privileged ops — never NEXT_PUBLIC_
NEXT_PUBLIC_SITE_URL	Public	Site origin for auth email redirects (e.g. https://your-domain.com)

OpenAI

Variable	Scope	Purpose
OPENAI_API_KEY	Server only	Admin tag suggest / alias backfill

TinaCMS / TinaCloud

Variable	Scope	Purpose
NEXT_PUBLIC_TINA_CLIENT_ID	Public	TinaCloud client id
TINA_TOKEN	Server only	TinaCloud token (also on Vercel for builds)

PostHog (EU)

Variable	Scope	Purpose
NEXT_PUBLIC_POSTHOG_KEY	Public	Omit locally to disable (no-op provider)
NEXT_PUBLIC_POSTHOG_HOST	Public	Default https://eu.i.posthog.com

Sentry (EU)

Variable	Scope	Purpose
NEXT_PUBLIC_SENTRY_DSN	Public	Client/server DSN (ingest.de.sentry.io); omit locally to disable
SENTRY_DSN	Server	Optional server-only alias
NEXT_PUBLIC_SENTRY_ENVIRONMENT	Public	Optional override: development preview production
SENTRY_ORG	CI / Vercel	Org slug for source map upload
SENTRY_PROJECT	CI / Vercel	Project slug
SENTRY_AUTH_TOKEN	CI / Vercel	Auth token — never commit

Anything prefixed `NEXT_PUBLIC_` is visible in the browser bundle. Treat service role, Tina token, OpenAI, and Sentry auth token as highly sensitive.

8. Relaunch / clone procedure

1. **Gain access** to the git repo and request account access for the systems in §4–§5.
2. **Clone** the repository; run `npm install`.
3. **Supabase:** create a new project **or** take ownership of the existing one. Link with `npx supabase link` / `npm run supabase:link`. Apply migrations with `npm run supabase:db:push`. Regenerate types with `npm run supabase:types` if the schema changed.
4. **Auth settings (Supabase dashboard):** public sign-ups disabled (invitation-only); Site URL + Redirect URLs match the app origin (include `/auth/confirm`); set `NEXT_PUBLIC_SITE_URL` accordingly.
5. **TinaCloud:** connect the repo; set `NEXT_PUBLIC_TINA_CLIENT_ID` and `TINA_TOKEN`.
6. **Google Cloud:** enable Maps JavaScript API, Places, Geocoding; create restricted keys as in `.env.example` / `docs/developer/supabase.md`.
7. **Optional:** create PostHog EU and Sentry EU projects (dev + prod). Wire Slack alerts per `docs/developer/sentry-alerts.md` if desired.
8. **Env:** fill `.env.local` from `.env.example`; mirror values on Vercel for Production (and Preview as needed).
9. **Domain:** point DNS at Vercel; confirm Auth redirect URLs and `NEXT_PUBLIC_SITE_URL`.
10. **Deploy:** `npm run build` locally to verify, then deploy via Vercel.
11. **Smoke-test:** invite/accept invite; member login; attendance calendar; listings map; Tina `/admin`; `/members/admin` (users, invitations, listings, tags); audit log; Sentry test error if DSN set; PostHog only when consent on.

Local Docker (`supabase start`) is optional; cloud-linked `db push` is enough for typical maintenance.

9. Roles, routes, and operational surfaces

App admin (`/members/admin`)

Route	Purpose
<code>/members/admin</code>	Dashboard (counts, walkthroughs, handover PDF, developer contact)
<code>/members/admin/users</code>	Roles, promote/demote, delete
<code>/members/admin/invitations</code>	Invite / resend / cancel
<code>/members/admin/listings</code>	CRUD listings
<code>/members/admin/tags</code>	Tag management + AI helpers
<code>/members/admin/audit-log</code>	Read-only audit of sensitive admin actions

Non-admins hitting `/members/admin/*` are redirected (typically to `/place`).

CMS admin

- Tina static admin at `/admin` (marketing pages, blog collections). Unrelated to Supabase Auth session for members.

Audit logging

Sensitive admin actions write to `admin_audit_log` (invites, role changes, user deletes, listing/tag changes, etc.). Admins can read via the audit log UI; RLS prevents non-admin writes from the client.

10. Deeper references

Doc	Covers
architecture-spec.md	Product/system architecture, data model, permissions
supabase.md	Project link, migrations, Auth, Maps keys, checklists
monitoring.md	Sentry + PostHog mental model and env vars
sentry-alerts.md	EU Sentry projects, Slack alerts, verification
../user-stories.md	Product user stories
README.md	Index of developer docs

11. Original developer contact

Alexander Braatz

- WhatsApp: +44 7394 913192 — <https://wa.me/447394913192>
- Email: alex_braatz@icloud.com
- Website: <https://alexanderbraatz.com>

Data and account access requests should go through the **client**. The original developer can help with technical handoff when reachable.