$S_{X_1}^{\alpha=0.10}$ with $N_{sample}=10000, N_{tree}=500, N_{RMSE}=30$

$S_{X_2}^{\alpha=0.10}$ with $N_{sample} = 10000, N_{tree} = 500, N_{RMSE} = 30$

- RMSE
- Normalized RMSE
- weighted RMSE
- Normalized weigthed RMSE

Values of min_samples_leaf

$S_{X_1}^{\alpha=0.30}$ with $N_{sample}=10000, N_{tree}=500, N_{RMSE}=30$

Figure: $S_{X_2}^{\alpha=0.30}$ with $N_{sample}=10000, N_{tree}=500, N_{RMSE}=30$

Legend:
- RMSE
- Normalized RMSE
- weighted RMSE
- Normalized weigthed RMSE

X-axis: Values of min_samples_leaf

Figure: $S_{X_1}^{\alpha=0.70}$ with $N_{sample}=10000, N_{tree}=500, N_{RMSE}=30$

- RMSE
- Normalized RMSE
- weighted RMSE
- Normalized weigthed RMSE

Values of min_samples_leaf

$S_{X_2}^{\alpha=0.70}$ with $N_{sample}=10000, N_{tree}=500, N_{RMSE}=30$

$S_{X_1}^{\alpha=0.99}$ with $N_{sample}=10000, N_{tree}=500, N_{RMSE}=30$

- RMSE
- Normalized RMSE
- weighted RMSE
- Normalized weigthed RMSE

Values of min_samples_leaf

$S_{X_2}^{\alpha=0.99}$ with $N_{sample}=10000, N_{tree}=500, N_{RMSE}=30$

$S_{X_1}^{\alpha=0.10}$ with $N_{sample}=10000$, $N_{tree}=500$, $N_{RMSE}=30$ (Classical)

$S_{X_1}^{\alpha=0.10}$ with $N_{sample} = 10000, N_{tree} = 500, N_{RMSE} = 30$ (Weighted)

Values of min_samples_leaf

$S_{X_2}^{\alpha=0.10}$ with $N_{sample} = 10000, N_{tree} = 500, N_{RMSE} = 30$ (Classical)

Values of min_samples_leaf

$S_{X_2}^{\alpha=0.10}$ with $N_{sample} = 10000$, $N_{tree} = 500$, $N_{RMSE} = 30$ (Weighted)

$S_{X_1}^{\alpha=0.30}$ with $N_{sample}=10000, N_{tree}=500, N_{RMSE}=30$ (Classical)

Values of min_samples_leaf

$S_{X_1}^{\alpha=0.30}$ with $N_{sample}=10000, N_{tree}=500, N_{RMSE}=30$ (Weighted)

$S_{X_2}^{\alpha=0.30}$ with $N_{sample}=10000, N_{tree}=500, N_{RMSE}=30$ (Classical)

$S_{X_2}^{\alpha=0.30}$ with $N_{sample}=10000, N_{tree}=500, N_{RMSE}=30$ (Weighted)

Figure: $S_{X_1}^{\alpha=0.70}$ with $N_{sample}=10000$, $N_{tree}=500$, $N_{RMSE}=30$ (Classical)

$S_{X_1}^{\alpha=0.70}$ with $N_{sample}=10000, N_{tree}=500, N_{RMSE}=30$ (Weighted)

$S_{X_2}^{\alpha=0.70}$ with $N_{sample} = 10000$, $N_{tree} = 500$, $N_{RMSE} = 30$ (Classical)

$S_{X_2}^{\alpha=0.70}$ with $N_{sample}=10000, N_{tree}=500, N_{RMSE}=30$ (Weighted)

$S_{X_1}^{\alpha=0.99}$ with $N_{sample}=10000, N_{tree}=500, N_{RMSE}=30$ (Classical)

$S_{X_1}^{\alpha=0.99}$ with $N_{sample} = 10000, N_{tree} = 500, N_{RMSE} = 30$ (Weighted)

Values of min_samples_leaf

$S_{X_2}^{\alpha=0.99}$ with $N_{sample}=10000, N_{tree}=500, N_{RMSE}=30$ (Classical)

Values of min_samples_leaf

$S_{X_2}^{\alpha = 0.99}$ with $N_{sample} = 10000, N_{tree} = 500, N_{RMSE} = 30$ (Weighted)

Values of min_samples_leaf